

Name : gstreamer1-plugins-base
Version : 1.0.7
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:25 PM EDT
Group : Unspecified
Size : 3935875
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:38 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gstreamer1-plugins-base-1.0.7-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:45:25 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework base plugins
Description :
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : libpinyin-data
Version : 0.9.93
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:17 PM EDT
Group : Unspecified
Size : 32716610
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libpinyin-0.9.93-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:47:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/libpinyin/libpinyin>
Summary : Data files for libpinyin
Description :
The libpinyin-data package contains data files.

Name : python-blivet
Version : 0.61.0.26
Release : 1.el7

Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:17 PM EDT
Group : System Environment/Libraries
Size : 2956590
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-blivet-0.61.0.26-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:11:03 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/blivet>
Summary : A python module for system storage configuration
Description :
The python-blivet package is a python module for examining and modifying
storage configuration.

Name : xorg-x11-xinit
Version : 1.3.2
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:40 PM EDT
Group : User Interface/X
Size : 104790
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-xinit-1.3.2-14.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:07:52 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 X Window System xinit startup scripts
Description :
X.Org X11 X Window System xinit startup scripts

Name : ntsysv
Version : 1.3.61
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:47 PM EDT
Group : System Environment/Base
Size : 37604
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:58:59 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : chkconfig-1.3.61-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:53:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : A tool to set the stop/start of system services in a runlevel
Description :
Ntsysv provides a simple interface for setting which system services are started or stopped in various runlevels (instead of directly manipulating the numerous symbolic links in /etc/rc.d). Unless you specify a runlevel or runlevels on the command line (see the man page), ntsysv configures the current runlevel (5 if you're using X).

Name : xkeyboard-config
Version : 2.9
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:57 PM EDT
Group : User Interface/X
Size : 5046316
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:46:47 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xkeyboard-config-2.9-4.el7.src.rpm
Build Date : Wed 11 Jun 2014 05:57:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/XKeyboardConfig>
Summary : X Keyboard Extension configuration data
Description :
This package contains configuration data used by the X Keyboard Extension (XKB), which allows selection of keyboard layouts when using a graphical interface.

Name : gstreamer-plugins-base
Version : 0.10.36
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:28 PM EDT
Group : Applications/Multimedia
Size : 4374739
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:19 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gstreamer-plugins-base-0.10.36-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:16:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework base plug-ins
Description :

GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : libiscsi
Version : 1.9.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:18 PM EDT
Group : System Environment/Libraries
Size : 159938
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:54:57 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libiscsi-1.9.0-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:41:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/sahlberg/libiscsi>
Summary : iSCSI client library
Description :
libiscsi is a library for attaching to iSCSI resources across a network.

Name : pygpgme
Version : 0.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:20 PM EDT
Group : Development/Languages
Size : 197501
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:27 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pygpgme-0.3-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:30:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cheeseshop.python.org/pypi/pygpgme>
Summary : Python module for working with OpenPGP messages
Description :
PyGPGME is a Python module that lets you sign, verify, encrypt and decrypt

files using the OpenPGP format. It is built on top of GNU Privacy Guard and the GPGME library.

Name : libxml2-python
Version : 2.9.1
Release : 5.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:48 PM EDT
Group : Development/Libraries
Size : 1503050
License : MIT
Signature : RSA/SHA256, Tue 21 Oct 2014 01:16:27 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libxml2-2.9.1-5.el7_0.1.src.rpm
Build Date : Tue 21 Oct 2014 12:27:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xmlsoft.org/>
Summary : Python bindings for the libxml2 library
Description :
The libxml2-python package contains a module that permits applications written in the Python programming language to use the interface supplied by the libxml2 library to manipulate XML files.

This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified.

Name : nautilus-sendto
Epoch : 1
Version : 3.8.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:50 PM EDT
Group : User Interface/Desktops
Size : 494540
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:06 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nautilus-sendto-3.8.0-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:26:47 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.gnome.org/pub/gnome/sources/nautilus-sendto>
Summary : Nautilus context menu for sending files
Description :
The nautilus-sendto package provides a Nautilus context menu for sending files via other desktop applications. These functions are

implemented as plugins, so nautilus-sendto can be extended with additional features.

Name : langtable-data
Version : 0.0.13
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:59 PM EDT
Group : Development/Tools
Size : 574961
License : GPLv3+ and MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:33:35 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : langtable-0.0.13-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:16:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/mike-fabian/langtable>
Summary : Data files for langtable
Description :
This package contains the data files for langtable.

Name : abrt-addon-xorg
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:32 PM EDT
Group : System Environment/Libraries
Size : 17627
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's Xorg addon
Description :
This package contains plugin for collecting Xorg crash information from Xorg log.

Name : libcdio-paranoia
Version : 10.2+0.90
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:20 PM EDT
Group : System Environment/Libraries
Size : 156247

License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:48 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libcdio-paranoia-10.2+0.90-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:20:14 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/libcdio/>
Summary : CD paranoia on top of libcdio
Description :
This CDDA reader distribution ('libcdio-cdparanoia') reads audio from the
CDROM directly as data, with no analog step between, and writes the
data to a file or pipe as .wav, .aifc or as raw 16 bit linear PCM.

Split off from libcdio to allow more flexible licensing and to be
compatible
with cdparanoia-III-10.2's license. And also, libcdio is just too large.

Name : teamd
Version : 1.15
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:22 PM EDT
Group : System Environment/Daemons
Size : 273386
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:26 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libteam-1.15-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:44:40 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libteam.org>
Summary : Team network device control daemon
Description :
The teamd package contains team network device control daemon.

Name : plymouth-core-libs
Version : 0.8.9
Release : 0.13.20140113.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:53 PM EDT
Group : Development/Libraries
Size : 226864
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Plymouth core libraries
Description :
This package contains the libply and libply-splash-core libraries
used by Plymouth.

Name : compat-libtiff3
Version : 3.9.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:52 PM EDT
Group : System Environment/Libraries
Size : 430816
License : libtiff
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:59 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-libtiff3-3.9.4-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:17:40 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.remotesensing.org/libtiff/>
Summary : Compatibility package for libtiff 3
Description :
The libtiff3 package provides libtiff 3, an older version of libtiff
library for manipulating TIFF (Tagged Image File Format)
image format files. This version should be used only if you are unable
to use the current version of libtiff.

Name : bind-license
Epoch : 32
Version : 9.9.4
Release : 18.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:05 PM EDT
Group : Applications/System
Size : 26019
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:29 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bind-9.9.4-18.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:10:04 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.isc.org/products/BIND/>
Summary : License of the BIND DNS suite
Description :
Contains license of the BIND DNS suite.

Name : clutter
Version : 1.14.4
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:36 PM EDT
Group : Development/Libraries
Size : 4394292
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : clutter-1.14.4-12.el7.src.rpm
Build Date : Tue 10 Mar 2015 05:49:02 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.clutter-project.org/>
Summary : Open Source software library for creating rich graphical user interfaces
Description :
Clutter is an open source software library for creating fast, visually rich graphical user interfaces. The most obvious example of potential usage is in media center type applications. We hope however it can be used for a lot more.

Name : ncurses
Version : 5.9
Release : 13.20130511.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:23 PM EDT
Group : System Environment/Base
Size : 439274
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:12 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:03:19 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://invisible-island.net/ncurses/ncurses.html>
Summary : Ncurses support utilities
Description :
The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains support utilities, including a terminfo compiler tic, a decompiler infocmp, clear, tput, tset, and a termcap conversion tool captinfo.

Name : upower
Version : 0.9.20
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:26 PM EDT
Group : System Environment/Libraries
Size : 357394
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:21 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : upower-0.9.20-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:26:06 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://upower.freedesktop.org/>
Summary : Power Management Service
Description :
UPower (formerly DeviceKit-power) provides a daemon, API and command line tools for managing power devices attached to the system.

Name : raptor2
Version : 2.0.9
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:56 PM EDT
Group : Unspecified
Size : 592881
License : GPLv2+ or LGPLv2+ or ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : raptor2-2.0.9-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:18:19 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://librdf.org/raptor/>
Summary : RDF Parser Toolkit for Redland
Description :
Raptor is the RDF Parser Toolkit for Redland that provides a set of standalone RDF parsers, generating triples from RDF/XML or N-Triples.

Name : lohita-oriya-fonts
Version : 2.5.4.1
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:55 PM EDT
Group : User Interface/X
Size : 105062
License : OFL

Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lohit-oriya-fonts-2.5.4.1-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:26:02 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Odia Font
Description :
This package provides a free Odia truetype/opentype font.

Name : thai-scalable-fonts-common
Version : 0.5.0
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : User Interface/X
Size : 13727
License : GPLv2+ and Bitstream Vera
Signature : RSA/SHA256, Fri 04 Jul 2014 01:32:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : thai-scalable-fonts-0.5.0-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:03:19 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://linux.thai.net/projects/thaifonts-scalable>
Summary : Common files of thai-scalable-fonts
Description :

fonts-tlwg provides a collection of free scalable Thai fonts.

This package consists of files used by other thai-scalable-fonts packages.

Name : vte3
Version : 0.34.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:38 PM EDT
Group : User Interface/X
Size : 994702
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:21 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : vte3-0.34.6-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:11:23 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

Summary : A terminal emulator
Description :
VTE is a terminal emulator widget for use with GTK+.

Name : harfbuzz-icu
Version : 0.9.20
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:26 PM EDT
Group : Unspecified
Size : 11304
License : MIT
Signature : RSA/SHA256, Wed 26 Nov 2014 06:41:44 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : harfbuzz-0.9.20-4.el7.src.rpm
Build Date : Wed 26 Nov 2014 06:13:44 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://freedesktop.org/wiki/Software/HarfBuzz>
Summary : Harfbuzz ICU support library
Description :
This package contains Harfbuzz ICU support library.

Name : libkkc
Version : 0.3.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:32 PM EDT
Group : System Environment/Libraries
Size : 731151
License : GPLv3+
Signature : RSA/SHA256, Mon 15 Dec 2014 07:58:03 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : libkkc-0.3.1-5.el7.src.rpm
Build Date : Mon 15 Dec 2014 07:48:52 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://bitbucket.org/libkkc>
Summary : Japanese Kana Kanji conversion library
Description :
libkkc provides a converter from Kana-string to
Kana-Kanji-mixed-string. It was named after kkc.el in GNU Emacs, a
simple Kana Kanji converter, while libkkc tries to convert sentences
in a bit more complex way using N-gram language models.

Name : libreport-plugin-reportuploader
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:57 PM EDT

Group : System Environment/Libraries
Size : 87659
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:29 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's reportuploader plugin
Description :
Plugin to report bugs into anonymous FTP site associated with ticketing
system.

Name : paktype-naskh-basic-fonts
Version : 4.1
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:06 PM EDT
Group : User Interface/X
Size : 629053
License : GPLv2 with exceptions
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : paktype-naskh-basic-fonts-4.1-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:04:05 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://sourceforge.net/projects/paktype/>
Summary : Fonts for Arabic, Farsi, Urdu and Sindhi from PakType
Description :
The paktype-naskh-basic-fonts package contains fonts for the display of \
Arabic, Farsi, Urdu and Sindhi from PakType by Lateef Sagar.

Name : perl-srpm-macros
Version : 1
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:11 PM EDT
Group : Development/Libraries
Size : 794
License : GPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:16 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-srpm-macros-1-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:44:51 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
Summary : RPM macros for building Perl source package from source repository
Description :
These RPM macros are used for building Perl source packages from source repositories. They influence build-requires set into the source package.

Name : spice-gtk3
Version : 0.22
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:40 PM EDT
Group : Development/Libraries
Size : 110520
License : LGPLv2+
Signature : RSA/SHA256, Fri 20 Mar 2015 07:11:44 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : spice-gtk-0.22-2.el7.src.rpm
Build Date : Fri 20 Mar 2015 07:01:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://spice-space.org/page/Spice-Gtk>
Summary : A GTK3 widget for SPICE clients
Description :
spice-client-glib-3.0 is a SPICE client library for Gtk3.

Name : slang
Version : 2.2.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:28 PM EDT
Group : System Environment/Libraries
Size : 1881912
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : slang-2.2.4-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:12:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.jedsoft.org/slang/>
Summary : The shared library for the S-Lang extension language
Description :
S-Lang is an interpreted language and a programming library. The S-Lang language was designed so that it can be easily embedded into a program to provide the program with a powerful extension language. The S-Lang library, provided in this package, provides the S-Lang extension language. S-Lang's syntax resembles C, which makes it easy to recode S-Lang procedures in C if you need to.

Name : linux-firmware
Version : 20140911
Release : 0.1.git365e80c.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:41 PM EDT
Group : System Environment/Kernel
Size : 43966460
License : GPL+ and GPLv2+ and MIT and Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:43 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware files used by the Linux kernel
Description :
Kernel-firmware includes firmware files required for some devices to operate.

Name : yum-metadata-parser
Version : 1.1.4
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:59 PM EDT
Group : Development/Libraries
Size : 58789
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : yum-metadata-parser-1.1.4-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:39:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://linux.duke.edu/projects/yum/>
Summary : A fast metadata parser for yum
Description :
Fast metadata parser for yum implemented in C.

Name : nhn-nanum-gothic-fonts
Version : 3.020
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:16 PM EDT
Group : User Interface/X
Size : 12803865
License : OFL

Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nhn-nanum-fonts-3.020-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:48:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hangeul.naver.com/share.nhn>
Summary : Nanum fonts Gothic font faces
Description :

Nanum fonts are collection of commonly-used Myeongjo and Gothic Korean font families, designed by Sandoll Communication and Fontrix. The publisher is NHN Corporation.

This package consists of the Nanum fonts Gothic font faces.

Name : glibc
Version : 2.17
Release : 78.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:18 PM EDT
Group : System Environment/Libraries
Size : 13970105
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glibc-2.17-78.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:50:19 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/glibc/>
Summary : The GNU libc libraries
Description :
The glibc package contains standard libraries which are used by multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

Name : libnetfilter_conntrack
Version : 1.0.4
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:30 PM EDT
Group : System Environment/Libraries
Size : 139246
License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 11:01:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libnetfilter_conntrack-1.0.4-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:21:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://netfilter.org>
Summary : Netfilter conntrack userspace library
Description :
libnetfilter_conntrack is a userspace library providing a programming
interface (API) to the in-kernel connection tracking state table.

Name : lldpad
Version : 0.9.46
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:53 PM EDT
Group : System Environment/Daemons
Size : 643955
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lldpad-0.9.46-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:48:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://open-lldp.org/>
Summary : Intel LLDP Agent
Description :
This package contains the Linux user space daemon and configuration tool
for
Intel LLDP Agent with Enhanced Ethernet support for the Data Center.

Name : color-filesystem
Version : 1
Release : 13.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:02 PM EDT
Group : System Environment/Base
Size : 151
License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : color-filesystem-1-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:01:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Color filesystem layout

Description :

This package provides some directories that are required/used to store color.

Name : vlgothic-fonts
Version : 20130607
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:30 PM EDT
Group : User Interface/X
Size : 4134475
License : mplus and BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : vlgothic-fonts-20130607-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:55:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dicey.org/vlgothic>
Summary : Japanese TrueType font
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project. Most of the glyphs are taken from the M+ and Sazanami Gothic fonts, but some have also been improved by the project.

This package provides the monospace VLGothic font.

Name : zlib
Version : 1.2.7
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:22 PM EDT
Group : System Environment/Libraries
Size : 185678
License : zlib and Boost
Signature : RSA/SHA256, Fri 04 Jul 2014 01:54:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : zlib-1.2.7-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:40:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.zlib.net/>
Summary : The compression and decompression library
Description :
Zlib is a general-purpose, patent-free, lossless data compression library which is used by many different programs.

Name : usbmuxd
Version : 1.0.8

Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:46 PM EDT
Group : Applications/System
Size : 190371
License : GPLv3+ or GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : usbmuxd-1.0.8-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:14:49 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libimobiledevice.org/>
Summary : Daemon for communicating with Apple's iOS devices
Description :
usbmuxd is a daemon used for communicating with Apple's iPod Touch,
iPhone,
iPad and Apple TV devices. It allows multiple services on the device to
be
accessed simultaneously.

Name : cdparanoia
Version : 10.2
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:33 PM EDT
Group : Applications/Multimedia
Size : 127427
License : GPLv2 and LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cdparanoia-10.2-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:14:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xiph.org/paranoia/index.html>
Summary : Compact Disc Digital Audio (CDDA) extraction tool (or
ripper)
Description :
Cdparanoia (Paranoia III) reads digital audio directly from a CD, then
writes the data to a file or pipe in WAV, AIFF or raw 16 bit linear
PCM format. Cdparanoia doesn't contain any extra features (like the ones
included in the cdda2wav sampling utility). Instead, cdparanoia's
strength
lies in its ability to handle a variety of hardware, including
inexpensive
drives prone to misalignment, frame jitter and loss of streaming during
atomic reads. Cdparanoia is also good at reading and repairing data from
damaged CDs.

Name : mobile-broadband-provider-info
Version : 1.20120614
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:55 PM EDT
Group : System Environment/Base
Size : 264119
License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 11:48:05 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mobile-broadband-provider-info-1.20120614-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:10:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://live.gnome.org/NetworkManager/MobileBroadband/ServiceProviders>
Summary : Mobile broadband provider database
Description :
The mobile-broadband-provider-info package contains listings of mobile
broadband (3G) providers and associated network and plan information.

Name : bind-libs-lite
Epoch : 32
Version : 9.9.4
Release : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:04 PM EDT
Group : Applications/System
Size : 1773488
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:27 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bind-9.9.4-18.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:10:04 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.isc.org/products/BIND/>
Summary : Libraries for working with the DNS protocol
Description :
Contains lite version of BIND suite libraries which are used by various
programs to work with DNS protocol.

Name : cscope
Version : 15.8
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:38 PM EDT
Group : Development/Tools
Size : 939416
License : BSD and GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:03:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cscope-15.8-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:25:38 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cscope.sourceforge.net>
Summary : C source code tree search and browse tool
Description :
cscope is a mature, ncurses based, C source code tree browsing tool. It
allows users to search large source code bases for variables, functions,
macros, etc, as well as perform general regex and plain text searches.
Results are returned in lists, from which the user can select individual
matches for use in file editing.

Name : libjpeg-turbo
Version : 1.2.90
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:24 PM EDT
Group : System Environment/Libraries
Size : 350387
License : IJG
Signature : RSA/SHA256, Thu 03 Jul 2014 10:55:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libjpeg-turbo-1.2.90-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:48:52 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libjpeg-turbo>
Summary : A MMX/SSE2 accelerated library for manipulating JPEG image
files
Description :
The libjpeg-turbo package contains a library of functions for
manipulating
JPEG images.

Name : grub2-tools
Epoch : 1
Version : 2.02
Release : 0.16.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:49 PM EDT
Group : System Environment/Base
Size : 20896193
License : GPLv3+
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:53 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : grub2-2.02-0.16.el7.centos.src.rpm
Build Date : Thu 26 Mar 2015 04:28:33 AM EDT

Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL : <http://www.gnu.org/software/grub/>
Summary : Support tools for GRUB.
Description :
The GRand Unified Bootloader (GRUB) is a highly configurable and customizable
bootloader with modular architecture. It support rich variety of kernel
formats,
file systems, computer architectures and hardware devices. This
subpackage
provides tools for support of all platforms.

Name : perl-podlators
Version : 2.5.1
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:34 PM EDT
Group : Development/Libraries
Size : 287679
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-podlators-2.5.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:56:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/podlators/>
Summary : Format POD source into various output formats
Description :
This package contains Pod::Man and Pod::Text modules which convert POD
input
to *roff source output, suitable for man pages, or plain text. It also
includes several sub-classes of Pod::Text for formatted output to
terminals
with various capabilities.

Name : gdm
Epoch : 1
Version : 3.8.4
Release : 32.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:00 PM EDT
Group : User Interface/X
Size : 4589590
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gdm-3.8.4-32.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:41:33 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/gdm>
Summary : The GNOME Display Manager
Description :
GDM provides the graphical login screen, shown shortly after boot up, log out, and when user-switching.

Name : redland
Version : 1.0.16
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:06 PM EDT
Group : System Environment/Libraries
Size : 492008
License : LGPLv2+ or ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:48:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : redland-1.0.16-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:26:23 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://librdf.org/>
Summary : RDF Application Framework
Description :
Redland is a library that provides a high-level interface for RDF (Resource Description Framework) implemented in an object-based API. It is modular and supports different RDF/XML parsers, storage mechanisms and other elements. Redland is designed for applications developers to provide RDF support in their applications as well as for RDF developers to experiment with the technology.

Name : doxygen
Epoch : 1
Version : 1.8.5
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:49 PM EDT
Group : Unspecified
Size : 15389684
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:09:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : doxygen-1.8.5-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:35:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.stack.nl/~dimitri/doxygen/index.html>
Summary : A documentation system for C/C++
Description :

Doxygen can generate an online class browser (in HTML) and/or a reference manual (in LaTeX) from a set of documented source files. The documentation is extracted directly from the sources. Doxygen can also be configured to extract the code structure from undocumented source files.

Name : libICE
Version : 1.0.8
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:25 PM EDT
Group : System Environment/Libraries
Size : 145897
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:52:59 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libICE-1.0.8-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:47:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 ICE runtime library
Description :
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : libwnck3
Version : 3.4.5
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:53 PM EDT
Group : System Environment/Libraries
Size : 2067324
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:27:41 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libwnck3-3.4.5-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:51:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/libwnck/>
Summary : Window Navigator Construction Kit
Description :
libwnck (pronounced "libwink") is used to implement pagers, tasklists, and other such things. It allows applications to monitor information about open windows, workspaces, their names/icons, and so forth.

Name : perl-threads
Version : 1.87
Release : 4.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:36 PM EDT
Group : Development/Libraries
Size : 98615
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-threads-1.87-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:22:14 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/threads/>
Summary : Perl interpreter-based threads
Description :
Since Perl 5.8, thread programming has been available using a model
called
interpreter threads which provides a new Perl interpreter for each
thread,
and, by default, results in no data or state information being shared
between threads.

(Prior to Perl 5.8, 5005threads was available through the "Thread.pm"
API.
This threading model has been deprecated, and was removed as of Perl
5.10.0.)

Name : nautilus
Version : 3.8.2
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:02 PM EDT
Group : User Interface/Desktops
Size : 14061514
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nautilus-3.8.2-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:10:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/nautilus/>
Summary : File manager for GNOME
Description :
Nautilus is the file manager and graphical shell for the GNOME desktop
that makes it easy to manage your files and the rest of your system.
It allows to browse directories on local and remote filesystems, preview
files and launch applications associated with them.
It is also responsible for handling the icons on the GNOME desktop.

Name : libquadmath-devel
Version : 4.8.3

Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : Development/Libraries
Size : 18459
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : GCC __float128 support
Description :
This package contains headers for building Fortran programs using REAL*16 and programs using __float128 math.

Name : ctags
Version : 5.8
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:51 PM EDT
Group : Development/Tools
Size : 359724
License : GPLv2+ and LGPLv2+ and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 09:03:03 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ctags-5.8-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:59:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ctags.sourceforge.net/>
Summary : A C programming language indexing and/or cross-reference tool
Description :
Ctags generates an index (or tag) file of C language objects found in C source and header files. The index makes it easy for text editors or other utilities to locate the indexed items. Ctags can also generate a cross reference file which lists information about the various objects found in a set of C language files in human readable form. Exuberant Ctags improves on ctags because it can find all types of C language tags, including macro definitions, enumerated values (values inside enum{...}), function and method definitions, enum/struct/union tags, external function prototypes, typedef names and variable declarations. Exuberant Ctags is far less likely to be fooled by code containing #if preprocessor conditional constructs than ctags. Exuberant ctags supports output of Emacs style TAGS files and can be used to print out a list of selected objects found in source files.

Install ctags if you are going to use your system for C programming.

Name : cyrus-sasl-lib
Version : 2.1.26
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:27 PM EDT
Group : System Environment/Libraries
Size : 396831
License : BSD with advertising
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:10 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : Shared libraries needed by applications which use Cyrus SASL
Description :
The cyrus-sasl-lib package contains shared libraries which are needed by applications which use the Cyrus SASL library.

Name : caribou-gtk3-module
Version : 0.4.11
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:55 PM EDT
Group : Unspecified
Size : 37048
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:07 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : caribou-0.4.11-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:50:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Caribou>
Summary : Gtk3 module for caribou
Description :
This package contains caribou module for gtk3 applications.

Name : perl-File-Path
Version : 2.09
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:37 PM EDT
Group : Development/Libraries
Size : 50067

License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-File-Path-2.09-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:48:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/File-Path/>
Summary : Create or remove directory trees
Description :
This module provides a convenient way to create directories of arbitrary
depth and to delete an entire directory subtree from the file system.

Name : gnome-shell-extension-window-list
Version : 3.8.4
Release : 12.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:09 PM EDT
Group : User Interface/Desktops
Size : 49941
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell/Extensions>
Summary : Display a window list at the bottom of the screen in GNOME
Shell
Description :
This GNOME Shell extension displays a window list at the bottom of the
screen.

Name : iwl1000-firmware
Epoch : 1
Version : 39.31.5.1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:59 PM EDT
Group : System Environment/Kernel
Size : 754501
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:36 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel® PRO/Wireless 1000 B/G/N network
adaptors
Description :
This package contains the firmware required by the iwlagn driver
for Linux to support the iwl1000 hardware. Usage of the firmware
is subject to the terms and conditions contained inside the provided
LICENSE file. Please read it carefully.

Name : lcms2
Version : 2.5
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:29 PM EDT
Group : Unspecified
Size : 430639
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:34:24 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lcms2-2.5-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:30:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.littlecms.com/>
Summary : Color Management Engine
Description :
LittleCMS intends to be a small-footprint, speed optimized color
management
engine in open source form. LCMS2 is the current version of LCMS, and can
be
parallel installed with the original (deprecated) lcms.

Name : java-1.7.0-openjdk
Epoch : 1
Version : 1.7.0.75
Release : 2.5.4.2.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:00 PM EDT
Group : Development/Languages
Size : 505045
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with
exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain
and W3C
Signature : RSA/SHA256, Wed 21 Jan 2015 01:17:49 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : java-1.7.0-openjdk-1.7.0.75-2.5.4.2.el7_0.src.rpm
Build Date : Wed 21 Jan 2015 01:10:00 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://openjdk.java.net/>
Summary : OpenJDK Runtime Environment
Description :
The OpenJDK runtime environment.

Name : perl
Epoch : 4
Version : 5.16.3
Release : 285.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:40 PM EDT
Group : Development/Languages
Size : 23549038
License : (GPL+ or Artistic) and (GPLv2+ or Artistic) and Copyright
Only and MIT and Public Domain and UCD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:27:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-5.16.3-285.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:00 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.perl.org/>
Summary : Practical Extraction and Report Language
Description :
Perl is a high-level programming language with roots in C, sed, awk and
shell
scripting. Perl is good at handling processes and files, and is
especially
good at handling text. Perl's hallmarks are practicality and efficiency.
While it is used to do a lot of different things, Perl's most common
applications are system administration utilities and web programming. A
large
proportion of the CGI scripts on the web are written in Perl. You need
the
perl package installed on your system so that your system can handle Perl
scripts.

Install this package if you want to program in Perl or enable your system
to
handle Perl scripts.

Name : abrt-desktop
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:11 PM EDT
Group : User Interface/Desktops
Size : 0
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:29 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Virtual package to make easy default installation on
desktop environments
Description :
Virtual package to install all necessary packages for usage from desktop
environment.

Name : sos
Version : 3.2
Release : 15.el7.centos
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:11 PM EDT
Group : Applications/System
Size : 1018050
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sos-3.2-15.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 04:08:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://github.com/sosreport/sos>
Summary : A set of tools to gather troubleshooting information from a
system
Description :
Sos is a set of tools that gathers information about system
hardware and configuration. The information can then be used for
diagnostic purposes and debugging. Sos is commonly used to help
support technicians and developers.

Name : iwl105-firmware
Version : 18.168.6.1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:03 PM EDT
Group : System Environment/Kernel
Size : 771605
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Centrino Wireless-N 105 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl105 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : libtevent
Version : 0.9.21
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:32 PM EDT
Group : System Environment/Daemons
Size : 58048
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:28 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libtevent-0.9.21-3.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:16:32 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tevent.samba.org/>
Summary : The tevent library
Description :
Tevent is an event system based on the talloc memory management library. Tevent has support for many event types, including timers, signals, and the classic file descriptor events. Tevent also provide helpers to deal with asynchronous code providing the tevent_req (Tevent Request) functions.

Name : xerces-j2
Version : 2.11.0
Release : 17.el7_0
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:03 PM EDT
Group : Development/Libraries
Size : 1368144
License : ASL 2.0
Signature : RSA/SHA256, Tue 30 Sep 2014 06:49:24 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xerces-j2-2.11.0-17.el7_0.src.rpm
Build Date : Tue 30 Sep 2014 05:35:41 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xerces.apache.org/xerces2-j/>
Summary : Java XML parser
Description :

Welcome to the future! Xerces2 is the next generation of high performance, fully compliant XML parsers in the Apache Xerces family. This new version of Xerces introduces the Xerces Native Interface (XNI), a complete framework for building parser components and configurations that is extremely modular and easy to program.

The Apache Xerces2 parser is the reference implementation of XNI but other parser components, configurations, and parsers can be written using the Xerces Native Interface. For complete design and implementation documents, refer to the XNI Manual.

Xerces2 is a fully conforming XML Schema processor. For more information, refer to the XML Schema page.

Xerces2 also provides a complete implementation of the Document Object Model Level 3 Core and Load/Save W3C Recommendations and provides a complete implementation of the XML Inclusions (XInclude) W3C Recommendation. It also provides support for OASIS XML Catalogs v1.1.

Xerces2 is able to parse documents written according to the XML 1.1 Recommendation, except that it does not yet provide an option to enable normalization checking as described in section 2.13 of this specification. It also handles name spaces according to the XML Namespaces 1.1 Recommendation, and will correctly serialize XML 1.1 documents if the DOM level 3 load/save APIs are in use.

Name : perl-Error
Epoch : 1
Version : 0.17020
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 50015
License : (GPL+ or Artistic) and MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Error-0.17020-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:19:49 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://search.cpan.org/dist/Error/>
Summary : Error/exception handling in an OO-ish way
Description :
The Error package provides two interfaces. Firstly Error provides a procedural interface to exception handling. Secondly Error is a base class for errors/exceptions that can either be thrown, for subsequent catch, or can simply be recorded.

Name : evince-nautilus
Version : 3.8.3
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:19 PM EDT
Group : User Interface/Desktops
Size : 19848
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse
Signature : RSA/SHA256, Thu 03 Jul 2014 09:14:27 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : evince-3.8.3-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:58:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/evince/>
Summary : Evince extension for nautilus
Description :
This package contains the evince extension for the nautilus file manger. It adds an additional tab called "Document" to the file properties dialog.

Name : fros
Version : 1.0
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:13 PM EDT
Group : Applications/System
Size : 44161
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:15 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : fros-1.0-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:30:39 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/mozeq/fros>
Summary : Universal screencasting frontend with pluggable support for various backends
Description :

Universal screencasting frontend with pluggable support for various backends.
The goal is to provide an unified access to as many screencasting backends as possible while still keeping the same user interface so the user experience while across various desktops and screencasting programs is seamless.

Name : iwl7260-firmware
Version : 22.0.7.0
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:05 PM EDT
Group : System Environment/Kernel
Size : 2124321
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Dual Band Wireless-AC 7260 Series Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : lua
Version : 5.1.4
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:34 PM EDT
Group : Development/Languages
Size : 640207
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lua-5.1.4-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:46:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.lua.org/>
Summary : Powerful light-weight programming language
Description :
Lua is a powerful light-weight programming language designed for extending applications. Lua is also frequently used as a

general-purpose, stand-alone language. Lua is free software. Lua combines simple procedural syntax with powerful data description constructs based on associative arrays and extensible semantics. Lua is dynamically typed, interpreted from bytecodes, and has automatic memory management with garbage collection, making it ideal for configuration, scripting, and rapid prototyping.

Name : apache-commons-dbc
Version : 1.4
Release : 17.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:05 PM EDT
Group : Unspecified
Size : 198321
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:48 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : apache-commons-dbc-1.4-17.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:27:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://commons.apache.org/dbcp/>
Summary : Apache Commons DataBase Pooling Package
Description :
Many Apache projects support interaction with a relational database. Creating a new connection for each user can be time consuming (often requiring multiple seconds of clock time), in order to perform a database transaction that might take milliseconds. Opening a connection per user can be unfeasible in a publicly-hosted Internet application where the number of simultaneous users can be very large. Accordingly, developers often wish to share a "pool" of open connections between all of the application's current users. The number of users actually performing a request at any given time is usually a very small percentage of the total number of active users, and during request processing is the only time that a database connection is required. The application itself logs into the DBMS, and handles any user account issues internally.

Name : perl-Class-Data-Inheritable
Version : 0.08
Release : 14.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:43 PM EDT
Group : Development/Libraries
Size : 7362
License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:19 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Class-Data-Inheritable-0.08-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:15:14 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Class-Data-Inheritable/>
Summary : Inheritable, overridable class data
Description :
Class::Data::Inheritable is for creating accessor/mutators to
class data. That is, if you want to store something about your
class as a whole (instead of about a single object). This data
is then inherited by your sub-classes and can be overridden.

Name : ibus-rawcode
Version : 1.3.2
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:21 PM EDT
Group : System Environment/Libraries
Size : 41236
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-rawcode-1.3.2-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:46:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/ibus-rawcode/>
Summary : The Rawcode engine for IBus input platform
Description :
The Rawcode engine for IBus platform.

Name : pykickstart
Version : 1.99.43.17
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:14 PM EDT
Group : System Environment/Libraries
Size : 1701354
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pykickstart-1.99.43.17-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:56 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/pykickstart>

Summary : A python library for manipulating kickstart files
Description :
The pykickstart package is a python library for manipulating kickstart files.

Name : libXext
Version : 1.3.2
Release : 2.1.el7
Architecture: i686
Install Date: Wed 05 Apr 2017 03:38:08 PM EDT
Group : System Environment/Libraries
Size : 85754
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:07 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXext-1.3.2-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 10:34:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXext runtime library
Description :
X.Org X11 libXext runtime library

Name : pkgconfig
Epoch : 1
Version : 0.27.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:36 PM EDT
Group : Development/Tools
Size : 105522
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pkgconfig-0.27.1-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:05:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pkgconfig.freedesktop.org>
Summary : A tool for determining compilation options
Description :
The pkgconfig tool determines compilation options. For each required library, it reads the configuration file and outputs the necessary compiler and linker flags.

Name : paps-libs
Version : 0.6.8
Release : 28.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:33:08 PM EDT
Group : Development/Libraries
Size : 40967
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : paps-0.6.8-28.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:45:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://paps.sourceforge.net/>
Summary : Libraries for paps
Description :
paps is a PostScript converter from plain text file using Pango.

This package contains the library for paps.

Name : perl-TimeDate
Epoch : 1
Version : 2.30
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:49 PM EDT
Group : Development/Libraries
Size : 100194
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-TimeDate-2.30-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:42:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/TimeDate/>
Summary : A Perl module for time and date manipulation
Description :
This module includes a number of smaller modules suited for
manipulation of time and date strings with Perl. In particular, the
Date::Format and Date::Parse modules can display and read times and
dates in various formats, providing a more reliable interface to
textual representations of points in time.

Name : gedit
Epoch : 2
Version : 3.8.3
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:25 PM EDT
Group : Applications/Editors
Size : 15176189
License : GPLv2+ and CC-BY-SA

Signature : RSA/SHA256, Thu 03 Jul 2014 09:28:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gedit-3.8.3-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:58:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/gedit/>
Summary : Text editor for the GNOME desktop
Description :
gedit is a small, but powerful text editor designed specifically for
the GNOME desktop. It has most standard text editor functions and fully
supports international text in Unicode. Advanced features include syntax
highlighting and automatic indentation of source code, printing and
editing
of multiple documents in one window.

gedit is extensible through a plugin system, which currently includes
support for spell checking, comparing files, viewing CVS ChangeLogs, and
adjusting indentation levels. Further plugins can be found in the
gedit-plugins package.

Name : java-1.8.0-openjdk
Epoch : 1
Version : 1.8.0.31
Release : 2.b13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:21 PM EDT
Group : Development/Languages
Size : 512712
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with
exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain
and W3C
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : java-1.8.0-openjdk-1.8.0.31-2.b13.el7.src.rpm
Build Date : Wed 11 Mar 2015 07:52:34 AM EDT
Build Host : sclbuild
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://openjdk.java.net/>
Summary : OpenJDK Runtime Environment
Description :
The OpenJDK runtime environment.

Name : freerdp-plugins
Version : 1.0.2
Release : 6.el7_2.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:44 PM EDT
Group : Applications/Communications
Size : 306912

License : ASL 2.0
Signature : RSA/SHA256, Tue 16 Feb 2016 05:10:11 PM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : freerdp-1.0.2-6.el7_2.1.src.rpm
Build Date : Tue 16 Feb 2016 11:13:26 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freerdp.com/>
Summary : Plugins for handling the standard RDP channels
Description :
A set of plugins to the channel manager implementing the standard virtual channels extending RDP core functionality. For instance, sounds, clipboard sync, disk/printer redirection, etc.

Name : libsecret
Version : 0.15
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:39 PM EDT
Group : Unspecified
Size : 435666
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:10 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libsecret-0.15-3.el7.src.rpm
Build Date : Tue 17 Jun 2014 01:05:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://live.gnome.org/Libsecret>
Summary : Library for storing and retrieving passwords and other secrets
Description :
libsecret is a library for storing and retrieving passwords and other secrets.
It communicates with the "Secret Service" using DBus. gnome-keyring and KSecretService are both implementations of a Secret Service.

Name : lvm2-libs
Epoch : 7
Version : 2.02.115
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:10 PM EDT
Group : System Environment/Libraries
Size : 2307576
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lvm2-2.02.115-3.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:51:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/lvm2>
Summary : Shared libraries for lvm2
Description :
This package contains shared lvm2 libraries for applications.

Name : perl-HTTP-Message
Version : 6.06
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:50 PM EDT
Group : Development/Libraries
Size : 162045
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:04 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-HTTP-Message-6.06-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:31:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTTP-Message/>
Summary : HTTP style message
Description :
The HTTP-Message distribution contains classes useful for representing
the
messages passed in HTTP style communication. These are classes
representing
requests, responses and the headers contained within them.

Name : eog
Version : 3.8.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:47 PM EDT
Group : User Interface/Desktops
Size : 8366213
License : GPLv2+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:13:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : eog-3.8.2-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:38:17 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/eog/>
Summary : Eye of GNOME image viewer
Description :

The Eye of GNOME image viewer (eog) is the official image viewer for the GNOME desktop. It can view single image files in a variety of formats, as well as large image collections.

eog is extensible through a plugin system.

```
Name       : newt-python
Version    : 0.52.15
Release    : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:23 PM EDT
Group      : Development/Libraries
Size       : 116916
License    : LGPLv2
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:57:00 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : newt-0.52.15-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:48:12 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://fedorahosted.org/newt/
Summary    : Python bindings for newt
Description :
The newt-python package contains the Python bindings for the newt library
providing a python API for creating text mode interfaces.
```

```
Name       : spax
Version    : 1.5.2
Release    : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:59:36 PM EDT
Group      : Applications/Archiving
Size       : 604248
License    : CDDL
Signature  : RSA/SHA256, Mon 27 Jul 2015 07:05:10 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : star-1.5.2-13.el7.src.rpm
Build Date : Mon 27 Jul 2015 07:01:24 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://cdrecord.berlios.de/old/private/star.html
Summary    : Portable archive exchange
Description :
The pax utility shall read and write archives, write lists of the members
of
archive files and copy directory hierarchies as is defined in IEEE Std
1003.1.
```

```
Name       : libsigc++20
Version    : 2.3.1
```

Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:41 PM EDT
Group : System Environment/Libraries
Size : 177401
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:17:24 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libsigc++20-2.3.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:29:44 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libsigc.sourceforge.net/>
Summary : Typesafe signal framework for C++
Description :
This library implements a full callback system for use in widget
libraries,
abstract interfaces, and general programming. Originally part of the Gtk-
-
widget set, libsigc++20 is now a separate library to provide for more
general
use. It is the most complete library of its kind with the ability to
connect
an abstract callback to a class method, function, or function object. It
contains adaptor classes for connection of dissimilar callbacks and has
an
ease of use unmatched by other C++ callback libraries.

Package GTK-- (gtkmm), which is a C++ binding to the GTK+ library,
starting with version 1.1.2, uses libsigc++20.

Name : subversion-libs
Version : 1.7.14
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:11 PM EDT
Group : Development/Tools
Size : 2615471
License : ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 01:06:45 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : subversion-1.7.14-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:27:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://subversion.apache.org/>
Summary : Libraries for Subversion Version Control system
Description :
The subversion-libs package includes the essential shared libraries
used by the Subversion version control tools.

Name : perl-IO-Socket-IP
Version : 0.21
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:51 PM EDT
Group : Development/Libraries
Size : 85785
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:29 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-IO-Socket-IP-0.21-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:34:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/IO-Socket-IP/>
Summary : Drop-in replacement for IO::Socket::INET supporting both IPv4 and IPv6
Description :
This module provides a protocol-independent way to use IPv4 and IPv6 sockets, as a drop-in replacement for IO::Socket::INET. Most constructor arguments and methods are provided in a backward-compatible way.

Name : usermode
Version : 1.111
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:27 PM EDT
Group : Applications/System
Size : 838723
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:39:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : usermode-1.111-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:54:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/usermode/>
Summary : Tools for certain user account management tasks
Description :
The usermode package contains the userhelper program, which can be used to allow configured programs to be run with superuser privileges by ordinary users.

Name : speex
Version : 1.2
Release : 0.19.rc1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:42 PM EDT
Group : System Environment/Libraries

Size : 186852
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:03:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : speex-1.2-0.19.rc1.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:53:45 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.speex.org/>
Summary : A voice compression format (codec)
Description :
Speex is a patent-free compression format designed especially for speech. It is specialized for voice communications at low bit-rates in the 2-45 kbps range. Possible applications include Voice over IP (VoIP), Internet audio streaming, audio books, and archiving of speech data (e.g. voice mail).

Name : totem-pl-parser
Version : 3.4.5
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:14 PM EDT
Group : System Environment/Libraries
Size : 673004
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:36:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : totem-pl-parser-3.4.5-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:19:56 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/totem/>
Summary : Totem Playlist Parser library
Description :
A library to parse and save playlists, as used in music and movie players.

Name : perl-Devel-StackTrace
Epoch : 1
Version : 1.30
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:52 PM EDT
Group : Development/Libraries
Size : 41166
License : Artistic 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Devel-StackTrace-1.30-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:37:56 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Devel-StackTrace/>
Summary : Perl module implementing stack trace and stack trace frame objects
Description :
The Devel::StackTrace module contains two classes, Devel::StackTrace and Devel::StackTraceFrame. The goal of this object is to encapsulate the information that can found through using the caller() function, as well as providing a simple interface to this data.

The Devel::StackTrace object contains a set of Devel::StackTraceFrame objects, one for each level of the stack. The frames contain all the data available from caller() as of Perl 5.6.0.

Name : libatasmart
Version : 0.19
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:29 PM EDT
Group : System Environment/Libraries
Size : 108259
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libatasmart-0.19-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:47:52 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.0pointer.de/?p=libatasmart.git;a=summary>
Summary : ATA S.M.A.R.T. Disk Health Monitoring Library
Description :
A small and lightweight parser library for ATA S.M.A.R.T. hard disk health monitoring.

Name : libXrandr
Version : 1.4.1
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 44436
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:52 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXrandr-1.4.1-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:57:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXrandr runtime library
Description :
X.Org X11 libXrandr runtime library

Name : webkitgtk3
Version : 2.0.4
Release : 6.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:21 PM EDT
Group : Development/Libraries
Size : 46174932
License : LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 05 Jul 2014 11:34:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : webkitgtk3-2.0.4-6.el7_0.1.src.rpm
Build Date : Tue 24 Jun 2014 11:26:18 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.webkitgtk.org/>
Summary : GTK+ Web content engine library
Description :
WebKitGTK+ is the port of the portable web rendering engine WebKit to the
GTK+ platform.

This package contains WebKitGTK+ for GTK+ 3.

Name : liborcus
Version : 0.5.1
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:56 PM EDT
Group : System Environment/Libraries
Size : 789894
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:04:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : liborcus-0.5.1-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:20:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gitorious.org/orcus>
Summary : Standalone file import filter library for spreadsheet
documents
Description :
liborcus is a standalone file import filter library for spreadsheet
documents. Currently under development are ODS, XLSX and CSV import
filters.

Name : libreoffice-langpack-en
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:59 PM EDT
Group : Applications/Productivity
Size : 0
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : English language pack for LibreOffice
Description :
Provides additional English translations and resources for LibreOffice.

Name : perl-XML-SAX
Version : 0.99
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:31 PM EDT
Group : Development/Libraries
Size : 128286
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:28 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-XML-SAX-0.99-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:18:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-SAX/>
Summary : SAX parser access API for Perl
Description :
XML::SAX consists of several framework classes for using and building Perl SAX2 XML parsers, filters, and drivers. It is designed around the need to be able to "plug in" different SAX parsers to an application without requiring programmer intervention. Those of you familiar with the DBI will be right at home. Some of the designs come from the Java JAXP specification (SAX part), only without the javanness.

Name : libxkbfile
Version : 1.0.8
Release : 5.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:28:45 PM EDT
Group : System Environment/Libraries
Size : 177410
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libxkbfile-1.0.8-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:56:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libxkbfile runtime library
Description :
X.Org X11 libxkbfile runtime library

Name : libvirt-daemon-driver-nwfilter
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:24 PM EDT
Group : Development/Libraries
Size : 165688
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Nwfilter driver plugin for the libvirtd daemon
Description :
The nwfilter driver plugin for the libvirtd daemon, providing
an implementation of the firewall APIs using the ebtables,
iptables and ip6tables capabilities

Name : libdmx
Version : 1.1.3
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:57 PM EDT
Group : System Environment/Libraries
Size : 20858
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libdmx-1.1.3-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:00:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 DMX runtime library
Description :
The X.Org X11 DMX (Distributed Multihead X) runtime library.

Name : NetworkManager-tui
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:01 PM EDT
Group : System Environment/Base
Size : 264028
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : NetworkManager curses-based UI
Description :
This adds a curses-based "TUI" (Text User Interface) to
NetworkManager, to allow performing some of the operations supported
by nm-connection-editor and nm-applet in a non-graphical environment.

Name : freerdp-libs
Version : 1.0.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:34 PM EDT
Group : Applications/Communications
Size : 716603
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 09:24:42 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : freerdp-1.0.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:43:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freerdp.com/>
Summary : Core libraries implementing the RDP protocol
Description :
libfreerdp-core can be embedded in applications.

libfreerdp-channels and libfreerdp-kbd might be convenient to use in X
applications together with libfreerdp-core.

libfreerdp-core can be extended with plugins handling RDP channels.

Name : libtasn1
Version : 3.8
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:47 PM EDT
Group : System Environment/Libraries
Size : 423170
License : GPLv3+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:06 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libtasn1-3.8-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:42:28 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/libtasn1/>
Summary : The ASN.1 library used in GNUTLS
Description :
A library that provides Abstract Syntax Notation One (ASN.1, as specified by the X.680 ITU-T recommendation) parsing and structures management, and Distinguished Encoding Rules (DER, as per X.690) encoding and decoding functions.

Name : libstoragegmt
Version : 1.1.0
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:25 PM EDT
Group : System Environment/Libraries
Size : 482821
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:43 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libstoragegmt-1.1.0-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:48:36 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libstoragegmt/>
Summary : Storage array management library
Description :
The libStorageMgmt library will provide a vendor agnostic open source storage application programming interface (API) that will allow management of storage arrays. The library includes a command line interface for interactive use and scripting (command lsmcli). The library also has a daemon that is used for

executing plug-ins in a separate process (lsmd).

Name : libipa_hbac
Version : 1.12.2
Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:59 PM EDT
Group : Development/Libraries
Size : 54174
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:06 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : FreeIPA HBAC Evaluator library
Description :
Utility library to validate FreeIPA HBAC rules for authorization requests

Name : subversion
Version : 1.7.14
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:03 PM EDT
Group : Development/Tools
Size : 4844375
License : ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 01:06:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : subversion-1.7.14-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:27:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://subversion.apache.org/>
Summary : A Modern Concurrent Version Control System
Description :
Subversion is a concurrent version control system which enables one or more users to collaborate in developing and maintaining a hierarchy of files and directories while keeping a history of all changes. Subversion only stores the differences between versions, instead of every complete file. Subversion is intended to be a compelling replacement for CVS.

Name : libwvstreams
Version : 4.6.1
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:37 PM EDT

Group : System Environment/Libraries
Size : 2288470
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libwvstreams-4.6.1-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:40:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://code.google.com/p/wvstreams/>
Summary : WvStreams is a network programming library written in C++
Description :
WvStreams aims to be an efficient, secure, and easy-to-use library for
doing network applications development.

Name : diffutils
Version : 3.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:49 PM EDT
Group : Applications/Text
Size : 1065157
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:26 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : diffutils-3.3-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:07:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/diffutils/diffutils.html>
Summary : A GNU collection of diff utilities
Description :
Diffutils includes four utilities: diff, cmp, diff3 and sdiff. Diff
compares two files and shows the differences, line by line. The cmp
command shows the offset and line numbers where two files differ, or
cmp can show the characters that differ between the two files. The
diff3 command shows the differences between three files. Diff3 can be
used when two people have made independent changes to a common
original; diff3 can produce a merged file that contains both sets of
changes and warnings about conflicts. The sdiff command can be used
to merge two files interactively.

Install diffutils if you need to compare text files.

Name : xorg-x11-drv-qxl
Version : 0.1.1
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:27 PM EDT
Group : User Interface/X Hardware Support

Size : 183417
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:58 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-qxl-0.1.1-12.el7.src.rpm
Build Date : Wed 11 Mar 2015 12:39:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 qxl video driver
Description :
X.Org X11 qxl video driver.

Name : gdisk
Version : 0.8.6
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:01 PM EDT
Group : System Environment/Base
Size : 666709
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:30 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gdisk-0.8.6-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:38:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rodsbooks.com/gdisk/>
Summary : An fdisk-like partitioning tool for GPT disks
Description :
An fdisk-like partitioning tool for GPT disks. GPT fdisk features a command-line interface, fairly direct manipulation of partition table structures, recovery tools to help you deal with corrupt partition tables, and the ability to convert MBR disks to GPT format.

Name : libgsf
Version : 1.14.26
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:41 PM EDT
Group : System Environment/Libraries
Size : 553329
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 10:49:51 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgsf-1.14.26-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:33:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.gnome.org/projects/libgsf/>
Summary : GNOME Structured File library
Description :
A library for reading and writing structured files (e.g. MS OLE and Zip)

Name : atkmm
Version : 2.22.7
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:50 PM EDT
Group : System Environment/Libraries
Size : 342358
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:40:42 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : atkmm-2.22.7-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:41:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtkmm.org/>
Summary : C++ interface for the ATK library
Description :
atkmm provides a C++ interface for the ATK library. Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : xorg-x11-drv-evdev
Version : 2.8.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:28 PM EDT
Group : User Interface/X Hardware Support
Size : 66191
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:24 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-evdev-2.8.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:29:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 evdev input driver
Description :
X.Org X11 evdev input driver.

Name : libdwarf
Version : 20130207
Release : 4.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:03 PM EDT
Group : Development/Libraries
Size : 291679
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:52 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libdwarf-20130207-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:19:18 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://reality.sgiweb.org/davea/dwarf.html>
Summary : Library to access the DWARF Debugging file format
Description :
Library to access the DWARF debugging file format which supports
source level debugging of a number of procedural languages, such as C,
C++,
and Fortran. Please see <http://www.dwarfstd.org> for DWARF specification.

Name : xdg-user-dirs-gtk
Version : 0.10
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:12 PM EDT
Group : User Interface/Desktops
Size : 193797
License : GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xdg-user-dirs-gtk-0.10-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:43:16 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>
Summary : Gnome integration of special directories
Description :
Contains some integration of xdg-user-dirs with the gnome
desktop, including creating default bookmarks and detecting
locale changes.

Name : sbc
Version : 1.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:43 PM EDT
Group : Unspecified
Size : 220820
License : GPLv2 and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:55:17 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : sbc-1.0-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:11:41 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.bluez.org>
Summary : Sub Band Codec used by bluetooth A2DP
Description :
SBC (Sub Band Codec) is a low-complexity audio codec used in the Advanced Audio Distribution Profile (A2DP) bluetooth standard but can be used standalone. It uses 4 or 8 subbands, an adaptive bit allocation algorithm in combination with an adaptive block PCM quantizers.

Name : flac-libs
Version : 1.3.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:52 PM EDT
Group : System Environment/Libraries
Size : 471147
License : BSD and GPLv2+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:21:33 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : flac-1.3.0-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:31:14 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xiph.org/flac/>
Summary : Libraries for the Free Lossless Audio Codec
Description :
FLAC stands for Free Lossless Audio Codec. Grossly oversimplified, FLAC is similar to Ogg Vorbis, but lossless. The FLAC project consists of the stream format, reference encoders and decoders in library form, flac, a command-line program to encode and decode FLAC files, metaflac, a command-line metadata editor for FLAC files and input plugins for various music players.

This package contains the FLAC libraries.

Name : libreoffice-writer
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:54 PM EDT
Group : Applications/Productivity
Size : 16602424

License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : LibreOffice Word Processor Application
Description :
The LibreOffice Word Processor application.

Name : libchewing
Version : 0.3.4
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:07 PM EDT
Group : System Environment/Libraries
Size : 5109263
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:39:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libchewing-0.3.4-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:42:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://chewing.csie.net/>
Summary : Intelligent phonetic input method library for Traditional Chinese
Description :
libchewing is an intelligent phonetic input method library for Chinese.

It provides the core algorithm and logic that can be used by various input methods. The Chewing input method is a smart bopomofo phonetics input method that is useful for inputting Mandarin Chinese.

Name : gtk3-immodule-xim
Version : 3.8.8
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:15 PM EDT
Group : System Environment/Libraries
Size : 33104
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gtk3-3.8.8-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:34:59 PM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : XIM support for GTK+
Description :
The gtk3-immodule-xim package contains XIM support for GTK+ 3.

Name : bridge-utils
Version : 1.5
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:45 PM EDT
Group : System Environment/Base
Size : 57254
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:41 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : bridge-utils-1.5-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:04:09 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://www.linuxfoundation.org/collaborate/workgroups/networking/bridge>
Summary : Utilities for configuring the linux ethernet bridge
Description :
This package contains utilities for configuring the linux ethernet bridge. The linux ethernet bridge can be used for connecting multiple ethernet devices together. The connecting is fully transparent: hosts connected to one ethernet device see hosts connected to the other ethernet devices directly.

Install bridge-utils if you want to use the linux ethernet bridge.

Name : gdbm
Version : 1.10
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:54 PM EDT
Group : System Environment/Libraries
Size : 184322
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:27 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gdbm-1.10-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:39:08 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/gdbm/>

Summary : A GNU set of database routines which use extensible hashing
Description :
Gdbm is a GNU database indexing library, including routines which use extensible hashing. Gdbm works in a similar way to standard UNIX dbm routines. Gdbm is useful for developers who write C applications and need access to a simple and efficient database or who are building C applications which will use such a database.

If you're a C developer and your programs need access to simple database routines, you should install gdbm. You'll also need to install gdbm-devel.

Name : PackageKit-device-rebind
Version : 0.8.9
Release : 11.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:55 PM EDT
Group : Development/Libraries
Size : 16823
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:43 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : Device rebind functionality for PackageKit
Description :
The device rebind functionality offer the ability to re-initialize devices after firmware has been installed by PackageKit. This removes the need for the user to restart the computer or remove and re-insert the device.

Name : checkpolicy
Version : 2.1.12
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:09 PM EDT
Group : Development/System
Size : 1071743
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:19 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : checkpolicy-2.1.12-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:46:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : SELinux policy compiler

Description :

Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

This package contains checkpolicy, the SELinux policy compiler. Only required for building policies.

Name : spice-vdagent
Version : 0.14.0
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:18 PM EDT
Group : Applications/System
Size : 143252
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : spice-vdagent-0.14.0-9.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:37:27 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://spice-space.org/>
Summary : Agent for Spice guests
Description :
Spice agent for Linux guests offering the following features:

Features:

- * Client mouse mode (no need to grab mouse by client, no mouse lag) this is handled by the daemon by feeding mouse events into the kernel via uinput. This will only work if the active X-session is running a spice-vdagent process so that its resolution can be determined.
- * Automatic adjustment of the X-session resolution to the client resolution
- * Support of copy and paste (text and images) between the active X-session and the client

Name : cryptsetup-libs
Version : 1.6.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:47 PM EDT
Group : System Environment/Libraries
Size : 707034
License : GPLv2+ and LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cryptsetup-1.6.6-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:50:13 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cryptsetup.googlecode.com/>
Summary : Cryptsetup shared library
Description :
This package contains the cryptsetup shared library, libcryptsetup.

Name : libodfgen
Version : 0.0.4
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:57 PM EDT
Group : System Environment/Libraries
Size : 488610
License : LGPLv2+ or MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:06:18 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libodfgen-0.0.4-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:33:38 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libwpd/>
Summary : An ODF generator library
Description :
libodfgen is a library for generating ODF (text and vector drawing
formats
only). It is directly pluggable into input filters based on
libwpd/libwpg. It is used in libreoffice, for example.

Name : oddjob-mkhomedir
Version : 0.31.5
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:57 PM EDT
Group : System Environment/Daemons
Size : 60900
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:16 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : oddjob-0.31.5-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:33:03 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.fedorahosted.org/oddjob>

Summary : An oddjob helper which creates and populates home directories
Description :
This package contains the oddjob helper which can be used by the pam_oddjob_mkhomedir module to create a home directory for a user at login-time.

Name : glibc-headers
Version : 2.17
Release : 78.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:13 PM EDT
Group : Development/Libraries
Size : 2331947
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : glibc-2.17-78.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:50:19 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/glibc/>
Summary : Header files for development using standard C libraries.
Description :
The glibc-headers package contains the header files necessary for developing programs which use the standard C libraries (which are used by nearly all programs). If you are developing programs which will use the standard C libraries, your system needs to have these standard header files available in order to create the executables.

Install glibc-headers if you are going to develop programs which will use the standard C libraries.

Name : portreserve
Version : 0.0.5
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:21 PM EDT
Group : System Environment/Daemons
Size : 39589
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : portreserve-0.0.5-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:57:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cyberelk.net/tim/portreserve/>
Summary : TCP port reservation utility

Description :

The portreserve program aims to help services with well-known ports that lie in the portmap range. It prevents portmap from a real service's port by occupying it itself, until the real service tells it to release the port (generally in the init script).

Name : abrt
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:49 PM EDT
Group : Applications/System
Size : 2335762
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:11 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Automatic bug detection and reporting tool
Description :
abrt is a tool to help users to detect defects in applications and to create a bug report with all information needed by maintainer to fix it.
It uses plugin system to extend its functionality.

Name : bzip2
Version : 1.0.6
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:59 PM EDT
Group : Applications/File
Size : 87887
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 08:54:47 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : bzip2-1.0.6-12.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:04:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.bzip.org/>
Summary : A file compression utility
Description :
Bzip2 is a freely available, patent-free, high quality data compressor. Bzip2 compresses files to within 10 to 15 percent of the capabilities of the best techniques available. However, bzip2 has the added benefit of being approximately two times faster at compression and six times faster at decompression than those techniques. Bzip2 is not the

fastest compression utility, but it does strike a balance between speed and compression capability.

Install bzip2 if you need a compression utility.

Name : cups-pk-helper
Version : 0.2.4
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:00 PM EDT
Group : System Environment/Base
Size : 280241
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:04:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cups-pk-helper-0.2.4-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:35:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.vuntz.net/download/cups-pk-helper/>
Summary : A helper that makes system-config-printer use PolicyKit
Description :
cups-pk-helper is an application which makes cups configuration interfaces available under control of PolicyKit.

Name : libconfig
Version : 1.4.9
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:15 PM EDT
Group : System Environment/Libraries
Size : 195179
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:40:30 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libconfig-1.4.9-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:18:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.hyperrealm.com/libconfig/>
Summary : C/C++ configuration file library
Description :
Libconfig is a simple library for manipulating structured configuration files. This file format is more compact and more readable than XML. And unlike XML, it is type-aware, so it is not necessary to do string parsing in application code.

Name : rsh-server
Version : 0.17
Release : 76.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:23 PM EDT
Group : System Environment/Daemons
Size : 75091
License : BSD
Signature : RSA/SHA256, Thu 23 Oct 2014 08:01:07 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rsh-0.17-76.el7.src.rpm
Build Date : Thu 23 Oct 2014 07:17:56 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>
Summary : Servers for remote access commands (rsh, rlogin, rcp)
Description :
The rsh-server package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the servers needed for all of these services. It also contains a server for rexec, an alternate method of executing remote commands. All of these servers are run by systemd and configured using systemd units and PAM.

The rsh-server package should be installed to enable remote access from other machines

Name : dbus-x11
Epoch : 1
Version : 1.6.12
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:52 PM EDT
Group : Development/Libraries
Size : 35649
License : GPLv2+ or AFL
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dbus-1.6.12-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:03:08 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/dbus/>
Summary : X11-requiring add-ons for D-BUS
Description :
D-BUS contains some tools that require Xlib to be installed, those are in this separate package so server systems need not install X.

Name : xorg-x11-font-utils
Epoch : 1
Version : 7.5

Release : 18.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:01 PM EDT
Group : User Interface/X
Size : 326869
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-font-utils-7.5-18.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:10:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 font utilities
Description :
X.Org X11 font utilities required for font installation, conversion,
and generation.

Name : alsa-utils
Version : 1.0.28
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:03 PM EDT
Group : Applications/Multimedia
Size : 1978119
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:38 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : alsa-utils-1.0.28-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:24:18 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.alsa-project.org/>
Summary : Advanced Linux Sound Architecture (ALSA) utilities
Description :
This package contains command line utilities for the Advanced Linux Sound
Architecture (ALSA).

Name : libdnf
Version : 1.12
Release : 13.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:18 PM EDT
Group : Unspecified
Size : 70416
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:08 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libdnf-1.12-13.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:58:02 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/libdnet/>
Summary : Simple portable interface to lowlevel networking routines
Description :
libdnet provides a simplified, portable interface to several low-level networking routines, including network address manipulation, kernel arp(4) cache and route(4) table lookup and manipulation, network firewalling (IP filter, ipfw, ipchains, pf, ...), network interface lookup and manipulation, raw IP packet and Ethernet frame, and data transmission.

Name : systemtap
Version : 2.6
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:26 PM EDT
Group : Development/System
Size : 45253
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : systemtap-2.6-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:01:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceware.org/systemtap/>
Summary : Programmable system-wide instrumentation system
Description :
SystemTap is an instrumentation system for systems running Linux. Developers can write instrumentation scripts to collect data on the operation of the system. The base systemtap package contains/requires the components needed to locally develop and execute systemtap scripts.

Name : parted
Version : 3.1
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:54 PM EDT
Group : Applications/System
Size : 2331525
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:26:37 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : parted-3.1-20.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:56:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.gnu.org/software/parted>
Summary : The GNU disk partition manipulation program
Description :
The GNU Parted program allows you to create, destroy, resize, move, and copy hard disk partitions. Parted can be used for creating space for new operating systems, reorganizing disk usage, and copying data to new hard disks.

Name : gsm
Version : 1.0.13
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:03 PM EDT
Group : System Environment/Libraries
Size : 56172
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:46:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gsm-1.0.13-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:29:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.quut.com/gsm/>
Summary : Shared libraries for GSM speech compressor
Description :
Contains runtime shared libraries for libgsm, an implementation of the European GSM 06.10 provisional standard for full-rate speech transcoding, prI-ETS 300 036, which uses RPE/LTP (residual pulse excitation/long term prediction) coding at 13 kbit/s.

GSM 06.10 compresses frames of 162 13-bit samples (8 kHz sampling rate, i.e. a frame rate of 50 Hz) into 260 bits; for compatibility with typical UNIX applications, our implementation turns frames of 160 16-bit linear samples into 33-byte frames (1650 Bytes/s). The quality of the algorithm is good enough for reliable speaker recognition; even music often survives transcoding in recognizable form (given the bandwidth limitations of 8 kHz sampling rate).

The interfaces offered are a front end modelled after compress(1), and a library API. Compression and decompression run faster than realtime on most SPARCstations. The implementation has been verified against the ETSI standard test patterns.

Name : libvirt-daemon-driver-network
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:05 PM EDT
Group : Development/Libraries
Size : 451800
License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:09 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libvirt-1.2.8-16.el7.src.rpm

Build Date : Thu 05 Mar 2015 11:04:27 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://libvirt.org/>

Summary : Network driver plugin for the libvirtd daemon

Description :

The network driver plugin for the libvirtd daemon, providing an implementation of the virtual network APIs using the Linux bridge capabilities.

Name : curl

Version : 7.29.0

Release : 19.el7

Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:30:20 PM EDT

Group : Applications/Internet

Size : 535105

License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 09:04:23 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : curl-7.29.0-19.el7.src.rpm

Build Date : Mon 09 Jun 2014 07:19:16 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://curl.haxx.se/>

Summary : A utility for getting files from remote servers (FTP, HTTP, and others)

Description :

curl is a command line tool for transferring data with URL syntax, supporting

FTP, FTPS, HTTP, HTTPS, SCP, SFTP, TFTP, TELNET, DICT, LDAP, LDAPS, FILE, IMAP,

SMTP, POP3 and RTSP. curl supports SSL certificates, HTTP POST, HTTP PUT, FTP

uploading, HTTP form based upload, proxies, cookies, user+password authentication (Basic, Digest, NTLM, Negotiate, kerberos...), file transfer

resume, proxy tunneling and a busload of other useful tricks.

Name : adcli

Version : 0.7.5

Release : 4.el7

Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:36:32 PM EDT

Group : Unspecified

Size : 281049

License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:42 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : adcli-0.7.5-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:49:45 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cgit.freedesktop.org/realmd/adcli>
Summary : Active Directory enrollment
Description :
adcli is a library and tool for joining an Active Directory domain using
standard LDAP and Kerberos calls.

Name : at-spi2-core
Version : 2.8.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:56 PM EDT
Group : System Environment/Libraries
Size : 496061
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:41:33 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : at-spi2-core-2.8.0-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:42:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus
Summary : Protocol definitions and daemon for D-Bus at-spi
Description :
at-spi allows assistive technologies to access GTK-based
applications. Essentially it exposes the internals of applications for
automation, so tools such as screen readers, magnifiers, or even
scripting interfaces can query and interact with GUI controls.

This version of at-spi is a major break from previous versions.
It has been completely rewritten to use D-Bus rather than
ORBIT / CORBA for its transport protocol.

Name : fuse-libs
Version : 2.9.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:05 PM EDT
Group : System Environment/Libraries
Size : 293066
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fuse-2.9.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:34:40 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fuse.sf.net>
Summary : File System in Userspace (FUSE) libraries
Description :
Devel With FUSE it is possible to implement a fully functional filesystem in a userspace program. This package contains the FUSE libraries.

Name : ntpdate
Version : 4.2.6p5
Release : 19.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:08 PM EDT
Group : Applications/System
Size : 123918
License : (MIT and BSD and BSD with advertising) and GPLv2
Signature : RSA/SHA256, Fri 19 Dec 2014 09:55:09 PM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : ntp-4.2.6p5-19.el7.centos.src.rpm
Build Date : Fri 19 Dec 2014 09:38:17 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.ntp.org>
Summary : Utility to set the date and time via NTP
Description :
ntpdate is a program for retrieving the date and time from NTP servers.

Name : libpwquality
Version : 1.2.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:23 PM EDT
Group : System Environment/Base
Size : 332381
License : BSD or GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:07:27 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libpwquality-1.2.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:44:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libpwquality.fedorahosted.org/>
Summary : A library for password generation and password quality checking
Description :
This is a library for password quality checks and generation

of random passwords that pass the checks.
This library uses the cracklib and cracklib dictionaries
to perform some of the checks.

Name : motif
Version : 2.3.4
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:35 PM EDT
Group : System Environment/Libraries
Size : 4173051
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:10 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : motif-2.3.4-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:56:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.motifzone.net/>
Summary : Run-time libraries and programs
Description :
This is the Motif 2.3.4 run-time environment. It includes the
Motif shared libraries, needed to run applications which are dynamically
linked against Motif and the Motif Window Manager mwm.

Name : initscripts
Version : 9.49.24
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:20 PM EDT
Group : System Environment/Base
Size : 1491527
License : GPLv2 and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : initscripts-9.49.24-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:05:14 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/releases/i/n/initscripts/>
Summary : The inittab file and the /etc/init.d scripts
Description :
The initscripts package contains basic system scripts used
during a boot of the system. It also contains scripts which
activate and deactivate most network interfaces.

Name : hostname
Version : 3.13
Release : 3.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:07 PM EDT
Group : System Environment/Base
Size : 19449
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : hostname-3.13-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:48:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://packages.qa.debian.org/h/hostname.html>
Summary : Utility to set/show the host name or domain name
Description :
This package provides commands which can be used to display the system's
DNS name, and to display or set its hostname or NIS domain name.

Name : glusterfs-api
Version : 3.6.0.29
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:10 PM EDT
Group : System Environment/Daemons
Size : 157932
License : GPLv2 or LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glusterfs-3.6.0.29-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:47:02 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gluster.org/docs/index.php/GlusterFS>
Summary : Clustered file-system api library
Description :
GlusterFS is a clustered file-system capable of scaling to several
petabytes. It aggregates various storage bricks over Infiniband RDMA
or TCP/IP interconnect into one large parallel network file
system. GlusterFS is one of the most sophisticated file systems in
terms of features and extensibility. It borrows a powerful concept
called Translators from GNU Hurd kernel. Much of the code in GlusterFS
is in user space and easily manageable.

This package provides the glusterfs libgfapi library.

Name : libuser
Version : 0.60
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:26 PM EDT
Group : System Environment/Base
Size : 1953856

License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:15 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libuser-0.60-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:56:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/libuser/>
Summary : A user and group account administration library
Description :
The libuser library implements a standardized interface for manipulating
and administering user and group accounts. The library uses pluggable
back-ends to interface to its data sources.

Sample applications modeled after those included with the shadow password
suite are included.

Name : openssl098e
Version : 0.9.8e
Release : 29.el7.centos.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:43 PM EDT
Group : System Environment/Libraries
Size : 2400883
License : OpenSSL
Signature : RSA/SHA256, Sat 05 Jul 2014 11:29:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : openssl098e-0.9.8e-29.el7.centos.2.src.rpm
Build Date : Tue 24 Jun 2014 07:13:41 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openssl.org/>
Summary : A compatibility version of a general cryptography and TLS
library
Description :
The OpenSSL toolkit provides support for secure communications between
machines. OpenSSL includes a certificate management tool and shared
libraries which provide various cryptographic algorithms and
protocols. This version of OpenSSL package is provided for compatibility
with the previous CentOS Linux release.

Name : plymouth-scripts
Version : 0.8.9
Release : 0.13.20140113.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:22 PM EDT
Group : Applications/System
Size : 22120
License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:22 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Plymouth related scripts
Description :
This package contains scripts that help integrate Plymouth with
the system.

Name : p11-kit-trust
Version : 0.20.7
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:09 PM EDT
Group : Unspecified
Size : 432712
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:38 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : p11-kit-0.20.7-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:47:39 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://p11-glue.freedesktop.org/p11-kit.html>
Summary : System trust module from p11-kit
Description :
The p11-kit-trust package contains a system trust PKCS#11 module which
contains certificate anchors and black lists.

Name : libgdither
Version : 0.6
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:14 PM EDT
Group : System Environment/Libraries
Size : 41506
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:49 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libgdither-0.6-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:05:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://plugin.org.uk/libgdither/README>
Summary : Library for applying dithering to PCM audio sources

Description :

Libgdither is a GPL'd library library for performing audio dithering on PCM samples. The dithering process should be carried out before reducing the bit width of PCM audio data (eg. float to 16 bit int conversions) to preserve audio quality.

Name : satyr
Version : 0.13
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:33 PM EDT
Group : System Environment/Libraries
Size : 2292829
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:34:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : satyr-0.13-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:29:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/abrt/satyr>
Summary : Tools to create anonymous, machine-friendly problem reports
Description :
Satyr is a library that can be used to create and process microreports. Microreports consist of structured data suitable to be analyzed in a fully automated manner, though they do not necessarily contain sufficient information to fix the underlying problem. The reports are designed not to contain any potentially sensitive data to eliminate the need for review before submission. Included is a tool that can create microreports and perform some basic operations on them.

Name : perl-XML-Writer-String
Version : 0.1
Release : 14.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:45 PM EDT
Group : Development/Libraries/Perl
Size : 6975
License : Artistic-1.0 or GPL-1.0+
Signature : DSA/SHA1, Fri 02 Nov 2012 01:02:44 AM EDT, Key ID dcca98dddcef338c
Source RPM : perl-XML-Writer-String-0.1-14.1.src.rpm
Build Date : Fri 02 Nov 2012 01:02:38 AM EDT
Build Host : build21
Relocations : (not relocatable)
Vendor : [obs://build.opensuse.org/devel:languages:perl](http://build.opensuse.org/devel:languages:perl)
URL : <http://search.cpan.org/perldoc/XML::Writer::String>
Summary : Capture output from XML::Writer

Description :

This module implements a bare-bones class specifically for the purpose of capturing data from the XML::Writer module. XML::Writer expects an IO::Handle object and writes XML data to the specified object (or STDOUT) via its print() method. This module simulates such an object for the specific purpose of providing the required print() method.

It is recommended that \$writer->end() is called prior to calling \$s->value() to check for well-formedness.

Author:

Simon Oliver <simon.oliver@umist.ac.uk>

Name : pango
Version : 1.34.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:23 PM EDT
Group : System Environment/Libraries
Size : 789393
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pango-1.34.1-5.el7.src.rpm
Build Date : Tue 17 Jun 2014 01:28:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.pango.org>
Summary : System for layout and rendering of internationalized text
Description :
Pango is a library for laying out and rendering of text, with an emphasis on internationalization. Pango can be used anywhere that text layout is needed, though most of the work on Pango so far has been done in the context of the GTK+ widget toolkit. Pango forms the core of text and font handling for GTK+.

Pango is designed to be modular; the core Pango layout engine can be used with different font backends.

The integration of Pango with Cairo provides a complete solution with high quality text handling and graphics rendering.

Name : fuse
Version : 2.9.2
Release : 5.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:11 PM EDT
Group : System Environment/Base
Size : 223978
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:22 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fuse-2.9.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:34:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fuse.sf.net>
Summary : File System in Userspace (FUSE) utilities
Description :
With FUSE it is possible to implement a fully functional filesystem in a
userspace program. This package contains the FUSE userspace tools to
mount a FUSE filesystem.

Name : abrt-libs
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:34 PM EDT
Group : System Environment/Libraries
Size : 49328
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Libraries for abrt
Description :
Libraries for abrt.

Name : control-center-filesystem
Epoch : 1
Version : 3.8.6
Release : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:27:56 PM EDT
Group : Unspecified
Size : 0
License : GPLv2+ and GFDL
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : control-center-3.8.6-18.el7.src.rpm
Build Date : Tue 10 Mar 2015 06:03:28 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : GNOME Control Center directories
Description :
The GNOME control-center provides a number of extension points for applications. This package contains directories where applications can install configuration files that are picked up by the control-center utilities.

Name : perl-Net-Telnet
Version : 3.03
Release : 19.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:46 PM EDT
Group : Development/Libraries
Size : 157913
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Net-Telnet-3.03-19.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:52:56 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Net-Telnet/>
Summary : Net-Telnet Perl module
Description :
Net::Telnet allows you to make client connections to a TCP port and do network I/O, especially to a port using the TELNET protocol. Simple I/O methods such as print, get, and getline are provided. More sophisticated interactive features are provided because connecting to a TELNET port ultimately means communicating with a program designed for human interaction.
These interactive features include the ability to specify a time-out and to wait for patterns to appear in the input stream, such as the prompt from a shell.

Name : pangomm
Version : 2.34.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:26 PM EDT
Group : System Environment/Libraries
Size : 238468
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:58 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pangomm-2.34.0-3.el7.src.rpm

Build Date : Tue 10 Jun 2014 05:10:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtkmm.org/>
Summary : C++ interface for Pango
Description :
pangomm provides a C++ interface to the Pango library. Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : rpm-build-libs
Version : 4.11.1
Release : 25.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:19 PM EDT
Group : Development/Libraries
Size : 166680
License : GPLv2+ and LGPLv2+ with exceptions
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rpm-4.11.1-25.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:27:41 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rpm.org/>
Summary : Libraries for building and signing RPM packages
Description :
This package contains the RPM shared libraries for building and signing packages.

Name : acl
Version : 2.2.51
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:18 PM EDT
Group : System Environment/Base
Size : 201066
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:34 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : acl-2.2.51-12.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:43:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://acl.bestbits.at/>
Summary : Access control list utilities
Description :

This package contains the getfacl and setfacl utilities needed for manipulating access control lists.

Name : gcc
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:46 PM EDT
Group : Development/Languages
Size : 39010208
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : Various compilers (C, C++, Objective-C, Java, ...)
Description :
The gcc package contains the GNU Compiler Collection version 4.8. You'll need this package in order to compile C code.

Name : setup
Version : 2.8.71
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:58 PM EDT
Group : System Environment/Base
Size : 696377
License : Public Domain
Signature : RSA/SHA256, Wed 29 Oct 2014 05:52:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : setup-2.8.71-5.el7.src.rpm
Build Date : Wed 29 Oct 2014 05:47:01 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/setup/>
Summary : A set of system configuration and setup files
Description :
The setup package contains a set of important system configuration and setup files, such as passwd, group, and profile.

Name : rcs
Version : 5.9.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:49 PM EDT
Group : Development/Tools

Size : 624710
License : GPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:24 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rcs-5.9.0-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:27:47 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/rcs/>
Summary : Revision Control System (RCS) file version management tools
Description :
The Revision Control System (RCS) is a system for managing multiple versions of files. RCS automates the storage, retrieval, logging, identification and merging of file revisions. RCS is useful for text files that are revised frequently (for example, programs, documentation, graphics, papers and form letters).

The rcs package should be installed if you need a system for managing different versions of files.

Name : libgxps
Version : 0.2.2
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:29 PM EDT
Group : System Environment/Libraries
Size : 183192
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:51:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgxps-0.2.2-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:36:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/libgxps>
Summary : GObject based library for handling and rendering XPS documents
Description :
libgxps is a GObject based library for handling and rendering XPS documents.

Name : python-meh
Version : 0.25.2
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:21 PM EDT
Group : System Environment/Libraries
Size : 243963
License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:16 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-meh-0.25.2-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:13:34 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>
Summary : A python library for handling exceptions
Description :
The python-meh package is a python library for handling, saving, and
reporting
exceptions.

Name : mozjs17
Version : 17.0.0
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:20 PM EDT
Group : Development/Languages
Size : 4061613
License : GPLv2+ or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:33 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mozjs17-17.0.0-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:25:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/js/>
Summary : JavaScript interpreter and libraries
Description :
JavaScript is the Netscape-developed object scripting language used in
millions
of web pages and server applications worldwide. Netscape's JavaScript is
a
superset of the ECMA-262 Edition 3 (ECMAScript) standard scripting
language,
with only mild differences from the published standard.

Name : libXft
Version : 2.3.1
Release : 5.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:49 PM EDT
Group : System Environment/Libraries
Size : 124658
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXft-2.3.1-5.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:27:34 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXft runtime library
Description :
X.Org X11 libXft runtime library

Name : tzdata-java
Version : 2015a
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:59 PM EDT
Group : System Environment/Base
Size : 261571
License : Public Domain
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:26 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tzdata-2015a-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:56:55 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://www.iana.org/time-zones>
Summary : Timezone data for Java
Description :
This package contains timezone information for use by Java runtimes.

Name : tftp
Version : 5.2
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:51 PM EDT
Group : Applications/Internet
Size : 49278
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:32:53 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tftp-5.2-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:44:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org/pub/software/network/tftp/>
Summary : The client for the Trivial File Transfer Protocol (TFTP)
Description :
The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp package provides the user interface for TFTP, which allows users to transfer files to and from a remote machine. This program and TFTP provide very little security, and should not be enabled unless it is expressly needed.

Name : colord-libs
Version : 1.0.4
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:34 PM EDT
Group : Unspecified
Size : 480036
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:49 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : colord-1.0.4-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:08:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/colord/>
Summary : Color daemon library
Description :
colord is a low level system activated daemon that maps color devices
to color profiles in the system context.

Name : vim-common
Epoch : 2
Version : 7.4.160
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:25 PM EDT
Group : Applications/Editors
Size : 22146000
License : Vim
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:09 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : vim-7.4.160-1.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.vim.org/>
Summary : The common files needed by any version of the VIM editor
Description :
VIM (VIsual editor iMproved) is an updated and improved version of the
vi editor. Vi was the first real screen-based editor for UNIX, and is
still very popular. VIM improves on vi by adding new features:
multiple windows, multi-level undo, block highlighting and more. The
vim-common package contains files which every VIM binary will need in
order to run.

If you are installing vim-enhanced or vim-X11, you'll also need
to install the vim-common package.

Name : libtar

Version : 1.2.11
Release : 28.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:22 PM EDT
Group : System Environment/Libraries
Size : 74926
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libtar-1.2.11-28.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:32:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.feep.net/libtar/>
Summary : Tar file manipulation API
Description :
libtar is a C library for manipulating tar archives. It supports both
the strict POSIX tar format and many of the commonly-used GNU
extensions.

Name : gdb
Version : 7.6.1
Release : 64.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:54 PM EDT
Group : Development/Debuggers
Size : 7018737
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ and GPLv2+
with exceptions and GPL+ and LGPLv2+ and BSD and Public Domain
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gdb-7.6.1-64.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:44:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gnu.org/software/gdb/>
Summary : A GNU source-level debugger for C, C++, Fortran, Go and
other languages
Description :
GDB, the GNU debugger, allows you to debug programs written in C, C++,
Java, and other languages, by executing them in a controlled fashion
and printing their data.

Name : libX11-common
Version : 1.6.0
Release : 2.1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : System Environment/Libraries
Size : 1684529

License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:52 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libX11-1.6.0-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 10:28:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Common data for libX11
Description :
libX11 common data

Name : libpng12
Version : 1.2.50
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:53 PM EDT
Group : System Environment/Libraries
Size : 667253
License : zlib
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libpng12-1.2.50-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:49:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libpng.org/pub/png/>
Summary : Old version of libpng, needed to run old binaries
Description :
The libpng12 package provides libpng 1.2, an older version of the libpng
library for manipulating PNG (Portable Network Graphics) image format
files.
This version should be used only if you are unable to use the current
version of libpng.

Name : libreport-gtk
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:37 PM EDT
Group : User Interface/Desktops
Size : 214356
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:04 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : GTK front-end for libreport
Description :
Applications for reporting bugs using libreport backend

Name : skkdic
Version : 20130104
Release : 6.T1435.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:29 PM EDT
Group : System Environment/Libraries
Size : 25208432
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : skkdic-20130104-6.T1435.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:09:31 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://openlab.ring.gr.jp/skk/skk/dic/>
Summary : Dictionaries for SKK (Simple Kana-Kanji conversion program)
Description :
This package includes the SKK dictionaries, including the large
dictionary
SKK-JISYO.L and pubdic+ dictionary.

Name : dosfstools
Version : 3.0.20
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:26 PM EDT
Group : Applications/System
Size : 248432
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:09:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dosfstools-3.0.20-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:53:49 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.daniel-baumann.ch/software/dosfstools/>
Summary : Utilities for making and checking MS-DOS FAT filesystems on
Linux
Description :
The dosfstools package includes the mkdosfs and dosfsck utilities,
which respectively make and check MS-DOS FAT filesystems on hard
drives or on floppies.

Name : libreport-centos

Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:56 PM EDT
Group : System Environment/Libraries
Size : 35946
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:48 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's CentOS Bug Tracker workflow
Description :
Workflows to report issues into the CentOS Bug Tracker.

Name : libwacom-data
Version : 0.8
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:07 PM EDT
Group : System Environment/Libraries
Size : 208623
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:49 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libwacom-0.8-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 10:17:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://linuxwacom.sourceforge.net>
Summary : Tablet Information Client Library Library Data Files
Description :
Tablet information client library library data files.

Name : madan-fonts
Version : 2.000
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:02 PM EDT
Group : User Interface/X
Size : 251512
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:00 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : madan-fonts-2.000-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:10:50 PM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://madanpuraskar.org/>
Summary : Font for Nepali language
Description :
This package provides the Madan font for Nepali made by the
Madan Puraskar Pustakalaya project.

Name : colord-gtk
Version : 0.1.25
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:40 PM EDT
Group : Unspecified
Size : 41904
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:40 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : colord-gtk-0.1.25-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:46:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/colord/>
Summary : GTK support library for colord
Description :
colord-gtk is a support library for colord and provides additional
functionality that requires GTK+.

Name : gnome-desktop3
Version : 3.8.4
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:35 PM EDT
Group : System Environment/Libraries
Size : 2684336
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:46 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-desktop3-3.8.4-4.el7.src.rpm
Build Date : Tue 17 Jun 2014 12:57:02 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : Shared code among gnome-panel, gnome-session, nautilus, etc
Description :

The gnome-desktop package contains an internal library
(libgnomedesktop) used to implement some portions of the GNOME
desktop, and also some data files and other shared components of the

GNOME user environment.

Name : opus
Version : 1.0.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:27 PM EDT
Group : System Environment/Libraries
Size : 1257756
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:08:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : opus-1.0.2-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:30:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.opus-codec.org/>
Summary : An audio codec for use in low-delay speech and audio communication
Description :
The Opus codec is designed for interactive speech and audio transmission over the Internet. It is designed by the IETF Codec Working Group and incorporates technology from Skype's SILK codec and Xiph.Org's CELT codec.

Name : audit-libs-python
Version : 2.4.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:58 PM EDT
Group : Development/Libraries
Size : 301639
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : audit-2.4.1-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:59:11 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/sgrubb/audit/>
Summary : Python bindings for libaudit
Description :
The audit-libs-python package contains the bindings so that libaudit and libauparse can be used by python.

Name : ipxe-roms-qemu
Version : 20130517
Release : 6.gitc4bce43.el7
Architecture: noarch

Install Date: Wed 05 Apr 2017 03:28:12 PM EDT
Group : Development/Tools
Size : 1329260
License : GPLv2 and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ipxe-20130517-6.gitc4bce43.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:11:37 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ipxe.org/>
Summary : Network boot loader roms supported by QEMU, .rom format
Description :
iPXE is an open source network bootloader. It provides a direct replacement for proprietary PXE ROMs, with many extra features such as DNS, HTTP, iSCSI, etc.

This package contains the iPXE ROMs for devices emulated by QEMU, in .rom format.

Name : gnu-free-mono-fonts
Version : 20120503
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:11 PM EDT
Group : User Interface/X
Size : 1586590
License : GPLv3+ with exceptions
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:56 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/freefont/>
Summary : GNU FreeFont Monospaced Font
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and

decorative. We are especially pleased with the Mathematical Operators range,
with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont monospaced font.

Name : git
Version : 1.8.3.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:43 PM EDT
Group : Development/Tools
Size : 22920720
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:32:38 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : git-1.8.3.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:40:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git-scm.com/>
Summary : Fast Version Control System
Description :
Git is a fast, scalable, distributed revision control system with an unusually rich command set that provides both high-level operations and full access to internals.

The git rpm installs the core tools with minimal dependencies. To install all git packages, including tools for integrating with other SCMs, install the git-all meta-package.

Name : bluez
Version : 4.101
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:51 PM EDT
Group : Applications/System
Size : 2046309
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:49:31 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : bluez-4.101-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:39:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.bluez.org/>
Summary : Bluetooth utilities
Description :
Utilities for use in Bluetooth applications:
- hcitool

- hciattach
- hciconfig
- bluetoothd
- l2ping
- start scripts (Red Hat)
- pcmcia configuration files

The BLUETOOTH trademarks are owned by Bluetooth SIG, Inc., U.S.A.

```
Name       : libical
Version    : 0.48
Release    : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:29 PM EDT
Group      : System Environment/Libraries
Size       : 590473
License    : LGPLv2 or MPLv1.1
Signature  : RSA/SHA256, Thu 03 Jul 2014 10:52:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libical-0.48-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:45:40 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://freeassociation.sourceforge.net/
Summary    : Reference implementation of the iCalendar data type and
serialization format
Description :
Reference implementation of the iCalendar data type and serialization
format
used in dozens of calendaring and scheduling products.
```

```
Name       : e2fsprogs
Version    : 1.42.9
Release    : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:01 PM EDT
Group      : System Environment/Base
Size       : 2555495
License    : GPLv2
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:45:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:09:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://e2fsprogs.sourceforge.net/
Summary    : Utilities for managing ext2, ext3, and ext4 filesystems
Description :
The e2fsprogs package contains a number of utilities for creating,
checking, modifying, and correcting any inconsistencies in second,
```


third and fourth extended (ext2/ext3/ext4) filesystems. E2fsprogs contains e2fsck (used to repair filesystem inconsistencies after an unclean shutdown), mke2fs (used to initialize a partition to contain an empty ext2 filesystem), debugfs (used to examine the internal structure of a filesystem, to manually repair a corrupted filesystem, or to create test cases for e2fsck), tune2fs (used to modify filesystem parameters), and most of the other core ext2fs filesystem utilities.

You should install the e2fsprogs package if you need to manage the performance of an ext2, ext3, or ext4 filesystem.

```
Name       : bash
Version    : 4.2.46
Release    : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:21 PM EDT
Group      : System Environment/Shells
Size       : 3663626
License    : GPLv3+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:39:08 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bash-4.2.46-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:09:15 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/bash
Summary    : The GNU Bourne Again shell
Description :
The GNU Bourne Again shell (Bash) is a shell or command language
interpreter that is compatible with the Bourne shell (sh). Bash
incorporates useful features from the Korn shell (ksh) and the C shell
(csh). Most sh scripts can be run by bash without modification.
```

```
Name       : strace
Version    : 4.8
Release    : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:27 PM EDT
Group      : Development/Debuggers
Size       : 973191
License    : BSD
Signature  : RSA/SHA256, Fri 04 Jul 2014 01:05:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : strace-4.8-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:19:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://sourceforge.net/projects/strace/
```

Summary : Tracks and displays system calls associated with a running process

Description :

The strace program intercepts and records the system calls called and received by a running process. Strace can print a record of each system call, its arguments and its return value. Strace is useful for diagnosing problems and debugging, as well as for instructional purposes.

Install strace if you need a tool to track the system calls made and received by a process.

Name : systemd-python

Version : 208

Release : 20.el7

Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:32:45 PM EDT

Group : Unspecified

Size : 176627

License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:48 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : systemd-208-20.el7.src.rpm

Build Date : Fri 06 Mar 2015 12:48:58 AM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.freedesktop.org/wiki/Software/systemd>

Summary : Python Bindings for systemd

Description :

This package contains python binds for systemd APIs

Name : anaconda-core

Version : 19.31.123

Release : 1.el7.centos.2

Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:34:54 PM EDT

Group : Applications/System

Size : 7094337

License : GPLv2+

Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:18 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm

Build Date : Thu 26 Mar 2015 06:43:32 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://fedoraproject.org/wiki/Anaconda>

Summary : Core of the Anaconda installer

Description :

The anaconda-core package contains the program which was used to install your

system.

Name : libteam
Version : 1.15
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:32 PM EDT
Group : System Environment/Libraries
Size : 96500
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:20 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libteam-1.15-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:44:40 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libteam.org>
Summary : Library for controlling team network device
Description :
This package contains a library which is a user-space counterpart for team network driver. It provides an API to control team network devices.

Name : libevent
Version : 2.0.21
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:03 PM EDT
Group : System Environment/Libraries
Size : 742760
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:22 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libevent-2.0.21-4.el7.src.rpm
Build Date : Fri 13 Jun 2014 06:39:17 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/levent/>
Summary : Abstract asynchronous event notification library
Description :
The libevent API provides a mechanism to execute a callback function when a specific event occurs on a file descriptor or after a timeout has been reached. libevent is meant to replace the asynchronous event loop found in event driven network servers. An application just needs to call `event_dispatch()` and can then add or remove events dynamically without having to change the event loop.

Name : freetype
Version : 2.4.11
Release : 9.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:23 PM EDT
Group : System Environment/Libraries
Size : 894523
License : (FTL or GPLv2+) and BSD and MIT and Public Domain and zlib
with acknowledgement
Signature : RSA/SHA256, Thu 03 Jul 2014 09:24:49 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : freetype-2.4.11-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:10:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freetype.org>
Summary : A free and portable font rendering engine
Description :
The FreeType engine is a free and portable font rendering
engine, developed to provide advanced font support for a variety of
platforms and environments. FreeType is a library which can open and
manages font files as well as efficiently load, hint and render
individual glyphs. FreeType is not a font server or a complete
text-rendering library.

Name : scl-utils
Version : 20130529
Release : 9.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:37 PM EDT
Group : Applications/File
Size : 25037
License : GPLv2+
Signature : RSA/SHA256, Wed 29 Oct 2014 05:52:36 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : scl-utils-20130529-9.el7_0.src.rpm
Build Date : Wed 29 Oct 2014 05:46:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/released/scl-utils/>
Summary : Utilities for alternative packaging
Description :
Run-time utility for alternative packaging.

Name : cryptsetup
Version : 1.6.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:47 PM EDT
Group : Applications/System
Size : 262638
License : GPLv2+ and LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:26 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cryptsetup-1.6.6-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:50:13 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cryptsetup.googlecode.com/>
Summary : A utility for setting up encrypted disks
Description :
The cryptsetup package contains a utility for setting up
disk encryption using dm-crypt kernel module.

Name : mutter
Version : 3.8.4
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:57 PM EDT
Group : User Interface/Desktops
Size : 6380357
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:18 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mutter-3.8.4-16.el7.src.rpm
Build Date : Tue 10 Mar 2015 06:35:51 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Window and compositing manager based on Clutter
Description :
Mutter is a window and compositing manager that displays and manages
your desktop via OpenGL. Mutter combines a sophisticated display engine
using the Clutter toolkit with solid window-management logic inherited
from the Metacity window manager.

While Mutter can be used stand-alone, it is primarily intended to be
used as the display core of a larger system such as gnome-shell or
Moblin. For this reason, Mutter is very extensible via plugins, which
are used both to add fancy visual effects and to rework the window
management behaviors to meet the needs of the environment.

Name : libgfortran
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:33 PM EDT
Group : System Environment/Libraries
Size : 1186104
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with
exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:35 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : Fortran runtime
Description :
This package contains Fortran shared library which is needed to run Fortran dynamically linked programs.

Name : cdrdao
Version : 1.2.3
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:04 PM EDT
Group : Applications/Multimedia
Size : 1169304
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cdrdao-1.2.3-20.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:12:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cdrdao.sourceforge.net/>
Summary : Writes audio CD-Rs in disk-at-once (DAO) mode
Description :
Cdrdao records audio CD-Rs in disk-at-once (DAO) mode, based on a textual description of the CD contents. Recording in DAO mode writes the complete disc (lead-in, one or more tracks, and lead-out) in a single step. DAO allows full control over the length and the contents of pre-gaps, the pause areas between tracks.

Name : libuuid
Version : 2.23.2
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:24 PM EDT
Group : Development/Libraries
Size : 20246
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:48 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : util-linux-2.23.2-21.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:59:03 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://en.wikipedia.org/wiki/Util-linux>

Summary : Universally unique ID library
Description :
This is the universally unique ID library, part of util-linux.

The libuuid library generates and parses 128-bit universally unique id's (UUID's). A UUID is an identifier that is unique across both space and time, with respect to the space of all UUIDs. A UUID can be used for multiple purposes, from tagging objects with an extremely short lifetime, to reliably identifying very persistent objects across a network.

See also the "uuid" package, which is a separate implementation.

Name : gnu-free-serif-fonts
Version : 20120503
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:45 PM EDT
Group : User Interface/X
Size : 6146428
License : GPLv3+ with exceptions
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/freefont/>
Summary : GNU FreeFont Serif Font
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont serif font.

Name : adwaita-gtk3-theme
Version : 3.8.4
Release : 3.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:52 PM EDT
Group : User Interface/Desktops
Size : 1131727
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:53 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.gnome.org/browse/gnome-themes-standard>
Summary : Adwaita gtk3 theme
Description :
The adwaita-gtk3-theme package contains a gtk3 theme for rendering
widgets
with a GNOME look and feel.

Name : ibus-setup
Version : 1.5.3
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:00 PM EDT
Group : System Environment/Libraries
Size : 200989
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-1.5.3-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 08:00:23 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : IBus setup utility
Description :
This is a setup utility for IBus.

Name : perl-Pod-Usage
Version : 1.63
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:35 PM EDT
Group : Development/Libraries
Size : 44671
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Pod-Usage-1.63-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:56:19 AM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Pod-Usage/>
Summary : Print a usage message from embedded POD documentation
Description :
pod2usage will print a usage message for the invoking script (using its embedded POD documentation) and then exit the script with the desired exit status. The usage message printed may have any one of three levels of "verboseness": If the verbose level is 0, then only a synopsis is printed.
If the verbose level is 1, then the synopsis is printed along with a description (if present) of the command line options and arguments. If the verbose level is 2, then the entire manual page is printed.

Name : selinux-policy
Version : 3.13.1
Release : 23.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:06 PM EDT
Group : System Environment/Base
Size : 176
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : selinux-policy-3.13.1-23.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:56:38 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/repos/refpolicy/>
Summary : SELinux policy configuration
Description :
SELinux Reference Policy - modular.
Based off of reference policy: Checked out revision 2.20091117

Name : sed
Version : 4.2.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:26 PM EDT
Group : Applications/Text
Size : 601208
License : GPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:58:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sed-4.2.2-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:01:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://sed.sourceforge.net/>
Summary : A GNU stream text editor
Description :
The sed (Stream Editor) editor is a stream or batch (non-interactive) editor. Sed takes text as input, performs an operation or set of operations on the text and outputs the modified text. The operations that sed performs (substitutions, deletions, insertions, etc.) can be specified in a script file or from the command line.

Name : lrzsz
Version : 0.12.20
Release : 36.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:50 PM EDT
Group : Applications/Communications
Size : 184846
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:32 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lrzsz-0.12.20-36.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:29:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.ohse.de/uwe/software/lrzsz.html>
Summary : The lrz and lsz modem communications programs
Description :
Lrzsz (consisting of lrz and lsz) is a cosmetically modified zmodem/ymodem/xmodem package built from the public-domain version of the rzsz package. Lrzsz was created to provide a working GNU copylefted Zmodem solution for Linux systems.

Name : tigervnc-server-minimal
Version : 1.2.80
Release : 0.30.20130314svn5065.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:55 PM EDT
Group : User Interface/X
Size : 2476092
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:42 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tigervnc-1.2.80-0.30.20130314svn5065.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:15:08 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.tigervnc.com>
Summary : A minimal installation of TigerVNC server
Description :
The VNC system allows you to access the same desktop from a wide

variety of platforms. This package contains minimal installation of TigerVNC server, allowing others to access the desktop on your machine.

Name : nm-connection-editor
Version : 1.0.0
Release : 2.git20150122.76569a46.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:05 PM EDT
Group : Applications/System
Size : 5742495
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:07 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : network-manager-applet-1.0.0-2.git20150122.76569a46.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:19:35 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : A network connection configuration editor for NetworkManager
Description :
This package contains a network configuration editor and Bluetooth modem utility for use with NetworkManager.

Name : perl-Filter
Version : 1.49
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:36 PM EDT
Group : Development/Libraries
Size : 148475
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:19 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Filter-1.49-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:45:54 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Filter/>
Summary : Perl source filters
Description :
Source filters alter the program text of a module before Perl sees it, much as
a C preprocessor alters the source text of a C program before the compiler sees it.

Name : libreport-plugin-rhtsupport

Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : System Environment/Libraries
Size : 86642
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:33 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's RHTSupport plugin
Description :
Plugin to report bugs into RH support system.

Name : elfutils-libelf
Version : 0.160
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:28 PM EDT
Group : Development/Tools
Size : 974246
License : GPLv2+ or LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : elfutils-0.160-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:32:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/elfutils/>
Summary : Library to read and write ELF files
Description :
The elfutils-libelf package provides a DSO which allows reading and writing ELF files on a high level. Third party programs depend on this package to read internals of ELF files. The programs of the elfutils package use it also to generate new ELF files.

Name : gnome-backgrounds
Version : 3.8.1
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:58 PM EDT
Group : Applications/Multimedia
Size : 9852590
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:04 PM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : gnome-backgrounds-3.8.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:22:59 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : Desktop backgrounds packaged with the GNOME desktop
Description :
The gnome-backgrounds package contains images and tiles
to use for your desktop background which are packaged
with the GNOME desktop.

Name : libglade2
Version : 2.6.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:56 PM EDT
Group : System Environment/Libraries
Size : 158886
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:47:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libglade2-2.6.4-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:08:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : The libglade library for loading user interfaces
Description :
Libglade is a small library that allows a program to load its user
interface from an XML description at runtime. Libglade uses the XML
file format used by the GLADE user interface builder GLADE, so
libglade acts as an alternative to GLADE's code generation
approach. Libglade also provides a simple interface for connecting
handlers to the various signals in the interface (on platforms where
the gmodule library works correctly, it is possible to connect all the
handlers with a single function call). Once the interface has been
instantiated, libglade gives no overhead, so other than the short
initial interface loading time, there is no performance tradeoff.

Name : ibus-table
Version : 1.5.0
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:09 PM EDT
Group : System Environment/Libraries
Size : 831140
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:23 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-table-1.5.0-5.el7.src.rpm

Build Date : Tue 10 Jun 2014 12:35:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : The Table engine for IBus platform
Description :
The Table engine for IBus platform.

Name : perl-constant
Version : 1.27
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:37 PM EDT
Group : Development/Libraries
Size : 26364
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-constant-1.27-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:51:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/constant/>
Summary : Perl pragma to declare constants
Description :
This pragma allows you to declare constants at compile-time:

```
use constant PI => 4 * atan2(1, 1);
```

When you declare a constant such as "PI" using the method shown above, each machine your script runs upon can have as many digits of accuracy as it can use. Also, your program will be easier to read, more likely to be maintained (and maintained correctly), and far less likely to send a space probe to the wrong planet because nobody noticed the one equation in which you wrote 3.14195.

When a constant is used in an expression, Perl replaces it with its value at compile time, and may then optimize the expression further. In particular, any code in an "if (CONSTANT)" block will be optimized away if the constant is false.

Name : python-backports-ssl_match_hostname
Version : 3.4.0.2
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:10 PM EDT
Group : Unspecified
Size : 14193
License : Python

Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-backports-ssl_match_hostname-3.4.0.2-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:59:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : https://bitbucket.org/brandon/backports.ssl_match_hostname
Summary : The ssl.match_hostname() function from Python 3
Description :
The Secure Sockets layer is only actually secure if you check the
hostname in
the certificate returned by the server to which you are connecting, and
verify
that it matches to hostname that you are trying to reach.

But the matching logic, defined in RFC2818, can be a bit tricky to
implement on
your own. So the ssl package in the Standard Library of Python 3.2 now
includes
a match_hostname() function for performing this check instead of
requiring
every application to implement the check separately.

This backport brings match_hostname() to users of earlier versions of
Python.
The actual code inside comes verbatim from Python 3.2.

Name : libcap-ng
Version : 0.7.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:30 PM EDT
Group : System Environment/Libraries
Size : 46278
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libcap-ng-0.7.3-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:58:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/sgrubb/libcap-ng>
Summary : An alternate posix capabilities library
Description :
Libcap-ng is a library that makes using posix capabilities easier

Name : iwl100-firmware
Version : 39.31.5.1
Release : 36.el7
Architecture: noarch

Install Date: Wed 05 Apr 2017 03:38:00 PM EDT
Group : System Environment/Kernel
Size : 419497
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Wireless WiFi Link 100 Series Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl100 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : geronimo-jms
Version : 1.1.1
Release : 19.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:02 PM EDT
Group : Development/Libraries
Size : 43760
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:00 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : geronimo-jms-1.1.1-19.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:26:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://geronimo.apache.org/>
Summary : J2EE JMS v1.1 API
Description :
The Java Message Service (JMS) API is a messaging standard that allows application components based on the Java 2 Platform, Enterprise Edition (J2EE) to create, send, receive, and read messages. It enables distributed communication that is loosely coupled, reliable, and asynchronous.

Name : gnome-classic-session
Version : 3.8.4
Release : 12.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:14 PM EDT
Group : User Interface/Desktops
Size : 69941

License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:02 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell/Extensions>
Summary : GNOME "classic" mode session
Description :
This package contains the required components for the GNOME Shell
"classic"
mode, which aims to provide a GNOME 2-like user interface.

Name : perl-LWP-MediaTypes
Version : 6.02
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:41 PM EDT
Group : Development/Libraries
Size : 62858
License : (GPL+ or Artistic) and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 12:20:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-LWP-MediaTypes-6.02-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:45:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/LWP-MediaTypes/>
Summary : Guess media type for a file or a URL
Description :
This module provides functions for handling media (also known as MIME)
types and encodings. The mapping from file extensions to media types is
defined by the media.types file. If the ~/.media.types file exists it is
used instead. For backwards compatibility we will also look for
~/.mime.types.

Name : libuser-python
Version : 0.60
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:12 PM EDT
Group : Development/Libraries
Size : 67815
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libuser-0.60-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:56:53 PM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/libuser/>
Summary : Python bindings for the libuser library
Description :
The libuser-python package contains the Python bindings for the libuser library, which provides a Python API for manipulating and administering user and group accounts.

Name : libattr
Version : 2.4.46
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:33 PM EDT
Group : System Environment/Libraries
Size : 19888
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:33 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : attr-2.4.46-12.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:33:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://acl.bestbits.at/>
Summary : Dynamic library for extended attribute support
Description :
This package contains the libattr.so dynamic library which contains the extended attribute system calls and library functions.

Name : iwl6000g2b-firmware
Version : 17.168.5.2
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:04 PM EDT
Group : System Environment/Kernel
Size : 1221597
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6030 Series Adapters
Description :
This package contains the firmware required by the iwlagn driver

for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : avalon-framework
Epoch : 0
Version : 4.3
Release : 10.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:05 PM EDT
Group : Development/Libraries
Size : 108319
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:45:48 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : avalon-framework-4.3-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:33:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avalon.apache.org/framework/>
Summary : Java components interfaces
Description :
The Avalon framework consists of interfaces that define relationships between commonly used application components, best-of-practice pattern enforcements, and several lightweight convenience implementations of the generic components.
What that means is that we define the central interface Component. We also define the relationship (contract) a component has with peers, ancestors and children.

Name : nautilus-open-terminal
Version : 0.20
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:19 PM EDT
Group : User Interface/Desktops
Size : 299838
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:04 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nautilus-open-terminal-0.20-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 11:34:50 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/nautilus-open-terminal/>
Summary : Nautilus extension for an open terminal shortcut
Description :
The nautilus-open-terminal extension provides a right-click "Open Terminal" option for nautilus users who prefer that option.

Name : perl-Image-Xbm

Version : 1.08
Release : 21.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 34801
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Image-Xbm-1.08-21.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:29:23 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Image-Xbm/>
Summary : Load, create, manipulate and save xbm image files in Perl
Description :
This class module provides basic load, manipulate and save functionality for the xbm file format. It inherits from Image::Base which provides additional manipulation functionality.

Name : python-inotify
Version : 0.9.4
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:13 PM EDT
Group : Development/Libraries
Size : 262646
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-inotify-0.9.4-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:46:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/seb-m/pyinotify>
Summary : Monitor filesystem events with Python under Linux
Description :
This is a Python module for watching filesystems changes. pyinotify can be used for various kind of fs monitoring. pyinotify relies on a recent Linux Kernel feature (merged in kernel 2.6.13) called inotify. inotify is an event-driven notifier, its notifications are exported from kernel space to user space.

Name : libbluray
Version : 0.2.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:35 PM EDT

Group : System Environment/Libraries
Size : 460889
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:37:16 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libbluray-0.2.3-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:06:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.videolan.org/developers/libbluray.html>
Summary : Library to access Blu-Ray disks for video playback
Description :
This package is aiming to provide a full portable free open source bluray library, which can be plugged into popular media players to allow full bluray navigation and playback on Linux. It will eventually be compatible with all current titles, and will be easily portable and embeddable in standard players such as mplayer and vlc.

Name : libXau
Version : 1.0.8
Release : 2.1.el7
Architecture: i686
Install Date: Wed 05 Apr 2017 03:38:07 PM EDT
Group : System Environment/Libraries
Size : 50641
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:00 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXau-1.0.8-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 10:28:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Sample Authorization Protocol for X
Description :
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : plymouth-plugin-label
Version : 0.8.9
Release : 0.13.20140113.el7.centos

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:07 PM EDT
Group : System Environment/Base
Size : 15688
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Plymouth label plugin
Description :
This package contains the label control plugin for
Plymouth. It provides the ability to render text on
graphical boot splashes using pango and cairo.

Name : system-config-printer
Version : 1.4.1
Release : 19.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:22 PM EDT
Group : System Environment/Base
Size : 1337897
License : GPLv2+
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:46 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm
Build Date : Mon 03 Nov 2014 08:49:36 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cyberelk.net/tim/software/system-config-printer/>
Summary : A printer administration tool
Description :
system-config-printer is a graphical user interface that allows
the user to configure a CUPS print server.

Name : perl-Business-ISBN
Version : 2.06
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:49 PM EDT
Group : Development/Libraries
Size : 39822
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Business-ISBN-2.06-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:24:55 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Business-ISBN/>
Summary : Perl module to work with International Standard Book Numbers
Description :
This modules handles International Standard Book Numbers, including ISBN-10 and ISBN-13.

Name : python-lxml
Version : 3.2.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:15 PM EDT
Group : Development/Libraries
Size : 2722705
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:58 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-lxml-3.2.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://lxml.de>
Summary : ElementTree-like Python bindings for libxml2 and libxslt
Description :
lxml provides a Python binding to the libxslt and libxml2 libraries. It follows the ElementTree API as much as possible in order to provide a more Pythonic interface to libxml2 and libxslt than the default bindings. In particular, lxml deals with Python Unicode strings rather than encoded UTF-8 and handles memory management automatically, unlike the default bindings.

Name : atk
Version : 2.8.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:37 PM EDT
Group : System Environment/Libraries
Size : 1131714
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:40:34 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : atk-2.8.0-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:05:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://developer.gnome.org/platform-overview/stable/atk>

Summary : Interfaces for accessibility support
Description :
The ATK library provides a set of interfaces for adding accessibility support to applications and graphical user interface toolkits. By supporting the ATK interfaces, an application or toolkit can be used with tools such as screen readers, magnifiers, and alternative input devices.

Name : MCRInstaller
Version : 1.0.4
Release : 1
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:50:28 PM EDT
Group : Application/Xerox
Size : 348394915
License : See v717/MCR_license.txt
Signature : (none)
Source RPM : MCRInstaller-1.0.4-1.src.rpm
Build Date : Mon 20 May 2013 01:27:28 PM EDT
Build Host : XPI
Relocations : (not relocatable)
Packager : Xerox Corporation
Summary : Matlab Install Tool
Description :
Matlab Install tool

Name : alsa-plugins-pulseaudio
Version : 1.0.27
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:28 PM EDT
Group : System Environment/Libraries
Size : 106356
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:35:05 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : alsa-plugins-1.0.27-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:57:34 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.alsa-project.org/>
Summary : Alsa to PulseAudio backend
Description :
This plugin allows any program that uses the ALSA API to access a PulseAudio sound daemon. In other words, native ALSA applications can play and record sound across a network. There are two plugins in the suite, one for PCM and one for mixer control.

Name : perl-Digest-MD5

Version : 2.52
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:50 PM EDT
Group : Development/Libraries
Size : 55715
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Digest-MD5-2.52-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:45:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Digest-MD5/>
Summary : Perl interface to the MD5 algorithm
Description :
The Digest::MD5 module allows you to use the RSA Data Security Inc. MD5
Message Digest algorithm from within Perl programs. The algorithm takes
as
input a message of arbitrary length and produces as output a 128-bit
"fingerprint" or "message digest" of the input.

Name : tagsoup
Epoch : 0
Version : 1.2.1
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:21 PM EDT
Group : Text Processing/Markup/XML
Size : 143828
License : ASL 2.0 and (GPLv2+ or AFL)
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tagsoup-1.2.1-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:48:19 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://home.ccil.org/~cowan/XML/tagsoup/>
Summary : A SAX-compliant HTML parser written in Java
Description :
TagSoup is a SAX-compliant parser written in Java that, instead of
parsing well-formed or valid XML, parses HTML as it is found in the wild:
nasty
and brutish, though quite often far from short. TagSoup is designed for
people
who have to process this stuff using some semblance of a rational
application
design. By providing a SAX interface, it allows standard XML tools to be
applied to even the worst HTML.

Name : gsettings-desktop-schemas
Version : 3.8.2
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:39 PM EDT
Group : System Environment/Libraries
Size : 2864176
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:46:26 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gsettings-desktop-schemas-3.8.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:38:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : [http://bugzilla.gnome.org/enter_bug.cgi?product=gsettings-
desktop-schemas](http://bugzilla.gnome.org/enter_bug.cgi?product=gsettings-desktop-schemas)
Summary : A collection of GSettings schemas
Description :
gsettings-desktop-schemas contains a collection of GSettings schemas for
settings shared by various components of a desktop.

Name : samba-winbind-clients
Epoch : 0
Version : 3.6.23
Release : 20.el6
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:49 PM EDT
Group : Applications/System
Size : 6751908
License : GPLv3+ and LGPLv3+
Signature : RSA/SHA1, Fri 24 Jul 2015 04:39:51 PM EDT, Key ID
0946fca2c105b9de
Source RPM : samba-3.6.23-20.el6.src.rpm
Build Date : Thu 23 Jul 2015 11:17:04 PM EDT
Build Host : c6b8.bsys.dev.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.samba.org/>
Summary : Samba winbind clients
Description :
The samba-winbind-clients package provides the NSS library and a PAM
module necessary to communicate to the Winbind Daemon

Name : dracut-network
Version : 033
Release : 240.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:11 PM EDT
Group : System Environment/Base
Size : 125495
License : GPLv2+ and LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:30 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dracut-033-240.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:58:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://dracut.wiki.kernel.org/>
Summary : dracut modules to build a dracut initramfs with network
support
Description :
This package requires everything which is needed to build a generic
all purpose initramfs with network support with dracut.

Name : gnome-color-manager
Version : 3.8.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:48 PM EDT
Group : Applications/System
Size : 3982693
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-color-manager-3.8.2-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:21:52 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/gnome-color-manager/>
Summary : Color management tools for GNOME
Description :
gnome-color-manager is a session framework that makes it easy to manage,
install
and generate color profiles in the GNOME desktop.

Name : perl-AppConfig
Version : 1.66
Release : 20.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:51 PM EDT
Group : Development/Libraries
Size : 228292
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-AppConfig-1.66-20.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:09:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://search.cpan.org/dist/AppConfig/>
Summary : Perl module for reading configuration files
Description :
AppConfig has a powerful but easy to use module for parsing configuration files. It also has a simple and efficient module for parsing command line arguments. For fully-featured command line parsing, a module is provided for interfacing AppConfig to Johan Vromans' extensive Getopt::Long module. Johan will continue to develop the functionality of this package and its features will automatically become available through AppConfig.

Name : gd
Version : 2.0.35
Release : 26.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:23 PM EDT
Group : System Environment/Libraries
Size : 554528
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gd-2.0.35-26.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:02:26 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.libgd.org/Main_Page
Summary : A graphics library for quick creation of PNG or JPEG images
Description :
The gd graphics library allows your code to quickly draw images complete with lines, arcs, text, multiple colors, cut and paste from other images, and flood fills, and to write out the result as a PNG or JPEG file. This is particularly useful in Web applications, where PNG and JPEG are two of the formats accepted for inline images by most browsers. Note that gd is not a paint program.

Name : libtool-ltdl
Version : 2.4.2
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:41 PM EDT
Group : System Environment/Libraries
Size : 67790
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:50 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libtool-2.4.2-20.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:10:05 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/libtool/>

Summary : Runtime libraries for GNU Libtool Dynamic Module Loader
Description :
The libtool-ltdl package contains the GNU Libtool Dynamic Module Loader,
a
library that provides a consistent, portable interface which simplifies
the
process of using dynamic modules.

These runtime libraries are needed by programs that link directly to the
system-installed ltdl libraries; they are not needed by software built
using
the rest of the GNU Autotools (including GNU Autoconf and GNU Automake).

Name : libsoup
Version : 2.46.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:12 PM EDT
Group : Development/Libraries
Size : 1210815
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:12:45 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libsoup-2.46.0-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:38:47 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/LibSoup>
Summary : Soup, an HTTP library implementation
Description :
Libsoup is an HTTP library implementation in C. It was originally part
of a SOAP (Simple Object Access Protocol) implementation called Soup, but
the SOAP and non-SOAP parts have now been split into separate packages.

libsoup uses the Glib main loop and is designed to work well with GTK
applications. This enables GNOME applications to access HTTP servers
on the network in a completely asynchronous fashion, very similar to
the Gtk+ programming model (a synchronous operation mode is also
supported for those who want it).

Name : unoconv
Version : 0.6
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:55 PM EDT
Group : System Environment/Base
Size : 200880
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : unoconv-0.6-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:11:21 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dag.wieers.com/home-made/unoconv/>
Summary : Tool to convert between any document format supported by LibreOffice
Description :
unoconv converts between any document format that LibreOffice understands.
It uses LibreOffice's UNO bindings for non-interactive conversion of documents.

Supported document formats include Open Document Format (.odf), MS Word (.doc), MS Office Open/MS OOXML (.xml), Portable Document Format (.pdf), HTML, XHTML, RTF, Docbook (.xml), and more.

Name : perl-XML-Writer
Version : 0.623
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:52 PM EDT
Group : Development/Libraries
Size : 65816
License : CC0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:42 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-XML-Writer-0.623-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:22:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-Writer/>
Summary : A simple Perl module for writing XML documents
Description :
XML::Writer is a simple Perl module for writing XML documents: it takes care of constructing markup and escaping data correctly, and by default, it also performs a significant amount of well-formedness checking on the output, to make certain (for example) that start and end tags match, that there is exactly one document element, and that there are not duplicate attribute names.

Name : avahi-autoipd
Version : 0.6.31
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:28 PM EDT
Group : Unspecified
Size : 41704
License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:09 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : avahi-0.6.31-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:03:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avahi.org>
Summary : Link-local IPv4 address automatic configuration daemon
(IPv4LL)
Description :
avahi-autoipd implements IPv4LL, "Dynamic Configuration of IPv4
Link-Local Addresses" (IETF RFC3927), a protocol for automatic IP
address
configuration from the link-local 169.254.0.0/16 range without the need
for a
central server. It is primarily intended to be used in ad-hoc networks
which
lack a DHCP server.

Name : libX11
Version : 1.6.0
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:43 PM EDT
Group : System Environment/Libraries
Size : 1325728
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:50 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libX11-1.6.0-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:25:04 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Core X11 protocol client library
Description :
Core X11 protocol client library.

Name : NetworkManager-wifi
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:18 PM EDT
Group : System Environment/Base
Size : 113112
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm

Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Wifi plugin for NetworkManager
Description :
This package contains NetworkManager support for Wifi and OLPC devices.

Name : ModemManager
Version : 1.1.0
Release : 6.git20130913.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:58 PM EDT
Group : System Environment/Base
Size : 2264699
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:48:20 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ModemManager-1.1.0-6.git20130913.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:45:29 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Mobile broadband modem management service
Description :
The ModemManager service manages WWAN modems and provides a consistent
API for
interacting with these devices to client applications.

Name : xorg-x11-server-common
Version : 1.15.0
Release : 32.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:54 PM EDT
Group : User Interface/X
Size : 134471
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-server-1.15.0-32.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:12:30 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg server common files
Description :
Common files shared among all X servers.

Name : libquvi
Version : 0.4.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:30 PM EDT
Group : Applications/Internet
Size : 83353
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:08:07 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libquvi-0.4.1-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:13:25 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://quvi.sourceforge.net/>
Summary : A cross-platform library for parsing flash media stream
Description :
Libquvi is a cross-platform library for parsing flash media stream URLs with C API.

Name : libXcomposite
Version : 0.4.4
Release : 4.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 35184
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:33 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXcomposite-0.4.4-4.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:04:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X Composite Extension library
Description :
X Composite Extension library

Name : cyrus-sasl
Version : 2.1.26
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:22 PM EDT
Group : System Environment/Libraries
Size : 144267
License : BSD with advertising
Signature : RSA/SHA256, Thu 03 Jul 2014 09:04:49 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm

Build Date : Tue 10 Jun 2014 12:15:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : The Cyrus SASL library
Description :
The cyrus-sasl package contains the Cyrus implementation of SASL. SASL is the Simple Authentication and Security Layer, a method for adding authentication support to connection-based protocols.

Name : tftp-server
Version : 5.2
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:00 PM EDT
Group : System Environment/Daemons
Size : 65505
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:32:55 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tftp-5.2-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:44:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org/pub/software/network/tftp/>
Summary : The server for the Trivial File Transfer Protocol (TFTP)
Description :
The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp-server package provides the server for TFTP, which allows users to transfer files to and from a remote machine. TFTP provides very little security, and should not be enabled unless it is expressly needed. The TFTP server is run from /etc/xinetd.d/tftp, and is disabled by default.

Name : libXvMC
Version : 1.0.8
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:57 PM EDT
Group : System Environment/Libraries
Size : 36955
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXvMC-1.0.8-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:55:05 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.x.org>
Summary : X.Org X11 libXvMC runtime library
Description :
X.Org X11 libXvMC runtime library

Name : perl-Image-Info
Version : 1.33
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:32 PM EDT
Group : Development/Libraries
Size : 159128
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Image-Info-1.33-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:22:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Image-Info/>
Summary : Image meta information extraction module for Perl
Description :
This Perl extension allows you to extract meta information from
various types of image files.

Name : xz
Version : 5.1.2
Release : 9alpha.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:46 PM EDT
Group : Applications/File
Size : 688465
License : LGPLv2+
Signature : RSA/SHA256, Wed 01 Oct 2014 08:35:42 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xz-5.1.2-9alpha.el7.src.rpm
Build Date : Tue 30 Sep 2014 01:51:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tukaani.org/xz/>
Summary : LZMA compression utilities
Description :
XZ Utils are an attempt to make LZMA compression easy to use on free (as
in
freedom) operating systems. This is achieved by providing tools and
libraries
which are similar to use than the equivalents of the most popular
existing
compression algorithms.

LZMA is a general purpose compression algorithm designed by Igor Pavlov as part of 7-Zip. It provides high compression ratio while keeping the decompression speed fast.

Name : libvirt-gobject
Version : 0.1.7
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:25 PM EDT
Group : Development/Libraries
Size : 209876
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-glib-0.1.7-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:15:43 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : libvirt object APIs for managing virtualization hosts
Description :
This package provides APIs for managing virtualization host objects

Name : avahi-gobject
Version : 0.6.31
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:58 PM EDT
Group : Unspecified
Size : 49656
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : avahi-0.6.31-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:03:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avahi.org>
Summary : GObject wrapper library for Avahi
Description :
This library contains a GObject wrapper for the Avahi API

Name : bind-libs
Epoch : 32
Version : 9.9.4
Release : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:35 PM EDT

Group : Applications/System
Size : 2643504
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : bind-9.9.4-18.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:10:04 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.isc.org/products/BIND/>
Summary : Libraries used by the BIND DNS packages
Description :
Contains heavyweight version of BIND suite libraries used by both named DNS server and utilities in bind-utils package.

Name : libXmu
Version : 1.1.1
Release : 5.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:47 PM EDT
Group : System Environment/Libraries
Size : 167784
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:29 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXmu-1.1.1-5.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:10:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXmu/libXmuu runtime libraries
Description :
X.Org X11 libXmu/libXmuu runtime libraries

Name : xorg-x11-drv-vesa
Version : 2.3.2
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:26 PM EDT
Group : User Interface/X Hardware Support
Size : 29872
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-vesa-2.3.2-14.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:37:26 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 vesa video driver
Description :
X.Org X11 vesa video driver.

Name : plymouth-system-theme
Version : 0.8.9
Release : 0.13.20140113.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:04 PM EDT
Group : System Environment/Base
Size : 0
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Plymouth default theme
Description :
This metapackage tracks the current distribution default theme.

Name : vim-minimal
Epoch : 2
Version : 7.4.160
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:00 PM EDT
Group : Applications/Editors
Size : 917608
License : Vim
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : vim-7.4.160-1.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.vim.org/>
Summary : A minimal version of the VIM editor
Description :
VIM (VISual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-minimal package includes a minimal version of VIM, which is installed into /bin/vi for use when only the root partition is present. NOTE: The online help is only available when the vim-common

package is installed.

Name : gdk-pixbuf2
Version : 2.28.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:37 PM EDT
Group : System Environment/Libraries
Size : 2779347
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:42 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gdk-pixbuf2-2.28.2-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:44:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gt.org>
Summary : An image loading library
Description :
gdk-pixbuf is an image loading library that can be extended by loadable modules for new image formats. It is used by toolkits such as GTK+ or clutter.

Name : libaio
Version : 0.3.109
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:49 PM EDT
Group : System Environment/Libraries
Size : 39182
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:20 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libaio-0.3.109-12.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:48:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Linux-native asynchronous I/O access library
Description :
The Linux-native asynchronous I/O facility ("async I/O", or "aio") has a richer API and capability set than the simple POSIX async I/O facility. This library, libaio, provides the Linux-native API for async I/O. The POSIX async I/O facility requires this library in order to provide kernel-accelerated async I/O capabilities, as do applications which require the Linux-native async I/O API.

Name : xorg-x11-drv-v4l
Version : 0.2.0
Release : 35.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:33:27 PM EDT
Group : User Interface/X Hardware Support
Size : 24969
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-v4l-0.2.0-35.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:05:02 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 v4l video driver
Description :
X.Org X11 v4l video driver.

Name : wvdial
Version : 1.61
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:09 PM EDT
Group : System Environment/Daemons
Size : 270384
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : wvdial-1.61-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:01:51 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://alumnit.ca/wiki/?WvDial>
Summary : A heuristic autodialer for PPP connections
Description :
WvDial automatically locates and configures modems and can log into almost any ISP's server without special configuration. You need to input the username, password, and phone number, and then WvDial will negotiate the PPP connection using any mechanism needed.

Name : libfreehand
Version : 0.0.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:03 PM EDT
Group : System Environment/Libraries
Size : 181959
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libfreehand-0.0.0-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:19:12 PM EST
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://wiki.documentfoundation.org/DLP/Libraries/libfreehand>
Summary : A library for import of Macromedia/Adobe FreeHand documents
Description :
libfreehand is library providing ability to interpret and import
Macromedia/Adobe FreeHand documents into various applications.

Name : c-ares
Version : 1.10.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:42 PM EDT
Group : System Environment/Libraries
Size : 182385
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:48 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : c-ares-1.10.0-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:00:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://c-ares.haxx.se/>
Summary : A library that performs asynchronous DNS operations
Description :
c-ares is a C library that performs DNS requests and name resolves
asynchronously. c-ares is a fork of the library named 'ares', written
by Greg Hudson at MIT.

Name : telepathy-glib
Version : 0.20.4
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:51 PM EDT
Group : System Environment/Libraries
Size : 2725634
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : telepathy-glib-0.20.4-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:43:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://telepathy.freedesktop.org/wiki/FrontPage>
Summary : GLib bindings for Telepathy
Description :
Telepathy-glib is the glib bindings for the telepathy unified framework

for all forms of real time conversations, including instant messaging,
IRC,
voice calls and video calls.

Name : libreoffice-draw
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:52 PM EDT
Group : Applications/Productivity
Size : 2340145
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0
and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:03 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : LibreOffice Drawing Application
Description :
The LibreOffice Drawing Application.

Name : gnome-dictionary
Version : 3.8.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:13 PM EDT
Group : Applications/Text
Size : 2564059
License : GPLv3+ and LGPLv2+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:00 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-dictionary-3.8.0-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:34:43 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/>
Summary : A dictionary application for GNOME
Description :
gnome-dictionary lets you look up words in dictionary sources.

Name : bc
Version : 1.06.95
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:06 PM EDT

Group : Applications/Engineering
Size : 219830
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:47:28 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bc-1.06.95-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:51:54 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/bc/>
Summary : GNU's bc (a numeric processing language) and dc (a
calculator)
Description :
The bc package includes bc and dc. Bc is an arbitrary precision
numeric processing arithmetic language. Dc is an interactive
arbitrary precision stack based calculator, which can be used as a
text mode calculator.

Install the bc package if you need its number handling capabilities or
if you would like to use its text mode calculator.

Name : libhangul
Version : 0.1.0
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:44 PM EDT
Group : System Environment/Libraries
Size : 6649295
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:51:24 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libhangul-0.1.0-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:58:13 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://code.google.com/p/libhangul/>
Summary : Hangul input library
Description :
libhangul provides common features for Hangul input method programs.

Name : kmod-libs
Version : 14
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:53 PM EDT
Group : System Environment/Libraries
Size : 91520
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:31 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : kmod-14-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:10:09 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://git.kernel.org/?p=utils/kernel/kmod/kmod.git;a=summary>
Summary : Libraries to handle kernel module loading and unloading
Description :
The kmod-libs package provides runtime libraries for any application that wishes to load or unload Linux kernel modules from the running system.

Name : sssd-krb5
Version : 1.12.2
Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:55 PM EDT
Group : Applications/System
Size : 76389
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : The Kerberos authentication back end for the SSSD
Description :
Provides the Kerberos back end that the SSSD can utilize authenticate against a Kerberos server.

Name : kpatch
Version : 0.1.10
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:16 PM EDT
Group : System Environment/Kernel
Size : 11046
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:36 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kpatch-0.1.10-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:11:05 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/dynup/kpatch>
Summary : Dynamic kernel patch manager
Description :

kpatch is a dynamic kernel patch module manager. It allows the user to manage a collection of binary kernel patch modules which can be used to dynamically patch the kernel without rebooting.

Name : qpdf-libs
Version : 5.0.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:08 PM EDT
Group : System Environment/Libraries
Size : 924514
License : Artistic 2.0 and MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:44:10 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : qpdf-5.0.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:47:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://qpdf.sourceforge.net/>
Summary : QPDF library for transforming PDF files
Description :
QPDF is a C++ library that inspect and manipulate the structure of PDF files.
It can encrypt and linearize files, expose the internals of a PDF file, and do many other operations useful to PDF developers.

Name : libndp
Version : 1.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:46 PM EDT
Group : System Environment/Libraries
Size : 71387
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:01:30 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libndp-1.2-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:49:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libndp.org/>
Summary : Library for Neighbor Discovery Protocol
Description :
This package contains a library which provides a wrapper for IPv6 Neighbor Discovery Protocol. It also provides a tool named ndptool for sending and receiving NDP messages.

Name : giflib

Version : 4.1.6
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:55 PM EDT
Group : System Environment/Libraries
Size : 90124
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:30:03 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : giflib-4.1.6-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:51:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.sourceforge.net/projects/giflib/>
Summary : Library for manipulating GIF format image files
Description :
The giflib package contains a shared library of functions for loading and saving GIF format image files. It is API and ABI compatible with libungif, the library which supported uncompressed GIFs while the Unisys LZW patent was in effect.

Name : abrt-dbus
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:56 PM EDT
Group : Applications/System
Size : 123215
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:27 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : ABRT DBus service
Description :
ABRT DBus service which provides org.freedesktop.problems API on dbus and uses PolicyKit to authorize to access the problem data.

Name : PackageKit-gstreamer-plugin
Version : 0.8.9
Release : 11.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:18 PM EDT
Group : Development/Libraries
Size : 15848
License : GPLv2+ and LGPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : Install GStreamer codecs using PackageKit
Description :
The PackageKit GStreamer plugin allows any Gstreamer application to
install
codecs from configured repositories using PackageKit.

Name : google-crosextra-caladea-fonts
Version : 1.002
Release : 0.4.20130214.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:12 PM EDT
Group : User Interface/X
Size : 242423
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:59 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : google-crosextra-caladea-fonts-1.002-
0.4.20130214.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:27:59 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/chromium/issues/detail?id=168879>
Summary : Serif font metric-compatible with Cambria font
Description :
Caladea is metric-compatible with Cambria font. This font is a serif
typeface family based on Lato.

Name : libgudev1
Version : 208
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:48 PM EDT
Group : Unspecified
Size : 47176
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : systemd-208-20.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:48:58 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.freedesktop.org/wiki/Software/systemd>
Summary : Libraries for adding libudev support to applications that use glib
Description :
This package contains the libraries that make it easier to use libudev functionality from applications that use glib.

Name : exempi
Version : 2.2.0
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:57 PM EDT
Group : System Environment/Libraries
Size : 1204560
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:15:34 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : exempi-2.2.0-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:56:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libopenraw.freedesktop.org/wiki/Exempi>
Summary : Library for easy parsing of XMP metadata
Description :
Exempi provides a library for easy parsing of XMP metadata. It is a port of Adobe XMP SDK to work on UNIX and to be build with GNU automake. It includes XMPCore and XMPFiles.

Name : libzapojit
Version : 0.0.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:59 PM EDT
Group : Unspecified
Size : 111401
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:32 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libzapojit-0.0.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:26:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Zapojit>
Summary : GLib/GObject wrapper for the SkyDrive and Hotmail REST APIs
Description :
GLib/GObject wrapper for the SkyDrive and Hotmail REST APIs. It supports SkyDrive file and folder objects, and the following SkyDrive operations:
- Deleting a file, folder or photo.
- Listing the contents of a folder.

- Reading the properties of a file, folder or photo.
- Uploading files and photos.

Name : smartmontools
Epoch : 1
Version : 6.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:22 PM EDT
Group : System Environment/Base
Size : 1502746
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:41 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : smartmontools-6.2-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:30:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://smartmontools.sourceforge.net/>
Summary : Tools for monitoring SMART capable hard disks
Description :
The smartmontools package contains two utility programs (smartctl and smartd) to control and monitor storage systems using the Self-Monitoring, Analysis and Reporting Technology System (SMART) built into most modern ATA and SCSI hard disks. In many cases, these utilities will provide advanced warning of disk degradation and failure.

Name : libmodman
Version : 2.0.1
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:15 PM EDT
Group : System Environment/Libraries
Size : 58871
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:25 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libmodman-2.0.1-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:30:18 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/libmodman/>
Summary : A simple library for managing C++ modules (plug-ins)
Description :
libmodman is a simple library for managing C++ modules (plug-ins).

Name : GConf2
Version : 3.2.6
Release : 8.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:51 PM EDT
Group : System Environment/Base
Size : 6605084
License : LGPLv2+ and GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:26:50 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : GConf2-3.2.6-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:48:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/gconf/>
Summary : A process-transparent configuration system
Description :
GConf is a process-transparent configuration database API used to store user preferences. It has pluggable backends and features to support workgroup administration.

Name : libquadmath
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:59 PM EDT
Group : System Environment/Libraries
Size : 282779
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:10 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : GCC __float128 shared support library
Description :
This package contains GCC shared support library which is needed for __float128 math support and for Fortran REAL*16 support.

Name : chrony
Version : 1.29.1
Release : 1.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:02 PM EDT
Group : System Environment/Daemons
Size : 567017
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:41 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : chrony-1.29.1-1.el7.centos.src.rpm

Build Date : Wed 18 Jun 2014 05:18:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://chrony.tuxfamily.org>
Summary : An NTP client/server
Description :
A client/server for the Network Time Protocol, this program keeps your computer's clock accurate. It was specially designed to support systems with intermittent internet connections, but it also works well in permanently connected environments. It can use also hardware reference clocks, system real-time clock or manual input as time references.

Name : microcode_ctl
Epoch : 2
Version : 2.1
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:24 PM EDT
Group : System Environment/Base
Size : 660999
License : GPLv2+ and Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : microcode_ctl-2.1-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:54:37 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://fedorahosted.org/microcode_ctl
Summary : Tool to transform and deploy CPU microcode update for x86.
Description :
The microcode_ctl utility is a companion to the microcode driver written by Tigran Aivazian <tigran@aivazian.fsnet.co.uk>.

The microcode update is volatile and needs to be uploaded on each system boot i.e. it doesn't reflash your cpu permanently, reboot and it reverts back to the old microcode.

Name : sg3_utils-libs
Version : 1.37
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:17 PM EDT
Group : System Environment/Libraries
Size : 184527
License : GPLv2+ and BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:25 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sg3_utils-1.37-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:13:39 AM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://sg.danny.cz/sg/sg3_utils.html
Summary : Shared library for sg3_utils
Description :
This package contains the shared library for sg3_utils.

Name : libpciaccess
Version : 0.13.1
Release : 4.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:53 PM EDT
Group : System Environment/Libraries
Size : 44287
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:05 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libpciaccess-0.13.1-4.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:23:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gitweb.freedesktop.org/?p=xorg/lib/libpciaccess.git>
Summary : PCI access library
Description :
libpciaccess is a library for portable PCI access routines across
multiple
operating systems.

Name : mesa-libglapi
Version : 10.2.7
Release : 5.20140910.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:01 PM EDT
Group : System Environment/Libraries
Size : 173920
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:04 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mesa3d.org>
Summary : Mesa shared glapi
Description :
Mesa shared glapi

Name : xpi-xeroxutils
Version : 2.0

Release : 0
Architecture: x86_64
Install Date: Mon 12 Jun 2017 05:02:09 PM EDT
Group : Applications/System
Size : 1203943
License : Xerox
Signature : (none)
Source RPM : xpi-xeroxutils-2.0-0.src.rpm
Build Date : Thu 04 May 2017 04:29:17 PM EDT
Build Host : chicory
Relocations : (not relocatable)
Packager : Joel Lissade <joel.lissade@usa.xerox.com>
Vendor : Xerox Corp.
Summary : XPI linux Xerox binary utilities
Description :
Xerox X86 binary utilities that provides the capability to perform
NameLookup
calls, determining boardtype and board configuration. These utilities is
required by modules that are linked with the MCT Runtime.

Name : hplip-libs
Version : 3.13.7
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:04 PM EDT
Group : System Environment/Libraries
Size : 370584
License : GPLv2+ and MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : hplip-3.13.7-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:41:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hplip.sourceforge.net/>
Summary : HPLIP libraries
Description :
Libraries needed by HPLIP.

Name : setuptool
Version : 1.19.11
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:28 PM EDT
Group : Applications/System
Size : 149266
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : setuptool-1.19.11-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:49:28 PM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/?p=setuptools.git>
Summary : A text mode system configuration tool
Description :
Setuptools is a user-friendly text mode menu utility which allows you to access all of the text mode configuration programs included in the operating system distribution.

Name : krb5-libs
Version : 1.12.2
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:19 PM EDT
Group : System Environment/Libraries
Size : 2267302
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : krb5-1.12.2-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:25:02 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://web.mit.edu/kerberos/www/>
Summary : The shared libraries used by Kerberos 5
Description :
Kerberos is a network authentication system. The krb5-libs package contains the shared libraries needed by Kerberos 5. If you are using Kerberos, you need to install this package.

Name : pyparted
Epoch : 1
Version : 3.9
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:55 PM EDT
Group : System Environment/Libraries
Size : 684347
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:48 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pyparted-3.9-11.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:27 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/pyparted>
Summary : Python module for GNU parted
Description :
Python module for the parted library. It is used for manipulating

partition tables.

Name : pulseaudio-libs-glib2
Version : 3.0
Release : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:04 PM EDT
Group : Unspecified
Size : 19856
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pulseaudio-3.0-30.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:23 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>
Summary : GLIB 2.x bindings for PulseAudio clients
Description :
This package contains bindings to integrate the PulseAudio client library with
a GLIB 2.x based application.

Name : alsa-tools-firmware
Version : 1.0.27
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:06 PM EDT
Group : Applications/System
Size : 86339
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:35:25 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : alsa-tools-1.0.27-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:38:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.alsa-project.org/>
Summary : ALSA tools for uploading firmware to some soundcards
Description :
This package contains tools for flashing firmware into certain sound cards.
The following tools are available:

- * hdsploder - for RME Hammerfall DSP cards
- * mixartloader - for Digigram miXart soundcards
- * vxloader - for Digigram VX soundcards
- * usx2yloader - second phase firmware loader for Tascam USX2Y USB soundcards

Name : libtool
Version : 2.4.2
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:33 PM EDT
Group : Development/Tools
Size : 2323764
License : GPLv2+ and LGPLv2+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:46 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libtool-2.4.2-20.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:10:05 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/libtool/>
Summary : The GNU Portable Library Tool
Description :
GNU Libtool is a set of shell scripts which automatically configure UNIX and UNIX-like systems to generically build shared libraries. Libtool provides a consistent, portable interface which simplifies the process of using shared libraries.

If you are developing programs which will use shared libraries, but do not use the rest of the GNU Autotools (such as GNU Autoconf and GNU Automake), you should install the libtool package.

The libtool package also includes all files needed to integrate the GNU Portable Library Tool (libtool) and the GNU Libtool Dynamic Module Loader (ltdl) into a package built using the GNU Autotools (including GNU Autoconf and GNU Automake).

Name : nss-tools
Version : 3.16.2.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:22 PM EDT
Group : System Environment/Base
Size : 1902142
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:45 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nss-3.16.2.3-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:48:15 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Tools for the Network Security Services
Description :
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Install the nss-tools package if you need command-line tools to manipulate the NSS certificate and key database.

Name : cronie
Version : 1.4.11
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:56 PM EDT
Group : System Environment/Base
Size : 216204
License : MIT and BSD and ISC and GPLv2+
Signature : RSA/SHA256, Wed 30 Jul 2014 01:14:20 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cronie-1.4.11-13.el7.src.rpm
Build Date : Wed 30 Jul 2014 11:18:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/cronie>
Summary : Cron daemon for executing programs at set times
Description :
Cronie contains the standard UNIX daemon crond that runs specified programs at scheduled times and related tools. It is a fork of the original vixie-cron and has security and configuration enhancements like the ability to use pam and SELinux.

Name : libusal
Version : 1.1.11
Release : 22.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:06 PM EDT
Group : Development/Libraries
Size : 463934
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:44 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cdrkit-1.1.11-22.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:32:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cdrkit.org/>
Summary : Library to communicate with SCSI devices
Description :
The libusal package contains C libraries that allows applications to communicate with SCSI devices and is well suitable for writing CD-R media.

Name : rsyslog
Version : 7.4.7
Release : 7.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:09 PM EDT
Group : System Environment/Daemons
Size : 2033615
License : (GPLv3+ and ASL 2.0)
Signature : RSA/SHA256, Mon 13 Oct 2014 03:41:08 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rsyslog-7.4.7-7.el7_0.src.rpm
Build Date : Mon 13 Oct 2014 03:07:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rsyslog.com/>
Summary : Enhanced system logging and kernel message trapping daemon
Description :
Rsyslog is an enhanced, multi-threaded syslog daemon. It supports MySQL, syslog/TCP, RFC 3195, permitted sender lists, filtering on any message part, and fine grain output format control. It is compatible with stock syslogd and can be used as a drop-in replacement. Rsyslog is simple to set up, with advanced features suitable for enterprise-class, encryption-protected syslog relay chains.

Name : blktrace
Version : 1.0.5
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:38 PM EDT
Group : Development/System
Size : 304236
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:49:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : blktrace-1.0.5-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:30:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://brick.kernel.dk/snaps>
Summary : Utilities for performing block layer IO tracing in the linux kernel
Description :
blktrace is a block layer IO tracing mechanism which provides detailed information about request queue operations to user space. This package includes both blktrace, a utility which gathers event traces from the kernel;
and blkparse, a utility which formats trace data collected by blktrace.

You should install the blktrace package if you need to gather detailed information about IO patterns.

Name : pam
Version : 1.1.8
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:26 PM EDT
Group : System Environment/Base
Size : 2619582
License : BSD and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:26:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pam-1.1.8-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:55:35 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.linux-pam.org/>
Summary : An extensible library which provides authentication for applications
Description :
PAM (Pluggable Authentication Modules) is a system security tool that allows system administrators to set authentication policy without having to recompile programs that handle authentication.

Name : gnutls
Version : 3.3.8
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:21 PM EDT
Group : System Environment/Libraries
Size : 2057128
License : GPLv3+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:52:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnutls-3.3.8-12.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:33:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.gnutls.org/>
Summary : A TLS protocol implementation
Description :
GnuTLS is a secure communications library implementing the SSL, TLS and DTLS protocols and technologies around them. It provides a simple C language application programming interface (API) to access the secure communications protocols as well as APIs to parse and write X.509, PKCS #12, OpenPGP and other required structures.

Name : libiec61883
Version : 1.2.0
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:08 PM EDT
Group : System Environment/Libraries
Size : 83601
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:48 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libiec61883-1.2.0-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:34:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://ieeel394.wiki.kernel.org/index.php/Libraries#libiec61883>
Summary : Streaming library for IEEE1394
Description :
The libiec61883 library provides an higher level API for streaming DV, MPEG-2 and audio over IEEE1394. Based on the libraw1394 isochronous functionality, this library acts as a filter that accepts DV-frames, MPEG-2 frames or audio samples from the application and breaks these down to isochronous packets, which are transmitted using libraw1394.

Name : lpsolve
Version : 5.5.2.0
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:11 PM EDT
Group : System Environment/Libraries
Size : 1272068
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lpsolve-5.5.2.0-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:01:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/lpsolve>

Summary : A Mixed Integer Linear Programming (MILP) solver
Description :
Mixed Integer Linear Programming (MILP) solver lpsolve solves pure linear,
(mixed) integer/binary, semi-continuous and special ordered sets (SOS) models.

Name : kernel-tools
Version : 3.10.0
Release : 229.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:44 PM EDT
Group : Development/System
Size : 227132
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kernel-3.10.0-229.el7.src.rpm
Build Date : Fri 06 Mar 2015 07:20:57 AM EST
Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL : <http://www.kernel.org/>
Summary : Assortment of tools for the Linux kernel
Description :
This package contains the tools/ directory from the kernel source and the supporting documentation.

Name : python-libs
Version : 2.7.5
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:32 PM EDT
Group : Applications/System
Size : 24556302
License : Python
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-2.7.5-16.el7.src.rpm
Build Date : Tue 17 Jun 2014 02:43:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.python.org/>
Summary : Runtime libraries for Python
Description :
This package contains runtime libraries for use by Python:
- the libpython dynamic library, for use by applications that embed Python as
a scripting language, and by the main "python" executable
- the Python standard library

Name : abrt-addon-pstoreoops
Version : 2.1.11

Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:22 PM EDT
Group : System Environment/Libraries
Size : 14454
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:16 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's pstore oops addon
Description :
This package contains plugin for collecting kernel oopses from pstore
storage.

Name : libXxf86misc
Version : 1.0.3
Release : 7.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:10 PM EDT
Group : System Environment/Libraries
Size : 29684
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:10 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXxf86misc-1.0.3-7.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:14:29 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86misc runtime library
Description :
X.Org X11 libXxf86misc runtime library

Name : libpipeline
Version : 1.2.3
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:16 PM EDT
Group : Development/Libraries
Size : 142521
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:55 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libpipeline-1.2.3-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:46:23 AM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libpipeline.nongnu.org/>
Summary : A pipeline manipulation library
Description :
libpipeline is a C library for setting up and running pipelines of processes, without needing to involve shell command-line parsing which is often error-prone and insecure. This alleviates programmers of the need to laboriously construct pipelines using lower-level primitives such as `fork(2)` and `execve(2)`.

Name : perl-Archive-Zip
Version : 1.30
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:45 PM EDT
Group : Development/Libraries
Size : 307552
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:52 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Archive-Zip-1.30-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:49:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Archive-Zip/>
Summary : Perl library for accessing Zip archives
Description :
The Archive::Zip module allows a Perl program to create, manipulate, read, and write Zip archive files. Zip archives can be created, or you can read from existing zip files. Once created, they can be written to files, streams, or strings. Members can be added, removed, extracted, replaced, rearranged, and enumerated. They can also be renamed or have their dates, comments, or other attributes queried or modified. Their data can be compressed or uncompressed as needed. Members can be created from members in existing Zip files, or from existing directories, files, or strings.

Name : libarchive
Version : 3.1.2
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:34 PM EDT
Group : System Environment/Libraries
Size : 741171
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:35 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libarchive-3.1.2-7.el7.src.rpm

Build Date : Mon 09 Jun 2014 07:41:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libarchive.org/>
Summary : A library for handling streaming archive formats
Description :
Libarchive is a programming library that can create and read several different streaming archive formats, including most popular tar variants, several cpio formats, and both BSD and GNU ar variants. It can also write shar archives and read ISO9660 CDRom images and ZIP archives.

Name : libgtop2
Version : 2.28.4
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:12 PM EDT
Group : System Environment/Libraries
Size : 425870
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgtop2-2.28.4-7.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:22:15 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/libgtop/2.28>
Summary : LibGTop library (version 2)
Description :
LibGTop is a library for portably obtaining information about processes, such as their PID, memory usage, etc.

Name : fontpackages-filesystem
Version : 1.44
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:56 PM EDT
Group : Development/System
Size : 0
License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 09:22:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : fontpackages-1.44-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:34:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://fedoraproject.org/wiki/fontpackages>
Summary : Directories used by font packages
Description :
This package contains the basic directory layout used by font packages,
including the correct permissions for the directories.

Name : librsvg2
Version : 2.39.0
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:26 PM EDT
Group : System Environment/Libraries
Size : 296207
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:15:39 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : librsvg2-2.39.0-1.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:07:08 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : An SVG library based on cairo
Description :
An SVG library based on cairo.

Name : xmlrpc-c-client
Version : 1.32.5
Release : 1905.svn2451.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:40 PM EDT
Group : System Environment/Libraries
Size : 53400
License : BSD and MIT and GPL+ and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xmlrpc-c-1.32.5-1905.svn2451.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:03:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xmlrpc-c.sourceforge.net/>
Summary : C client libraries for xmlrpc-c
Description :
XML-RPC is a quick-and-easy way to make procedure calls over the
Internet. It converts the procedure call into XML document, sends it
to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C
clients.

Name : imsettings-libs
Version : 1.6.3

Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:17 PM EDT
Group : Development/Libraries
Size : 532479
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : imsettings-1.6.3-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:52:18 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://tagoh.bitbucket.org/imsettings/>
Summary : Libraries for imsettings
Description :
IMSettings is a framework that delivers Input Method
settings and applies the changes so they take effect
immediately without any need to restart applications
or the desktop.

This package contains the shared library for imsettings.

Name : gnu-free-fonts-common
Version : 20120503
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:56 PM EDT
Group : User Interface/X
Size : 502617
License : GPLv3+ with exceptions
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/freefont/>
Summary : Common files for freefont (documentation...)
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for
general
use on computers and for desktop publishing. It is Unicode-encoded for
compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin
alphabet, FreeFont contains large selection of characters from other
writing
systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package consists of files used by other gnu-free-fonts packages.

```
Name       : kmod
Version    : 14
Release    : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:42 PM EDT
Group      : System Environment/Kernel
Size       : 154579
License    : GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:58:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : kmod-14-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:10:09 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        :
http://git.kernel.org/?p=utils/kernel/kmod/kmod.git;a=summary
Summary    : Linux kernel module management utilities
Description :
The kmod package provides various programs needed for automatic
loading and unloading of modules under 2.6, 3.x, and later kernels, as
well
as other module management programs. Device drivers and filesystems are
two
examples of loaded and unloaded modules.
```

```
Name       : centos-release
Version    : 7
Release    : 1.1503.el7.centos.2.8
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:27:58 PM EDT
Group      : System Environment/Base
Size       : 34409
License    : GPLv2
Signature  : RSA/SHA256, Tue 31 Mar 2015 06:28:11 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : centos-release-7-1.1503.el7.centos.2.8.src.rpm
Build Date : Tue 31 Mar 2015 06:27:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
Summary    : CentOS Linux release file
Description :
CentOS Linux release files
```

Name : librbd1
Epoch : 1
Version : 0.80.7
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:48 PM EDT
Group : System Environment/Libraries
Size : 1022866
License : LGPL-2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ceph-common-0.80.7-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:27:13 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ceph.com/>
Summary : RADOS block device client library
Description :
RBD is a block device striped across multiple distributed objects in RADOS, a reliable, autonomic distributed object storage cluster developed as part of the Ceph distributed storage system. This is a shared library allowing applications to manage these block devices.

Name : zip
Version : 3.0
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:19 PM EDT
Group : Applications/Archiving
Size : 815037
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:58 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : zip-3.0-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:37:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.info-zip.org/Zip.html>
Summary : A file compression and packaging utility compatible with PKZIP
Description :
The zip program is a compression and file packaging utility. Zip is analogous to a combination of the UNIX tar and compress commands and is compatible with PKZIP (a compression and file packaging utility for MS-DOS systems).

Install the zip package if you need to compress files using the zip program.

Name : m17n-db
Version : 1.6.4
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:58 PM EDT
Group : System Environment/Libraries
Size : 752491
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : m17n-db-1.6.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:26:01 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nongnu.org/m17n>
Summary : Multilingualization datafiles for m17n-lib
Description :
This package contains multilingualization (m17n) datafiles for m17n-lib
which describe input maps, encoding maps, OpenType font data and
font layout text rendering for languages.

Name : pygobject2
Version : 2.28.6
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:49 PM EDT
Group : Development/Languages
Size : 890111
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pygobject2-2.28.6-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:30:58 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.pygtk.org/>
Summary : Python 2 bindings for GObject
Description :
The pygobject2 package provides a convenient wrapper for the GObject
library
for use in Python programs.

Name : make
Epoch : 1
Version : 3.82
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:20 PM EDT
Group : Development/Tools
Size : 1160644

License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:10 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : make-3.82-21.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:28:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/make/>
Summary : A GNU tool which simplifies the build process for users
Description :
A GNU tool for controlling the generation of executables and other
non-source files of a program from the program's source files. Make
allows users to build and install packages without any significant
knowledge about the details of the build process. The details about
how the program should be built are provided for make in the program's
makefile.

Name : mozilla-filesystem
Version : 1.9
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:27:59 PM EDT
Group : Applications/Internet
Size : 0
License : MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mozilla-filesystem-1.9-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:37:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Mozilla filesystem layout
Description :
This package provides some directories required by packages which use
Mozilla technologies such as NPAPI plugins or toolkit extensions.

Name : gnome-icon-theme
Version : 3.8.2
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:53 PM EDT
Group : User Interface/Desktops
Size : 10187814
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:09 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-icon-theme-3.8.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:58:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : GNOME icon theme
Description :
This package contains the default icon theme used by the GNOME desktop.

Name : iso-codes
Version : 3.46
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:22 PM EDT
Group : System Environment/Base
Size : 14504447
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:09:42 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : iso-codes-3.46-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:55:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://alioth.debian.org/projects/pkg-isocodes/>
Summary : ISO code lists and translations
Description :
This package provides the ISO 639 Language code list, the ISO 4217
Currency code list, the ISO 3166 Territory code list, and ISO 3166-2
sub-territory lists, and all their translations in gettext format.

Name : emacs-filesystem
Epoch : 1
Version : 24.3
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:00 PM EDT
Group : Applications/Editors
Size : 0
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:12:59 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : emacs-24.3-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:20:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/emacs/>
Summary : Emacs filesystem layout
Description :
This package provides some directories which are required by other
packages that add functionality to Emacs.

Name : python-decorator
Version : 3.4.0

Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:53 PM EDT
Group : Development/Languages
Size : 72291
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:41 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-decorator-3.4.0-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:46:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pypi.python.org/pypi/decorator/>
Summary : Module to simplify usage of decorators
Description :
The aim of the decorator module is to simplify the usage of decorators
for
the average programmer, and to popularize decorators usage giving
examples
of useful decorators, such as memoize, tracing, redirecting_stdout,
locked,
etc. The core of this module is a decorator factory called decorator.

Name : liberation-sans-fonts
Epoch : 1
Version : 1.07.2
Release : 14.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:23 PM EDT
Group : User Interface/X
Size : 575111
License : Liberation
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : liberation-fonts-1.07.2-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:51:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/liberation-fonts/>
Summary : Sans-serif fonts to replace commonly used Microsoft Arial
Description :

The Liberation Fonts are intended to be replacements for the three most
commonly used fonts on Microsoft systems: Times New Roman, Arial, and
Courier
New.

This is Sans-serif TrueType fonts that replaced commonly used Microsoft
Arial.

Name : autocorr-en
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : Applications/Text
Size : 460050
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 03:37:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : English auto-correction rules
Description :
Rules for auto-correcting common English typing errors.

Name : openssl
Epoch : 1
Version : 1.0.1e
Release : 42.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:55 PM EDT
Group : System Environment/Libraries
Size : 1611138
License : OpenSSL
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:52 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : openssl-1.0.1e-42.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:50:20 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openssl.org/>
Summary : Utilities from the general purpose cryptography library with TLS implementation
Description :
The OpenSSL toolkit provides support for secure communications between machines. OpenSSL includes a certificate management tool and shared libraries which provide various cryptographic algorithms and protocols.

Name : mesa-private-llvm
Version : 3.5.0
Release : 1.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:25 PM EDT
Group : System Environment/Libraries
Size : 20726737
License : NCSA
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mesa-private-llvm-3.5.0-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:12:36 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://llvm.org/>
Summary : llvm engine for Mesa
Description :
This package contains the LLVM-based runtime support for Mesa. It is not
a
fully-featured build of LLVM, and use by any package other than Mesa is
not
supported.

Name : smc-fonts-common
Version : 6.0
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : Unspecified
Size : 1736
License : GPLv3+ with exceptions and GPLv2+ with exceptions and
GPLv2+ and GPLv2 and GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : smc-fonts-6.0-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:40:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://savannah.nongnu.org/projects/smc>
Summary : Common files for smc-fonts
Description :

The SMC Fonts package contains fonts for the display of
traditional and new Malayalam Script.

Name : dhcp-common
Epoch : 12
Version : 4.2.5
Release : 36.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:56 PM EDT
Group : System Environment/Base
Size : 245529
License : ISC

Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm
Build Date : Thu 05 Mar 2015 05:43:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://isc.org/products/DHCP/>
Summary : Common files used by ISC dhcp client and server
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

This package provides common files used by dhcp and dhclient package.

Name : graphite2
Version : 1.2.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:26 PM EDT
Group : Development/Tools
Size : 174648
License : (LGPLv2+ or GPLv2+ or MPL) and (Netscape or GPLv2+ or LGPLv2+)
Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:48 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : graphite2-1.2.2-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:00:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/silgraphite/>
Summary : Font rendering capabilities for complex non-Roman writing systems
Description :
Graphite2 is a project within SIL's Non-Roman Script Initiative and Language Software Development groups to provide rendering capabilities for complex non-Roman writing systems. Graphite can be used to create "smart fonts" capable of displaying writing systems with various complex behaviors. With respect to the Text Encoding Model, Graphite handles the "Rendering" aspect of writing system implementation.

Name : tigervnc-license
Version : 1.2.80
Release : 0.30.20130314svn5065.el7

Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : User Interface/X
Size : 18000
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:35 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tigervnc-1.2.80-0.30.20130314svn5065.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:15:08 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.tigervnc.com>
Summary : License of TigerVNC suite
Description :
This package contains license of the TigerVNC suite

Name : systemtap-devel
Version : 2.6
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:57 PM EDT
Group : Development/System
Size : 5978989
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : systemtap-2.6-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:01:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceware.org/systemtap/>
Summary : Programmable system-wide instrumentation system -
development headers, tools
Description :
This package contains the components needed to compile a systemtap
script from source form into executable (.ko) forms. It may be
installed on a self-contained developer workstation (along with the
systemtap-client and systemtap-runtime packages), or on a dedicated
remote server (alongside the systemtap-server package). It includes
a copy of the standard tapset library and the runtime library C files.

Name : libdv
Version : 1.0.0
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:27 PM EDT
Group : System Environment/Libraries
Size : 180217
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:28 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libdv-1.0.0-17.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:50:59 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libdv.sourceforge.net/>
Summary : Software decoder for DV format video
Description :
The Quasar DV codec (libdv) is a software codec for DV video, the
encoding format used by most digital camcorders, typically those that
support the IEEE 1394 (a.k.a. FireWire or i.Link) interface. libdv was
developed according to the official standards for DV video: IEC 61834
and SMPTE 314M.

Name : compat-db-headers
Version : 4.7.25
Release : 28.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:08 PM EDT
Group : System Environment/Libraries
Size : 151410
License : BSD
Signature : RSA/SHA256, Thu 11 Sep 2014 02:01:45 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-db-4.7.25-28.el7.src.rpm
Build Date : Thu 11 Sep 2014 01:42:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database compatibility headers
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that
provides
embedded database support for both traditional and client/server
applications.
This package contains Berkeley DB library headers used for compatibility.

Name : libreport-cli
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:58 PM EDT
Group : User Interface/Desktops
Size : 29804
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's command line interface
Description :
This package contains simple command line tool for working
with problem dump reports

Name : libnfnetlink
Version : 1.0.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:27 PM EDT
Group : System Environment/Libraries
Size : 47123
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:01:58 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libnfnetlink-1.0.1-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:21:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://netfilter.org>
Summary : Netfilter netlink userspace library
Description :
libnfnetlink is a userspace library that provides some low-level
nfnetlink handling functions. It is used as a foundation for other,
netfilter
subsystem specific libraries such as libnfnetlink_conntrack,
libnfnetlink_log
and libnfnetlink_queue.

Name : gettext-common-devel
Version : 0.18.2.1
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:12 PM EDT
Group : Development/Tools
Size : 355120
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:20 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gettext-0.18.2.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 06:37:28 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/gettext/>
Summary : Common development files for gettext

Description :

This package contains common architecture independent gettext development files.

Name : pyliblzma
Version : 0.5.3
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:58 PM EDT
Group : Unspecified
Size : 190112
License : LGPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:37:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pyliblzma-0.5.3-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:20:49 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://launchpad.net/pyliblzma>
Summary : Python bindings for lzma
Description :

PylibLZMA provides a python interface for the liblzma library to read and write data that has been compressed or can be decompressed by Lasse Collin's lzma utils.

Name : hyphen
Version : 2.8.6
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:28 PM EDT
Group : System Environment/Libraries
Size : 48141
License : GPLv2 or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 10:01:29 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hyphen-2.8.6-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:10:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hunspell.sf.net>
Summary : A text hyphenation library
Description :
Hyphen is a library for high quality hyphenation and justification.

Name : glibc-common
Version : 2.17
Release : 78.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:17 PM EDT
Group : System Environment/Base

Size : 120268929
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:18 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glibc-2.17-78.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:50:19 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/glibc/>
Summary : Common binaries and locale data for glibc
Description :
The glibc-common package includes common binaries for the GNU libc
libraries, as well as national language (locale) support.

Name : xorg-x11-fonts-Type1
Version : 7.5
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:59 PM EDT
Group : User Interface/X
Size : 883992
License : MIT and Lucida and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:09 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Type1 fonts provided by the X Window System
Description :
A collection of Type1 fonts which are part of the core X Window System
distribution.

Name : libhbaapi
Version : 2.2.9
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:29 PM EDT
Group : System Environment/Libraries
Size : 50534
License : SNIA
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libhbaapi-2.2.9-6.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:22:18 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://open-fcoe.org/>
Summary : SNIA HBA API library
Description :
The SNIA HBA API library. C-level project to manage
Fibre Channel Host Bus Adapters.

Name : ncurses-libs
Version : 5.9
Release : 13.20130511.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:20 PM EDT
Group : System Environment/Libraries
Size : 1027944
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:03:19 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://invisible-island.net/ncurses/ncurses.html>
Summary : Ncurses libraries
Description :
The curses library routines are a terminal-independent method of
updating character screens with reasonable optimization. The ncurses
(new curses) library is a freely distributable replacement for the
discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : automake
Version : 1.13.4
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:02 PM EDT
Group : Development/Tools
Size : 1731909
License : GPLv2+ and GFDL and Public Domain and MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 08:44:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : automake-1.13.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:18:51 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/automake/>
Summary : A GNU tool for automatically creating Makefiles
Description :
Automake is a tool for automatically generating `Makefile.in'
files compliant with the GNU Coding Standards.

You should install Automake if you are developing software and would like to use its ability to automatically generate GNU standard Makefiles.

Name : iproute
Version : 3.10.0
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:30 PM EDT
Group : Applications/System
Size : 1229304
License : GPLv2+ and Public Domain
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : iproute-3.10.0-21.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:07:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://kernel.org/pub/linux/utils/net/iproute2/>
Summary : Advanced IP routing and network device configuration tools
Description :
The iproute package contains networking utilities (ip and rtmon, for example) which are designed to use the advanced networking capabilities of the Linux 2.4.x and 2.6.x kernel.

Name : libsepol
Version : 2.1.9
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:22 PM EDT
Group : System Environment/Libraries
Size : 288320
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:52 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libsepol-2.1.9-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:47:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.selinuxproject.org>
Summary : SELinux binary policy manipulation library
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement

of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libsepol provides an API for the manipulation of SELinux binary policies. It is used by checkpolicy (the policy compiler) and similar tools, as well as by programs like load_policy that need to perform specific transformations on binary policies such as customizing policy boolean settings.

```
Name       : deltarpm
Version    : 3.6
Release    : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:02 PM EDT
Group      : System Environment/Base
Size       : 214487
License    : BSD
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:07:11 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : deltarpm-3.6-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:59:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://gitorious.org/deltarpm/deltarpm
Summary    : Create deltas between rpms
Description :
A deltarpm contains the difference between an old
and a new version of a rpm, which makes it possible
to recreate the new rpm from the deltarpm and the old
one. You don't have to have a copy of the old rpm,
deltarpm's can also work with installed rpms.
```

```
Name       : fuseiso
Version    : 20070708
Release    : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:32 PM EDT
Group      : System Environment/Base
Size       : 58848
License    : GPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:25:28 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fuseiso-20070708-15.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:45:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://sourceforge.net/projects/fuseiso/
Summary    : FUSE support for ISO filesystem images
```

Description :

Mount ISO filesystem images as a non-root user. Currently supports plain ISO9660 Level 1 and 2, Rock Ridge, Joliet, zisofs. Supported image types: ISO, BIN (single track only), NRG, MDF, IMG (CCD).

Name : dbus-libs
Epoch : 1
Version : 1.6.12
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:22 PM EDT
Group : Development/Libraries
Size : 304536
License : GPLv2+ or AFL
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dbus-1.6.12-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:03:08 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/dbus/>
Summary : Libraries for accessing D-BUS
Description :
This package contains lowlevel libraries for accessing D-BUS.

Name : openssh
Version : 6.6.1p1
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:03 PM EDT
Group : Applications/Internet
Size : 1445938
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : openssh-6.6.1p1-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:44:06 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openssh.com/portable.html>
Summary : An open source implementation of SSH protocol versions 1 and 2
Description :
SSH (Secure SHell) is a program for logging into and executing commands on a remote machine. SSH is intended to replace rlogin and rsh, and to provide secure encrypted communications between two untrusted hosts over an insecure network. X11 connections and arbitrary TCP/IP ports can also be forwarded over the secure channel.

OpenSSH is OpenBSD's version of the last free version of SSH, bringing

it up to date in terms of security and features.

This package includes the core files necessary for both the OpenSSH client and server. To make this package useful, you should also install openssh-clients, openssh-server, or both.

Name : obexd
Epoch : 1
Version : 0.46
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:33 PM EDT
Group : System Environment/Daemons
Size : 195733
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:59:32 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : obexd-0.46-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:12:52 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.bluez.org/>
Summary : D-Bus service for Obex Client access
Description :
obexd contains obex-client, a D-Bus service to allow sending files using the Obex Push protocol, common on mobile phones and other Bluetooth-equipped devices.

Name : nspr
Version : 4.10.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:23 PM EDT
Group : System Environment/Libraries
Size : 287608
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:14 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nspr-4.10.6-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:16:00 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/nspr/>
Summary : Netscape Portable Runtime
Description :
NSPR provides platform independence for non-GUI operating system facilities. These facilities include threads, thread synchronization, normal file and network I/O, interval timing and calendar time, basic memory management (malloc and free) and shared library linking.

Name : python-deltarpm
Version : 3.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:04 PM EDT
Group : System Environment/Base
Size : 47234
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : deltarpm-3.6-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:59:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gitorious.org/deltarpm/deltarpm>
Summary : Python bindings for deltarpm
Description :
This package contains python bindings for deltarpm.

Name : perl-parent
Epoch : 1
Version : 0.225
Release : 244.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:34 PM EDT
Group : Development/Libraries
Size : 8141
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-parent-0.225-244.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:15:20 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/parent/>
Summary : Establish an ISA relationship with base classes at compile
time
Description :
Allows you to both load one or more modules, while setting up inheritance
from those modules at the same time. Mostly similar in effect to:

```
package Baz;  
  
BEGIN {  
    require Foo;  
    require Bar;  
  
    push @ISA, qw(Foo Bar);  
}
```

Name : chkconfig
Version : 1.3.61
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:24 PM EDT
Group : System Environment/Base
Size : 742308
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:39 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : chkconfig-1.3.61-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:53:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : A system tool for maintaining the /etc/rc*.d hierarchy
Description :
Chkconfig is a basic system utility. It updates and queries runlevel information for system services. Chkconfig manipulates the numerous symbolic links in /etc/rc.d, to relieve system administrators of some of the drudgery of manually editing the symbolic links.

Name : libreport-rhel-anaconda-bugzilla
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:05 PM EDT
Group : Applications/File
Size : 6138
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Default configuration for reporting anaconda bugs to Red Hat Bugzilla
Description :
Default configuration for reporting Anaconda problems to Red Hat Bugzilla used to easily configure the reporting process for Red Hat systems. Just install this package and you're done.

Name : perl-Pod-Escapes
Epoch : 1
Version : 1.04
Release : 285.el7
Architecture: noarch

Install Date: Wed 05 Apr 2017 03:29:34 PM EDT
Group : Development/Libraries
Size : 21091
License : GPL+ or Artistic
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:31 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-5.16.3-285.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:00 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.perl.org/>
Summary : Perl module for resolving POD escape sequences
Description :
This module provides things that are useful in decoding Pod E<...> sequences.
Presumably, it should be used only by Pod parsers and/or formatters.

Name : bzip2-libs
Version : 1.0.6
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:25 PM EDT
Group : System Environment/Libraries
Size : 70093
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 08:54:55 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : bzip2-1.0.6-12.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:04:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.bzip.org/>
Summary : Libraries for applications using bzip2
Description :

Libraries for applications using the bzip2 compression format.

Name : gnome-icon-theme-legacy
Version : 3.8.2
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:06 PM EDT
Group : User Interface/Desktops
Size : 0
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:15 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-icon-theme-3.8.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:58:50 PM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Old names for icons in gnome-icon-theme
Description :
This package contains symlinks to make the icons in gnome-icon-theme available under old names.

Name : perl-Exporter
Version : 5.68
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:35 PM EDT
Group : Development/Libraries
Size : 56612
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:36 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Exporter-5.68-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:09:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Exporter/>
Summary : Implements default import method for modules
Description :
The Exporter module implements an import method which allows a module to export functions and variables to its users' name spaces. Many modules use Exporter rather than implementing their own import method because Exporter provides a highly flexible interface, with an implementation optimized for the common case.

Name : libSM
Version : 1.2.1
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:26 PM EDT
Group : System Environment/Libraries
Size : 79008
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:17:35 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libSM-1.2.1-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:50:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 SM runtime library

Description :
The X.Org X11 SM (Session Management) runtime library.

Name : python-slip-dbus
Version : 0.4.0
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : System Environment/Libraries
Size : 76437
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-slip-0.4.0-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:57:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/python-slip>
Summary : Convenience functions for dbus services
Description :
The Simple Library for Python packages contain miscellaneous code for
convenience, extension and workaround purposes.

This package provides slip.dbus.service.Object, which is a
dbus.service.Object
derivative that ends itself after a certain time without being used
and/or if
there are no clients anymore on the message bus, as well as convenience
functions and decorators for integrating a dbus service with PolicyKit.

Name : perl-Carp
Version : 1.26
Release : 244.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:36 PM EDT
Group : Development/Libraries
Size : 28276
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Carp-1.26-244.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:12:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Carp/>
Summary : Alternative warn and die for modules
Description :
The Carp routines are useful in your own modules because they act like
die() or warn(), but with a message which is more likely to be useful to
a

user of your module. In the case of cluck, confess, and longmess that context is a summary of every call in the call-stack. For a shorter message you can use carp or croak which report the error as being from where your module was called. There is no guarantee that that is where the error was, but it is a good educated guess.

```
Name       : expat
Version    : 2.1.0
Release    : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:27 PM EDT
Group      : System Environment/Libraries
Size       : 208275
License    : MIT
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:16:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : expat-2.1.0-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:48:23 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.libexpat.org/
Summary    : An XML parser library
Description :
This is expat, the C library for parsing XML, written by James Clark.
Expat
is a stream oriented XML parser. This means that you register handlers
with
the parser prior to starting the parse. These handlers are called when
the
parser discovers the associated structures in the document being parsed.
A
start tag is an example of the kind of structures for which you may
register handlers.
```

```
Name       : libreport-plugin-ureport
Version    : 2.1.11
Release    : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group      : System Environment/Libraries
Size       : 50870
License    : GPLv2+
Signature  : RSA/SHA256, Wed 25 Mar 2015 02:35:36 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
```

URL : <https://fedorahosted.org/abrt/>
Summary : libreport's micro report plugin
Description :
Uploads micro-report to abrt server

Name : perl-macros
Epoch : 4
Version : 5.16.3
Release : 285.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:36 PM EDT
Group : Development/Languages
Size : 5134
License : GPL+ or Artistic
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-5.16.3-285.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:00 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.perl.org/>
Summary : Macros for rpmbuild
Description :
Macros for rpmbuild are needed during build of srpm in koji. This sub-package must be installed into buildroot, so it will be needed by perl. Perl is needed because of git.

Name : avahi-libs
Version : 0.6.31
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:28 PM EDT
Group : Unspecified
Size : 123776
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:41 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : avahi-0.6.31-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:03:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avahi.org>
Summary : Libraries for avahi run-time use
Description :
The avahi-libs package contains the libraries needed to run programs that use avahi.

Name : cups-client
Epoch : 1
Version : 1.6.3

Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:09 PM EDT
Group : System Environment/Daemons
Size : 170300
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cups-1.6.3-17.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:52:05 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.cups.org/>
Summary : CUPS printing system - client programs
Description :
CUPS printing system provides a portable printing layer for UNIX® operating systems. This package contains command-line client programs.

Name : perl-Time-HiRes
Epoch : 4
Version : 1.9725
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:37 PM EDT
Group : Development/Libraries
Size : 94069
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Time-HiRes-1.9725-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:57:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Time-HiRes/>
Summary : High resolution alarm, sleep, gettimeofday, interval timers
Description :
The Time::HiRes module implements a Perl interface to the usleep, nanosleep, ualarm, gettimeofday, and setitimer/getitimer system calls, in other words, high resolution time and timers.

Name : libpgp-error
Version : 1.12
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:28 PM EDT
Group : System Environment/Libraries
Size : 350865

License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:49:22 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libgpg-error-1.12-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:46:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.gnupg.org/gcrypt/libgpg-error/>
Summary : Library for error values used by GnuPG components
Description :
This is a library that defines common error values for all GnuPG
components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgcrypt,
pinentry, SmartCard Daemon and possibly more in the future.

Name : python-backports
Version : 1.0
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:10 PM EDT
Group : Unspecified
Size : 638
License : Public Domain
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-backports-1.0-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:25 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://pypi.python.org/pypi/backports>
Summary :
Namespace for backported Python features
Description :
The backports namespace is a namespace reserved for features backported
from
the Python standard library to older versions of Python 2.

Packages that exist in the backports namespace in Fedora should not
provide
their own backports/__init__.py, but instead require this package.

Backports to earlier versions of Python 3, if they exist, do not need
this
package because of changes made in Python 3.3 in PEP 420
(<http://www.python.org/dev/peps/pep-0420/>).

Name : perl-Getopt-Long
Version : 2.40
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:38 PM EDT

Group : Development/Libraries
Size : 134846
License : GPLv2+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Getopt-Long-2.40-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:11:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Getopt-Long/>
Summary : Extended processing of command line options
Description :
The Getopt::Long module implements an extended getopt function called
GetOptions(). It parses the command line from @ARGV, recognizing and
removing
specified options and their possible values. It adheres to the POSIX
syntax
for command line options, with GNU extensions. In general, this means
that
options have long names instead of single letters, and are introduced
with
a double dash "--". Support for bundling of command line options, as was
the
case with the more traditional single-letter approach, is provided but
not
enabled by default.

Name : tcp_wrappers-libs
Version : 7.6
Release : 77.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:29 PM EDT
Group : System Environment/Libraries
Size : 134602
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tcp_wrappers-7.6-77.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:41:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.porcupine.org/pub/security/index.html>
Summary : Libraries for tcp_wrappers
Description :
tcp_wrappers-libs contains the libraries of the tcp_wrappers package.

Name : python-pyudev
Version : 0.15
Release : 6.el7
Architecture: noarch

Install Date: Wed 05 Apr 2017 03:31:11 PM EDT
Group : Development/Languages
Size : 238322
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-pyudev-0.15-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:34:58 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pypi.python.org/pypi/pyudev>
Summary : A libudev binding
Description :

pyudev is a LGPL licensed, pure Python binding for libudev, the device and hardware management and information library for Linux. It supports almost all libudev functionality, you can enumerate devices, query device properties and attributes or monitor devices, including asynchronous monitoring with threads, or within the event loops of Qt, Glib or wxPython.

The binding supports CPython_ 2 (2.6 or newer) and 3 (3.1 or newer), and PyPy_ 1.5 or newer. It is tested against udev 151 or newer, earlier versions of udev as found on dated Linux systems may work, but are not officially supported.

Name : perl-Compress-Raw-Zlib
Epoch : 1
Version : 2.061
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:41 PM EDT
Group : Development/Libraries
Size : 139803
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Compress-Raw-Zlib-2.061-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:12:08 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Compress-Raw-Zlib/>
Summary : Low-level interface to the zlib compression library
Description :
The Compress::Raw::Zlib module provides a Perl interface to the zlib compression library, which is used by IO::Compress::Zlib.

Name : libwpd
Version : 0.9.9

Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:30 PM EDT
Group : System Environment/Libraries
Size : 1013200
License : LGPLv2+ or MPLv2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 11:27:50 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libwpd-0.9.9-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:42:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libwpd.sf.net/>
Summary : Library for reading and converting WordPerfect documents
Description :
Library that handles Word Perfect documents.

Name : python-configobj
Version : 4.7.2
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:12 PM EDT
Group : System Environment/Libraries
Size : 611855
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-configobj-4.7.2-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:57:08 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.voidspace.org.uk/python/configobj.html>
Summary : Config file reading, writing, and validation
Description :
ConfigObj is a simple but powerful config file reader and writer: an ini
file
round tripper. Its main feature is that it is very easy to use, with a
straightforward programmer's interface and a simple syntax for config
files.

It has lots of other features though:

- * Nested sections (subsections), to any level
- * List values
- * Multiple line values
- * String interpolation (substitution)
- * Integrated with a powerful validation system
 - o including automatic type checking/conversion
 - o repeated sections
 - o and allowing default values
- * All comments in the file are preserved
- * The order of keys/sections is preserved

- * No external dependencies
- * Full Unicode support
- * A powerful unrepr mode for storing basic datatypes

```

Name       : autoconf
Version    : 2.69
Release    : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:41 PM EDT
Group      : Development/Tools
Size       : 2320371
License    : GPLv2+ and GFDL
Signature  : RSA/SHA256, Thu 03 Jul 2014 08:42:55 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : autoconf-2.69-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:52:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/autoconf/
Summary    : A GNU tool for automatically configuring source code
Description :
GNU's Autoconf is a tool for configuring source code and Makefiles.
Using Autoconf, programmers can create portable and configurable
packages, since the person building the package is allowed to
specify various configuration options.

```

You should install Autoconf if you are developing software and would like to create shell scripts that configure your source code packages. If you are installing Autoconf, you will also need to install the GNU m4 package.

Note that the Autoconf package is not required for the end-user who may be configuring software with an Autoconf-generated script; Autoconf is only required for the generation of the scripts, not their use.

```

Name       : gmp
Epoch     : 1
Version    : 6.0.0
Release    : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:33 PM EDT
Group      : System Environment/Libraries
Size       : 652070
License    : LGPLv3+ or GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:50:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gmp-6.0.0-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:51:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>

```

Vendor : CentOS
URL : <http://gmplib.org/>
Summary : A GNU arbitrary precision library
Description :
The gmp package contains GNU MP, a library for arbitrary precision arithmetic, signed integers operations, rational numbers and floating point numbers. GNU MP is designed for speed, for both small and very large operands. GNU MP is fast because it uses fullwords as the basic arithmetic type, it uses fast algorithms, it carefully optimizes assembly code for many CPUs' most common inner loops, and it generally emphasizes speed over simplicity/elegance in its operations.

Install the gmp package if you need a fast arbitrary precision library.

Name : python-nss
Version : 0.16.0
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:12 PM EDT
Group : Development/Languages
Size : 924799
License : MPLv2.0 or GPLv2+ or LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:19 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-nss-0.16.0-2.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:16:03 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.mozilla.org/pub/mozilla.org/security/python-nss>
Summary : Python bindings for Network Security Services (NSS)
Description :
This package provides Python bindings for Network Security Services (NSS) and the Netscape Portable Runtime (NSPR).

NSS is a set of libraries supporting security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards. Specific NSS implementations have been FIPS-140 certified.

Name : perl-Encode-Locale
Version : 1.03
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 18685
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:29 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Encode-Locale-1.03-5.el7.src.rpm

Build Date : Mon 09 Jun 2014 04:28:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Encode-Locale/>
Summary : Determine the locale encoding
Description :
In many applications it's wise to let Perl use Unicode for the strings it processes. Most of the interfaces Perl has to the outside world is still byte based. Programs therefore needs to decode byte strings that enter the program from the outside and encode them again on the way out.

Name : keyutils-libs
Version : 1.5.8
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:34 PM EDT
Group : System Environment/Base
Size : 42138
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:59 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : keyutils-1.5.8-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:17:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/~dhowells/keyutils/>
Summary : Key utilities library
Description :
This package provides a wrapper library for the key management facility system calls.

Name : python-di
Version : 0.3
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:13 PM EDT
Group : Unspecified
Size : 42665
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:48 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-di-0.3-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:24:43 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : http://fedorapeople.org/cgit/msivak/public_git/python-di.git/
Summary : Python library for dependency injection support
Description :
This python package provides a "di" module. The module contains a couple of decorators which try to implement the Dependency Injection (IoC) pattern without requiring the user to change local variables in his methods.

It is intended to be used in unit testing environments.

Name : perl-Pod-POM
Version : 0.27
Release : 10.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 208947
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:42 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Pod-POM-0.27-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:38:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Pod-POM/>
Summary : Object-oriented interface to Perl POD documents
Description :
This module implements a parser to convert Pod documents into a simple object model form known hereafter as the Pod Object Model. The object model is generated as a hierarchical tree of nodes, each of which represents a different element of the original document. The tree can be walked manually and the nodes examined, printed or otherwise manipulated. In addition, Pod::POM supports and provides view objects which can automatically traverse the tree, or section thereof, and generate an output representation in one form or another.

Name : libldb
Version : 1.1.17
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:35 PM EDT
Group : Development/Libraries
Size : 337064
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libldb-1.1.17-2.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:44:05 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://ldb.samba.org/>
Summary : A schema-less, ldap like, API and database
Description :
An extensible library that implements an LDAP like API to access remote LDAP servers, or use local tdb databases.

Name : python-pycurl
Version : 7.19.0
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:14 PM EDT
Group : Development/Languages
Size : 241481
License : LGPLv2+ or MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:27 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-pycurl-7.19.0-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:56:03 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pycurl.sourceforge.net/>
Summary : A Python interface to libcurl
Description :
PycURL is a Python interface to libcurl. PycURL can be used to fetch objects identified by a URL from a Python program, similar to the urllib Python module. PycURL is mature, very fast, and supports a lot of features.

Name : kernel-devel
Version : 3.10.0
Release : 229.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:48 PM EDT
Group : System Environment/Kernel
Size : 33536711
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kernel-3.10.0-229.el7.src.rpm
Build Date : Fri 06 Mar 2015 07:20:57 AM EST
Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL : <http://www.kernel.org/>
Summary : Development package for building kernel modules to match the kernel
Description :
This package provides kernel headers and makefiles sufficient to build modules against the kernel package.

Name : libbasicobjects
Version : 0.1.1
Release : 24.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:35 PM EDT
Group : Development/Libraries
Size : 53934
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:31 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ding-libs-0.4.0-24.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:54:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sssd/>
Summary : Basic object types for C
Description :
Basic object types

Name : python-configshell
Epoch : 1
Version : 1.1.fb14
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:14 PM EDT
Group : System Environment/Libraries
Size : 261594
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-configshell-1.1.fb14-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:53 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/targetcli-fb/>
Summary : A framework to implement simple but nice CLIs
Description :
A framework to implement simple but nice configuration-oriented command-line interfaces.

Name : perl-URI
Version : 1.60
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:49 PM EDT
Group : Development/Libraries
Size : 193950
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:57 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : perl-URI-1.60-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:07:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/URI/>
Summary : A Perl module implementing URI parsing and manipulation
Description :
This module implements the URI class. Objects of this class represent
"Uniform Resource Identifier references" as specified in RFC 2396 (and
updated by RFC 2732).

Name : shared-mime-info
Version : 1.1
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:37 PM EDT
Group : System Environment/Base
Size : 4109283
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:42 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : shared-mime-info-1.1-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:14:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://freedesktop.org/Software/shared-mime-info>
Summary : Shared MIME information database
Description :
This is the freedesktop.org shared MIME info database.

Many programs and desktops use the MIME system to represent the types of files. Frequently, it is necessary to work out the correct MIME type for a file. This is generally done by examining the file's name or contents, and looking up the correct MIME type in a database.

Name : java-1.8.0-openjdk-headless
Epoch : 1
Version : 1.8.0.31
Release : 2.b13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:18 PM EDT
Group : Development/Languages
Size : 97453220
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : java-1.8.0-openjdk-1.8.0.31-2.b13.el7.src.rpm
Build Date : Wed 11 Mar 2015 07:52:34 AM EDT

Build Host : sclbuild
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://openjdk.java.net/>
Summary : OpenJDK Runtime Environment
Description :
The OpenJDK runtime environment without audio and video support.

Name : perl-File-Listing
Version : 6.04
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:49 PM EDT
Group : Development/Libraries
Size : 17187
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-File-Listing-6.04-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:32:14 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/File-Listing/>
Summary : Parse directory listing
Description :
This module exports a single function called `parse_dir()`, which can be
used
to parse directory listings.

Name : freerdp
Version : 1.0.2
Release : 6.el7_2.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:44 PM EDT
Group : Applications/Communications
Size : 626494
License : ASL 2.0
Signature : RSA/SHA256, Tue 16 Feb 2016 05:10:01 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : freerdp-1.0.2-6.el7_2.1.src.rpm
Build Date : Tue 16 Feb 2016 11:13:26 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freerdp.com/>
Summary : Remote Desktop Protocol client
Description :
The xfreerdp Remote Desktop Protocol (RDP) client from the FreeRDP
project.

xfreerdp can connect to RDP servers such as Microsoft Windows machines, xrdp and VirtualBox.

Name : json-glib
Version : 0.16.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:38 PM EDT
Group : System Environment/Libraries
Size : 400375
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:17:22 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : json-glib-0.16.0-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:45:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/JsonGlib>
Summary : Library for JavaScript Object Notation format
Description :
json-glib is a library providing serialization and deserialization support for the JavaScript Object Notation (JSON) format.

Name : tomcat-jsp-2.2-api
Epoch : 0
Version : 7.0.54
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:21 PM EDT
Group : Development/Libraries
Size : 92053
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:47 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tomcat-7.0.54-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:54:31 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tomcat.apache.org/>
Summary : Apache Tomcat JSP API implementation classes
Description :
Apache Tomcat JSP API implementation classes.

Name : perl-Compress-Raw-Bzip2
Version : 2.061
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:50 PM EDT
Group : Development/Libraries

Size : 57986
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Compress-Raw-Bzip2-2.061-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:51:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Compress-Raw-Bzip2/>
Summary : Low-level interface to bzip2 compression library
Description :
This module provides a Perl interface to the bzip2 compression library.
It is used by IO::Compress::Bzip2.

Name : samba
Epoch : 0
Version : 3.6.23
Release : 20.el6
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:46 PM EDT
Group : System Environment/Daemons
Size : 18517685
License : GPLv3+ and LGPLv3+
Signature : RSA/SHA1, Fri 24 Jul 2015 04:40:35 PM EDT, Key ID 0946fca2c105b9de
Source RPM : samba-3.6.23-20.el6.src.rpm
Build Date : Thu 23 Jul 2015 11:17:04 PM EDT
Build Host : c6b8.bsys.dev.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.samba.org/>
Summary : Server and Client software to interoperate with Windows machines
Description :

Samba is the suite of programs by which a lot of PC-related machines share files, printers, and other information (such as lists of available files and printers). The Windows NT, OS/2, and Linux operating systems support this natively, and add-on packages can enable the same thing for DOS, Windows, VMS, UNIX of all kinds, MVS, and more. This package provides an SMB/CIFS server that can be used to provide network services to SMB/CIFS clients. Samba uses NetBIOS over TCP/IP (NetBT) protocols and does NOT need the NetBEUI (Microsoft Raw NetBIOS frame) protocol.

Name : desktop-file-utils
Version : 0.21
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:39 PM EDT
Group : Development/Tools

Size : 211234
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : desktop-file-utils-0.21-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:26:14 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/desktop-file-utils>
Summary : Utilities for manipulating .desktop files
Description :
.desktop files are used to describe an application for inclusion in GNOME or KDE menus. This package contains desktop-file-validate which checks whether a .desktop file complies with the specification at <http://www.freedesktop.org/standards/>, and desktop-file-install which installs a desktop file to the standard directory, optionally fixing it up in the process.

Name : pyxattr
Version : 0.5.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:22 PM EDT
Group : Development/Libraries
Size : 63304
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:43:07 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pyxattr-0.5.1-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:24:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pyxattr.sourceforge.net/>
Summary : Extended attributes library wrapper for Python
Description :
Python extension module wrapper for libattr. It allows to query, list, add and remove extended attributes from files and directories.

Name : perl-HTTP-Cookies
Version : 6.01
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:50 PM EDT
Group : Development/Libraries
Size : 47180
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-HTTP-Cookies-6.01-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:01:14 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTTP-Cookies/>
Summary : HTTP cookie jars
Description :
This class is for objects that represent a "cookie jar" -- that is, a database of all the HTTP cookies that a given LWP::UserAgent object knows about.

Name : libidn
Version : 1.28
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:40 PM EDT
Group : System Environment/Libraries
Size : 630415
License : LGPLv2+ and GPLv3+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:40 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libidn-1.28-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:56:40 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/libidn/>
Summary : Internationalized Domain Name support library
Description :
GNU Libidn is an implementation of the Stringprep, Punycode and IDNA specifications defined by the IETF Internationalized Domain

Names (IDN) working group, used for internationalized domain names.

Name : python-sssdconfig
Version : 1.12.2
Release : 58.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:23 PM EDT
Group : Applications/System
Size : 223961
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sssd/>

Summary : SSSD and IPA configuration file manipulation classes and functions
Description :
Provides python files for manipulation SSSD and IPA configuration files.

Name : perl-IO-Tty
Version : 1.10
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:51 PM EDT
Group : Development/Libraries
Size : 77614
License : (GPL+ or Artistic) and BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:37 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-IO-Tty-1.10-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:10:28 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/IO-Tty/>
Summary : Perl interface to pseudo tty's
Description :
IO::Tty and IO::Pty provide an interface to pseudo tty's.

Name : libexif
Version : 0.6.21
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:41 PM EDT
Group : System Environment/Libraries
Size : 1948807
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:33 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libexif-0.6.21-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:25:05 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libexif.sourceforge.net/>
Summary : Library for extracting extra information from image files
Description :
Most digital cameras produce EXIF files, which are JPEG files with extra tags that contain information about the image. The EXIF library allows you to parse an EXIF file and read the data from those tags.

Name : virt-what
Version : 1.13
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:27 PM EDT

Group : Unspecified
Size : 40870
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : virt-what-1.13-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:55:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/~rjones/virt-what/>
Summary : Detect if we are running in a virtual machine
Description :
virt-what is a shell script which can be used to detect if the program is running in a virtual machine.

The program prints out a list of "facts" about the virtual machine, derived from heuristics. One fact is printed per line.

If nothing is printed and the script exits with code 0 (no error), then it can mean either that the program is running on bare-metal or the program is running inside a type of virtual machine which we don't know about or can't detect.

Current types of virtualization detected:

- hyperv Microsoft Hyper-V
- kvm Linux Kernel Virtual Machine (KVM)
- openvz OpenVZ or Virtuozzo
- powervm_lx86 IBM PowerVM Lx86 Linux/x86 emulator
- qemu QEMU (unaccelerated)
- uml User-Mode Linux (UML)
- virtage Hitachi Virtualization Manager (HVM) Virtage LPAR
- virtualbox VirtualBox
- virtualpc Microsoft VirtualPC
- vmware VMware
- xen Xen
- xen-dom0 Xen dom0 (privileged domain)
- xen-domU Xen domU (paravirtualized guest domain)
- xen-hvm Xen guest fully virtualized (HVM)

Name : perl-FCGI
Epoch : 1
Version : 0.74
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:52 PM EDT
Group : Development/Libraries
Size : 85623
License : OML
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-FCGI-0.74-8.el7.src.rpm

Build Date : Mon 09 Jun 2014 06:09:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/FCGI>
Summary : FastCGI Perl bindings
Description :
FastCGI Perl bindings.

Name : cpio
Version : 2.11
Release : 22.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:42 PM EDT
Group : Applications/Archiving
Size : 684422
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:41 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cpio-2.11-22.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:48:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/cpio/>
Summary : A GNU archiving program
Description :
GNU cpio copies files into or out of a cpio or tar archive. Archives
are files which contain a collection of other files plus information
about them, such as their file name, owner, timestamps, and access
permissions. The archive can be another file on the disk, a magnetic
tape, or a pipe. GNU cpio supports the following archive formats:
binary,
old ASCII, new ASCII, crc, HPUX binary, HPUX old ASCII, old tar and
POSIX.1
tar. By default, cpio creates binary format archives, so that they are
compatible with older cpio programs. When it is extracting files from
archives, cpio automatically recognizes which kind of archive it is
reading
and can read archives created on machines with a different byte-order.

Install cpio if you need a program to manage file archives.

Name : btrfs-progs
Version : 3.16.2
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:28 PM EDT
Group : System Environment/Base
Size : 2586899
License : GPLv2

Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : btrfs-progs-3.16.2-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:12:44 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://btrfs.wiki.kernel.org/index.php/Main_Page
Summary : Userspace programs for btrfs
Description :
The btrfs-progs package provides all the userspace programs needed to
create,
check, modify and correct any inconsistencies in the btrfs filesystem.

Name : perl-HTML-Tagset
Version : 3.20
Release : 15.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:52 PM EDT
Group : Development/Libraries
Size : 19784
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:54 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-HTML-Tagset-3.20-15.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:40:50 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTML-Tagset/>
Summary : HTML::Tagset - data tables useful in parsing HTML
Description :
This module contains several data tables useful in various kinds of
HTML parsing operations, such as tag and entity names.

Name : libxcb
Version : 1.9
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:43 PM EDT
Group : System Environment/Libraries
Size : 782008
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:19 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libxcb-1.9-5.el7.src.rpm
Build Date : Tue 17 Jun 2014 01:11:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xcb.freedesktop.org/>

Summary : A C binding to the X11 protocol
Description :
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a small footprint, latency hiding, direct access to the protocol, improved threading support, and extensibility.

Name : redhat-rpm-config
Version : 9.1.0
Release : 68.el7.centos
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:29 PM EDT
Group : Development/System
Size : 171065
License : GPL+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : redhat-rpm-config-9.1.0-68.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 02:28:14 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/redhat-rpm-config>
Summary : CentOS specific rpm configuration files
Description :
CentOS specific rpm configuration files.

Name : libofa
Version : 0.9.3
Release : 24.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:53 PM EDT
Group : System Environment/Libraries
Size : 159293
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:30 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libofa-0.9.3-24.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:41:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/musicip-libofa/>
Summary : Open Fingerprint Architecture library
Description :
Currently, MusicDNS and the Open Fingerprint Architecture are being used to:
* identify duplicate tracks, even when the metadata is different, MusicIP identifies the master recording.
* fix metadata
* find out more about tracks by connecting to MusicBrainz

Name : libXfixes
Version : 5.0.1
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 26895
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXfixes-5.0.1-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:38:04 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X Fixes library
Description :
X Fixes library.

Name : libcmis
Version : 0.4.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:30 PM EDT
Group : System Environment/Libraries
Size : 1588408
License : GPLv2+ or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libcmis-0.4.1-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:19:18 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libcmis/>
Summary : A C++ client library for CM interfaces
Description :
LibCMIS is a C++ client library for working with CM (content management) interfaces. The primary supported interface (which gave the library its name) is CMIS, which allows applications to connect to any ECM behaving as a CMIS server (Alfresco or Nuxeo are examples of open source ones). Another supported interface is Google Drive.

Name : cpp
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:56 PM EDT
Group : Development/Languages
Size : 15640651

License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : The C Preprocessor
Description :
C++ is the GNU C-Compatible Compiler Preprocessor.
C++ is a macro processor which is used automatically by the C compiler to transform your program before actual compilation. It is called a macro processor because it allows you to define macros, abbreviations for longer constructs.

The C preprocessor provides four separate functionalities: the inclusion of header files (files of declarations that can be substituted into your program); macro expansion (you can define macros, and the C preprocessor will replace the macros with their definitions throughout the program); conditional compilation (using special preprocessing directives, you can include or exclude parts of the program according to various conditions); and line control (if you use a program to combine or rearrange source files into an intermediate file which is then compiled, you can use line control to inform the compiler about where each source line originated).

You should install this package if you are a C programmer and you use macros.

Name : libXtst
Version : 1.2.2
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 29930
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:41 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXtst-1.2.2-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:03:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXtst runtime library
Description :
X.Org X11 libXtst runtime library

Name : perl-Net-HTTP
Version : 6.06
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:31 PM EDT
Group : Development/Libraries
Size : 52165
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Net-HTTP-6.06-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:55:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Net-HTTP/>
Summary : Low-level HTTP connection (client)
Description :
The Net::HTTP class is a low-level HTTP client. An instance of the Net::HTTP class represents a connection to an HTTP server. The HTTP protocol is described in RFC 2616. The Net::HTTP class supports HTTP/1.0 and HTTP/1.1.

Name : lzop
Version : 1.03
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:57 PM EDT
Group : Applications/Archiving
Size : 101494
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:29 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lzop-1.03-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:34:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.lzop.org/>
Summary : Real-time file compressor
Description :
lzop is a compression utility which is designed to be a companion to gzip.
It is based on the LZO data compression library and its main advantages over
gzip are much higher compression and decompression speed at the cost of some
compression ratio. The lzop compression utility was designed with the goals
of reliability, speed, portability and with reasonable drop-in
compatibility

to gzip.

Name : libXcursor
Version : 1.1.14
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 46958
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:40 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXcursor-1.1.14-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:37:47 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Cursor management library
Description :
This is a simple library designed to help locate and load cursors. Cursors can be loaded from files or memory. A library of common cursors exists which map to the standard X cursor names. Cursors can exist in several sizes and the library automatically picks the best size.

Name : perl-XML-Simple
Version : 2.20
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:31 PM EDT
Group : Development/Libraries
Size : 160004
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:34 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-XML-Simple-2.20-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:37:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-Simple/>
Summary : Easy API to maintain XML in Perl
Description :
The XML::Simple module provides a simple API layer on top of an underlying XML parsing module (either XML::Parser or one of the SAX2 parser modules).

Name : libXres
Version : 1.0.7
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:57 PM EDT

Group : System Environment/Libraries
Size : 12652
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:06 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXres-1.0.7-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:38:47 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X-Resource extension client library
Description :
X-Resource is an extension that allows a client to query
the X server about its usage of various resources.

Name : mpfr
Version : 3.1.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:45 PM EDT
Group : System Environment/Libraries
Size : 554279
License : LGPLv3+ and GPLv3+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:45 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mpfr-3.1.1-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:11:54 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mpfr.org/>
Summary : A C library for multiple-precision floating-point
computations
Description :
The MPFR library is a C library for multiple-precision floating-point
computations with "correct rounding". The MPFR is efficient and
also has a well-defined semantics. It copies the good ideas from the
ANSI/IEEE-754 standard for double-precision floating-point arithmetic
(53-bit mantissa). MPFR is based on the GMP multiple-precision library.

Name : mokutil
Version : 0.7
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:33 PM EDT
Group : Unspecified
Size : 42409
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : shim-0.7-5.el7.src.rpm

Build Date : Tue 10 Jun 2014 03:16:39 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.codon.org.uk/~mjb59/shim/>
Summary : Utilities for managing Secure Boot/MoK keys.
Description :
Utilities for managing the "Machine's Own Keys" list.

Name : libXxf86dga
Version : 1.1.4
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:58 PM EDT
Group : System Environment/Libraries
Size : 30443
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:03 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXxf86dga-1.1.4-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:23:20 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86dga runtime library
Description :
X.Org X11 libXxf86dga runtime library

Name : lzo
Version : 2.06
Release : 6.el7_0.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:46 PM EDT
Group : System Environment/Libraries
Size : 165352
License : GPLv2+
Signature : RSA/SHA256, Wed 09 Jul 2014 12:29:05 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lzo-2.06-6.el7_0.2.src.rpm
Build Date : Wed 09 Jul 2014 11:54:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.oberhumer.com/opensource/lzo/>
Summary : Data compression library with very fast (de)compression
Description :
LZO is a portable lossless data compression library written in ANSI C.
It offers pretty fast compression and very fast decompression.
Decompression requires no memory. In addition there are slower
compression levels achieving a quite competitive compression ratio

while still decompressing at this very high speed.

Name : cyrus-sasl-md5
Version : 2.1.26
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:35 PM EDT
Group : System Environment/Libraries
Size : 82048
License : BSD with advertising
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : CRAM-MD5 and DIGEST-MD5 authentication support for Cyrus SASL
Description :
The cyrus-sasl-md5 package contains the Cyrus SASL plugins which support CRAM-MD5 and DIGEST-MD5 authentication schemes.

Name : hesiod
Version : 3.2.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:58 PM EDT
Group : System Environment/Libraries
Size : 42730
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:03 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hesiod-3.2.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:22:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Shared libraries for querying the Hesiod naming service
Description :
Hesiod is a system which uses existing DNS functionality to provide access to databases of information that changes infrequently. It is often used to distribute information kept in the /etc/passwd, /etc/group, and /etc/printcap files, among others.

Name : yajl
Version : 2.0.4
Release : 4.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:47 PM EDT
Group : Development/Libraries
Size : 116450
License : ISC
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:29 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : yajl-2.0.4-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:00:29 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://lloyd.github.com/yajl/>
Summary : Yet Another JSON Library (YAJL)
Description :
Yet Another JSON Library. YAJL is a small event-driven (SAX-style) JSON parser written in ANSI C, and a small validating JSON generator.

Name : httpd-tools
Version : 2.4.6
Release : 31.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:36 PM EDT
Group : System Environment/Daemons
Size : 172172
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:10 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : httpd-2.4.6-31.el7.centos.src.rpm
Build Date : Thu 12 Mar 2015 11:09:17 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://httpd.apache.org/>
Summary : Tools for use with the Apache HTTP Server
Description :
The httpd-tools package contains tools which can be used with the Apache HTTP Server.

Name : xorg-x11-xbitmaps
Version : 1.1.1
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:59 PM EDT
Group : User Interface/X
Size : 183590
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:58 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-xbitmaps-1.1.1-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:09:44 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 application bitmaps
Description :
X.Org X11 application bitmaps

Name : apr
Version : 1.4.8
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:48 PM EDT
Group : System Environment/Libraries
Size : 226686
License : ASL 2.0 and BSD with advertising and ISC and BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 08:39:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : apr-1.4.8-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:05:16 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://apr.apache.org/>
Summary : Apache Portable Runtime library
Description :
The mission of the Apache Portable Runtime (APR) is to provide a
free library of C data structures and routines, forming a system
portability layer to as many operating systems as possible,
including Unices, MS Win32, BeOS and OS/2.

Name : libtiff
Version : 4.0.3
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:37 PM EDT
Group : System Environment/Libraries
Size : 490225
License : libtiff
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libtiff-4.0.3-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:45:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.remotesensing.org/libtiff/>
Summary : Library of functions for manipulating TIFF format image
files
Description :
The libtiff package contains a library of functions for manipulating

TIFF (Tagged Image File Format) image format files. TIFF is a widely used file format for bitmapped images. TIFF files usually end in the .tif extension and they are often quite large.

The libtiff package should be installed if you need to manipulate TIFF format image files.

```
Name       : attr
Version    : 2.4.46
Release    : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:00 PM EDT
Group      : System Environment/Base
Size       : 172722
License    : GPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 08:41:57 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : attr-2.4.46-12.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:33:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://acl.bestbits.at/
Summary    : Utilities for managing filesystem extended attributes
Description :
A set of tools for manipulating extended attributes on filesystem
objects, in particular getfattr(1) and setfattr(1).
An attr(1) command is also provided which is largely compatible
with the SGI IRIX tool of the same name.
```

```
Name       : boost-system
Version    : 1.53.0
Release    : 23.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:49 PM EDT
Group      : System Environment/Libraries
Size       : 32522
License    : Boost and MIT and Python
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:41:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : boost-1.53.0-23.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:28:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.boost.org
Summary    : Run-Time component of boost system support library
Description :
```

Run-Time component of Boost operating system support library, including the diagnostics support that will be part of the C++0x standard library.

Name : gutenprint
Version : 5.2.9
Release : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:40 PM EDT
Group : System Environment/Base
Size : 20988912
License : GPLv2+
Signature : RSA/SHA256, Tue 16 Sep 2014 08:17:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gutenprint-5.2.9-18.el7.src.rpm
Build Date : Tue 16 Sep 2014 07:55:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gimp-print.sourceforge.net/>
Summary : Printer Drivers Package
Description :
Gutenprint is a package of high quality printer drivers for Linux, BSD,
Solaris, IRIX, and other UNIX-alike operating systems.
Gutenprint was formerly called Gimp-Print.

Name : libmwaw
Version : 0.2.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:02 PM EDT
Group : System Environment/Libraries
Size : 4902808
License : LGPLv2+ or MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:22 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmwaw-0.2.0-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:32:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libmwaw/>
Summary : An import library for many old mac document formats
Description :
libmwaw contains import filters for many old mac documents, mostly text
formats like ClarisWorks, MacWrite or MS Word for Mac, but it has a
limited support for vector drawings and spreadsheets as well (limited in
the sense that it treats them as text documents). Full list of supported
formats is available at <https://sourceforge.net/p/libmwaw/wiki/Home/> .

Name : apr-util
Version : 1.5.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:50 PM EDT

Group : System Environment/Libraries
Size : 198751
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:39:25 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : apr-util-1.5.2-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:31:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://apr.apache.org/>
Summary : Apache Portable Runtime Utility library
Description :
The mission of the Apache Portable Runtime (APR) is to provide a free library of C data structures and routines. This library contains additional utility interfaces for APR; including support for XML, LDAP, database interfaces, URI parsing and more.

Name : tcp_wrappers
Version : 7.6
Release : 77.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:03 PM EDT
Group : System Environment/Daemons
Size : 202888
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tcp_wrappers-7.6-77.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:41:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.porcupine.org/pub/security/index.html>
Summary : A security tool which acts as a wrapper for TCP daemons
Description :
The tcp_wrappers package provides small daemon programs which can monitor and filter incoming requests for systat, finger, FTP, telnet, rlogin, rsh, exec, tftp, talk and other network services.

Install the tcp_wrappers program if you need a security tool for filtering incoming network services requests.

This version also supports IPv6.

Name : libXxf86vm
Version : 1.1.3
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:51 PM EDT
Group : System Environment/Libraries
Size : 25664

License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXxf86vm-1.1.3-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:17:44 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXxf86vm runtime library
Description :
X.Org X11 libXxf86vm runtime library

Name : opencc
Version : 0.4.3
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:42 PM EDT
Group : System Environment/Libraries
Size : 8931493
License : ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:01:54 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : opencc-0.4.3-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:47:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/opencc/>
Summary : Libraries for Simplified-Traditional Chinese Conversion
Description :
OpenCC is a library for converting characters and phrases between
Traditional Chinese and Simplified Chinese.

Name : libdb-utils
Version : 5.3.21
Release : 17.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:05 PM EDT
Group : Applications/Databases
Size : 298552
License : BSD and LGPLv2 and Sleepycat
Signature : RSA/SHA256, Wed 06 Aug 2014 02:32:53 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libdb-5.3.21-17.el7_0.1.src.rpm
Build Date : Wed 06 Aug 2014 02:11:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : Command line tools for managing Berkeley DB databases

Description :

The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. DB supports C, C++, Java and Perl APIs.

Name : tar
Epoch : 2
Version : 1.26
Release : 29.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:52 PM EDT
Group : Applications/Archiving
Size : 2837278
License : GPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:10:14 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tar-1.26-29.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:23:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/tar/>
Summary : A GNU file archiving program
Description :

The GNU tar program saves many files together in one archive and can restore individual files (or all of the files) from that archive. Tar can also be used to add supplemental files to an archive and to update or list files in the archive. Tar includes multivolume support, automatic archive compression/decompression, the ability to perform remote archives, and the ability to perform incremental and full backups.

If you want to use tar for remote backups, you also need to install the rmt package on the remote box.

Name : libexttextcat
Version : 3.4.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:43 PM EDT
Group : System Environment/Libraries
Size : 416542
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libexttextcat-3.4.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:42:59 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/libexttextcat>
Summary : Text categorization library
Description :
libexttextcat is an N-Gram-Based Text Categorization library primarily intended for language guessing.

Name : isomd5sum
Epoch : 1
Version : 1.0.10
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:06 PM EDT
Group : Applications/System
Size : 54711
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:09:47 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : isomd5sum-1.0.10-4.el7.src.rpm
Build Date : Fri 13 Jun 2014 06:33:28 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/?p=isomd5sum.git;a=summary>
Summary : Utilities for working with md5sum implanted in ISO images
Description :
The isomd5sum package contains utilities for implanting and verifying an md5sum implanted into an ISO9660 image.

Name : libplist
Version : 1.10
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:53 PM EDT
Group : System Environment/Libraries
Size : 154547
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libplist-1.10-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:54:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libimobiledevice.org/>
Summary : Library for manipulating Apple Binary and XML Property Lists
Description :
libplist is a library for manipulating Apple Binary and XML Property Lists

Name : SDL

Version : 1.2.15
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:45 PM EDT
Group : System Environment/Libraries
Size : 478394
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:57:35 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : SDL-1.2.15-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:32:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libsdl.org/>
Summary : A cross-platform multimedia library
Description :
Simple DirectMedia Layer (SDL) is a cross-platform multimedia library
designed
to provide fast access to the graphics frame buffer and audio device.

Name : ttmkfdir
Version : 3.0.9
Release : 41.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:07 PM EDT
Group : Applications/System
Size : 105418
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:01 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ttmkfdir-3.0.9-41.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:22:16 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Utility to create fonts.scale files for truetype fonts
Description :
ttmkfdir is a utility used to create fonts.scale files in
TrueType font directories in order to prepare them for use
by the font server.

Name : libdvdread
Version : 4.2.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:53 PM EDT
Group : System Environment/Libraries
Size : 150343
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:44 PM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : libdvdread-4.2.0-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:22:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : A library for reading DVD video discs based on Ogle code
Description :
libdvdread provides a simple foundation for reading DVD video disks.
It provides the functionality that is required to access many DVDs.

Name : pakchois
Version : 0.4
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:45 PM EDT
Group : System Environment/Libraries
Size : 29489
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pakchois-0.4-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:25:17 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.manyfish.co.uk/pakchois/>
Summary : A wrapper library for PKCS#11
Description :
pakchois is just another PKCS#11 wrapper library. pakchois aims to
provide a thin wrapper over the PKCS#11 interface; offering a
modern object-oriented C interface which does not hide any of the
underlying interface, and avoids dependencies on any cryptography
toolkit.

Name : libselinux-utils
Version : 2.2.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:08 PM EDT
Group : Development/Libraries
Size : 114102
License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:33 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libselinux-2.2.2-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:13:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/git/selinux.git>
Summary : SELinux libselinux utilities

Description :

The libselinux-utils package contains the utilities

Name : elfutils
Version : 0.160
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:54 PM EDT
Group : Development/Tools
Size : 718329
License : GPLv3+ and (GPLv2+ or LGPLv3+)
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : elfutils-0.160-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:32:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/elfutils/>
Summary : A collection of utilities and DSOs to handle compiled objects

Description :

Elfutils is a collection of utilities, including stack (to show backtraces), nm (for listing symbols from object files), size (for listing the section sizes of an object or archive file), strip (for discarding symbols), readelf (to see the raw ELF file structures), and elflint (to check for well-formed ELF files).

Name : device-mapper
Epoch : 7
Version : 1.02.93
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:46 PM EDT
Group : System Environment/Base
Size : 193235
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:21 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lvm2-2.02.115-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:51:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/dm>
Summary : Device mapper utility

Description :

This package contains the supporting userspace utility, dmsetup, for the kernel device-mapper.

Name : dejavu-sans-mono-fonts
Version : 2.33

Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:11 PM EDT
Group : User Interface/X
Size : 1127679
License : Bitstream Vera and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:04 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dejavu-fonts.org/>
Summary : Monospace sans-serif font faces
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif monospace font faces, in their unabridged version.

Name : libudisks2
Version : 2.1.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:56 PM EDT
Group : System Environment/Libraries
Size : 533228
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : udisks2-2.1.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:58:49 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/udisks>
Summary : Dynamic library to access the udisks daemon
Description :
This package contains the dynamic library libudisks2, which provides access to the udisks daemon. This package is for the udisks 2.x series.

Name : dbus
Epoch : 1
Version : 1.6.12
Release : 11.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:48 PM EDT
Group : System Environment/Libraries
Size : 874699
License : GPLv2+ or AFL
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dbus-1.6.12-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:03:08 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/dbus/>
Summary : D-BUS message bus
Description :
D-BUS is a system for sending messages between applications. It is
used both for the system-wide message bus service, and as a
per-user-login-session messaging facility.

Name : dejavu-serif-fonts
Version : 2.33
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:12 PM EDT
Group : User Interface/X
Size : 2693311
License : Bitstream Vera and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:07 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dejavu-fonts.org/>
Summary : Variable-width serif font faces
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10.
Its
purpose is to provide a wider range of characters, while maintaining the
original style, using an open collaborative development process.

This package consists of the DejaVu serif variable-width font faces, in
their
unabridged version.

Name : celt051
Version : 0.5.1.3
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:57 PM EDT

Group : System Environment/Libraries
Size : 110321
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : celt051-0.5.1.3-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:32:38 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.celt-codec.org/>
Summary : An audio codec for use in low-delay speech and audio
communication
Description :
CELT (Constrained Energy Lapped Transform) is an ultra-low delay audio
codec designed for realtime transmission of high quality speech and
audio.
This is meant to close the gap between traditional speech codecs
(such as Speex) and traditional audio codecs (such as Vorbis).

The CELT bitstream format is not yet stable, this package is a special
version of 0.5.1 that has the same bitstream format, but symbols and
files
renamed from 'celt*' to 'celt051*' so that it is parallel installable
with
the normal celt for packages requiring this particular bitstream format.

Name : libcanberra
Version : 0.30
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:48 PM EDT
Group : System Environment/Libraries
Size : 218912
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:04 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libcanberra-0.30-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>
Summary : Portable Sound Event Library
Description :
A small and lightweight implementation of the XDG Sound Theme
Specification
(<http://0pointer.de/public/sound-theme-spec.html>).

Name : liberation-serif-fonts
Epoch : 1
Version : 1.07.2

Release : 14.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:14 PM EDT
Group : User Interface/X
Size : 594661
License : Liberation
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : liberation-fonts-1.07.2-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:51:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/liberation-fonts/>
Summary : Serif fonts to replace commonly used Microsoft Times New
Roman
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Serif TrueType fonts that replaced commonly used Microsoft Times New \ Roman.

Name : usbredir
Version : 0.6
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:59 PM EDT
Group : System Environment/Libraries
Size : 102313
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : usbredir-0.6-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:36:52 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://spice-space.org/page/UsbRedir>
Summary : USB network redirection protocol libraries
Description :
The usbredir libraries allow USB devices to be used on remote and/or virtual hosts over TCP. The following libraries are provided:

usbredirparser:

A library containing the parser for the usbredir protocol

usbredirhost:

A library implementing the USB host side of a usbredir connection.
All that an application wishing to implement a USB host needs to do is:

- * Provide a libusb device handle for the device
- * Provide write and read callbacks for the actual transport of usbredir data
- * Monitor for usbredir and libusb read/write events and call their handlers

Name : ibus-libs
Version : 1.5.3
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:50 PM EDT
Group : System Environment/Libraries
Size : 678672
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:00 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ibus-1.5.3-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:14:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : IBus libraries
Description :
This package contains the libraries for IBus

Name : libproxy
Version : 0.4.11
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:15 PM EDT
Group : System Environment/Libraries
Size : 163998
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:34 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libproxy-0.4.11-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:31:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/libproxy/>
Summary : A library handling all the details of proxy configuration
Description :
libproxy offers the following features:

- * extremely small core footprint (< 35K)
- * no external dependencies within libproxy core
(libproxy plugins may have dependencies)

- * only 3 functions in the stable external API
- * dynamic adjustment to changing network topology
- * a standard way of dealing with proxy settings across all scenarios
- * a sublime sense of joy and accomplishment

```

Name       : e2fsprogs-libs
Version    : 1.42.9
Release    : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:59 PM EDT
Group      : Development/Libraries
Size       : 363537
License    : GPLv2 and LGPLv2
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:46:02 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:09:49 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://e2fsprogs.sourceforge.net/
Summary     : Ext2/3/4 filesystem-specific shared libraries
Description :
E2fsprogs-libs contains libe2p and libext2fs, the libraries of the
e2fsprogs package.

```

These libraries are used to directly access ext2/3/4 filesystems from userspace.

```

Name       : sssd-krb5-common
Version    : 1.12.2
Release    : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:51 PM EDT
Group      : Applications/System
Size       : 337931
License    : GPLv3+
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:36:47 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://fedorahosted.org/sss/
Summary     : SSSD helpers needed for Kerberos and GSSAPI authentication
Description :
Provides helper processes that the LDAP and Kerberos back ends can use
for
Kerberos user or host authentication.

```

```

Name       : libstdc++-devel

```

Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:16 PM EDT
Group : Development/Libraries
Size : 8434533
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:31 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : Header files and libraries for C++ development
Description :
This is the GNU implementation of the standard C++ libraries. This package includes the header files and libraries needed for C++ development. This includes rewritten implementation of STL.

Name : libfontenc
Version : 1.1.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:00 PM EDT
Group : System Environment/Libraries
Size : 50506
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:00 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libfontenc-1.1.1-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:41:28 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libfontenc runtime library
Description :
X.Org X11 libfontenc runtime library

Name : hwdata
Version : 0.252
Release : 7.5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:53 PM EDT
Group : System Environment/Base
Size : 10491816
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:11 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : hwdata-0.252-7.5.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:02:20 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/hwdata.git>
Summary : Hardware identification and configuration data
Description :
hwdata contains various hardware identification and configuration data,
such as the pci.ids and usb.ids databases.

Name : libpath_utils
Version : 0.2.1
Release : 24.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:18 PM EDT
Group : Development/Libraries
Size : 58318
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:06:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ding-libs-0.4.0-24.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:54:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : Filesystem Path Utilities
Description :
Utility functions to manipulate filesystem pathnames

Name : psmisc
Version : 22.20
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:01 PM EDT
Group : Applications/System
Size : 490672
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:34:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : psmisc-22.20-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:31:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/psmisc>
Summary : Utilities for managing processes on your system
Description :
The psmisc package contains utilities for managing processes on your
system: pstree, killall and fuser. The pstree command displays a tree

structure of all of the running processes on your system. The killall command sends a specified signal (SIGTERM if nothing is specified) to processes identified by name. The fuser command identifies the PIDs of processes that are using specified files or filesystems.

Name : xorg-x11-server-Xorg
Version : 1.15.0
Release : 32.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:54 PM EDT
Group : User Interface/X
Size : 3509136
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:27 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-server-1.15.0-32.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:12:30 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X server
Description :
X.org X11 is an open source implementation of the X Window System. It provides the basic low level functionality which full fledged graphical user interfaces (GUIs) such as GNOME and KDE are designed upon.

Name : ustr
Version : 1.0.4
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:18 PM EDT
Group : System Environment/Libraries
Size : 285943
License : MIT or LGPLv2+ or BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:39:11 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ustr-1.0.4-16.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:12:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.and.org/ustr/>
Summary : String library, very low memory overhead, simple to import
Description :
Micro string library, very low overhead from plain strdup() (Ave. 44% for 0-20B strings). Very easy to use in existing C code. At it's simplest you can just include a single header file into your .c and start using it.
This package also distributes pre-built shared libraries.

Name : snappy
Version : 1.1.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:03 PM EDT
Group : System Environment/Libraries
Size : 119521
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:19 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : snappy-1.1.0-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:40:34 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/snappy/>
Summary : Fast compression and decompression library
Description :
Snappy is a compression/decompression library. It does not aim for maximum compression, or compatibility with any other compression library; instead, it aims for very high speeds and reasonable compression. For instance, compared to the fastest mode of zlib, Snappy is an order of magnitude faster for most inputs, but the resulting compressed files are anywhere from 20% to 100% bigger.

Name : libcggroup
Version : 0.41
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:55 PM EDT
Group : Development/Libraries
Size : 133018
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libcggroup-0.41-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:13:26 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libcg.sourceforge.net/>
Summary : Library to control and monitor control groups
Description :
Control groups infrastructure. The library helps manipulate, control, administrate and monitor control groups and the associated controllers.

Name : openssl-libs
Epoch : 1

Version : 1.0.1e
Release : 42.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:19 PM EDT
Group : System Environment/Libraries
Size : 2679724
License : OpenSSL
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : openssl-1.0.1e-42.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:50:20 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openssl.org/>
Summary : A general purpose cryptography library with TLS implementation
Description :
OpenSSL is a toolkit for supporting cryptography. The openssl-libs package contains the libraries that are used by various applications which support cryptographic algorithms and protocols.

Name : pulseaudio-libs
Version : 3.0
Release : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:04 PM EDT
Group : Unspecified
Size : 3138458
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pulseaudio-3.0-30.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:23 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>
Summary : Libraries for PulseAudio clients
Description :
This package contains the runtime libraries for any application that wishes to interface with a PulseAudio sound server.

Name : accountsservice-libs
Version : 0.6.35
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:56 PM EDT
Group : Development/Libraries
Size : 299828

License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : accountsservice-0.6.35-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:18:52 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://www.fedoraproject.org/wiki/Features/UserAccountDialog>
Summary : Client-side library to talk to accountsservice
Description :
The accountsservice-libs package contains a library that can
be used by applications that want to interact with the accountsservice
daemon.

Name : cracklib
Version : 2.9.0
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:20 PM EDT
Group : System Environment/Libraries
Size : 209610
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:11 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cracklib-2.9.0-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:42:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/cracklib/>
Summary : A password-checking library
Description :
CrackLib tests passwords to determine whether they match certain
security-oriented characteristics, with the purpose of stopping users
from choosing passwords that are easy to guess. CrackLib performs
several tests on passwords: it tries to generate words from a username
and gecoc entry and checks those words against the password; it checks
for simplistic patterns in passwords; and it checks for the password
in a dictionary.

CrackLib is actually a library containing a particular C function
which is used to check the password, as well as other C
functions. CrackLib is not a replacement for a passwd program; it must
be used in conjunction with an existing passwd program.

Install the cracklib package if you need a program to check users'
passwords to see if they are at least minimally secure. If you install
CrackLib, you will also want to install the cracklib-dicts package.

Name : bluez-libs

Version : 4.101
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:05 PM EDT
Group : System Environment/Libraries
Size : 218899
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:49:45 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bluez-4.101-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:39:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.bluez.org/>
Summary : Libraries for use in Bluetooth applications
Description :
Libraries for use in Bluetooth applications.

Name : cronie-anacron
Version : 1.4.11
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:56 PM EDT
Group : System Environment/Base
Size : 41587
License : MIT and BSD and ISC and GPLv2+
Signature : RSA/SHA256, Wed 30 Jul 2014 01:14:24 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cronie-1.4.11-13.el7.src.rpm
Build Date : Wed 30 Jul 2014 11:18:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/cronie>
Summary : Utility for running regular jobs
Description :
Anacron is part of cronie that is used for running jobs with regular
periodicity which do not have exact time of day of execution.

The default settings of anacron execute the daily, weekly, and monthly
jobs, but anacron allows setting arbitrary periodicity of jobs.

Using anacron allows running the periodic jobs even if the system is
often
powered off and it also allows randomizing the time of the job execution
for better utilization of resources shared among multiple systems.

Name : nss
Version : 3.16.2.3
Release : 5.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:30:22 PM EDT
Group : System Environment/Libraries
Size : 2544424
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:21 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nss-3.16.2.3-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:48:15 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Network Security Services
Description :
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Name : libieee1284
Version : 0.2.11
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:06 PM EDT
Group : System Environment/Libraries
Size : 83389
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:57 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libieee1284-0.2.11-15.el7.src.rpm
Build Date : Tue 17 Jun 2014 12:23:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cyberelk.net/tim/libieee1284/>
Summary : A library for interfacing IEEE 1284-compatible devices
Description :
The libieee1284 library is for communicating with parallel port devices.

Name : iscsi-initiator-utils
Version : 6.2.0.873
Release : 29.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:20 PM EDT
Group : System Environment/Daemons
Size : 2473835
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:29 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : iscsi-initiator-utils-6.2.0.873-29.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:09:13 PM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.open-iscsi.org>
Summary : iSCSI daemon and utility programs
Description :
The iscsi package provides the server daemon for the iSCSI protocol, as well as the utility programs used to manage it. iSCSI is a protocol for distributed disk access using SCSI commands sent over Internet Protocol networks.

Name : rpm
Version : 4.11.1
Release : 25.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:23 PM EDT
Group : System Environment/Base
Size : 2594638
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rpm-4.11.1-25.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:27:41 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rpm.org/>
Summary : The RPM package management system
Description :
The RPM Package Manager (RPM) is a powerful command line driven package management system capable of installing, uninstalling, verifying, querying, and updating software packages. Each software package consists of an archive of files along with information about the package like its version, a description, etc.

Name : libvpx
Version : 1.3.0
Release : 5.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:07 PM EDT
Group : System Environment/Libraries
Size : 1368856
License : BSD
Signature : RSA/SHA256, Tue 26 Aug 2014 08:47:07 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvpx-1.3.0-5.el7_0.src.rpm
Build Date : Tue 26 Aug 2014 08:26:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.webmproject.org/tools/vp8-sdk/>

Summary : VP8 Video Codec SDK
Description :
libvpx provides the VP8 SDK, which allows you to integrate your applications with the VP8 video codec, a high quality, royalty free, open source codec deployed on millions of computers and devices worldwide.

Name : trousers
Version : 0.3.11.2
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:21 PM EDT
Group : System Environment/Libraries
Size : 826530
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:36:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : trousers-0.3.11.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:55:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://trousers.sourceforge.net>
Summary : TCG's Software Stack v1.2
Description :
Trousers is an implementation of the Trusted Computing Group's Software Stack (TSS) specification. You can use Trousers to write applications that make use of your TPM hardware. TPM hardware can create, store and use RSA keys securely (without ever being exposed in memory), verify a platform's software state using cryptographic hashes and more.

Name : openldap
Version : 2.4.39
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:26 PM EDT
Group : System Environment/Daemons
Size : 1004518
License : OpenLDAP
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:41 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : openldap-2.4.39-6.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:36:42 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openldap.org/>
Summary : LDAP support libraries
Description :

OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. LDAP is a set of protocols for accessing directory services (usually phone book style information, but other information is possible) over the Internet, similar to the way DNS (Domain Name System) information is propagated over the Internet. The openldap package contains configuration files, libraries, and documentation for OpenLDAP.

```
Name       : less
Version    : 458
Release    : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:08 PM EDT
Group      : Applications/Text
Size       : 215376
License    : GPLv3+
Signature  : RSA/SHA256, Thu 03 Jul 2014 10:35:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : less-458-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:08:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.greenwoodsoftware.com/less/
Summary    : A text file browser similar to more, but better
Description :
The less utility is a text file browser that resembles more, but has
more capabilities. Less allows you to move backwards in the file as
well as forwards. Since less doesn't have to read the entire input file
before it starts, less starts up more quickly than text editors (for
example, vi).
```

You should install less because it is a basic utility for viewing text files, and you'll use it frequently.

```
Name       : kpartx
Version    : 0.4.9
Release    : 77.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:21 PM EDT
Group      : System Environment/Base
Size       : 37747
License    : GPL+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:58:35 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : device-mapper-multipath-0.4.9-77.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:51:48 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://christophe.varoqui.free.fr/
```

Summary : Partition device manager for device-mapper devices
Description :
kpartx manages partition creation and removal for device-mapper devices.

Name : util-linux
Version : 2.23.2
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:27 PM EDT
Group : System Environment/Base
Size : 7945942
License : GPLv2 and GPLv2+ and LGPLv2+ and BSD with advertising and Public Domain
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:31 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : util-linux-2.23.2-21.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:59:03 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://en.wikipedia.org/wiki/Util-linux>
Summary : A collection of basic system utilities
Description :
The util-linux package contains a large variety of low-level system utilities that are necessary for a Linux system to function. Among others, Util-linux contains the fdisk configuration tool and the login program.

Name : gnome-menus
Version : 3.8.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:08 PM EDT
Group : System Environment/Libraries
Size : 613649
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:35 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-menus-3.8.1-4.el7.src.rpm
Build Date : Tue 17 Jun 2014 12:56:00 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/>
Summary : A menu system for the GNOME project
Description :
gnome-menus is an implementation of the draft "Desktop Menu Specification" from freedesktop.org. This package also contains the GNOME menu layout configuration files, .directory files and assorted menu related utility programs, Python bindings, and a simple menu editor.

Name : at-spi2-atk
Version : 2.8.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:22 PM EDT
Group : System Environment/Libraries
Size : 216369
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:41:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : at-spi2-atk-2.8.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:13:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus
Summary : A GTK+ module that bridges ATK to D-Bus at-spi
Description :
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

This version of at-spi is a major break from previous versions. It has been completely rewritten to use D-Bus rather than ORBIT / CORBA for its transport protocol.

This package includes a gtk-module that bridges ATK to the new D-Bus based at-spi.

Name : python
Version : 2.7.5
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:32 PM EDT
Group : Development/Languages
Size : 80835
License : Python
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-2.7.5-16.el7.src.rpm
Build Date : Tue 17 Jun 2014 02:43:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.python.org/>
Summary : An interpreted, interactive, object-oriented programming language
Description :
Python is an interpreted, interactive, object-oriented programming language often compared to Tcl, Perl, Scheme or Java. Python includes modules, classes, exceptions, very high level dynamic data types and

dynamic typing. Python supports interfaces to many system calls and libraries, as well as to various windowing systems (X11, Motif, Tk, Mac and MFC).

Programmers can write new built-in modules for Python in C or C++. Python can be used as an extension language for applications that need a programmable interface.

Note that documentation for Python is provided in the python-docs package.

This package provides the "python" executable; most of the actual implementation is within the "python-libs" package.

```
Name       : enchant
Epoch     : 1
Version    : 1.6.0
Release    : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:10 PM EDT
Group      : System Environment/Libraries
Size       : 130894
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:13:33 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : enchant-1.6.0-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:46:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.abisource.com/
Summary    : An Enchanting Spell Checking Library
Description :
A library that wraps other spell checking backends.
```

```
Name       : mesa-libEGL
Version    : 10.2.7
Release    : 5.20140910.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:23 PM EDT
Group      : System Environment/Libraries
Size       : 155973
License    : MIT
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:16:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.mesa3d.org
Summary    : Mesa libEGL runtime libraries
```


Description :
Mesa libEGL runtime libraries

Name : libreport
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:33 PM EDT
Group : System Environment/Libraries
Size : 2217271
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:41 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Generic library for reporting various problems
Description :
Libraries providing API for reporting different problems in applications
to different bug targets like Bugzilla, ftp, trac, etc...

Name : xcb-util
Version : 0.3.9
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:11 PM EDT
Group : System Environment/Libraries
Size : 25139
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:09 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xcb-util-0.3.9-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:29:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xcb.freedesktop.org>
Summary : Convenience libraries sitting on top of libxcb
Description :
The xcb-util module provides a number of libraries which sit on top of
libxcb, the core X protocol library, and some of the extension
libraries. These experimental libraries provide convenience functions
and interfaces which make the raw X protocol more usable. Some of the
libraries also provide client-side code which is not strictly part of
the X protocol but which have traditionally been provided by Xlib.

Name : perl-Proc-ProcessTable
Version : 0.45
Release : 1.el6.rf

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:46 PM EDT
Group : Applications/CPAN
Size : 187806
License : Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:46 AM EST, Key ID
a20e52146b8d79e6
Source RPM : perl-Proc-ProcessTable-0.45-1.el6.rf.src.rpm
Build Date : Thu 11 Nov 2010 12:32:30 AM EST
Build Host : lisse.hasselt.wieers.com
Relocations : (not relocatable)
Packager : Dag Wieers <dag@wieers.com>
Vendor : Dag Apt Repository, <http://dag.wieers.com/apt/>
URL : <http://search.cpan.org/dist/Proc-ProcessTable/>
Summary : Perl interface to the UNIX process table
Description :
This module is a first crack at providing a consistent interface to
Unix (and maybe other multitasking OS's) process table information.
The impetus for this came about with my frustration at having to parse
the output of various systems' ps commands to check whether specific
processes were running on different boxes at a larged mixed UNIX site.
The output format of ps was different on each OS, and sometimes
changed with each new release of an OS. Also, running a ps subprocess
from within a perl or shell script and parsing the output was not a
very efficient or aesthetic way to do things.

Name : dmraid-events
Version : 1.0.0.rc16
Release : 25.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:17 PM EDT
Group : System Environment/Base
Size : 12436
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dmraid-1.0.0.rc16-25.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:55:41 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/heinzm/sw/dmraid>
Summary : dmevent_tool (Device-mapper event tool) and DSO
Description :
Provides a dmeventd DSO and the dmevent_tool to register devices with it
for device monitoring. All active RAID sets should be manually
registered
with dmevent_tool.

Name : perl-Filesys-DiskFree
Version : 0.06
Release : 1.2.el6.rf
Architecture: noarch

Install Date: Wed 05 Apr 2017 03:36:46 PM EDT
Group : Applications/CPAN
Size : 16297
License : Artistic/GPL
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID
a20e52146b8d79e6
Source RPM : perl-Filesys-DiskFree-0.06-1.2.el6.rf.src.rpm
Build Date : Wed 10 Nov 2010 11:50:05 PM EST
Build Host : lisse.hasselt.wieers.com
Relocations : (not relocatable)
Packager : Dries Verachtert <dries@ulyssis.org>
Vendor : Dag Apt Repository, <http://dag.wieers.com/apt/>
URL : <http://search.cpan.org/dist/Filesys-DiskFree/>
Summary : Perform the Unix command df in a portable fashion
Description :
Filesys::DiskFree does about what the unix command df(1) does, listing
the mounted disks, and the amount of free space used and available.

Name : gnupg2
Version : 2.0.22
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:18 PM EDT
Group : Applications/System
Size : 6640098
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:09 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnupg2-2.0.22-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:20:02 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnupg.org/>
Summary : Utility for secure communication and data storage
Description :
GnuPG is GNU's tool for secure communication and data storage. It can
be used to encrypt data and to create digital signatures. It includes
an advanced key management facility and is compliant with the proposed
OpenPGP Internet standard as described in RFC2440 and the S/MIME
standard as described by several RFCs.

GnuPG 2.0 is a newer version of GnuPG with additional support for
S/MIME. It has a different design philosophy that splits
functionality up into several modules. The S/MIME and smartcard
functionality
is provided by the gnupg2-smime package.

Name : gstreamer1-plugins-bad-free
Version : 1.0.7
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:27 PM EDT

Group : Unspecified
Size : 2553650
License : LGPLv2+ and LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:28 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gstreamer1-plugins-bad-free-1.0.7-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:49:45 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework "bad" plugins
Description :
GStreamer is a streaming media framework, based on graphs of elements
which
operate on media data.

This package contains plug-ins that aren't tested well enough, or the
code
is not of good enough quality.

Name : xorg-x11-fonts-100dpi
Version : 7.5
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:48 PM EDT
Group : User Interface/X
Size : 3417961
License : MIT and Lucida and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : A set of 100dpi resolution fonts for the X Window System.
Description :
A set of 100 dpi fonts used by the X window system.

Name : settroubleshoot-server
Version : 3.2.17
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:19 PM EDT
Group : Applications/System
Size : 1269150
License : GPLv2+
Signature : RSA/SHA256, Wed 26 Nov 2014 06:42:37 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : settroubleshoot-3.2.17-3.el7.src.rpm

Build Date : Wed 26 Nov 2014 06:14:38 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/setroubleshoot>
Summary : SELinux troubleshoot server
Description :
Provides tools to help diagnose SELinux problems. When AVC messages are generated an alert can be generated that will give information about the problem and help track its resolution. Alerts can be configured to user preference. The same tools can be run on existing log files.

Name : pygobject3
Version : 3.8.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:28 PM EDT
Group : Development/Languages
Size : 11224
License : LGPLv2+ and MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pygobject3-3.8.2-6.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:12 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://live.gnome.org/PyGObject>
Summary : Python 2 bindings for GObject Introspection
Description :
The pygobject3 package provides a convenient wrapper for the GObject library for use in Python programs.

Name : xvattr
Version : 1.3
Release : 27.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:50 PM EDT
Group : Applications/System
Size : 34657
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xvattr-1.3-27.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:30:51 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.dtek.chalmers.se/groups/dvd/>
Summary : Utility for getting and setting Xv attributes

Description :

This program is used for getting and setting Xv attributes such as XV_BRIGHTNESS, XV_CONTRAST, XV_SATURATION, XV_HUE, XV_COLORKEY, ...

Name : yum
Version : 3.4.3
Release : 125.el7.centos
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:21 PM EDT
Group : System Environment/Base
Size : 5746020
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:36 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : yum-3.4.3-125.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 04:39:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://yum.baseurl.org/>
Summary : RPM package installer/updater/manager
Description :
Yum is a utility that can check for and automatically download and install updated RPM packages. Dependencies are obtained and downloaded automatically, prompting the user for permission as necessary.

Name : mesa-dri-drivers
Version : 10.2.7
Release : 5.20140910.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:32 PM EDT
Group : User Interface/X Hardware Support
Size : 35476279
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mesa3d.org>
Summary : Mesa-based DRI drivers
Description :
Mesa-based DRI drivers.

Name : nfs4-acl-tools
Version : 0.3.3
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:50 PM EDT
Group : Applications/System

Size : 111936
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:06 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nfs4-acl-tools-0.3.3-13.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:01:50 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : The nfs4 ACL tools
Description :
This package contains commandline and GUI ACL utilities for the Linux
NFSv4 client.

Name : createrepo
Version : 0.9.9
Release : 23.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:22 PM EDT
Group : System Environment/Base
Size : 304908
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : createrepo-0.9.9-23.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:56:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://createrepo.baseurl.org/>
Summary : Creates a common metadata repository
Description :
This utility will generate a common metadata repository from a directory
of rpm
packages.

Name : wpa_supplicant
Epoch : 1
Version : 2.0
Release : 13.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:33 PM EDT
Group : System Environment/Base
Size : 3191439
License : BSD
Signature : RSA/SHA256, Thu 04 Dec 2014 08:29:35 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : wpa_supplicant-2.0-13.el7_0.src.rpm
Build Date : Thu 04 Dec 2014 08:18:43 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://w1.fi/wpa_supplicant/
Summary : WPA/WPA2/IEEE 802.1X Supplicant
Description :
wpa_supplicant is a WPA Supplicant for Linux, BSD and Windows with support for WPA and WPA2 (IEEE 802.11i / RSN). Supplicant is the IEEE 802.1X/WPA component that is used in the client stations. It implements key negotiation with a WPA Authenticator and it controls the roaming and IEEE 802.11 authentication/association of the wlan driver.

Name : ftp
Version : 0.17
Release : 66.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:51 PM EDT
Group : Applications/Internet
Size : 98691
License : BSD with advertising
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:20 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ftp-0.17-66.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:01:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.linux.org.uk/pub/linux/Networking/netkit>
Summary : The standard UNIX FTP (File Transfer Protocol) client
Description :
The ftp package provides the standard UNIX command-line FTP (File Transfer Protocol) client. FTP is a widely used protocol for transferring files over the Internet and for archiving files.

If your system is on a network, you should install ftp in order to do file transfers.

Name : vim-filesystem
Epoch : 2
Version : 7.4.160
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:23 PM EDT
Group : Applications/Editors
Size : 0
License : Vim
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : vim-7.4.160-1.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.vim.org/>
Summary : VIM filesystem layout
Description :
This package provides some directories which are required by other packages that add vim files, p.e. additional syntax files or filetypes.

Name : gtk3
Version : 3.8.8
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:35 PM EDT
Group : System Environment/Libraries
Size : 12967632
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:21 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gtk3-3.8.8-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:34:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X
Description :
GTK+ is a multi-platform toolkit for creating graphical user interfaces. Offering a complete set of widgets, GTK+ is suitable for projects ranging from small one-off tools to complete application suites.

This package contains version 3 of GTK+.

Name : nano
Version : 2.3.1
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:53 PM EDT
Group : Applications/Editors
Size : 1715901
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:53:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nano-2.3.1-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:47:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nano-editor.org>
Summary : A small text editor
Description :
GNU nano is a small and friendly text editor.

Name : kbd
Version : 1.15.5
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:26 PM EDT
Group : System Environment/Base
Size : 1380325
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:37 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kbd-1.15.5-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:13:52 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>
Summary : Tools for configuring the console (keyboard, virtual terminals, etc.)
Description :
The kbd package contains tools for managing a Linux system's console's behavior, including the keyboard, the screen fonts, the virtual terminals and font files.

Name : gcr
Version : 3.8.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:36 PM EDT
Group : Development/Libraries
Size : 2421534
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:04 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcr-3.8.2-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:59:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/CryptoGlue/>
Summary : A library for bits of crypto UI and parsing
Description :
gcr is a library for displaying certificates, and crypto UI, accessing key stores. It also provides a viewer for crypto files on the GNOME desktop.

gck is a library for accessing PKCS#11 modules like smart cards.

Name : swig
Version : 2.0.10
Release : 4.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:36:54 PM EDT
Group : Development/Tools
Size : 4927926
License : GPLv3+ and BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:07:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : swig-2.0.10-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:15:29 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://swig.sourceforge.net/>
Summary : Connects C/C++/Objective C to some high-level programming
languages
Description :
Simplified Wrapper and Interface Generator (SWIG) is a software
development tool for connecting C, C++ and Objective C programs with a
variety of high-level programming languages. SWIG is primarily used
with Perl, Python and Tcl/Tk, but it has also been extended to Java,
Eiffel and Guile. SWIG is normally used to create high-level
interpreted programming environments, systems integration, and as a
tool for building user interfaces

Name : centos-bookmarks
Version : 7
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:27 PM EDT
Group : Applications/Internet
Size : 1137
License : GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:38 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : centos-bookmarks-7-1.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:25:52 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.centos.org>
Summary : CentOS Linux bookmarks
Description :
This package contains the default bookmarks for CentOS Linux

Name : libpeas
Version : 1.8.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:37 PM EDT
Group : System Environment/Libraries
Size : 400311
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:12 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libpeas-1.8.0-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:55:26 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.acc.umu.se/pub/GNOME/sources/libpeas/>
Summary : Plug-ins implementation convenience library
Description :
libpeas is a convenience library making adding plug-ins support
to GTK+ and glib-based applications.

Name : lohit-bengali-fonts
Version : 2.5.3
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:58 PM EDT
Group : User Interface/X
Size : 156244
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lohit-bengali-fonts-2.5.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:15:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Bengali font
Description :
This package provides a free Bengali truetype/opentype font.

Name : PackageKit-yum
Version : 0.8.9
Release : 11.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:32 PM EDT
Group : System Environment/Libraries
Size : 313496
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:01 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : PackageKit YUM backend
Description :

A backend for PackageKit to enable yum functionality.

Name : gnome-keyring
Version : 3.8.2
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:39 PM EDT
Group : System Environment/Libraries
Size : 4349659
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-keyring-3.8.2-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:50:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : Framework for managing passwords and other secrets
Description :
The gnome-keyring session daemon manages passwords and other types of secrets for the user, storing them encrypted with a main password. Applications can use the gnome-keyring library to integrate with the keyring.

Name : paratype-pt-sans-fonts
Version : 20101909
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:03 PM EDT
Group : User Interface/X
Size : 2417717
License : OFL
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:37 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : paratype-pt-sans-fonts-20101909-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:41:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.paratype.com/public/>
Summary : A pan-Cyrillic typeface
Description :

The PT Sans family was developed as part of the "Public Types of Russian Federation" project. This project aims at enabling the peoples of Russia to read and write their native languages, using free/libre fonts. It is dedicated to the 300-year anniversary of the Russian civil type invented by Peter the Great from 1708 to 1710, and was realized with financial support

from the Russian Federal Agency for Press and Mass Communications.

The fonts include support for all 54 title¹ languages of the Russian Federation as well as more common Western, Central European and Cyrillic blocks making them unique and a very important tool for modern digital communications.

PT Sans is a grotesque font based on Russian type designs of the second part of the 20th century. However, it also includes very distinctive features of modern humanistic design, fulfilling present day aesthetic and functional requirements.

It was designed by Alexandra Korolkova, Olga Umpeleva and Vladimir Yefimov and released by ParaType.

¹ A "title" language is named after an ethnic group.

This package includes the four basic styles and two narrow styles for economic setting.

```
Name       : gnome-themes-standard
Version    : 3.8.4
Release    : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:34 PM EDT
Group      : User Interface/Desktops
Size       : 5651080
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:40:11 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://git.gnome.org/browse/gnome-themes-standard
Summary    : Standard themes for GNOME applications
Description :
The gnome-themes-standard package contains the standard theme for the
GNOME
desktop, which provides default appearance for cursors, desktop
background,
window borders and GTK+ applications.
```

```
Name       : abrt-gui-libs
Version    : 2.1.11
Release    : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:40 PM EDT
Group      : System Environment/Libraries
```

Size : 19968
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:41 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Libraries for abrt-gui
Description :
Libraries for abrt-gui.

Name : lohit-assamese-fonts
Version : 2.5.3
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:08 PM EDT
Group : User Interface/X
Size : 156057
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:00 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lohit-assamese-fonts-2.5.3-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:02:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Assamese font
Description :
This package provides a free Assamese truetype/opentype font.

Name : centos-indexhtml
Version : 7
Release : 9.el7.centos
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:36 PM EDT
Group : Documentation
Size : 92560
License : Distributable
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:40 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : centos-indexhtml-7-9.el7.centos.src.rpm
Build Date : Sun 29 Jun 2014 08:39:51 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Browser default start page for CentOS
Description :

The indexhtml package contains the welcome page shown by your Web browser, which you'll see after you've successfully installed CentOS Linux

```
Name       : libwacom
Version    : 0.8
Release    : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:41 PM EDT
Group      : System Environment/Libraries
Size       : 58963
License    : MIT
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:26:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libwacom-0.8-3.el7.src.rpm
Build Date  : Tue 10 Jun 2014 05:13:08 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://linuxwacom.sourceforge.net
Summary     : Tablet Information Client Library
Description :
libwacom is a library that provides information about Wacom tablets and
tools. This information can then be used by drivers or applications to
tweak
the UI or general settings to match the physical tablet.
```

```
Name       : lohit-nepali-fonts
Version    : 2.5.3
Release    : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:12 PM EDT
Group      : User Interface/X
Size       : 85205
License    : OFL
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:35:14 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : lohit-nepali-fonts-2.5.3-2.el7.src.rpm
Build Date  : Mon 09 Jun 2014 04:11:12 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://fedorahosted.org/lohit/
Summary     : Free Nepali font
Description :
This package provides a free Nepali truetype/opentype font.
```

```
Name       : pulseaudio
Version    : 3.0
Release    : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:51 PM EDT
```


Group : Unspecified
Size : 3131298
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pulseaudio-3.0-30.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:23 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>
Summary : Improved Linux Sound Server
Description :
PulseAudio is a sound server for Linux and other Unix like operating systems. It is intended to be an improved drop-in replacement for the Enlightened Sound Daemon (ESOUND).

Name : os-prober
Version : 1.58
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:43 PM EDT
Group : System Environment/Base
Size : 98939
License : GPLv2+ and GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:09:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : os-prober-1.58-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:53:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://kitenet.net/~joey/code/os-prober/>
Summary : Probes disks on the system for installed operating systems
Description :
This package detects other OSes available on a system and outputs the results in a generic machine-readable format. Support for new OSes and Linux distributions can be added easily.

Name : sil-nuosu-fonts
Version : 2.1.1
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:19 PM EDT
Group : User Interface/X
Size : 524316
License : OFL
Signature : RSA/SHA256, Fri 04 Jul 2014 01:00:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sil-nuosu-fonts-2.1.1-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:36:10 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://scripts.sil.org/SILYi_home
Summary : The Nuosu SIL Font
Description :
The Nuosu SIL Font is a single Unicode font for the standardized Yi script used by a large ethnic group in southwestern China. Until this version, the font was called SIL Yi.

Name : xorg-x11-drv-nouveau
Epoch : 1
Version : 1.0.10
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:52 PM EDT
Group : User Interface/X Hardware Support
Size : 213619
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-nouveau-1.0.10-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:35:29 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 nouveau video driver for NVIDIA graphics chipsets
Description :
X.Org X11 nouveau video driver.

Name : libgphoto2
Version : 2.5.2
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:44 PM EDT
Group : Development/Libraries
Size : 4994987
License : GPLv2+ and GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 10:49:31 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgphoto2-2.5.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:54:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gphoto.org/>
Summary : Library for accessing digital cameras
Description :
libgphoto2 is a library that can be used by applications to access

various digital cameras. libgphoto2 itself is not a GUI application, opposed to gphoto. There are GUI frontends for the gphoto2 library, however, such as gtkam for example.

Name : overpass-fonts
Version : 1.01
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:27 PM EDT
Group : Unspecified
Size : 231988
License : OFL or ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:09:25 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : overpass-fonts-1.01-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:27:34 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/overpass-fonts/>
Summary : Typeface based on the U.S. interstate highway road signage type system
Description :
Free & open source typeface based on the U.S. interstate highway road signage type system; it is sans-serif and suitable for both body and titling text.

Name : anaconda-tui
Version : 19.31.123
Release : 1.el7.centos.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:53 PM EDT
Group : Applications/System
Size : 385909
License : GPLv2+
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:29 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/Anaconda>
Summary : Textual user interface for the Anaconda installer
Description :
This package contains textual user interface for the Anaconda installer.

Name : abrt-addon-python
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:32:45 PM EDT
Group : System Environment/Libraries
Size : 31198
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's addon for catching and analyzing Python exceptions
Description :
This package contains python hook and python analyzer plugin for handling
uncaught exception in python programs.

Name : wqy-microhei-fonts
Version : 0.2.0
Release : 0.12.beta.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:33 PM EDT
Group : User Interface/X
Size : 5244095
License : ASL 2.0 or GPLv3 with exceptions
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:02 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : wqy-microhei-fonts-0.2.0-0.12.beta.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:06:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : [http://wenq.org/enindex.cgi?MicroHei\(en\)](http://wenq.org/enindex.cgi?MicroHei(en))
Summary : Compact Chinese fonts derived from Droid
Description :
A new Sans Serif CJK font derived from Google's "Droid Sans Fallback"
and covers the entire GBK code points (20932 Han glyphs).

Name : qemu-kvm
Epoch : 10
Version : 1.5.3
Release : 86.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:55 PM EDT
Group : Development/Tools
Size : 5842586
License : GPLv2+ and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.qemu.org/>
Summary : QEMU is a FAST! processor emulator
Description :
qemu-kvm is an open source virtualizer that provides hardware emulation for the KVM hypervisor. qemu-kvm acts as a virtual machine monitor together with the KVM kernel modules, and emulates the hardware for a full system such as a PC and its associated peripherals.

As qemu-kvm requires no host kernel patches to run, it is safe and easy to use.

Name : mdadm
Version : 3.3.2
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:47 PM EDT
Group : System Environment/Base
Size : 942318
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mdadm-3.3.2-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:53:15 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org/pub/linux/utils/raid/mdadm/>
Summary : The mdadm program controls Linux md devices (software RAID arrays)
Description :
The mdadm program is used to create, manage, and monitor Linux MD (software RAID) devices. As such, it provides similar functionality to the raidtools package. However, mdadm is a single program, and it can perform almost all functions without a configuration file, though a configuration file can be used to help with some common tasks.

Name : lohith-punjabi-fonts
Version : 2.5.3
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:37 PM EDT
Group : User Interface/X
Size : 40402
License : OFL

Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:18 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lohit-punjabi-fonts-2.5.3-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:05:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Punjabi font
Description :
This package provides a free Punjabi truetype/opentype font.

Name : zenity
Version : 3.8.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:57 PM EDT
Group : Applications/System
Size : 5606539
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : zenity-3.8.0-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:07:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://directory.fsf.org/zenity.html>
Summary : Display dialog boxes from shell scripts
Description :
Zenity lets you display Gtk+ dialog boxes from the command line and
through
shell scripts. It is similar to gdialog, but is intended to be saner. It
comes
from the same family as dialog, Xdialog, and cdialog.

Name : udisks2
Version : 2.1.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:48 PM EDT
Group : System Environment/Libraries
Size : 1581689
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:35 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : udisks2-2.1.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:58:49 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.freedesktop.org/wiki/Software/udisks>
Summary : Disk Manager
Description :
udisks provides a daemon, D-Bus API and command line tools for managing disks and storage devices. This package is for the udisks 2.x series.

Name : jomolhari-fonts
Version : 0.003
Release : 17.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:40 PM EDT
Group : User Interface/X
Size : 2294896
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:49 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : jomolhari-fonts-0.003-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:56:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Jomolhari a Bhutanese style font for Tibetan and Dzongkha
Description :
Jomolhari is an TrueType OpenType Bhutanese style font for Dzongkha and Tibetan text. It is based on Bhutanese manuscript examples, supports the Unicode and the Chinese encoding for Tibetan.
The font supports the standard combinations used in most texts.

Name : gdm-libs
Epoch : 1
Version : 3.8.4
Release : 32.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:58 PM EDT
Group : Development/Libraries
Size : 37540
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gdm-3.8.4-32.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:41:33 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/gdm>
Summary : Client-side library to talk to gdm
Description :
The gdm-libs package contains libraries that can be used for writing custom greeters.

Name : gnome-keyring-pam

Version : 3.8.2
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:49 PM EDT
Group : Development/Libraries
Size : 45624
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-keyring-3.8.2-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:50:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : Pam module for unlocking keyrings
Description :
The gnome-keyring-pam package contains a pam module that can
automatically unlock the "login" keyring when the user logs in.

Name : telnet
Epoch : 1
Version : 0.17
Release : 59.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:47 PM EDT
Group : Applications/Internet
Size : 115772
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:12:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : telnet-0.17-59.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:06:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://web.archive.org/web/20070819111735/www.hcs.harvard.edu/~dholland/computers/old-netkit.html>
Summary : The client program for the Telnet remote login protocol
Description :
Telnet is a popular protocol for logging into remote systems over the
Internet. The package provides a command line Telnet client

Name : ibus-gtk2
Version : 1.5.3
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:00 PM EDT
Group : System Environment/Libraries
Size : 33184
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:03:43 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-1.5.3-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:14:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : IBus im module for gtk2
Description :
This package contains ibus im module for gtk2

Name : file-roller
Version : 3.8.3
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:53 PM EDT
Group : Applications/Archiving
Size : 4369367
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : file-roller-3.8.3-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 11:36:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/file-roller/>
Summary : Tool for viewing and creating archives
Description :
File Roller is an application for creating and viewing archives files,
such as tar or zip files.

Name : rfkill
Version : 0.4
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:49 PM EDT
Group : System Environment/Base
Size : 13389
License : ISC
Signature : RSA/SHA256, Fri 04 Jul 2014 12:49:45 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rfkill-0.4-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:43:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.linuxwireless.org/en/users/Documentation/rfkill>
Summary : A tool for enabling and disabling wireless devices
Description :

rfkill is a simple tool for accessing the Linux rfkill device interface, which is used to enable and disable wireless networking devices, typically WLAN, Bluetooth and mobile broadband.

Name : gnome-shell-extension-common
Version : 3.8.4
Release : 12.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:01 PM EDT
Group : User Interface/Desktops
Size : 319906
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell/Extensions>
Summary : Files common to GNOME Shell Extensions
Description :
GNOME Shell Extensions is a collection of extensions providing additional and optional functionality to GNOME Shell. Common files and directories needed by extensions are provided here.

Name : gtkmm30
Version : 3.8.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:54 PM EDT
Group : System Environment/Libraries
Size : 5527239
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:50:09 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gtkmm30-3.8.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:09:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtkmm.org/>
Summary : C++ interface for the GTK+ library
Description :
gtkmm is the official C++ interface for the popular GUI library GTK+. Highlights include type safe callbacks, and a comprehensive set of widgets that are easily extensible via inheritance.

Name : compat-libf2c-34

Version : 3.4.6
Release : 32.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:50 PM EDT
Group : System Environment/Libraries
Size : 589675
License : GPLv2+ and GPLv2+ with exceptions
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:42 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-gcc-34-3.4.6-32.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : Fortran 77 compatibility runtime
Description :
This package contains Fortran 77 shared library which is needed to run
Fortran 77 dynamically linked programs built by g77 3.4.x

Name : metacity
Version : 2.34.13
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:05 PM EDT
Group : User Interface/Desktops
Size : 6160548
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:47:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : metacity-2.34.13-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:43:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/metacity/>
Summary : Unobtrusive window manager
Description :
Metacity is a window manager that integrates nicely with the GNOME
desktop.
It strives to be quiet, small, stable, get on with its job, and stay out
of
your attention.

Name : pyatspi
Version : 2.8.0
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:32:55 PM EDT
Group : Development/Languages
Size : 394378
License : LGPLv2 and GPLv2

Signature : RSA/SHA256, Fri 04 Jul 2014 12:35:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pyatspi-2.8.0-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:39:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus
Summary : Python bindings for at-spi
Description :
at-spi allows assistive technologies to access GTK-based
applications. Essentially it exposes the internals of applications for
automation, so tools such as screen readers, magnifiers, or even
scripting interfaces can query and interact with GUI controls.

This package includes a python2 client library for at-spi.

Name : compat-libcap1
Version : 1.10
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:51 PM EDT
Group : System Environment/Libraries
Size : 30162
License : BSD-like and LGPL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:38 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-libcap1-1.10-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:40:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Library for getting and setting POSIX.1e capabilities
Description :
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6)
draft 15 capabilities.

Name : gnome-shell-extension-alternate-tab
Version : 3.8.4
Release : 12.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:09 PM EDT
Group : User Interface/Desktops
Size : 9917
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell/Extensions>
Summary : Classic Alt+Tab behavior for GNOME Shell
Description :
This GNOME Shell extension changes Alt+Tab to be window-based instead of app-based.

Name : python-caribou
Version : 0.4.11
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:32:56 PM EDT
Group : Unspecified
Size : 130814
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:20 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : caribou-0.4.11-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:26:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Caribou>
Summary : Keyboard UI for caribou
Description :
This package contains caribou python GUI

Name : iwl6000g2a-firmware
Version : 17.168.5.3
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:59 PM EDT
Group : System Environment/Kernel
Size : 1203349
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:57 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6005 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : gnome-shell-extension-apps-menu

Version : 3.8.4
Release : 12.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:09 PM EDT
Group : User Interface/Desktops
Size : 26657
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell/Extensions>
Summary : Application menu for GNOME Shell
Description :
This GNOME Shell extension adds a GNOME 2.x style menu for applications.

Name : pygtk2-libglade
Version : 2.24.0
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:57 PM EDT
Group : Development/Languages
Size : 24888
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pygtk2-2.24.0-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:46:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.pygtk.org/>
Summary : A wrapper for the libglade library for use with PyGTK
Description :
This module contains a wrapper for the libglade library. Libglade allows
a program to construct its user interface from an XML description, which
allows the programmer to keep the UI and program logic separate.

Name : words
Version : 3.0
Release : 22.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:00 PM EDT
Group : System Environment/Libraries
Size : 4959465
License : Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:43:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : words-3.0-22.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:21:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://en.wikipedia.org/wiki/Moby_Project
Summary : A dictionary of English words for the /usr/share/dict directory
Description :
The words file is a dictionary of English words for the /usr/share/dict directory. Some programs use this database of words to check spelling. Password checkers use it to look for bad passwords.

Name : imsettings-gsettings
Version : 1.6.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:10 PM EDT
Group : Applications/System
Size : 494775
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:31 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : imsettings-1.6.3-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:52:18 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://tagoh.bitbucket.org/imsettings/>
Summary : GSettings support on imsettings
Description :
IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.

This package contains a module to get this working on GNOME and Cinnamon which requires GSettings in their own XSETTINGS daemons.

Name : apache-commons-pool
Version : 1.6
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:01 PM EDT
Group : Unspecified
Size : 134559
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:38:36 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : apache-commons-pool-1.6-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:09:01 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://commons.apache.org/pool/>
Summary : Apache Commons Pool Package
Description :
The goal of Pool package is it to create and maintain an object
(instance)
pooling package to be distributed under the ASF license. The package
should
support a variety of pool implementations, but encourage support of an
interface that makes these implementations interchangeable.

Name : man-pages
Version : 3.53
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:03 PM EDT
Group : Documentation
Size : 4779631
License : GPL+ and GPLv2+ and BSD and MIT and Copyright only and IEEE
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : man-pages-3.53-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:50:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org/doc/man-pages/>
Summary : Man (manual) pages from the Linux Documentation Project
Description :
A large collection of man pages (documentation) from the Linux
Documentation Project (LDP).

Name : ibus-table-chinese
Version : 1.4.6
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:14 PM EDT
Group : System Environment/Libraries
Size : 40823
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-table-chinese-1.4.6-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:28:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : Chinese input tables for IBus

Description :
ibus-table-chinese is provides the infrastructure for Chinese input methods.
Input tables themselves are in sub-packages.

Name : xml-commons-resolver
Epoch : 0
Version : 1.2
Release : 15.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:02 PM EDT
Group : Unspecified
Size : 122713
License : ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xml-commons-resolver-1.2-15.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:30:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xml.apache.org/commons/>
Summary : Resolver subproject of xml-commons
Description :
Resolver subproject of xml-commons.

Name : ivtv-firmware
Epoch : 2
Version : 20080701
Release : 26.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:03 PM EDT
Group : System Environment/Kernel
Size : 857256
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Thu 03 Jul 2014 10:10:03 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ivtv-firmware-20080701-26.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:06:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dl.ivtvdriver.org/ivtv/firmware/>
Summary : Firmware for the Hauppauge PVR 250/350/150/500/USB2 model series
Description :
This package contains the firmware for WinTV Hauppauge PVR 250/350/150/500/USB2 cards.

Name : log4j
Epoch : 0
Version : 1.2.17

Release : 15.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:04 PM EDT
Group : Unspecified
Size : 517015
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 11:34:48 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : log4j-1.2.17-15.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:19:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://logging.apache.org/log4j>
Summary : Java logging package
Description :
Log4j is a tool to help the programmer output log statements to a variety of output targets.

Name : iwl6000-firmware
Version : 9.221.4.1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:04 PM EDT
Group : System Environment/Kernel
Size : 536533
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:55 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6000 AGN Adapter
Description :
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : file-roller-nautilus
Version : 3.8.3
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:19 PM EDT
Group : User Interface/Desktops
Size : 19608
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:28 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : file-roller-3.8.3-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 11:36:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/file-roller/>
Summary : File Roller extension for nautilus
Description :
This package contains the file-roller extension for the nautilus file
manger.
It adds an item to the nautilus context menu that lets you compress
files
or directories.

Name : apache-commons-daemon
Version : 1.0.13
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:05 PM EDT
Group : Applications/System
Size : 132394
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:43 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : apache-commons-daemon-1.0.13-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:16:50 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://commons.apache.org/daemon>
Summary : Defines API to support an alternative invocation mechanism
Description :
The scope of this package is to define an API in line with the current
Java Platform APIs to support an alternative invocation mechanism
which could be used instead of the public static void main(String[])
method. This specification covers the behavior and life cycle of what
we define as Java daemons, or, in other words, non interactive
Java applications.

Name : iwl135-firmware
Version : 18.168.6.1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:05 PM EDT
Group : System Environment/Kernel
Size : 783153
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:41 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Centrino Wireless-N 135 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl135 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : ibus-kkc
Version : 1.5.18
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:21 PM EDT
Group : System Environment/Libraries
Size : 234349
License : GPLv2+
Signature : RSA/SHA256, Mon 15 Dec 2014 07:57:52 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : ibus-kkc-1.5.18-5.el7.src.rpm
Build Date : Mon 15 Dec 2014 07:54:54 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://bitbucket.org/libkkc>
Summary : Japanese Kana Kanji input method for ibus
Description :
A Japanese Kana Kanji Input Method Engine for ibus.

Name : jline
Version : 1.0
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:07 PM EDT
Group : Development/Libraries
Size : 73632
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : jline-1.0-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:41:26 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://jline.sourceforge.net/>
Summary : Java library for reading and editing user input in console applications
Description :

JLine is a java library for reading and editing user input in console applications. It features tab-completion, command history, password masking, configurable key-bindings, and pass-through handlers to use to chain to other console applications.

Name : libxcb
Version : 1.9
Release : 5.el7
Architecture: i686
Install Date: Wed 05 Apr 2017 03:38:07 PM EDT
Group : System Environment/Libraries
Size : 773184
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:17 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libxcb-1.9-5.el7.src.rpm
Build Date : Tue 17 Jun 2014 01:09:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xcb.freedesktop.org/>
Summary : A C binding to the X11 protocol
Description :
The X protocol C-language Binding (XCB) is a replacement for Xlib featuring a small footprint, latency hiding, direct access to the protocol, improved threading support, and extensibility.

Name : ibus-libpinyin
Version : 1.6.91
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:21 PM EDT
Group : System Environment/Libraries
Size : 2077736
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:03:55 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ibus-libpinyin-1.6.91-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 11:34:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/libpinyin/ibus-libpinyin>
Summary : Intelligent Pinyin engine based on libpinyin for IBus
Description :
It includes a Chinese Pinyin input method and a Chinese ZhuYin (Bopomofo) input method based on libpinyin for IBus.

Name : plymouth-plugin-two-step
Version : 0.8.9
Release : 0.13.20140113.el7.centos

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:08 PM EDT
Group : System Environment/Base
Size : 37040
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:21 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Plymouth "two-step" plugin
Description :
This package contains the "two-step" boot splash plugin for Plymouth. It features a two phased boot process that starts with a progressing animation synced to boot time and finishes with a short, fast one-shot animation.

Name : libXtst
Version : 1.2.2
Release : 2.1.el7
Architecture: i686
Install Date: Wed 05 Apr 2017 03:38:08 PM EDT
Group : System Environment/Libraries
Size : 29050
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:40 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXtst-1.2.2-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 10:41:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXtst runtime library
Description :
X.Org X11 libXtst runtime library

Name : setroubleshoot
Version : 3.2.17
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:23 PM EDT
Group : Applications/System
Size : 236383
License : GPLv2+
Signature : RSA/SHA256, Wed 26 Nov 2014 06:42:32 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : setroubleshoot-3.2.17-3.el7.src.rpm
Build Date : Wed 26 Nov 2014 06:14:38 AM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/setroubleshoot>
Summary : Helps troubleshoot SELinux problems
Description :
setroubleshoot GUI. Application that allows you to view setroubleshoot-server messages.
Provides tools to help diagnose SELinux problems. When AVC messages are generated an alert can be generated that will give information about the problem and help track its resolution. Alerts can be configured to user preference. The same tools can be run on existing log files.

Name : xorg-x11-drivers
Version : 7.7
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:27 PM EDT
Group : User Interface/X Hardware Support
Size : 0
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-drivers-7.7-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:09:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : X.Org X11 driver installation package
Description :
The purpose of this package is to require all of the individual X.Org driver rpms, to allow the OS installation software to install all drivers all at once, without having to track which individual drivers are present on each architecture. By installing this package, it forces all of the individual driver packages to be installed.

Name : xorg-x11-glamor
Version : 0.6.0
Release : 2.20140918git347ef4f.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:09 PM EDT
Group : System Environment/Libraries
Size : 264149
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-glamor-0.6.0-2.20140918git347ef4f.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:07:32 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Glamor>
Summary : X.org glamor library
Description :
glamor provides xorg-x11 acceleration using the OpenGL driver.

Name : rdma
Version : 7.1_3.17
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:10 PM EDT
Group : System Environment/Base
Size : 42799
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:02 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rdma-7.1_3.17-5.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:17:53 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Infiniband/iWARP Kernel Module Initializer
Description :
User space initialization scripts for the kernel InfiniBand/iWARP drivers

Name : gnome-documents
Version : 3.8.5
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:47 PM EDT
Group : Unspecified
Size : 1783471
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:09 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-documents-3.8.5-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:40:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://live.gnome.org/Design/Apps/Documents>
Summary : A document manager application for GNOME
Description :
gnome-documents is a document manager application for GNOME,
aiming to be a simple and elegant replacement for using Files to show
the Documents directory.

Name : kexec-tools
Version : 2.0.7
Release : 19.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:11 PM EDT

Group : Applications/System
Size : 681735
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:20 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kexec-tools-2.0.7-19.el7.src.rpm
Build Date : Mon 09 Mar 2015 03:02:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : The kexec/kdump userspace component.
Description :
kexec-tools provides /sbin/kexec binary that facilitates a new kernel to boot using the kernel's kexec feature either on a normal or a panic reboot. This package contains the /sbin/kexec binary and ancillary utilities that together form the userspace component of the kernel's kexec feature.

Name : seahorse
Version : 3.8.2
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:51 PM EDT
Group : User Interface/Desktops
Size : 6664242
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:57:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : seahorse-3.8.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:09:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/seahorse/>
Summary : A GNOME application for managing encryption keys
Description :
Seahorse is a graphical interface for managing and using encryption keys. It also integrates with nautilus, gedit and other places for encryption operations. It is a keyring manager.

Name : gnutls-dane
Version : 3.3.8
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:12 PM EDT
Group : System Environment/Libraries
Size : 36688
License : GPLv3+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:52:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnutls-3.3.8-12.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:33:00 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnutls.org/>
Summary : A DANE protocol implementation for GnuTLS
Description :
GnuTLS is a secure communications library implementing the SSL, TLS and DTLS protocols and technologies around them. It provides a simple C language application programming interface (API) to access the secure communications protocols as well as APIs to parse and write X.509, PKCS #12, OpenPGP and other required structures.
This package contains library that implements the DANE protocol for verifying TLS certificates through DNSSEC.

Name : man-db
Version : 2.6.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:54 PM EDT
Group : System Environment/Base
Size : 1874275
License : GPLv2+ and GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:22 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : man-db-2.6.3-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:35:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nongnu.org/man-db/>
Summary : Tools for searching and reading man pages
Description :
The man-db package includes five tools for browsing man-pages: man, whatis, apropos, manpath and lexgrog. man formats and displays manual pages. whatis searches the manual page names. apropos searches the manual page names and descriptions. manpath determines search path for manual pages. lexgrog directly reads header information in manual pages.

Name : gvfs
Version : 1.16.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:13 PM EDT
Group : System Environment/Libraries
Size : 6922291
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:36 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : Backends for the gio framework in GLib
Description :
The gvfs package provides backend implementations for the gio framework in GLib. It includes ftp, sftp, cifs.

Name : hyperv-daemons
Version : 0
Release : 0.25.20141008git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:55 PM EDT
Group : System Environment/Daemons
Size : 0
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:02:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org>
Summary : HyperV daemons suite
Description :
Suite of daemons that are needed when Linux guest is running on Windows Host with HyperV.

Name : libgweather
Version : 3.8.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:17 PM EDT
Group : System Environment/Libraries
Size : 92485352
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgweather-3.8.2-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:30:21 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : A library for weather information
Description :
libgweather is a library to access weather information from online

services for numerous locations.

Name : open-vm-tools-desktop
Version : 9.4.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:57 PM EDT
Group : System Environment/Libraries
Size : 419328
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:12 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : open-vm-tools-9.4.0-6.el7.src.rpm
Build Date : Thu 12 Mar 2015 11:06:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://open-vm-tools.sourceforge.net/>
Summary : User experience components for Open Virtual Machine Tools
Description :
This package contains only the user-space programs and libraries of open-vm-tools that are essential for improved user experience of VMware virtual machines.

Name : NetworkManager-wwan
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:18 PM EDT
Group : System Environment/Base
Size : 95512
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Mobile broadband device plugin for NetworkManager
Description :
This package contains NetworkManager support for mobile broadband (WWAN) devices.

Name : abrt-console-notification
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:58 PM EDT

Group : Applications/System
Size : 1298
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : ABRT console notification script
Description :
A small script which prints a count of detected problems when someone logs in to the shell

Name : yelp
Epoch : 1
Version : 3.8.1
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:22 PM EDT
Group : Applications/System
Size : 2421399
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : yelp-3.8.1-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:35:41 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Yelp>
Summary : Help browser for the GNOME desktop
Description :
Yelp is the help browser for the GNOME desktop. It is designed to help you browse all the documentation on your system in one central tool, including traditional man pages, info pages and documentation written in DocBook.

Name : NetworkManager-libreswan
Version : 0.9.8.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:59 PM EDT
Group : System Environment/Base
Size : 274122
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:56:46 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : NetworkManager-libreswan-0.9.8.0-5.el7.src.rpm

Build Date : Mon 09 Jun 2014 04:18:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.gnome.org/pub/GNOME/sources/NetworkManager-openswan/0.9/>
Summary : NetworkManager VPN plug-in for libreswan
Description :
This package contains software for integrating the libreswan VPN software with NetworkManager and the GNOME desktop

Name : libvirt-client
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:24 PM EDT
Group : Development/Libraries
Size : 24959776
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:58 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Client side library and utilities of the libvirt library
Description :
Shared libraries and client binaries needed to access to the virtualization capabilities of recent versions of Linux (and other OSes).

Name : totem-mozplugin
Epoch : 1
Version : 3.8.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:00 PM EDT
Group : Applications/Internet
Size : 639704
License : GPLv2+ with exceptions
Signature : RSA/SHA256, Fri 04 Jul 2014 01:35:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : totem-3.8.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:32:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/totem/>
Summary : Mozilla plugin for Totem
Description :

Totem is simple movie player for the GNOME desktop.
The mozilla plugin for Totem allows it to be embedded into a web browser.

Name : libvirt-daemon-driver-secret
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:24 PM EDT
Group : Development/Libraries
Size : 86448
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Secret driver plugin for the libvirtd daemon
Description :
The secret driver plugin for the libvirtd daemon, providing an implementation of the secret key APIs.

Name : gvfs-afp
Version : 1.16.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:01 PM EDT
Group : System Environment/Libraries
Size : 477131
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : AFP support for gvfs
Description :
This package provides support for reading and writing files on Mac OS X and original Mac OS network shares via Apple Filing Protocol to applications using gvfs.

Name : quota
Epoch : 1
Version : 4.01
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:25 PM EDT

Group : System Environment/Base
Size : 886987
License : BSD and LGPLv2+ and GPLv2 and GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:34 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : quota-4.01-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:50:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/linuxquota/>
Summary : System administration tools for monitoring users' disk usage
Description :
The quota package contains system administration tools for monitoring and limiting user and or group disk usage per file system.

Name : gvfs-afc
Version : 1.16.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:02 PM EDT
Group : System Environment/Libraries
Size : 268020
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : AFC support for gvfs
Description :
This package provides support for reading files on mobile devices including phones and music players to applications using gvfs.

Name : paps
Version : 0.6.8
Release : 28.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:04 PM EDT
Group : Applications/Publishing
Size : 60031
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:25 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : paps-0.6.8-28.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:45:37 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://paps.sourceforge.net/>
Summary : Plain Text to PostScript converter
Description :
paps is a PostScript converter from plain text file using Pango.

Name : xorg-x11-drv-dummy
Version : 0.3.6
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:26 PM EDT
Group : User Interface/X Hardware Support
Size : 20408
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:22 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-dummy-0.3.6-15.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:41:19 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 dummy video driver
Description :
X.Org X11 dummy video driver.

Name : gnome-system-monitor
Version : 3.8.2.1
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:06 PM EDT
Group : Applications/System
Size : 5911417
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-system-monitor-3.8.2.1-6.el7.src.rpm
Build Date : Wed 11 Mar 2015 12:55:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/>
Summary : Process and resource monitor
Description :
gnome-system-monitor allows to graphically view and manipulate the
running
processes on your system. It also provides an overview of available
resources
such as CPU and memory.

Name : xorg-x11-drv-fbdev

Version : 0.4.3
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:27 PM EDT
Group : User Interface/X Hardware Support
Size : 25710
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:30 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-fbdev-0.4.3-15.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:36:26 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 fbdev video driver
Description :
X.Org X11 fbdev video driver.

Name : firewall-config
Version : 0.3.9
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:09 PM EDT
Group : System Environment/Base
Size : 797042
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : firewallld-0.3.9-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:35:57 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/firewallld>
Summary : Firewall configuration application
Description :
The firewall configuration application provides an configuration
interface for
firewalld.

Name : xorg-x11-drv-intel
Version : 2.99.916
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:28 PM EDT
Group : User Interface/X Hardware Support
Size : 1937677
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:53 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-intel-2.99.916-5.el7.src.rpm

Build Date : Fri 06 Mar 2015 01:09:49 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 Intel video driver
Description :
X.Org X11 Intel video driver.

Name : gnome-terminal
Version : 3.8.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:11 PM EDT
Group : User Interface/Desktops
Size : 5787569
License : GPLv3+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:08 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-terminal-3.8.4-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:50:08 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/>
Summary : Terminal emulator for GNOME
Description :
gnome-terminal is a terminal emulator for GNOME. It features the ability
to use
multiple terminals in a single window (tabs) and profiles support.

Name : libreoffice-core
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:49 PM EDT
Group : Applications/Productivity
Size : 245718170
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0
and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : Core modules for LibreOffice

Description :

The shared core libraries and support files for LibreOffice.

Name : PackageKit-gtk3-module
Version : 0.8.9
Release : 11.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:12 PM EDT
Group : Development/Libraries
Size : 22571
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : Install fonts automatically using PackageKit
Description :
The PackageKit GTK3+ module allows any Pango application to install
fonts from configured repositories using PackageKit.

Name : libreoffice-pdfimport
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:52 PM EDT
Group : Applications/Productivity
Size : 647090
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0
and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : PDF Importer for LibreOffice Draw
Description :
The PDF Importer imports PDF into drawing documents to preserve layout
and enable basic editing of PDF documents.

Name : gucharmap
Version : 3.8.2
Release : 3.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:36:15 PM EDT
Group : Applications/System
Size : 6959029
License : GPLv3+ and GFDL and MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:51:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gucharmap-3.8.2-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:51:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Gucharmap>
Summary : Unicode character picker and font browser
Description :
This program allows you to browse through all the available Unicode
characters and categories for the installed fonts, and to examine their
detailed properties. It is an easy way to find the character you might
only know by its Unicode name or code point.

Name : mesa-libxatracker
Version : 10.2.7
Release : 5.20140910.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:54 PM EDT
Group : System Environment/Libraries
Size : 705029
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mesa3d.org>
Summary : Mesa XA state tracker for vmware
Description :
Mesa XA state tracker for vmware

Name : gtk2-immodule-xim
Version : 2.24.22
Release : 5.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:16 PM EDT
Group : System Environment/Libraries
Size : 33112
License : LGPLv2+
Signature : RSA/SHA256, Mon 25 Aug 2014 08:08:47 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gtk2-2.24.22-5.el7_0.1.src.rpm
Build Date : Mon 25 Aug 2014 07:37:18 AM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : XIM support for GTK+
Description :
The gtk2-immodule-xim package contains XIM support for GTK+.

Name : sssd-ldap
Version : 1.12.2
Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:55 PM EDT
Group : Applications/System
Size : 166252
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : The LDAP back end of the SSSD
Description :
Provides the LDAP back end that the SSSD can utilize to fetch identity data
from and authenticate against an LDAP server.

Name : sysstat
Version : 10.1.5
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:17 PM EDT
Group : Applications/System
Size : 1101621
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sysstat-10.1.5-7.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:45:25 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sebastien.godard.pagesperso-orange.fr/>
Summary : Collection of performance monitoring tools for Linux
Description :
The sysstat package contains sar, sadf, mpstat, iostat, pidstat, nfsiostat, cifsioestat and sa tools for Linux.
The sar command collects and reports system activity information. This

information can be saved in a file in a binary format for future inspection. The statistics reported by sar concern I/O transfer rates, paging activity, process-related activities, interrupts, network activity, memory and swap space utilization, CPU utilization, kernel activities and TTY statistics, among others. Both UP and SMP machines are fully supported. The sadf command may be used to display data collected by sar in various formats (CSV, XML, etc.).

The iostat command reports CPU utilization and I/O statistics for disks. The mpstat command reports global and per-processor statistics. The pidstat command reports statistics for Linux tasks (processes). The nfsiostat command reports I/O statistics for network file systems. The cifsstat command reports I/O statistics for CIFS file systems.

Name : abrt-retrace-client
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:56 PM EDT
Group : System Environment/Libraries
Size : 104732
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's retrace client
Description :
This package contains the client application for Retrace server which is able to analyze C/C++ crashes remotely.

Name : usbutils
Version : 007
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:18 PM EDT
Group : Applications/System
Size : 187281
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:39:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : usbutils-007-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:42:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.linux-usb.org/>
Summary : Linux USB utilities
Description :
This package contains utilities for inspecting devices connected to a USB bus.

Name : rpcbind
Version : 0.2.0
Release : 26.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:56 PM EDT
Group : System Environment/Daemons
Size : 98677
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rpcbind-0.2.0-26.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:25:02 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://nfsv4.bullopenSource.org>
Summary : Universal Addresses to RPC Program Number Mapper
Description :
The rpcbind utility is a server that converts RPC program numbers into universal addresses. It must be running on the host to be able to make RPC calls on a server on that machine.

Name : autofs
Epoch : 1
Version : 5.0.7
Release : 48.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:19 PM EDT
Group : System Environment/Daemons
Size : 5284860
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : autofs-5.0.7-48.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:02:07 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : A tool for automatically mounting and unmounting filesystems
Description :
autofs is a daemon which automatically mounts filesystems when you use them, and unmounts them later when you are not using them. This can include network filesystems, CD-ROMs, floppies, and so forth.

Name : gnome-online-accounts

Version : 3.8.5
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:58 PM EDT
Group : System Environment/Libraries
Size : 1905027
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-online-accounts-3.8.5-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:51:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://live.gnome.org/GnomeOnlineAccounts>
Summary : Provide online accounts information
Description :
gnome-online-accounts provides interfaces so applications and
libraries in GNOME can access the user's online accounts.

Name : qemu-guest-agent
Epoch : 10
Version : 2.1.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:21 PM EDT
Group : System Environment/Daemons
Size : 422882
License : GPLv2+ and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : qemu-guest-agent-2.1.0-4.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:22:22 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.qemu.org/>
Summary : QEMU guest agent
Description :
qemu-kvm is an open source virtualizer that provides hardware emulation
for
the KVM hypervisor.

This package provides an agent to run inside guests, which communicates
with the host over a virtio-serial channel named "org.qemu.guest_agent.0"

This package does not need to be installed on the host OS.

Name : audit
Version : 2.4.1
Release : 5.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:34:00 PM EDT
Group : System Environment/Daemons
Size : 637425
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:42 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : audit-2.4.1-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:59:11 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/sgrubb/audit/>
Summary : User space tools for 2.6 kernel auditing
Description :
The audit package contains the user space utilities for
storing and searching the audit records generate by
the audit subsystem in the Linux 2.6 kernel.

Name : openssh-server
Version : 6.6.1p1
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:23 PM EDT
Group : System Environment/Daemons
Size : 938319
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : openssh-6.6.1p1-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:44:06 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openssh.com/portable.html>
Summary : An open source SSH server daemon
Description :
OpenSSH is a free version of SSH (Secure SHell), a program for logging
into and executing commands on a remote machine. This package contains
the secure shell daemon (sshd). The sshd daemon allows SSH clients to
securely connect to your SSH server.

Name : libmbim
Version : 1.5.0
Release : 3.20130815git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:01 PM EDT
Group : Unspecified
Size : 214722
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:58:20 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmbim-1.5.0-3.20130815git.el7.src.rpm

Build Date : Mon 09 Jun 2014 05:03:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/libmbim>
Summary : Support library for the Mobile Broadband Interface Model
protocol
Description :
This package contains the libraries that make it easier to use MBIM
functionality from applications that use glib.

Name : at
Version : 3.1.13
Release : 17.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:24 PM EDT
Group : System Environment/Daemons
Size : 99179
License : GPLv3+ and GPLv2+ and ISC and MIT and Public Domain
Signature : RSA/SHA256, Tue 07 Oct 2014 08:59:21 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : at-3.1.13-17.el7_0.1.src.rpm
Build Date : Tue 07 Oct 2014 08:55:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.debian.org/debian/pool/main/a/at>
Summary : Job spooling tools
Description :
At and batch read commands from standard input or from a specified
file. At allows you to specify that a command will be run at a
particular time. Batch will execute commands when the system load
levels drop to a particular level. Both commands use user's shell.

You should install the at package if you need a utility for
time-oriented job control. Note: If it is a recurring job that will
need to be repeated at the same time every day/week, etc. you should
use crontab instead.

Name : usb_modeswitch
Version : 1.2.7
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:02 PM EDT
Group : Applications/System
Size : 433498
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:42 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : usb_modeswitch-1.2.7-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:23:14 AM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.draisberghof.de/usb_modeswitch/
Summary : USB Modeswitch gets mobile broadband cards in operational mode
Description :
USB Modeswitch brings up your datcard into operational mode. When plugged in they identify themselves as cdrom and present some non-Linux compatible installation files. This tool deactivates this cdrom-devices and enables the real communication device. It supports most devices built and sold by Huawei, T-Mobile, Vodafone, Option, ZTE, Novatel.

Name : aic94xx-firmware
Version : 30
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:25 PM EDT
Group : System Environment/Kernel
Size : 30752
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Thu 03 Jul 2014 08:34:22 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : aic94xx-firmware-30-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:57:07 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-30-1_tar_gz.htm
Summary : Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for AIC94xx driver
Description :
Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for Open-Source AIC94xx Driver.

Name : python-rtslib
Version : 2.1.fb50
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:03 PM EDT
Group : System Environment/Libraries
Size : 281672
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-rtslib-2.1.fb50-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:16:17 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/targetcli-fb/>
Summary : API for Linux kernel LIO SCSI target
Description :
API for generic Linux SCSI kernel target. Includes the 'target'
service and targetctl tool for restoring configuration.

Name : perl-XML-DOM
Version : 1.44
Release : 19.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:27 PM EDT
Group : Development/Libraries
Size : 283204
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:09 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-XML-DOM-1.44-19.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:53:09 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-DOM/>
Summary : DOM extension to XML::Parser
Description :
This is a Perl extension to XML::Parser. It adds a new 'Style' to
XML::Parser, called 'DOM', that allows XML::Parser to build an Object
Oriented data structure with a DOM Level 1 compliant interface. For a
description of the DOM (Document Object Model), see
<<http://www.w3.org/DOM/>>.

Name : hypervfcopyd
Version : 0
Release : 0.25.20141008git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:04 PM EDT
Group : System Environment/Daemons
Size : 11404
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:02:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org>
Summary : HyperV FCOPY daemon
Description :
Hypervfcopyd is an implementation of file copy service functionality
for Linux Guest running on HyperV. The daemon enables host to copy

a file (over VMBUS) into the Linux Guest. The daemon first registers with the kernel driver. After this is done it waits for instructions from Windows Host.

Name : perl-Tk-Pod
Version : 0.9939
Release : 1
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:30 PM EDT
Group : Applications/CPAN
Size : 204585
License : Artistic/GPL
Signature : (none)
Source RPM : perl-Tk-Pod-0.9939-1.src.rpm
Build Date : Thu 15 Jul 2010 08:59:16 AM EDT
Build Host : lorax
Relocations : (not relocatable)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/Tk-Pod/>
Summary : Pod browser widget
Description :
Pod browser widget.

Name : nfs-utils
Epoch : 1
Version : 1.3.0
Release : 0.8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:06 PM EDT
Group : System Environment/Daemons
Size : 1079082
License : MIT and GPLv2 and GPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nfs-utils-1.3.0-0.8.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:17:56 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/nfs>
Summary : NFS utilities and supporting clients and daemons for the kernel NFS server
Description :
The nfs-utils package provides a daemon for the kernel NFS server and related tools, which provides a much higher level of performance than the traditional Linux NFS server used by most users.

This package also contains the showmount program. Showmount queries the mount daemon on a remote host for information about the NFS (Network File System) server on the remote host. For example, showmount can display the clients which are mounted on that host.

This package also contains the mount.nfs and umount.nfs program.

Name : vsftpd
Version : 3.0.2
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:32 PM EDT
Group : System Environment/Daemons
Size : 351462
License : GPLv2 with exceptions
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:14 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : vsftpd-3.0.2-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:43:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://security.appspot.com/vsftpd.html>
Summary : Very Secure Ftp Daemon
Description :
vsftpd is a Very Secure FTP daemon. It was written completely from scratch.

Name : alsa-firmware
Version : 1.0.28
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:07 PM EDT
Group : Applications/Multimedia
Size : 9572469
License : GPL+ and BSD and GPLv2+ and GPLv2 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:28 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : alsa-firmware-1.0.28-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:58:35 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.alsa-project.org/>
Summary : Firmware for several ALSA-supported sound cards
Description :
This package contains the firmware binaries for a number of sound cards. Some (but not all of these) require firmware loaders which are included in the alsa-tools-firmware package.

Name : gnome-icon-theme-extras
Version : 3.6.2
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:34 PM EDT
Group : User Interface/Desktops

Size : 875312
License : CC-BY-SA
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-icon-theme-extras-3.6.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:46:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Additional GNOME icons
Description :
This package contains extra device and mime-type icons for use by the GNOME desktop.

Name : device-mapper-multipath-libs
Version : 0.4.9
Release : 77.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:08 PM EDT
Group : System Environment/Libraries
Size : 573457
License : GPL+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:42 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : device-mapper-multipath-0.4.9-77.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:51:48 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://christophe.varoqui.free.fr/>
Summary : The device-mapper-multipath modules and shared library
Description :
The device-mapper-multipath-libs provides the path checker and prioritizer modules. It also contains the multipath shared library, libmultipath.

Name : crash
Version : 7.0.9
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:38 PM EDT
Group : Development/Debuggers
Size : 7408396
License : GPLv3
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : crash-7.0.9-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:57:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://people.redhat.com/anderson>
Summary : Kernel analysis utility for live systems, netdump, diskdump, kdump, LKCD or mcore dumpfiles
Description :
The core analysis suite is a self-contained tool that can be used to investigate either live systems, kernel core dumps created from the netdump, diskdump and kdump packages from Red Hat Linux, the mcore kernel patch offered by Mission Critical Linux, or the LKCD kernel patch.

Name : rsyslog-mmjsonparse
Version : 7.4.7
Release : 7.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:09 PM EDT
Group : System Environment/Daemons
Size : 15488
License : (GPLv3+ and ASL 2.0)
Signature : RSA/SHA256, Mon 13 Oct 2014 03:41:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rsyslog-7.4.7-7.el7_0.src.rpm
Build Date : Mon 13 Oct 2014 03:07:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rsyslog.com/>
Summary : JSON enhanced logging support
Description :
This module provides the capability to recognize and parse JSON enhanced syslog messages.

Name : sudo
Version : 1.8.6p7
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:42 PM EDT
Group : Applications/System
Size : 2520314
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sudo-1.8.6p7-13.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:42:19 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.courtesan.com/sudo/>
Summary : Allows restricted root access for specified users
Description :
Sudo (superuser do) allows a system administrator to give certain users (or groups of users) the ability to run some (or all) commands as root while logging all commands and arguments. Sudo operates on a

per-command basis. It is not a replacement for the shell. Features include: the ability to restrict what commands a user may run on a per-host basis, copious logging of each command (providing a clear audit trail of who did what), a configurable timeout of the sudo command, and the ability to use the same configuration file (sudoers) on many different machines.

Name : qemu-img
Epoch : 10
Version : 1.5.3
Release : 86.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:10 PM EDT
Group : Development/Tools
Size : 2240628
License : GPLv2+ and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.qemu.org/>
Summary : QEMU command line tool for manipulating disk images
Description :
This package provides a command line tool for manipulating disk images.

Name : wget
Version : 1.14
Release : 10.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:43 PM EDT
Group : Applications/Internet
Size : 2055418
License : GPLv3+
Signature : RSA/SHA256, Thu 30 Oct 2014 01:41:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : wget-1.14-10.el7_0.1.src.rpm
Build Date : Thu 30 Oct 2014 01:35:17 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/wget/>
Summary : A utility for retrieving files using the HTTP or FTP protocols
Description :
GNU Wget is a file retrieval utility which can use either the HTTP or FTP protocols. Wget features include the ability to work in the background while you are logged out, recursive retrieval of directories, file name wildcard matching, remote file timestamp storage and comparison, use of Rest with FTP servers and Range with

HTTP servers to retrieve files over slow or unstable connections,
support for Proxy servers, and configurability.

Name : libreoffice-calc
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:14 PM EDT
Group : Applications/Productivity
Size : 28210377
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0
and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : LibreOffice Spreadsheet Application
Description :
The LibreOffice Spreadsheet application.

Name : xorg-x11-utils
Version : 7.5
Release : 13.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:44 PM EDT
Group : User Interface/X
Size : 262604
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-utils-7.5-13.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:20:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 X client utilities
Description :
A collection of client utilities which can be used to query the X server
for various information.

Name : perl-Archive-Tar
Version : 1.92
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:45 PM EDT

Group : Development/Libraries
Size : 154195
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Archive-Tar-1.92-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:33:50 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Archive-Tar/>
Summary : A module for Perl manipulation of .tar files
Description :
Archive::Tar provides an object oriented mechanism for handling tar files. It provides class methods for quick and easy files handling while also allowing for the creation of tar file objects for custom manipulation. If you have the IO::Zlib module installed, Archive::Tar will also support compressed or gzipped tar files.

Name : libmpcdec
Version : 1.2.6
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:16 PM EDT
Group : System Environment/Libraries
Size : 60510
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:45 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmpcdec-1.2.6-12.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:37:52 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.musepack.net/>
Summary : Musepack audio decoding library
Description :
Musepack is an audio compression format with a strong emphasis on high quality.
It's not lossless, but it is designed for transparency, so that you won't be able to hear differences between the original wave file and the much smaller MPC file.
It is based on the MPEG-1 Layer-2 / MP2 algorithms, but has rapidly developed and vastly improved and is now at an advanced stage in which it contains heavily optimized and patentless code.

Name : gtk2
Version : 2.24.22
Release : 5.el7_0.1

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:25 PM EDT
Group : System Environment/Libraries
Size : 13460530
License : LGPLv2+
Signature : RSA/SHA256, Mon 25 Aug 2014 08:08:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gtk2-2.24.22-5.el7_0.1.src.rpm
Build Date : Mon 25 Aug 2014 07:37:18 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X
Description :
GTK+ is a multi-platform toolkit for creating graphical user interfaces. Offering a complete set of widgets, GTK+ is suitable for projects ranging from small one-off tools to complete application suites.

Name : libgcc
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:27:56 PM EDT
Group : System Environment/Libraries
Size : 179272
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:24 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : GCC version 4.8 shared support library
Description :
This package contains GCC shared support library which is needed e.g. for exception handling support.

Name : libgee06
Version : 0.6.8
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:12 PM EDT
Group : System Environment/Libraries
Size : 436236
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:47:01 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libgee06-0.6.8-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:45:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Libgee>
Summary : GObject collection library
Description :
libgee is a collection library providing GObject-based interfaces and
classes for commonly used data structures.

libgee provides the following interfaces:

- * Iterable
 - * Collection
 - * List
 - * Set
 - * MultiSet
 - * Queue
 - * Deque
- * Iterator
- * Map
- * MultiMap

The ArrayList, HashSet, HashMap, HashMultiSet, HashMultiMap, LinkedList, PriorityQueue, TreeSet, TreeMap, TreeMultiSet, and TreeMultiMap classes provide a reasonable sample implementation of those interfaces. In addition, a set of abstract classes are provided to ease the implementation of new collections.

Around that, the API provide means to retrieve read-only views, efficient sort algorithms, simple, bi-directional or index-based mutable iterators depending on the collection type.

libgee is written in Vala and can be used like any GObject-based C library.

Name : centos-logos
Version : 70.0.6
Release : 1.el7.centos
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:40 PM EDT
Group : System Environment/Base
Size : 22578880
License : Copyright © 2014 The CentOS Project. All rights reserved.
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : centos-logos-70.0.6-1.el7.centos.src.rpm
Build Date : Wed 02 Jul 2014 10:15:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.centos.org>
Summary : CentOS-related icons and pictures
Description :
The redhat-logos package (the "Package") contains files created by the CentOS Project to replace the Red Hat "Shadow Man" logo and RPM logo. The Red Hat "Shadow Man" logo, RPM, and the RPM logo are trademarks or registered trademarks of Red Hat, Inc.

The Package and CentOS logos (the "Marks") can only be used as outlined in the included COPYING file. Please see that file for information on copying and redistribution of the CentOS Marks.

Name : dejavu-fonts-common
Version : 2.33
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:56 PM EDT
Group : User Interface/X
Size : 130455
License : Bitstream Vera and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:50 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dejavu-fonts.org/>
Summary : Common files for the DejaVu font set
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of files used by other DejaVu packages.

Name : libvirt-gconfig
Version : 0.1.7
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:17 PM EDT
Group : Development/Libraries
Size : 361805
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:11 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-glib-0.1.7-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:15:43 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://libvirt.org/>
Summary : libvirt object APIs for processing object configuration
Description :
This package provides APIs for processing the object configuration data

Name : binutils
Version : 2.23.52.0.1
Release : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:42 PM EDT
Group : Development/Tools
Size : 21225502
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : binutils-2.23.52.0.1-30.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:27:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/binutils>
Summary : A GNU collection of binary utilities
Description :
Binutils is a collection of binary utilities, including ar (for creating, modifying and extracting from archives), as (a family of GNU assemblers), gprof (for displaying call graph profile data), ld (the GNU linker), nm (for listing symbols from object files), objcopy (for copying and translating object files), objdump (for displaying information from object files), ranlib (for generating an index for the contents of an archive), readelf (for displaying detailed information about binary files), size (for listing the section sizes of an object or archive file), strings (for listing printable strings from files), strip (for discarding symbols), and addr2line (for converting addresses to file and line).

Name : hyperv-daemons-license
Version : 0
Release : 0.25.20141008git.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:58 PM EDT
Group : Applications/System
Size : 18693
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:02:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.kernel.org>
Summary : License of the HyperV daemons suite
Description :
Contains license of the HyperV daemons suite.

Name : libnl3-cli
Version : 3.2.21
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:18 PM EDT
Group : Development/Libraries
Size : 292358
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libnl3-3.2.21-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:33:39 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.infradead.org/~tgr/libnl/>
Summary : Command line interface utils for libnl3
Description :
This package contains various libnl3 utils and additional libraries on which they depend

Name : librados2
Epoch : 1
Version : 0.80.7
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:47 PM EDT
Group : System Environment/Libraries
Size : 5990344
License : LGPL-2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:19 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ceph-common-0.80.7-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:27:13 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ceph.com/>
Summary : RADOS distributed object store client library
Description :
RADOS is a reliable, autonomic distributed object storage cluster developed as part of the Ceph distributed storage system. This is a shared library allowing applications to access the distributed object store using a simple file-like interface.

Name : basesystem
Version : 10.0

Release : 7.el7.centos
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:58 PM EDT
Group : System Environment/Base
Size : 0
License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 08:46:57 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : basesystem-10.0-7.el7.centos.src.rpm
Build Date : Fri 27 Jun 2014 06:37:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : The skeleton package which defines a simple CentOS Linux
system
Description :
Basesystem defines the components of a basic CentOS Linux
system (for example, the package installation order to use during
bootstrapping). Basesystem should be in every installation of a system,
and it should never be removed.

Name : pinentry
Version : 0.8.1
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:19 PM EDT
Group : Applications/System
Size : 159524
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pinentry-0.8.1-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:40:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnupg.org/aegypten/>
Summary : Collection of simple PIN or passphrase entry dialogs
Description :
Pinentry is a collection of simple PIN or passphrase entry dialogs which
utilize the Assuan protocol as described by the aegypten project; see
<http://www.gnupg.org/aegypten/> for details.
This package contains the curses (text) based version of the PIN entry
dialog.

Name : libselinux-python
Version : 2.2.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:49 PM EDT
Group : Development/Libraries
Size : 734514

License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libselinux-2.2.2-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:13:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/git/selinux.git>
Summary : SELinux python bindings for libselinux
Description :
The libselinux-python package contains the python bindings for developing
SELinux applications.

Name : libreport-filesystem
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:27:59 PM EDT
Group : Applications/File
Size : 0
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Filesystem layout for libreport
Description :
Filesystem layout for libreport

Name : libcdio
Version : 0.92
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:20 PM EDT
Group : System Environment/Libraries
Size : 596737
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:38 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libcdio-0.92-1.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:42:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/libcdio/>
Summary : CD-ROM input and control library

Description :

This library provides an interface for CD-ROM access. It can be used by applications that need OS- and device-independent access to CD-ROM devices.

Name : hicolor-icon-theme
Version : 0.12
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:50 PM EDT
Group : User Interface/Desktops
Size : 45788
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:10 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hicolor-icon-theme-0.12-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:16:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://icon-theme.freedesktop.org/wiki/HicolorTheme>
Summary : Basic requirement for icon themes
Description :
Contains the basic directories and files needed for icon theme support.

Name : mailcap
Version : 2.1.41
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:00 PM EDT
Group : System Environment/Base
Size : 63360
License : Public Domain and MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mailcap-2.1.41-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:57:23 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/mailcap.git>
Summary : Helper application and MIME type associations for file types
Description :
The mailcap file is used by the metamail program. Metamail reads the mailcap file to determine how it should display non-text or multimedia material. Basically, mailcap associates a particular type of file with a particular program that a mail agent or other program can call in order to handle the file. Mailcap should be installed to allow certain programs to be able to handle non-text files.

Also included in this package is the mime.types file which contains a

list of MIME types and their filename "extension" associations, used by several applications e.g. to determine MIME types for filenames.

Name : libxklavier
Version : 5.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:22 PM EDT
Group : Development/Libraries
Size : 155203
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libxklavier-5.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:18:54 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/LibXklavier>
Summary : High-level API for X Keyboard Extension
Description :
libxklavier is a library providing a high-level API for the X Keyboard Extension (XKB). This library is intended to support XFree86 and other commercial X servers. It is useful for creating XKB-related software (layout indicators etc).

Name : libreport-plugin-mantisbt
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:53 PM EDT
Group : System Environment/Libraries
Size : 68191
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's mantisbt plugin
Description :
Plugin to report bugs into the mantisbt.

Name : kernel-headers
Version : 3.10.0
Release : 229.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : Development/System

Size : 3275345
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : kernel-3.10.0-229.el7.src.rpm
Build Date : Fri 06 Mar 2015 07:20:57 AM EST
Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL : <http://www.kernel.org/>
Summary : Header files for the Linux kernel for use by glibc
Description :
Kernel-headers includes the C header files that specify the interface
between the Linux kernel and userspace libraries and programs. The
header files define structures and constants that are needed for
building most standard programs and are also needed for rebuilding the
glibc package.

Name : liberation-mono-fonts
Epoch : 1
Version : 1.07.2
Release : 14.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:23 PM EDT
Group : User Interface/X
Size : 457602
License : Liberation
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : liberation-fonts-1.07.2-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:51:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/liberation-fonts/>
Summary : Monospace fonts to replace commonly used Microsoft Courier
New
Description :

The Liberation Fonts are intended to be replacements for the three most
commonly used fonts on Microsoft systems: Times New Roman, Arial, and
Courier
New.

This is Monospace TrueType fonts that replaced commonly used Microsoft
Courier \

New.

Name : xdg-utils
Version : 1.1.0
Release : 0.16.20120809git.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:55 PM EDT
Group : System Environment/Base

Size : 276971
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xdg-utils-1.1.0-0.16.20120809git.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:58:38 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://portland.freedesktop.org/>
Summary : Basic desktop integration functions
Description :
The xdg-utils package is a set of simple scripts that provide basic desktop integration functions for any Free Desktop, such as Linux. They are intended to provide a set of defacto standards.
This means that:
* Third party software developers can rely on these xdg-utils for all of their simple integration needs.
* Developers of desktop environments can make sure that their environments are well supported
* Distribution vendors can provide custom versions of these utilities

The following scripts are provided at this time:

* xdg-desktop-icon	Install icons to the desktop
* xdg-desktop-menu	Install desktop menu items
* xdg-email	Send mail using the user's preferred e-mail composer
* xdg-icon-resource	Install icon resources
* xdg-mime	Query information about file type handling and install descriptions for new file types
* xdg-open	Open a file or URL in the user's preferred application
* xdg-screensaver	Control the screensaver
* xdg-settings	Get various settings from the desktop environment

Name : nhn-nanum-fonts-common
Version : 3.020
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : User Interface/X
Size : 15175
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:18 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nhn-nanum-fonts-3.020-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:48:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hangeul.naver.com/share.nhn>
Summary : Common files of nhn-nanum-fonts

Description :

Nanum fonts are collection of commonly-used Myeongjo and Gothic Korean font families, designed by Sandoll Communication and Fontrix. The publisher is NHN Corporation.

This package consists of files used by other nhn-nanum-fonts packages.

Name : boost-date-time
Version : 1.53.0
Release : 23.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:25 PM EDT
Group : System Environment/Libraries
Size : 139666
License : Boost and MIT and Python
Signature : RSA/SHA256, Sat 14 Mar 2015 03:40:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : boost-1.53.0-23.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:28:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.boost.org>
Summary : Run-Time component of boost date-time library
Description :

Run-Time support for Boost Date Time, set of date-time libraries based on generic programming concepts.

Name : libtirpc
Version : 0.2.4
Release : 0.5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:56 PM EDT
Group : System Environment/Libraries
Size : 178935
License : SISSL and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libtirpc-0.2.4-0.5.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:45:48 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://nfsv4.bullopenSource.org/>
Summary : Transport Independent RPC Library
Description :
This package contains SunLib's implementation of transport-independent RPC (TI-RPC) documentation. This library forms a piece of the base of Open Network Computing (ONC), and is derived directly from the Solaris 2.3 source.

TI-RPC is an enhanced version of TS-RPC that requires the UNIX System V Transport Layer Interface (TLI) or an equivalent X/Open Transport Interface (XTI). TI-RPC is on-the-wire compatible with the TS-RPC, which is supported by almost 70 vendors on all major operating systems. TS-RPC source code (RPCSRC 4.0) remains available from several internet sites.

Name : quota-nls
Epoch : 1
Version : 4.01
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : System Environment/Base
Size : 315960
License : BSD and LGPLv2+ and GPLv2 and GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : quota-4.01-11.el7.src.rpm
Build Date : Wed 11 Jun 2014 12:21:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/linuxquota/>
Summary : Gettext catalogs for disk quota tools
Description :
Disk quota tools messages translated into different natural languages.

Name : harfbuzz
Version : 0.9.20
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:26 PM EDT
Group : Unspecified
Size : 370259
License : MIT
Signature : RSA/SHA256, Wed 26 Nov 2014 06:41:36 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : harfbuzz-0.9.20-4.el7.src.rpm
Build Date : Wed 26 Nov 2014 06:13:44 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://freedesktop.org/wiki/Software/HarfBuzz>
Summary : Text shaping library
Description :
HarfBuzz is an implementation of the OpenType Layout engine.

Name : libcacard
Epoch : 10

Version : 1.5.3
Release : 86.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:56 PM EDT
Group : Development/Libraries
Size : 156520
License : GPLv2+ and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.qemu.org/>
Summary : Common Access Card (CAC) Emulation
Description :
Common Access Card (CAC) emulation library.

Name : kbd-misc
Version : 1.15.5
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:07 PM EDT
Group : System Environment/Base
Size : 2307951
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:41 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : kbd-1.15.5-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:13:52 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>
Summary : Data for kbd package
Description :
The kbd-misc package contains data for kbd package - console fonts,
keymaps etc. Please note that kbd-misc is not helpful without kbd.

Name : mtdev
Version : 1.1.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:27 PM EDT
Group : System Environment/Libraries
Size : 25789
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mtdev-1.1.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:13:02 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://bitmath.org/code/mtdev/>
Summary : Multitouch Protocol Translation Library
Description :
mtdev is a stand-alone library which transforms all variants of kernel MT events to the slotted type B protocol. The events put into mtdev may be from any MT device, specifically type A without contact tracking, type A with contact tracking, or type B with contact tracking.

Name : libao
Version : 1.1.0
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:57 PM EDT
Group : System Environment/Libraries
Size : 201977
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:27 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libao-1.1.0-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:05:45 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xiph.org/ao/>
Summary : Cross Platform Audio Output Library
Description :
Libao is a cross platform audio output library. It currently supports ESD, OSS, Solaris, and IRIX.

Name : mesa-filesystem
Version : 10.2.7
Release : 5.20140910.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:12 PM EDT
Group : User Interface/X Hardware Support
Size : 29175
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mesa3d.org>
Summary : Mesa driver filesystem
Description :

Mesa driver filesystem

Name : ethtool
Epoch : 2
Version : 3.15
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:28 PM EDT
Group : Applications/System
Size : 313775
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ethtool-3.15-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:31:58 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.kernel.org/pub/software/network/ethtool/>
Summary : Settings tool for Ethernet NICs
Description :
This utility allows querying and changing settings such as speed, port, auto-negotiation, PCI locations and checksum offload on many network devices, especially of Ethernet devices.

Name : python-augeas
Version : 0.4.1
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:58 PM EDT
Group : Development/Languages
Size : 63821
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-augeas-0.4.1-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:15:53 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://augeas.net/>
Summary : Python bindings to augeas
Description :
python-augeas is a set of Python bindings around augeas.

Name : ncurses-base
Version : 5.9
Release : 13.20130511.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:12 PM EDT
Group : System Environment/Base
Size : 223432

License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:15 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm
Build Date : Tue 10 Jun 2014 11:12:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://invisible-island.net/ncurses/ncurses.html>
Summary : Descriptions of common terminals
Description :
This package contains descriptions of common terminals. Other terminal
descriptions are included in the ncurses-term package.

Name : hyphen-en
Version : 2.8.6
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:29 PM EDT
Group : Applications/Text
Size : 106063
License : GPLv2 or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 10:01:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : hyphen-2.8.6-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 07:56:05 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hunspell.sf.net>
Summary : English hyphenation rules
Description :
English hyphenation rules.

Name : langtable-python
Version : 0.0.13
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:59 PM EDT
Group : Development/Tools
Size : 110204
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:33:37 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : langtable-0.0.13-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:16:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/mike-fabian/langtable>
Summary : Python module to query the langtable-data

Description :

This package contains a Python module to query the data from langtable-data.

Name : libstdc++
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:20 PM EDT
Group : System Environment/Libraries
Size : 1077046
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:27 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : GNU Standard C++ Library
Description :
The libstdc++ package contains a rewritten standard compliant GCC Standard C++ Library.

Name : wavpack
Version : 4.60.1
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:29 PM EDT
Group : Applications/Multimedia
Size : 303108
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : wavpack-4.60.1-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:15:39 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.wavpack.com/>
Summary : A completely open audiocodec
Description :
WavPack is a completely open audio compression format providing lossless, high-quality lossy, and a unique hybrid compression mode. Although the technology is loosely based on previous versions of WavPack, the new version 4 format has been designed from the ground up to offer unparalleled performance and functionality.

Name : libnfsidmap
Version : 0.25
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:01 PM EDT
Group : System Environment/Libraries
Size : 104568
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libnfsidmap-0.25-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:31:38 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>
Summary : NFSv4 User and Group ID Mapping Library
Description :
Library that handles mapping between names and ids for NFSv4.

Name : pcre
Version : 8.32
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:21 PM EDT
Group : System Environment/Libraries
Size : 1463148
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:27:20 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pcre-8.32-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:55:53 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.pcre.org/>
Summary : Perl-compatible regular expression library
Description :
Perl-compatible regular expression library.
PCRE has its own native API, but a set of "wrapper" functions that are based on the POSIX API are also supplied in the library libpcreposix. Note that this just provides a POSIX calling interface to PCRE: the regular expressions themselves still follow Perl syntax and semantics. The header file for the POSIX-style functions is called pcreposix.h.

Name : mythes-en
Version : 3.0
Release : 13.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:31 PM EDT

Group : Applications/Text
Size : 21696377
License : MIT and Public Domain and (GPL+ or Artistic)
Signature : RSA/SHA256, Thu 03 Jul 2014 11:52:44 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mythes-en-3.0-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:24:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.danielnaber.de/wn2ooo/>
Summary : English thesaurus
Description :
English thesaurus.

Name : mailx
Version : 12.5
Release : 12.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:02 PM EDT
Group : Applications/Internet
Size : 477130
License : BSD with advertising and MPLv1.1
Signature : RSA/SHA256, Tue 16 Dec 2014 03:42:47 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : mailx-12.5-12.el7_0.src.rpm
Build Date : Tue 16 Dec 2014 03:40:51 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://heirloom.sourceforge.net/mailx.html>
Summary : Enhanced implementation of the mailx command
Description :
Mailx is an enhanced mail command, which provides the functionality
of the POSIX mailx command, as well as SysV mail and Berkeley Mail
(from which it is derived).

Additionally to the POSIX features, mailx can work with Maildir/ e-mail
storage format (as well as mailboxes), supports IMAP, POP3 and SMTP
protocols (including over SSL) to operate with remote hosts, handles mime
types and different charsets. There are a lot of other useful features,
see mailx(1).

And as its ancient analogues, mailx can be used as a mail script
language,
both for sending and receiving mail.

Besides the "mailx" command, this package provides "mail" and "Mail"
(which should be compatible with its predecessors from the mailx-8.x
source),
as well as "nail" (the initial name of this project).

Name : libxml2
Version : 2.9.1
Release : 5.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:22 PM EDT
Group : Development/Libraries
Size : 1705926
License : MIT
Signature : RSA/SHA256, Tue 21 Oct 2014 01:16:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libxml2-2.9.1-5.el7_0.1.src.rpm
Build Date : Tue 21 Oct 2014 12:27:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xmlsoft.org/>
Summary : Library providing XML and HTML support
Description :
This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified. The output can be a simple SAX stream or and in-memory DOM like representations. In this case one can use the built-in XPath and XPointer implementation to select sub nodes or ranges. A flexible Input/Output mechanism is available, with existing HTTP and FTP modules and combined to an URI library.

Name : libXaw
Version : 1.0.11
Release : 6.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:32 PM EDT
Group : System Environment/Libraries
Size : 491713
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:10 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXaw-1.0.11-6.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:09:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X Athena Widget Set
Description :
Xaw is a widget set based on the X Toolkit Intrinsics (Xt) Library.

Name : fipscheck
Version : 1.4.1
Release : 5.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:31:03 PM EDT
Group : System Environment/Libraries
Size : 38815
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:43 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fipscheck-1.4.1-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:33:57 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/fipscheck/>
Summary : A library for integrity verification of FIPS validated
modules
Description :
FIPSCheck is a library for integrity verification of FIPS validated
modules. The package also provides helper binaries for creation and
verification of the HMAC-SHA256 checksum files.

Name : libcom_err
Version : 1.42.9
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:23 PM EDT
Group : Development/Libraries
Size : 60409
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:21 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:09:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://e2fsprogs.sourceforge.net/>
Summary : Common error description library
Description :
This is the common error description library, part of e2fsprogs.

libcom_err is an attempt to present a common error-handling mechanism.

Name : pulseaudio-utils
Version : 3.0
Release : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:33 PM EDT
Group : Unspecified
Size : 165728
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pulseaudio-3.0-30.el7.src.rpm

Build Date : Fri 06 Mar 2015 12:08:23 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>
Summary : PulseAudio sound server utilities
Description :
This package contains command line utilities for the PulseAudio sound server.

Name : cyrus-sasl-gssapi
Version : 2.1.26
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:04 PM EDT
Group : System Environment/Libraries
Size : 36904
License : BSD with advertising
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : GSSAPI authentication support for Cyrus SASL
Description :
The cyrus-sasl-gssapi package contains the Cyrus SASL plugins which support GSSAPI authentication. GSSAPI is commonly used for Kerberos authentication.

Name : popt
Version : 1.13
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:24 PM EDT
Group : System Environment/Libraries
Size : 88516
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : popt-1.13-16.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:03:23 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rpm5.org/>
Summary : C library for parsing command line parameters
Description :
Popt is a C library for parsing command line parameters. Popt was

heavily influenced by the `getopt()` and `getopt_long()` functions, but it improves on them by allowing more powerful argument expansion. Popt can parse arbitrary `argv[]` style arrays and automatically set variables based on command line arguments. Popt allows command line arguments to be aliased via configuration files and includes utility functions for parsing arbitrary strings into `argv[]` arrays using shell-like rules.

Name : perl-HTTP-Tiny
Version : 0.033
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:34 PM EDT
Group : Development/Libraries
Size : 97210
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-HTTP-Tiny-0.033-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:53:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTTP-Tiny/>
Summary : Small, simple, correct HTTP/1.1 client
Description :
This is a very simple HTTP/1.1 client, designed for doing simple GET requests without the overhead of a large framework like LWP::UserAgent.

It is more correct and more complete than HTTP::Lite. It supports proxies (currently only non-authenticating ones) and redirection. It also correctly resumes after EINTR.

Name : icedax
Version : 1.1.11
Release : 22.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:05 PM EDT
Group : Applications/Multimedia
Size : 288157
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 10:05:27 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cdrkit-1.1.11-22.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:32:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cdrkit.org/>

Summary : A utility for sampling/copying .wav files from digital audio CDs

Description :

Icedax is a sampling utility for CD-ROM drives that are capable of providing a CD's audio data in digital form to your host. Audio data read from the CD can be saved as .wav or .sun format sound files. Recording formats include stereo/mono, 8/12/16 bits and different rates. Icedax can also be used as a CD player.

Name : libpng
Epoch : 2
Version : 1.5.13
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:25 PM EDT
Group : System Environment/Libraries
Size : 616053
License : zlib
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:22 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libpng-1.5.13-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:44:58 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libpng.org/pub/png/>
Summary : A library of functions for manipulating PNG image format files

Description :

The libpng package contains a library of functions for creating and manipulating PNG (Portable Network Graphics) image format files. PNG is a bit-mapped graphics format similar to the GIF format. PNG was created to replace the GIF format, since GIF uses a patented data compression algorithm.

Libpng should be installed if you need to manipulate PNG format image files.

Name : perl-Text-ParseWords
Version : 3.29
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:34 PM EDT
Group : Development/Libraries
Size : 16431
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Text-ParseWords-3.29-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:14:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://search.cpan.org/dist/Text-ParseWords/>
Summary : Parse text into an array of tokens or array of arrays
Description :
The nested_quotewords() and quotewords() functions accept a delimiter (which can be a regular expression) and a list of lines and then breaks those lines up into a list of words ignoring delimiters that appear inside quotes. quotewords() returns all of the tokens in a single long list, while nested_quotewords() returns a list of token lists corresponding to the elements of @lines. parse_line() does tokenizing on a single string. The quotewords() functions simply call &parse_line(), so if you're only splitting one line you can call parse_line() directly and save a function call.

Name : dvd+rw-tools
Version : 7.1
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:06 PM EDT
Group : Applications/Multimedia
Size : 395279
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:10:38 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dvd+rw-tools-7.1-15.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:55:14 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fy.chalmers.se/~appro/linux/DVD+RW/>
Summary : Toolchain to master DVD+RW/+R media
Description :
Collection of tools to master DVD+RW/+R media. For further information see <http://fy.chalmers.se/~appro/linux/DVD+RW/>.

Name : libusbx
Version : 1.0.15
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:26 PM EDT
Group : System Environment/Libraries
Size : 112776
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:04 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libusbx-1.0.15-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:31:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://sourceforge.net/apps/mediawiki/libusbx/>
Summary : Library for accessing USB devices
Description :
This package provides a way for applications to access USB devices.

Libusbx is a fork of the original libusb, which is a fully API and ABI compatible drop in for the libusb-1.0.9 release. The libusbx fork was started by most of the libusb-1.0 developers, after the original libusb project did not produce a new release for over 18 months.

Note that this library is not compatible with the original libusb-0.1 series,
if you need libusb-0.1 compatibility install the libusb package.

Name : perl-Scalar-List-Utils
Version : 1.27
Release : 248.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:35 PM EDT
Group : Development/Libraries
Size : 67994
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Scalar-List-Utils-1.27-248.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:57:00 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Scalar-List-Utils/>
Summary : A selection of general-utility scalar and list subroutines
Description :
This package contains a selection of subroutines that people have expressed
would be nice to have in the perl core, but the usage would not really be
high enough to warrant the use of a keyword, and the size so small such
that being individual extensions would be wasteful.

Name : python-slip
Version : 0.4.0
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : System Environment/Libraries
Size : 61353
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:55 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-slip-0.4.0-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:57:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://fedorahosted.org/python-slip>
Summary : Miscellaneous convenience, extension and workaround code for Python
Description :
The Simple Library for Python packages contain miscellaneous code for convenience, extension and workaround purposes.

This package provides the "slip" and the "slip.util" modules.

Name : sqlite
Version : 3.7.17
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:27 PM EDT
Group : Applications/Databases
Size : 814199
License : Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:04:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sqlite-3.7.17-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:01:28 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.sqlite.org/>
Summary : Library that implements an embeddable SQL database engine
Description :
SQLite is a C library that implements an SQL database engine. A large subset of SQL92 is supported. A complete database is stored in a single disk file. The API is designed for convenience and ease of use. Applications that link against SQLite can enjoy the power and flexibility of an SQL database without the administrative hassles of supporting a separate database server. Version 2 and version 3 binaries are named to permit each to be installed on a single host

Name : perl-PathTools
Version : 3.40
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:36 PM EDT
Group : Development/Libraries
Size : 174131
License : (GPL+ or Artistic) and BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-PathTools-3.40-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:11:16 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/PathTools/>

Summary : PathTools Perl module (Cwd, File::Spec)
Description :
This is the combined distribution for the File::Spec and Cwd modules.

Name : xdg-user-dirs
Version : 0.15
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : User Interface/Desktops
Size : 166900
License : GPLv2+ and MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xdg-user-dirs-0.15-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:53:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>
Summary : Handles user special directories
Description :
Contains xdg-user-dirs-update that updates folders in a users
homedirectory based on the defaults configured by the administrator.

Name : json-c
Version : 0.11
Release : 4.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:28 PM EDT
Group : Development/Libraries
Size : 65593
License : MIT
Signature : RSA/SHA256, Sat 05 Jul 2014 11:25:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : json-c-0.11-4.el7_0.src.rpm
Build Date : Tue 24 Jun 2014 08:18:58 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/json-c/json-c/wiki>
Summary : A JSON implementation in C
Description :
JSON-C implements a reference counting object model that allows you to
easily
construct JSON objects in C, output them as JSON formatted strings and
parse
JSON formatted strings back into the C representation of JSON objects.

Name : perl-Socket
Version : 2.010
Release : 3.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:37 PM EDT
Group : Development/Libraries
Size : 114497
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:11 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Socket-2.010-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:21:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Socket/>
Summary : Networking constants and support functions
Description :
This module provides a variety of constants, structure manipulators and other functions related to socket-based networking. The values and functions provided are useful when used in conjunction with Perl core functions such as `socket()`, `setsockopt()` and `bind()`. It also provides several other support functions, mostly for dealing with conversions of network addresses between human-readable and native binary forms, and for hostname resolver operations.

Name : python-cups
Version : 1.9.63
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : Development/Languages
Size : 241326
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-cups-1.9.63-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:14:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cyberelk.net/tim/software/pycups/>
Summary : Python bindings for CUPS
Description :
This package provides Python bindings for the CUPS API, known as `pycups`. It was written for use with `system-config-printer`, but can be put to other uses as well.

Name : libtalloc
Version : 2.1.1
Release : 1.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:28:28 PM EDT
Group : System Environment/Daemons
Size : 61392
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libtalloc-2.1.1-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:42:10 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://talloc.samba.org/>
Summary : The talloc library
Description :
A library that implements a hierarchical allocator with destructors.

Name : perl-File-Temp
Version : 0.23.01
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:37 PM EDT
Group : Development/Libraries
Size : 158781
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-File-Temp-0.23.01-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:03:09 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/File-Temp/>
Summary : Return name and handle of a temporary file safely
Description :
File::Temp can be used to create and open temporary files in a safe way.
There is both a function interface and an object-oriented interface. The
File::Temp constructor or the tempfile() function can be used to return
the
name and the open file handle of a temporary file. The tempdir() function
can be used to create a temporary directory.

Name : libnl3
Version : 3.2.21
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:29 PM EDT
Group : Development/Libraries
Size : 592080
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libnl3-3.2.21-8.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:33:39 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.infradead.org/~tgr/libnl/>
Summary : Convenience library for kernel netlink sockets
Description :
This package contains a convenience library to simplify
using the Linux kernel's netlink sockets interface for
network manipulation

Name : perl-Pod-Simple
Epoch : 1
Version : 3.28
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:38 PM EDT
Group : Development/Libraries
Size : 538320
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Pod-Simple-3.28-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:00:13 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Pod-Simple/>
Summary : Framework for parsing POD documentation
Description :
Pod::Simple is a Perl library for parsing text in the Pod ("plain old
documentation") markup language that is typically used for writing
documentation for Perl and for Perl modules.

Name : python-coverage
Version : 3.6
Release : 0.5.b3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:11 PM EDT
Group : System Environment/Libraries
Size : 582023
License : BSD and (MIT or GPLv2)
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:28 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-coverage-3.6-0.5.b3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:09:41 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://nedbatchelder.com/code/modules/coverage.html>
Summary : Code coverage testing module for Python

Description :

Coverage.py is a Python module that measures code coverage during Python execution. It uses the code analysis tools and tracing hooks provided in the Python standard library to determine which lines are executable, and which have been executed.

Name : augeas-libs
Version : 1.1.0
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:30 PM EDT
Group : System Environment/Libraries
Size : 1018468
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:37:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : augeas-1.1.0-17.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:01:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://augeas.net/>
Summary : Libraries for augeas
Description :
The libraries for augeas.

Name : perl-XML-
NamespaceSupport
Version : 1.11
Release : 10.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:41 PM EDT
Group : Development/Libraries
Size : 28981
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-XML-
NamespaceSupport-1.11-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:40:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-NamespaceSupport/>
Summary : A simple generic namespace support class
Description :
This module offers a simple to process namespaced XML names (unames) from within any application that may need them. It also helps maintain a prefix

to namespace URI map, and provides a number of basic checks.

Name : python-kmod
Version : 0.9
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:11 PM EDT
Group : Development/Libraries
Size : 179890
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:36 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-kmod-0.9-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:38:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/agrover/python-kmod/>
Summary : Python module to work with kernel modules
Description :
Python module to allow listing, loading, and unloading
Linux kernel modules, using libkmod.

Name : gawk
Version : 4.0.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:33 PM EDT
Group : Applications/Text
Size : 2435850
License : GPLv3+ and GPL and LGPLv3+ and LGPL and BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:58 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gawk-4.0.2-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:17:51 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/gawk/gawk.html>
Summary : The GNU version of the awk text processing utility
Description :
The gawk package contains the GNU version of awk, a text processing utility. Awk interprets a special-purpose programming language to do quick and easy text pattern matching and reformatting jobs.

Install the gawk package if you need a text processing utility. Gawk is considered to be a standard Linux tool for processing text.

Name : perl-XML-SAX-Base
Version : 1.08
Release : 7.el7
Architecture: noarch

Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 180558
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-XML-SAX-Base-1.08-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:22:45 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-SAX-Base/>
Summary : Base class SAX drivers and filters
Description :
This module has a very simple task - to be a base class for Perl SAX
drivers
and filters. It's default behaviour is to pass the input directly to the
output unchanged. It can be useful to use this module as a base class so
you don't have to, for example, implement the characters() callback.

Name : python-kitchen
Version : 1.1.1
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:12 PM EDT
Group : Development/Languages
Size : 1465161
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-kitchen-1.1.1-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:57:23 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://pypi.python.org/pypi/kitchen/>
Summary : Small, useful pieces of code to make python coding easier
Description :
kitchen includes functions to make gettext easier to use, handling
unicode
text easier (conversion with bytes, outputting xml, and calculating how
many
columns a string takes), and compatibility modules for writing code that
uses
python-2.7 modules but needs to run on python-2.3

Name : libacl
Version : 2.2.51
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:33 PM EDT
Group : System Environment/Libraries

Size : 37056
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:12 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : acl-2.2.51-12.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:43:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://acl.bestbits.at/>
Summary : Dynamic library for access control list support
Description :
This package contains the libacl.so dynamic library which contains the POSIX 1003.1e draft standard 17 functions for manipulating access control lists.

Name : perl-Image-Base
Version : 1.07
Release : 23.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 19301
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:10 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Image-Base-1.07-23.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:05:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Image-Base/>
Summary : Base class for loading, manipulating and saving images in Perl
Description :
Base class for loading, manipulating and saving images in Perl.

Name : python-pwquality
Version : 1.2.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:13 PM EDT
Group : Development/Libraries
Size : 20792
License : BSD or GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libpwquality-1.2.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:44:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://libpwquality.fedorahosted.org/>
Summary : Python bindings for the libpwquality library
Description :
This is pwquality Python module that provides Python bindings for the libpwquality library. These bindings can be used for easy password quality checking and generation of random pronounceable passwords from Python applications.

Name : pixman
Version : 0.32.4
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:34 PM EDT
Group : System Environment/Libraries
Size : 715352
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:25 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pixman-0.32.4-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:49:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cgit.freedesktop.org/pixman/>
Summary : Pixel manipulation library
Description :
Pixman is a pixel manipulation library for X and cairo.

Name : perl-IO-HTML
Version : 1.00
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:43 PM EDT
Group : Development/Libraries
Size : 43639
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:25 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-IO-HTML-1.00-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:01:04 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/IO-HTML/>
Summary : Open an HTML file with automatic character set detection
Description :
IO::HTML provides an easy way to open a file containing HTML while automatically determining its encoding. It uses the HTML5 encoding sniffing algorithm specified in section 8.2.2.1 of the draft standard.

Name : python-urwid
Version : 1.1.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:13 PM EDT
Group : Development/Libraries
Size : 2798406
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:42:47 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-urwid-1.1.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:54:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://excess.org/urwid/>
Summary : Console user interface library
Description :
Urwid is a Python library for making text console applications. It has many features including fluid interface resizing, support for UTF-8 and CJK encodings, standard and custom text layout modes, simple markup for setting text attributes, and a powerful, dynamic list box that handles a mix of widget types. It is flexible, modular, and leaves the developer in control.

Name : libcollection
Version : 0.6.2
Release : 24.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:35 PM EDT
Group : Development/Libraries
Size : 92046
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ding-libs-0.4.0-24.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:54:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sssd/>
Summary : Collection data-type for C
Description :
A data-type to collect data in a hierarchical structure for easy iteration and serialization

Name : perl-TermReadKey
Version : 2.30
Release : 20.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:48 PM EDT
Group : Development/Libraries
Size : 59999
License : (Copyright only) and (Artistic or GPL+)
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-TermReadKey-2.30-20.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:29:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/~jstowe/TermReadKey/>
Summary : A perl module for simple terminal control
Description :
Term::ReadKey is a compiled perl module dedicated to providing simple control over terminal driver modes (cbreak, raw, cooked, etc.) support for non-blocking reads, if the architecture allows, and some generalized handy functions for working with terminals. One of the main goals is to have the functions as portable as possible, so you can just plug in "use Term::ReadKey" on any architecture and have a good likelihood of it working.

Name : pyparsing
Version : 1.5.6
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:14 PM EDT
Group : Development/Libraries
Size : 375948
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:37:27 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pyparsing-1.5.6-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:15:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pyparsing.wikispaces.com/>
Summary : An object-oriented approach to text processing
Description :
pyparsing is a module that can be used to easily and directly configure syntax definitions for any number of text parsing applications.

Name : glib2
Version : 2.40.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:36 PM EDT
Group : System Environment/Libraries
Size : 10575208
License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glib2-2.40.0-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:46:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : A library of handy utility functions
Description :
GLib is the low-level core library that forms the basis for projects
such as GTK+ and GNOME. It provides data structure handling for C,
portability wrappers, and interfaces for such runtime functionality
as an event loop, threads, dynamic loading, and an object system.

Name : perl-WWW-RobotRules
Version : 6.02
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:49 PM EDT
Group : Development/Libraries
Size : 26778
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-WWW-RobotRules-6.02-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:08:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/WWW-RobotRules/>
Summary : Database of robots.txt-derived permissions
Description :
This module parses /robots.txt files as specified in "A Standard for
Robot
Exclusion", at <<http://www.robotstxt.org/wc/norobots.html>>. Webmasters
can
use the /robots.txt file to forbid conforming robots from accessing parts
of their web site.

Name : XRXTPM
Version : 1.0.0.25
Release : 1
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:48:47 PM EDT
Group : Applications/Xerox
Size : 172196
License : Copyright 1996-2010 Xerox Corporation
Signature : (none)
Source RPM : XRXTPM-1.0.0.25-1.src.rpm
Build Date : Mon 13 Feb 2017 03:05:35 PM EST
Build Host : chicory

Relocations : (not relocatable)
Packager : sdonnell
Vendor : Xerox Corporation
Summary : Xerox Print Engine Tools Perl Modules
Description :
Xerox Print Engine Tools Perl Modules for Development and Debugging

Name : javapackages-tools
Version : 3.4.1
Release : 6.el7_0
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:15 PM EDT
Group : Unspecified
Size : 159099
License : BSD
Signature : RSA/SHA256, Thu 14 Aug 2014 06:33:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : javapackages-tools-3.4.1-6.el7_0.src.rpm
Build Date : Thu 14 Aug 2014 06:18:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/javapackages/>
Summary : Macros and scripts for Java packaging support
Description :
This package provides macros and scripts to support Java packaging.

Name : gobject-introspection
Version : 1.36.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:38 PM EDT
Group : Development/Libraries
Size : 779961
License : GPLv2+, LGPLv2+, MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gobject-introspection-1.36.0-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:45:05 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GObjectIntrospection>
Summary : Introspection system for GObject-based libraries
Description :
GObject Introspection can scan C header and source files in order to generate introspection "typelib" files. It also provides an API to examine typelib files, useful for creating language bindings among other things.

Name : perl-Package-Constants

Epoch : 1
Version : 0.02
Release : 285.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:49 PM EDT
Group : Development/Libraries
Size : 4759
License : GPL+ or Artistic
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-5.16.3-285.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:00 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.perl.org/>
Summary : List all constants declared in a package
Description :
Package::Constants lists all the constants defined in a certain package.
This
can be useful for, among others, setting up an autogenerated
@EXPORT/@EXPORT_OK
for a Constants.pm file.

Name : tomcat-servlet-3.0-api
Epoch : 0
Version : 7.0.54
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:21 PM EDT
Group : Development/Libraries
Size : 257628
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tomcat-7.0.54-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:54:31 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tomcat.apache.org/>
Summary : Apache Tomcat Servlet API implementation classes
Description :
Apache Tomcat Servlet API implementation classes.

Name : p11-kit
Version : 0.20.7
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:39 PM EDT
Group : Unspecified
Size : 335334

License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : p11-kit-0.20.7-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:47:39 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://p11-glue.freedesktop.org/p11-kit.html>
Summary : Library for loading and sharing PKCS#11 modules
Description :
p11-kit provides a way to load and enumerate PKCS#11 modules, as well
as a standard configuration setup for installing PKCS#11 modules in
such a way that they're discoverable.

Name : perl-IO-Compress
Version : 2.061
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:50 PM EDT
Group : Development/Libraries
Size : 814173
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-IO-Compress-2.061-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:54:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/IO-Compress/>
Summary : Read and write compressed data
Description :
This distribution provides a Perl interface to allow reading and writing
of
compressed data created with the zlib and bzip2 libraries.

IO-Compress supports reading and writing of bzip2, RFC 1950, RFC 1951,
RFC 1952 (i.e. gzip) and zip files/buffers.

The following modules used to be distributed separately, but are now
included with the IO-Compress distribution:

- * Compress-Zlib
- * IO-Compress-Zlib
- * IO-Compress-Bzip2
- * IO-Compress-Base

Name : ecj
Epoch : 1
Version : 4.2.1
Release : 8.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:31:22 PM EDT
Group : Development/Languages
Size : 1516670
License : EPL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:11:36 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ecj-4.2.1-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:09:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.eclipse.org>
Summary : Eclipse Compiler for Java
Description :
ECJ is the Java bytecode compiler of the Eclipse Platform. It is also
known as
the JDT Core batch compiler.

Name : libxslt
Version : 1.1.28
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:40 PM EDT
Group : Development/Libraries
Size : 497582
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libxslt-1.1.28-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:12:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xmlsoft.org/XSLT/>
Summary : Library providing the Gnome XSLT engine
Description :
This C library allows to transform XML files into other XML files
(or HTML, text, ...) using the standard XSLT stylesheet transformation
mechanism. To use it you need to have a version of libxml2 >= 2.6.27
installed. The xsltproc command is a command line interface to the XSLT
engine

Name : perl-HTTP-Negotiate
Version : 6.01
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:51 PM EDT
Group : Development/Libraries
Size : 29259
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:06 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : perl-HTTP-Negotiate-6.01-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:57:44 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTTP-Negotiate/>
Summary : Choose a variant to serve
Description :
This module provides a complete implementation of the HTTP content negotiation algorithm specified in draft-ietf-http-v11-spec-00.ps chapter 12. Content negotiation allows for the selection of a preferred content representation based upon attributes of the negotiable variants and the value of the various Accept* header fields in the request.

Name : authconfig
Version : 6.2.8
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:23 PM EDT
Group : System Environment/Base
Size : 2215055
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:37:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : authconfig-6.2.8-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:01:30 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/authconfig>
Summary : Command line tool for setting up authentication from network services
Description :
Authconfig is a command line utility which can configure a workstation to use shadow (more secure) passwords. Authconfig can also configure a system to be a client for certain networked user information and authentication schemes.

Name : libdhash
Version : 0.4.3
Release : 24.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:41 PM EDT
Group : Development/Libraries
Size : 58334
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ding-libs-0.4.0-24.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:54:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sssd/>
Summary : Dynamic hash table
Description :
A hash table which will dynamically resize to achieve optimal storage &
access
time properties

Name : perl-Test-Harness
Version : 3.28
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:51 PM EDT
Group : Development/Libraries
Size : 607209
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:24:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Test-Harness-3.28-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:22:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Test-Harness/>
Summary : Run Perl standard test scripts with statistics
Description :
This package allows tests to be run and results automatically aggregated
and
output to STDOUT.

Although, for historical reasons, the Test-Harness distribution takes its
name
from this module it now exists only to provide TAP::Harness with an
interface
that is somewhat backwards compatible with Test::Harness 2.xx. If you're
writing new code consider using TAP::Harness directly instead.

Name : ghostscript-fonts
Version : 5.50
Release : 32.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:26 PM EDT
Group : Applications/Publishing
Size : 636425
License : GPLv2+ and Hershey and MIT and OFL and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:58 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ghostscript-fonts-5.50-32.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:31:49 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.gnu.org/software/ghostscript/>
Summary : Fonts for the Ghostscript PostScript interpreter
Description :
Ghostscript-fonts contains a set of fonts that Ghostscript, a PostScript interpreter, uses to render text. These fonts are in addition to the fonts shared by Ghostscript and the X Window System.

Name : which
Version : 2.20
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:42 PM EDT
Group : Applications/System
Size : 76962
License : GPLv3
Signature : RSA/SHA256, Fri 04 Jul 2014 01:43:07 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : which-2.20-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:25:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xs4all.nl/~carlo17/which/>
Summary : Displays where a particular program in your path is located
Description :
The which command shows the full pathname of a specified program, if the specified program is in your PATH.

Name : perl-CGI
Version : 3.63
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:52 PM EDT
Group : Development/Libraries
Size : 716590
License : (GPL+ or Artistic) and Artistic 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-CGI-3.63-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:31:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/CGI>
Summary : Handle Common Gateway Interface requests and responses
Description :
CGI.pm is a stable, complete and mature solution for processing and preparing HTTP requests and responses. Major features including processing form submissions, file uploads, reading and writing cookies, query string

generation and manipulation, and processing and preparing HTTP headers.
Some
HTML generation utilities are included as well.

CGI.pm performs very well in in a vanilla CGI.pm environment and also
comes
with built-in support for mod_perl and mod_perl2 as well as FastCGI.

Name : grubby
Version : 8.28
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:27 PM EDT
Group : System Environment/Base
Size : 118683
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : grubby-8.28-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:30:41 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/grubby.git>
Summary : Command line tool for updating bootloader configs
Description :
grubby is a command line tool for updating and displaying information
about
the configuration files for the grub, lilo, elilo (ia64), yaboot
(powerpc)
and zipl (s390) boot loaders. It is primarily designed to be used from
scripts
which install new kernels and need to find information about the current
boot
environment.

Name : libXau
Version : 1.0.8
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:43 PM EDT
Group : System Environment/Libraries
Size : 55529
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXau-1.0.8-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:56:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>

Summary : Sample Authorization Protocol for X
Description :
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : perl-HTML-Parser
Version : 3.71
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:52 PM EDT
Group : Development/Libraries
Size : 229197
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-HTML-Parser-3.71-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:35:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTML-Parser/>
Summary : Perl module for parsing HTML
Description :
The HTML-Parser module for perl to parse and extract information from HTML documents, including the HTML::Entities, HTML::HeadParser, HTML::LinkExtor, HTML::PullParser, and HTML::TokeParser modules.

Name : sound-theme-freedesktop
Version : 0.8
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:29 PM EDT
Group : User Interface/Desktops
Size : 471310
License : GPLv2+ and LGPLv2+ and CC-BY-SA and CC-BY
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sound-theme-freedesktop-0.8-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:45:23 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Specifications/sound-theme-spec>
Summary : freedesktop.org sound theme
Description :

The default freedesktop.org sound theme following the XDG theming specification. (<http://0pointer.de/public/sound-theme-spec.html>).

Name : libXi
Version : 1.7.2
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:43 PM EDT
Group : System Environment/Libraries
Size : 69995
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:39 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXi-1.7.2-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:54:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXi runtime library
Description :
X.Org X11 libXi runtime library

Name : libvisio
Version : 0.0.31
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:53 PM EDT
Group : System Environment/Libraries
Size : 846811
License : GPLv2+ or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:49 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvisio-0.0.31-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:39:24 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/libvisio>
Summary : A library providing ability to interpret and import visio diagrams
Description :
Libvisio is library providing ability to interpret and import visio diagrams into various applications. You can find it being used in libreoffice.

Name : liboauth
Version : 0.9.7
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:29 PM EDT
Group : System Environment/Libraries

Size : 41903
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:10 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : liboauth-0.9.7-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:24:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://liboauth.sourceforge.net/>
Summary : OAuth library functions
Description :
liboauth is a collection of POSIX-c functions implementing the OAuth Core RFC 5849 standard. liboauth provides functions to escape and encode parameters according to OAuth specification and offers high-level functionality to sign requests or verify OAuth signatures as well as perform HTTP requests.

Name : libXdamage
Version : 1.1.4
Release : 4.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 29688
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:47 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXdamage-1.1.4-4.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:38:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X Damage extension library
Description :
X.Org X11 libXdamage runtime library.

Name : device-mapper-persistent-data
Version : 0.4.1
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:56 PM EDT
Group : System Environment/Base
Size : 1228779
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:45 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : device-mapper-persistent-data-0.4.1-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:53:10 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/jthornber/thin-provisioning-tools>
Summary : Device-mapper Persistent Data Tools
Description :
thin-provisioning-tools contains check,dump,restore,repair,rmap
and metadata_size tools to manage device-mapper thin provisioning
target metadata devices; cache check,dump,metadata_size,restore
and repair tools to manage device-mapper cache metadata devices
are included and era check, dump, restore and invalidate to manage
snapshot eras

Name : perl-IO-Socket-SSL
Version : 1.94
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:30 PM EDT
Group : Development/Libraries
Size : 218525
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-IO-Socket-SSL-1.94-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:42:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/IO-Socket-SSL/>
Summary : Perl library for transparent SSL
Description :
This module is a true drop-in replacement for IO::Socket::INET that
uses SSL to encrypt data before it is transferred to a remote server
or client. IO::Socket::SSL supports all the extra features that one
needs to write a full-featured SSL client or server application:
multiple SSL contexts, cipher selection, certificate verification, and
SSL version selection. As an extra bonus, it works perfectly with
mod_perl.

Name : libXt
Version : 1.1.4
Release : 6.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 430137
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXt-1.1.4-6.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:57:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXt runtime library
Description :
X.Org X11 libXt runtime library

Name : hunspell-en-GB
Version : 0.20121024
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:57 PM EDT
Group : Applications/Text
Size : 556243
License : LGPLv2+ and LGPLv2 and BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:56:53 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : hunspell-en-0.20121024-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:45:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://wordlist.sourceforge.net/>
Summary : UK English hunspell dictionaries
Description :
UK English hunspell dictionaries

Name : perl-XML-LibXML
Epoch : 1
Version : 2.0018
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:31 PM EDT
Group : Development/Libraries
Size : 966722
License : (GPL+ or Artistic) and MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:18 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-XML-LibXML-2.0018-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:30:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-LibXML/>
Summary : Perl interface to the libxml2 library
Description :
This module implements a Perl interface to the GNOME libxml2 library which provides interfaces for parsing and manipulating XML files. This module allows Perl programmers to make use of the highly capable validating XML parser and the high performance DOM implementation.

Name : glibmm24
Version : 2.36.2

Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:45 PM EDT
Group : System Environment/Libraries
Size : 2057878
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:35:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : glibmm24-2.36.2-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:57:17 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtkmm.org/>
Summary : C++ interface for the GLib library
Description :
glibmm is the official C++ interface for the popular cross-platform library GLib. It provides non-UI API that is not available in standard C++ and makes it possible for gtkmm to wrap GObject-based APIs.

Name : libXp
Version : 1.0.2
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:57 PM EDT
Group : System Environment/Libraries
Size : 58727
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:36 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXp-1.0.2-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:49:14 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXp runtime library
Description :
X.Org X11 libXp runtime library

Name : mariadb-libs
Epoch : 1
Version : 5.5.41
Release : 2.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:32 PM EDT
Group : Applications/Databases
Size : 4620735
License : GPLv2 with exceptions and LGPLv2 and BSD
Signature : RSA/SHA256, Thu 05 Feb 2015 11:28:24 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : mariadb-5.5.41-2.el7_0.src.rpm

Build Date : Thu 05 Feb 2015 11:12:40 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://mariadb.org>
Summary : The shared libraries required for MariaDB/MySQL clients
Description :
The mariadb-libs package provides the essential shared libraries for any MariaDB/MySQL client program or interface. You will need to install this package to use any other MariaDB package or any clients that need to connect to a MariaDB/MySQL server. MariaDB is a community developed branch of MySQL.

Name : hunspell-en-US
Version : 0.20121024
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:46 PM EDT
Group : Applications/Text
Size : 549311
License : LGPLv2+ and LGPLv2 and BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:56:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hunspell-en-0.20121024-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:45:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://wordlist.sourceforge.net/>
Summary : US English hunspell dictionaries
Description :
US English hunspell dictionaries

Name : gstreamer-tools
Version : 0.10.36
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:58 PM EDT
Group : Applications/Multimedia
Size : 96000
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:48 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gstreamer-0.10.36-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:26:08 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>

Summary : common tools and files for GStreamer streaming media framework
Description :
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plugins.

This package contains wrapper scripts for the command-line tools that work with different major/minor versions of GStreamer.

Name : ldns
Version : 1.6.16
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:35 PM EDT
Group : System Environment/Libraries
Size : 1379593
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:34:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ldns-1.6.16-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:25:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nlnetlabs.nl/ldns/>
Summary : Low-level DNS(SEC) library with API
Description :
ldns is a library with the aim to simplify DNS programming in C. All low-level DNS/DNSSEC operations are supported. We also define a higher level API which allows a programmer to (for instance) create or sign packets.

Name : libasyncons
Version : 0.8
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:47 PM EDT
Group : System Environment/Libraries
Size : 56746
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:07 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libasyncons-0.8-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:28:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://0pointer.de/lennart/projects/libasyncns/>
Summary : Asynchronous
Name Service Library
Description :
A small and lightweight library that implements easy to use asynchronous wrappers around the libc NSS functions getaddrinfo(), res_query() and related.

Name : libqmi
Version : 1.6.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:59 PM EDT
Group : Development/Libraries
Size : 1597090
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libqmi-1.6.0-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:36:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/libqmi>
Summary : Support library to use the Qualcomm MSM Interface (QMI) protocol
Description :
This package contains the libraries that make it easier to use QMI functionality from applications that use glib.

Name : nmap-ncat
Epoch : 2
Version : 6.40
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:36 PM EDT
Group : Applications/System
Size : 419730
License : GPLv2 and LGPLv2+ and GPLv2+ and BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:39 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nmap-6.40-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:51:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://nmap.org/>
Summary : Nmap's Netcat replacement
Description :

Ncat is a feature packed networking utility which will read and write data across a network from the command line. It uses both TCP and UDP for communication and is designed to be a reliable back-end tool to instantly provide network connectivity to other applications and users. Ncat will not only work with IPv4 and IPv6 but provides the user with a virtually limitless number of potential uses.

Name : elfutils-libs
Version : 0.160
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:48 PM EDT
Group : Development/Tools
Size : 686887
License : GPLv2+ or LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : elfutils-0.160-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:32:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/elfutils/>
Summary : Libraries to handle compiled objects
Description :
The elfutils-libs package contains libraries which implement DWARF, ELF, and machine-specific ELF handling. These libraries are used by the programs in the elfutils package. The elfutils-devel package enables building other programs using these libraries.

Name : libquvi-scripts
Version : 0.4.10
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:00 PM EDT
Group : Applications/Internet
Size : 293349
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:08:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libquvi-scripts-0.4.10-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:47:01 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://quvi.sourceforge.net/>
Summary : Embedded lua scripts that libquvi uses for parsing the media details
Description :
libquvi-scripts contains the embedded lua scripts that libquvi

uses for parsing the media details. Some additional utility scripts are also included.

Name : jbigkit-libs
Version : 2.0
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:37 PM EDT
Group : Development/Libraries
Size : 105882
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:13:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : jbigkit-2.0-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:31:25 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.cl.cam.ac.uk/~mgk25/jbigkit/>
Summary : JBIG1 lossless image compression library
Description :
JBIG-KIT provides a portable library of compression and decompression functions with a documented interface that you can include very easily into your image or document processing software. In addition, JBIG-KIT provides ready-to-use compression and decompression programs with a simple command line interface (similar to the converters found in netpbm).

JBIG-KIT implements the specification:

ISO/IEC 11544:1993 and ITU-T Recommendation T.82(1993):

Information technology – Coded representation of picture and audio information – Progressive bi-level image compression

which is commonly referred to as the "JBIG1 standard"

Name : findutils
Epoch : 1
Version : 4.5.11
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:49 PM EDT
Group : Applications/File
Size : 1855621
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:37 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : findutils-4.5.11-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:42:13 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/findutils/>

Summary : The GNU versions of find utilities (find and xargs)
Description :
The findutils package contains programs which will help you locate files on your system. The find utility searches through a hierarchy of directories looking for files which match a certain set of criteria (such as a file name pattern). The xargs utility builds and executes command lines from standard input arguments (usually lists of file names generated by the find command).

You should install findutils because it includes tools that are very useful for finding things on your system.

Name : libcdr
Version : 0.0.14
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:01 PM EDT
Group : System Environment/Libraries
Size : 1087525
License : GPLv2+ or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libcdr-0.0.14-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:28:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/libcdr>
Summary : A library providing ability to interpret and import Corel Draw drawings
Description :
Libcdr is library providing ability to interpret and import Corel Draw drawings into various applications. You can find it being used in libreoffice.

Name : ghostscript
Version : 9.07
Release : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:39 PM EDT
Group : Applications/Publishing
Size : 17341116
License : AGPLv3+ and Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:45 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ghostscript-9.07-18.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:56:21 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.ghostscript.com/>
Summary : A PostScript interpreter and renderer

Description :

Ghostscript is a set of software that provides a PostScript interpreter, a set of C procedures (the Ghostscript library, which implements the graphics capabilities in the PostScript language) and an interpreter for Portable Document Format (PDF) files. Ghostscript translates PostScript code into many common, bitmapped formats, like those understood by your printer or screen. Ghostscript is normally used to display PostScript files and to print PostScript files to non-PostScript printers.

If you need to display PostScript files or print them to non-PostScript printers, you should install ghostscript. If you install ghostscript, you also need to install the ghostscript-fonts package.

Name : libpcap
Epoch : 14
Version : 1.5.3
Release : 3.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:50 PM EDT
Group : Development/Libraries
Size : 324774
License : BSD with advertising
Signature : RSA/SHA256, Mon 08 Dec 2014 08:15:51 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : libpcap-1.5.3-3.el7_0.1.src.rpm
Build Date : Mon 08 Dec 2014 08:04:07 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.tcpdump.org>
Summary : A system-independent interface for user-level packet capture

Description :

Libpcap provides a portable framework for low-level network monitoring. Libpcap can provide network statistics collection, security monitoring and network debugging. Since almost every system vendor provides a different interface for packet capture, the libpcap authors created this system-independent API to ease in porting and to alleviate the need for several system-dependent packet capture modules in each application.

Install libpcap if you need to do low-level network traffic monitoring on your network.

Name : libabw
Version : 0.0.2
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:02 PM EDT
Group : System Environment/Libraries
Size : 294742

License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:08 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libabw-0.0.2-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:14:01 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://wiki.documentfoundation.org/DLP/Libraries/libabw>
Summary : A library for import of AbiWord files
Description :
libabw is a library for import of AbiWord files.

Name : libfprint
Version : 0.5.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:41 PM EDT
Group : System Environment/Libraries
Size : 412604
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libfprint-0.5.0-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:12:38 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/fprint/libfprint>
Summary : Toolkit for fingerprint scanner
Description :
libfprint offers support for consumer fingerprint reader devices.

Name : xorg-x11-xkb-utils
Version : 7.7
Release : 9.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:51 PM EDT
Group : User Interface/X
Size : 208340
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:51:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-xkb-utils-7.7-9.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:01:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 xkb utilities
Description :

X.Org X11 xkb core utilities

Name : dwz
Version : 0.11
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:03 PM EDT
Group : Development/Tools
Size : 225103
License : GPLv2+ and GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:10:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dwz-0.11-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:25:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : DWARF optimization and duplicate removal tool
Description :
The dwz package contains a program that attempts to optimize DWARF debugging information contained in ELF shared libraries and ELF executables
for size, by replacing DWARF information representation with equivalent smaller representation where possible and by reducing the amount of duplication using techniques from DWARF standard appendix E - creating DW_TAG_partial_unit compilation units (CUs) for duplicated information and using DW_TAG_imported_unit to import it into each CU that needs it.

Name : hardlink
Epoch : 1
Version : 1.0
Release : 19.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:42 PM EDT
Group : System Environment/Base
Size : 16545
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:53:40 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hardlink-1.0-19.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:26:04 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pkgs.fedoraproject.org/gitweb/?p=hardlink.git>
Summary : Create a tree of hardlinks
Description :
hardlink is used to create a tree of hard links.
It's used by kernel installation to dramatically reduce the amount of disk space used by each kernel package installed.

Name : ModemManager-glib

Version : 1.1.0
Release : 6.git20130913.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:52 PM EDT
Group : Development/Libraries
Size : 909316
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:48:30 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ModemManager-1.1.0-6.git20130913.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:45:29 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Libraries for adding ModemManager support to applications
that use glib.
Description :
This package contains the libraries that make it easier to use some
ModemManager
functionality from applications that use glib.

Name : exiv2-libs
Version : 0.23
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:05 PM EDT
Group : System Environment/Libraries
Size : 3365564
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:15:57 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : exiv2-0.23-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:49:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.exiv2.org/>
Summary : Exif and Iptc metadata manipulation library
Description :
A C++ library to access image metadata, supporting full read and write
access
to the Exif and Iptc metadata, Exif MakerNote support, extract and delete
methods for Exif thumbnails, classes to access Ifd and so on.

Name : libthai
Version : 0.1.14
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:43 PM EDT
Group : System Environment/Libraries
Size : 704340

License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:57 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libthai-0.1.14-9.el7.src.rpm
Build Date : Tue 17 Jun 2014 01:08:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://linux.thai.net>
Summary : Thai language support routines
Description :
LibThai is a set of Thai language support routines aimed to ease developers' tasks to incorporate Thai language support in their applications.
It includes important Thai-specific functions e.g. word breaking, input and output methods as well as basic character and string supports.

Name : libgomp
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:53 PM EDT
Group : System Environment/Libraries
Size : 150174
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : GCC OpenMP v3.0 shared support library
Description :
This package contains GCC shared support library which is needed for OpenMP v3.0 support.

Name : libss
Version : 1.42.9
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:06 PM EDT
Group : Development/Libraries
Size : 73001
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:12:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:09:49 PM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://e2fsprogs.sourceforge.net/>
Summary : Command line interface parsing library
Description :
This is libss, a command line interface parsing library, part of e2fsprogs.

This package includes a tool that parses a command table to generate a simple command-line interface parser, the include files needed to compile and use it.

It was originally inspired by the Multics SubSystem library.

Name : sssd-client
Version : 1.12.2
Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:44 PM EDT
Group : Applications/System
Size : 205489
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : SSSD Client libraries for NSS and PAM
Description :
Provides the libraries needed by the PAM and NSS stacks to connect to the SSSD service.

Name : libdaemon
Version : 0.14
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:53 PM EDT
Group : System Environment/Libraries
Size : 62045
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:41:19 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libdaemon-0.14-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:26:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://0pointer.de/lennart/projects/libdaemon/>
Summary : Library for writing UNIX daemons
Description :
libdaemon is a lightweight C library which eases the writing of UNIX daemons.
It consists of the following parts:
* A wrapper around fork() which does the correct daemonization procedure of a process
* A wrapper around syslog() for simpler and compatible log output to Syslog or STDERR
* An API for writing PID files
* An API for serializing UNIX signals into a pipe for usage with select() or poll()
* An API for running subprocesses with STDOUT and STDERR redirected to syslog.

Name : m17n-lib
Version : 1.6.4
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:07 PM EDT
Group : System Environment/Libraries
Size : 425835
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : m17n-lib-1.6.4-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:24:17 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nongnu.org/m17n/>
Summary : Multilingual text library
Description :
m17n-lib is a multilingual text library used primarily to allow the input of many languages with the input table maps from m17n-db.

The package provides the core and input method backend libraries.

Name : netcf-libs
Version : 0.2.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:45 PM EDT
Group : System Environment/Libraries
Size : 204931
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : netcf-0.2.6-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:35 PM EST
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/netcf/>
Summary : Libraries for netcf
Description :
The libraries for netcf.

Name : boost-thread
Version : 1.53.0
Release : 23.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:54 PM EDT
Group : System Environment/Libraries
Size : 95642
License : Boost and MIT and Python
Signature : RSA/SHA256, Sat 14 Mar 2015 03:41:38 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : boost-1.53.0-23.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:28:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.boost.org>
Summary : Run-Time component of boost thread library
Description :

Run-Time component Boost.Thread library, which provides classes and functions for managing multiple threads of execution, and for synchronizing data between the threads or providing separate copies of data specific to individual threads.

Name : lsof
Version : 4.87
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:08 PM EDT
Group : Development/Debuggers
Size : 948819
License : zlib and Sendmail and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:34 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lsof-4.87-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:10:39 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.freebsd.org/~abe/>
Summary : A utility which lists open files on a Linux/UNIX system
Description :
Lsof stands for LiSt Open Files, and it does just that: it lists information about files that are open by the processes running on a

UNIX system.

Name : qrencode-libs
Version : 3.4.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:46 PM EDT
Group : Unspecified
Size : 126732
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:44:21 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : qrencode-3.4.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:45:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://megau1.net/fukuchi/works/qrencode/index.en.html>
Summary : QR Code encoding library - Shared libraries
Description :
The qrencode-libs package contains the shared libraries and header files for applications that use qrencode.

Name : libgnome-keyring
Version : 3.8.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:56 PM EDT
Group : System Environment/Libraries
Size : 303457
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:48:34 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgnome-keyring-3.8.0-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:58:52 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeKeyring>
Summary : Framework for managing passwords and other secrets
Description :
gnome-keyring is a program that keep password and other secrets for users. The library libgnome-keyring is used by applications to integrate with the gnome-keyring system.

Name : libreoffice-opensymbol-fonts
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:11 PM EDT

Group : User Interface/X
Size : 639034
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : LibreOffice dingbats font
Description :
A dingbats font, OpenSymbol, suitable for use by LibreOffice for bullets and mathematical symbols.

Name : systemd
Version : 208
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:47 PM EDT
Group : Unspecified
Size : 11805842
License : LGPLv2+ and MIT and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:37 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : systemd-208-20.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:48:58 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/systemd>
Summary : A System and Service Manager
Description :
systemd is a system and service manager for Linux, compatible with SysV and LSB init scripts. systemd provides aggressive parallelization capabilities, uses socket and D-Bus activation for starting services, offers on-demand starting of daemons, keeps track of processes using Linux cgroups, supports snapshotting and restoring of the system state, maintains mount and automount points and implements an elaborate transactional dependency-based service control logic. It can work as a drop-in replacement for sysvinit.

Name : libetonyek
Version : 0.0.4
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:57 PM EDT
Group : System Environment/Libraries

Size : 932052
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libetonyek-0.0.4-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:19:19 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://wiki.documentfoundation.org/DLP/Libraries/libetonyek>
Summary : A library for import of Apple Keynote presentations
Description :
libetonyek is library providing ability to interpret and import Apple Keynote presentations into various applications. Only version 5 is supported at the moment, although versions 2-4 should work.

Name : abattis-cantarell-fonts
Version : 0.0.12
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:13 PM EDT
Group : User Interface/X
Size : 157274
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 08:32:29 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abattis-cantarell-fonts-0.0.12-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:29:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://abattis.org/cantarell/>
Summary : Cantarell, a Humanist sans-serif font family
Description :
Cantarell is a set of fonts designed by Dave Crossland.
It is a sans-serif humanist typeface family.

Name : polkit-pkla-compat
Version : 0.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:48 PM EDT
Group : Unspecified
Size : 82409
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : polkit-pkla-compat-0.1-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:08:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <https://fedorahosted.org/polkit-pkla-compat/>
Summary : Rules for polkit to add compatibility with pklocalauthority
Description :
A polkit JavaScript rule and associated helpers that mostly provide compatibility with the .pkla file format supported in polkit <= 0.105 for users of later polkit releases.

Name : groff-base
Version : 1.22.2
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:58 PM EDT
Group : Applications/Publishing
Size : 3453946
License : GPLv3+ and GFDL and BSD and MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:45:51 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : groff-1.22.2-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:17:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/groff/>
Summary : Parts of the groff formatting system required to display manual pages
Description :
The groff-base package contains only necessary parts of groff formatting system which are required to display manual pages, and the groff's default display device (PostScript).

Name : google-crosextra-carlito-fonts
Version : 1.103
Release : 0.2.20130920.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:14 PM EDT
Group : User Interface/X
Size : 2771783
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:42:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : google-crosextra-carlito-fonts-1.103-0.2.20130920.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:12:24 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/chromium/issues/detail?id=280557>
Summary : Sans-serif font metric-compatible with Calibri font
Description :

Carlito is metric-compatible with Calibri font. Carlito comes in regular, bold, italic, and bold italic. The family covers Latin-Greek-Cyrillic (not a complete set, though) with about 2,000 glyphs. It has the same character coverage as Calibri. This font is sans-serif typeface family based on Lato.

Name : abrt-python
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:50 PM EDT
Group : System Environment/Libraries
Size : 57761
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : ABRT Python API
Description :
High-level API for querying, creating and manipulating problems handled by ABRT in Python.

Name : unzip
Version : 6.0
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:59 PM EDT
Group : Applications/Archiving
Size : 361402
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : unzip-6.0-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:31:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.info-zip.org/UnZip.html>
Summary : A utility for unpacking zip files
Description :
The unzip utility is used to list, test, or extract files from a zip archive. Zip archives are commonly found on MS-DOS systems. The zip utility, included in the zip package, creates zip archives. Zip and unzip are both compatible with archives created by PKWARE(R)'s PKZIP for MS-DOS, but the programs' options and default behaviors do differ in some respects.

Install the unzip package if you need to list, test or extract files from a zip archive.

Name : webrtc-audio-processing
Version : 0.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:15 PM EDT
Group : Unspecified
Size : 272820
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:57 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : webrtc-audio-processing-0.1-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:07:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/pulseaudio/webrtc-audio-processing/>
Summary : Library for echo cancellation
Description :
webrtc-audio-processing is a library derived from Google WebRTC project that provides echo cancellation functionality. This library is used by for example PulseAudio to provide echo cancellation.

Name : PackageKit-glib
Version : 0.8.9
Release : 11.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:51 PM EDT
Group : Development/Libraries
Size : 489720
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : GLib libraries for accessing PackageKit
Description :
GLib libraries for accessing PackageKit.

Name : libunistring
Version : 0.9.3
Release : 9.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:00 PM EDT
Group : System Environment/Libraries
Size : 1145761
License : LGPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libunistring-0.9.3-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:52:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/libunistring/>
Summary : GNU Unicode string library
Description :
This portable C library implements Unicode string types in three
flavours:
(UTF-8, UTF-16, UTF-32), together with functions for character processing
(names, classifications, properties) and functions for string processing
(iteration, formatted output, width, word breaks, line breaks,
normalization,
case folding and regular expressions).

Name : compat-glibc-headers
Epoch : 1
Version : 2.12
Release : 4.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:17 PM EDT
Group : Development/Libraries
Size : 2144315
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:34 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-glibc-2.12-4.el7.centos.src.rpm
Build Date : Fri 27 Jun 2014 06:58:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/glibc/>
Summary : Header files for development using standard C libraries.
Description :
The compat-glibc-headers package contains the header files from
CentOS Linux 6

Name : dconf
Version : 0.16.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:52 PM EDT
Group : System Environment/Base
Size : 526670

License : LGPLv2+ and GPLv2+ and GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dconf-0.16.0-6.el7.src.rpm
Build Date : Tue 17 Jun 2014 12:56:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/dconf>
Summary : A configuration system
Description :
dconf is a low-level configuration system. Its main purpose is to provide
a
backend to the GSettings API in GLib.

Name : taglib
Version : 1.8
Release : 7.20130218git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:01 PM EDT
Group : Unspecified
Size : 1031425
License : LGPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 01:09:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : taglib-1.8-7.20130218git.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:48:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://taglib.github.com/>
Summary : Audio Meta-Data Library
Description :
TagLib is a library for reading and editing the meta-data of several
popular audio formats. Currently it supports both ID3v1 and ID3v2 for MP3
files, Ogg Vorbis comments and ID3 tags and Vorbis comments in FLAC, MPC,
Speex, WavPack, TrueAudio files, as well as APE Tags.

Name : libini_config
Version : 1.1.0
Release : 24.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:18 PM EDT
Group : Development/Libraries
Size : 117414
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ding-libs-0.4.0-24.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:54:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sssd/>
Summary : INI file parser for C
Description :
Library to process config files in INI format into a libcollection data structure

Name : mesa-libGL
Version : 10.2.7
Release : 5.20140910.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:53 PM EDT
Group : System Environment/Libraries
Size : 477085
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mesa3d.org>
Summary : Mesa libGL runtime libraries and DRI drivers
Description :
Mesa libGL runtime library.

Name : js
Epoch : 1
Version : 1.8.5
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:02 PM EDT
Group : Development/Languages
Size : 7241848
License : GPLv2+ or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : js-1.8.5-17.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:43:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/js/>
Summary : JavaScript interpreter and libraries
Description :
JavaScript is the Netscape-developed object scripting language used in millions of web pages and server applications worldwide. Netscape's JavaScript is a

superset of the ECMA-262 Edition 3 (ECMAScript) standard scripting language,
with only mild differences from the published standard.

Name : libsemanage
Version : 2.1.10
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:18 PM EDT
Group : System Environment/Libraries
Size : 223241
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:38 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libsemanage-2.1.10-16.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:50:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/git/selinux.git>
Summary : SELinux binary policy manipulation library
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libsemanage provides an API for the manipulation of SELinux binary policies.
It is used by checkpolicy (the policy compiler) and similar tools, as well
as by programs like load_policy that need to perform specific transformations
on binary policies such as customizing policy boolean settings.

Name : abrt-addon-kerneloops
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:55 PM EDT
Group : System Environment/Libraries
Size : 37979
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:14 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's kerneloops addon
Description :
This package contains plugin for collecting kernel crash information from system log.

Name : libsndfile
Version : 1.0.25
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:03 PM EDT
Group : System Environment/Libraries
Size : 413441
License : LGPLv2+ and GPLv2+ and BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:18:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libsndfile-1.0.25-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:09:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mega-nerd.com/libsndfile/>
Summary : Library for reading and writing sound files
Description :
libsndfile is a C library for reading and writing sound files such as AIFF, AU, WAV, and others through one standard interface. It can currently read/write 8, 16, 24 and 32-bit PCM files as well as 32 and 64-bit floating point WAV files and a number of compressed formats. It compiles and runs on *nix, MacOS, and Win32.

Name : libcurl
Version : 7.29.0
Release : 19.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:20 PM EDT
Group : Development/Libraries
Size : 422680
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:40:57 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : curl-7.29.0-19.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:19:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://curl.haxx.se/>
Summary : A library for getting files from web servers
Description :

libcurl is a free and easy-to-use client-side URL transfer library, supporting FTP, FTPS, HTTP, HTTPS, SCP, SFTP, TFTP, TELNET, DICT, LDAP, LDAPS, FILE, IMAP, SMTP, POP3 and RTSP. libcurl supports SSL certificates, HTTP POST, HTTP PUT, FTP uploading, HTTP form based upload, proxies, cookies, user+password authentication (Basic, Digest, NTLM, Negotiate, Kerberos4), file transfer resume, http proxy tunneling and more.

Name : accountsservice
Version : 0.6.35
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:55 PM EDT
Group : System Environment/Daemons
Size : 306674
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:24 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : accountsservice-0.6.35-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:18:52 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<http://www.fedoraproject.org/wiki/Features/UserAccountDialog>
Summary : D-Bus interfaces for querying and manipulating user account information
Description :
The accountsservice project provides a set of D-Bus interfaces for querying and manipulating user account information and an implementation of these interfaces, based on the useradd, usermod and userdel commands.

Name : dmidecode
Epoch : 1
Version : 2.12
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:04 PM EDT
Group : System Environment/Base
Size : 202834
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:39 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dmidecode-2.12-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:54:45 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nongnu.org/dmidecode/>
Summary : Tool to analyse BIOS DMI data

Description :

dmidecode reports information about x86 & ia64 hardware as described in the

system BIOS according to the SMBIOS/DMI standard. This information typically includes system manufacturer, model name, serial number, BIOS version, asset tag as well as a lot of other details of varying level of interest and reliability depending on the manufacturer.

This will often include usage status for the CPU sockets, expansion slots (e.g. AGP, PCI, ISA) and memory module slots, and the list of I/O ports (e.g. serial, parallel, USB).

Name : cracklib-dicts
Version : 2.9.0
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:22 PM EDT
Group : System Environment/Libraries
Size : 9389116
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:17 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cracklib-2.9.0-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:42:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/cracklib/>
Summary : The standard CrackLib dictionaries
Description :

The cracklib-dicts package includes the CrackLib dictionaries. CrackLib will need to use the dictionary appropriate to your system, which is normally put in /usr/share/dict/words. Cracklib-dicts also contains the utilities necessary for the creation of new dictionaries.

If you are installing CrackLib, you should also install cracklib-dicts.

Name : crontabs
Version : 1.11
Release : 6.20121102git.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:56 PM EDT
Group : System Environment/Base
Size : 3700
License : Public Domain and GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : crontabs-1.11-6.20121102git.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:14:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <https://fedorahosted.org/crontabs>
Summary : Root crontab files used to schedule the execution of programs
Description :
This package is used by Fedora mainly for executing files by cron.

The crontabs package contains root crontab files and directories. You will need to install cron daemon to run the jobs from the crontabs. The cron daemon such as crone or fcron checks the crontab files to see when particular commands are scheduled to be executed. If commands are scheduled, it executes them.

Crontabs handles a basic system function, so it should be installed on your system.

Name : libverto
Version : 0.2.5
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:05 PM EDT
Group : Unspecified
Size : 23060
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:48 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libverto-0.2.5-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:44:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/libverto/>
Summary : Main loop abstraction library
Description :
libverto provides a way for libraries to expose asynchronous interfaces without having to choose a particular event loop, offloading this decision to the end application which consumes the library.

If you are packaging an application, not library, based on libverto, you should depend either on a specific implementation module or you can depend on the virtual provides 'libverto-module-base'. This will ensure that you have at least one module installed that provides io, timeout and signal functionality. Currently glib is the only module that does not provide these three because it lacks signal. However, glib will support signal in the future.

Name : libmount
Version : 2.23.2
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:23 PM EDT
Group : Development/Libraries
Size : 261109
License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : util-linux-2.23.2-21.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:59:03 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://en.wikipedia.org/wiki/Util-linux>
Summary : Device mounting library
Description :
This is the device mounting library, part of util-linux.

Name : iscsi-initiator-utils-iscsiuio
Version : 6.2.0.873
Release : 29.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:15 PM EDT
Group : System Environment/Daemons
Size : 163152
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : iscsi-initiator-utils-6.2.0.873-29.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:09:13 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.open-iscsi.org>
Summary : Userspace configuration daemon required for some iSCSI
hardware
Description :
The iscsiuiio configuration daemon provides network configuration help
for some iSCSI offload hardware.

Name : cdparanoia-libs
Version : 10.2
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:06 PM EDT
Group : Applications/Multimedia
Size : 152360
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:20 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cdparanoia-10.2-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:14:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xiph.org/paranoia/index.html>
Summary : Libraries for libcdpa_paranoia (Paranoia III)

Description :

The cdparanoia-libs package contains the dynamic libraries needed for applications which read CD Digital Audio disks.

Name : coreutils
Version : 8.22
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:25 PM EDT
Group : System Environment/Base
Size : 14567245
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:27 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : coreutils-8.22-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:08:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/coreutils/>
Summary : A set of basic GNU tools commonly used in shell scripts
Description :
These are the GNU core utilities. This package is the combination of the old GNU fileutils, sh-utils, and textutils packages.

Name : dhclient
Epoch : 12
Version : 4.2.5
Release : 36.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:20 PM EDT
Group : System Environment/Base
Size : 481907
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:47 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm
Build Date : Thu 05 Mar 2015 05:43:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://isc.org/products/DHCP/>
Summary : Provides the ISC DHCP client daemon and dhclient-script
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhclient package

provides the ISC DHCP client daemon.

Name : gettext-libs
Version : 0.18.2.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:07 PM EDT
Group : System Environment/Libraries
Size : 1313568
License : LGPLv2+ and GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:29 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gettext-0.18.2.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:01:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/gettext/>
Summary : Libraries for gettext
Description :
This package contains libraries used internationalization support.

Name : libblkid
Version : 2.23.2
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:26 PM EDT
Group : Development/Libraries
Size : 248933
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : util-linux-2.23.2-21.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:59:03 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://en.wikipedia.org/wiki/Util-linux>
Summary : Block device ID library
Description :
This is block device identification library, part of util-linux.

Name : gvnc
Version : 0.5.2
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:21 PM EDT
Group : Development/Libraries
Size : 243524
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:53:06 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gtk-vnc-0.5.2-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:31:12 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/gtk-vnc>
Summary : A GObject for VNC connections
Description :
gvnc is a GObject for managing a VNC connection. It provides all the infrastructure required to build a VNC client without having to deal with the raw protocol itself.

Name : libdvdnav
Version : 4.2.0
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:08 PM EDT
Group : System Environment/Libraries
Size : 200449
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:36 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libdvdnav-4.2.0-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:58:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : A library for reading DVD video discs based on Ogle code
Description :
libdvdnav provides a simple library for reading DVD video discs. The code is based on Ogle and used in, among others, the Xine dvdnav plug-in.

Name : nss-sysinit
Version : 3.16.2.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:27 PM EDT
Group : System Environment/Base
Size : 13971
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nss-3.16.2.3-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:48:15 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : System NSS Initialization
Description :

Default Operating System module that manages applications loading NSS globally on the system. This module loads the system defined PKCS #11 modules for NSS and chains with other NSS modules to load any system or user configured modules.

Name : plymouth
Version : 0.8.9
Release : 0.13.20140113.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:22 PM EDT
Group : System Environment/Base
Size : 232700
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Graphical Boot Animation and Logger
Description :
Plymouth provides an attractive graphical boot animation in place of the text messages that normally get shown. Text messages are instead redirected to a log file for viewing after boot.

Name : ca-certificates
Version : 2014.1.98
Release : 72.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:09 PM EDT
Group : System Environment/Base
Size : 1029066
License : Public Domain
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:10 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ca-certificates-2014.1.98-72.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:13:19 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/>
Summary : The Mozilla CA root certificate bundle
Description :
This package contains the set of CA certificates chosen by the Mozilla Foundation for use with the Internet PKI.

Name : cups-libs
Epoch : 1
Version : 1.6.3

Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:32 PM EDT
Group : System Environment/Libraries
Size : 734015
License : LGPLv2 and zlib
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:52 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cups-1.6.3-17.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:52:05 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.cups.org/>
Summary : CUPS printing system - libraries
Description :
CUPS printing system provides a portable printing layer for UNIX® operating systems. It has been developed by Apple Inc. to promote a standard printing solution for all UNIX vendors and users. CUPS provides the System V and Berkeley command-line interfaces. The cups-libs package provides libraries used by applications to use CUPS natively, without needing the lp/lpr commands.

Name : mesa-libgbm
Version : 10.2.7
Release : 5.20140910.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:22 PM EDT
Group : System Environment/Libraries
Size : 53989
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mesa3d.org>
Summary : Mesa gbm library
Description :
Mesa gbm runtime library.

Name : libXpm
Version : 3.5.10
Release : 5.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:11 PM EDT
Group : System Environment/Libraries
Size : 108671
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:44 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXpm-3.5.10-5.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:01:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXpm runtime library
Description :
X.Org X11 libXpm runtime library

Name : alsa-lib
Version : 1.0.28
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:34 PM EDT
Group : System Environment/Libraries
Size : 1223898
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : alsa-lib-1.0.28-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:58:39 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.alsa-project.org/>
Summary : The Advanced Linux Sound Architecture (ALSA) library
Description :
The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI
functionality to the Linux operating system.

This package includes the ALSA runtime libraries to simplify application
programming and provide higher level functionality as well as support for
the older OSS API, providing binary compatibility for most OSS programs.

Name : cairo-gobject
Version : 1.12.14
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:23 PM EDT
Group : System Environment/Libraries
Size : 35712
License : LGPLv2 or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:23 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cairo-1.12.14-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:38:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://cairographics.org>
Summary : GObject bindings for cairo
Description :
Cairo is a 2D graphics library designed to provide high-quality display and print output.

This package contains functionality to make cairo graphics library integrate well with the GObject object system used by GNOME.

Name : dmraid
Version : 1.0.0.rc16
Release : 25.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:17 PM EDT
Group : System Environment/Base
Size : 348784
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dmraid-1.0.0.rc16-25.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:55:41 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/heinzm/sw/dmraid>
Summary : dmraid (Device-mapper RAID tool and library)
Description :
DMRAID supports RAID device discovery, RAID set activation, creation, removal, rebuild and display of properties for ATARAID/DDF1 metadata on Linux >= 2.4 using device-mapper.

Name : perl-Pod-Parser
Version : 1.61
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:46 PM EDT
Group : Development/Libraries
Size : 277564
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:36 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Pod-Parser-1.61-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:04:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Pod-Parser/>
Summary : Basic perl modules for handling Plain Old Documentation (POD)
Description :

This software distribution contains the packages for using Perl5 POD (Plain Old Documentation). See the "perlpod" and "perlsyn" manual pages from your Perl5 distribution for more information about POD.

Name : gjs
Version : 1.36.1
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:26 PM EDT
Group : System Environment/Libraries
Size : 516674
License : MIT and (MPLv1.1 or GPLv2+ or LGPLv2+)
Signature : RSA/SHA256, Thu 03 Jul 2014 09:33:07 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gjs-1.36.1-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:50:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Gjs/>
Summary : Javascript Bindings for GNOME
Description :
Gjs allows using GNOME libraries from Javascript. It's based on the Spidermonkey Javascript engine from Mozilla and the GObject introspection framework.

Name : pth
Version : 2.0.7
Release : 22.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:18 PM EDT
Group : System Environment/Libraries
Size : 267851
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:34:57 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pth-2.0.7-22.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:31:45 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/pth/>
Summary : The GNU Portable Threads library
Description :
Pth is a very portable POSIX/ANSI-C based library for Unix platforms which provides non-preemptive priority-based scheduling for multiple threads of execution ("multithreading") inside server applications. All threads run in the same address space of the server application, but each thread has it's own individual program-counter, run-time stack, signal mask and errno variable.

Name : iprutils
Version : 2.4.3
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:47 PM EDT
Group : System Environment/Base
Size : 870831
License : CPL
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : iprutils-2.4.3-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:06:12 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/iprdd/>
Summary : Utilities for the IBM Power Linux RAID adapters
Description :
Provides a suite of utilities to manage and configure SCSI devices supported by the ipr SCSI storage device driver.

Name : system-config-printer-libs
Version : 1.4.1
Release : 19.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:32:27 PM EDT
Group : System Environment/Base
Size : 4840407
License : GPLv2+
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:48 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm
Build Date : Mon 03 Nov 2014 08:49:36 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cyberelk.net/tim/software/system-config-printer/>
Summary : Libraries and shared code for printer administration tool
Description :
The common code used by both the graphical and non-graphical parts of the configuration tool.

Name : settroubleshoot-plugins
Version : 3.0.59
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:19 PM EDT
Group : Applications/System
Size : 5391263
License : GPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : setroubleshoot-plugins-3.0.59-1.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:23:41 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/setroubleshoot>
Summary : Analysis plugins for use with setroubleshoot
Description :
This package provides a set of analysis plugins for use with
setroubleshoot. Each plugin has the capacity to analyze SELinux AVC
data and system data to provide user friendly reports describing how
to interpret SELinux AVC denials.

Name : flex
Version : 2.5.37
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:49 PM EDT
Group : Development/Tools
Size : 761428
License : BSD and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:21:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : flex-2.5.37-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:04:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://flex.sourceforge.net/>
Summary : A tool for creating scanners (text pattern recognizers)
Description :
The flex program generates scanners. Scanners are programs which can
recognize lexical patterns in text. Flex takes pairs of regular
expressions and C code as input and generates a C source file as
output. The output file is compiled and linked with a library to
produce an executable. The executable searches through its input for
occurrences of the regular expressions. When a match is found, it
executes the corresponding C code. Flex was designed to work with
both Yacc and Bison, and is used by many programs as part of their
build process.

You should install flex if you are going to use your system for
application development.

Name : pygtk2
Version : 2.24.0
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:29 PM EDT
Group : Development/Languages

Size : 4087343
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pygtk2-2.24.0-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:46:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.pygtk.org/>
Summary : Python bindings for GTK+
Description :
PyGTK is an extension module for Python that gives you access to the GTK+ widget set. Just about anything you can write in C with GTK+ you can write in Python with PyGTK (within reason), but with all the benefits of using a high-level scripting language.

Name : yum-plugin-fastestmirror
Version : 1.1.31
Release : 29.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:20 PM EDT
Group : System Environment/Base
Size : 53903
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : yum-utils-1.1.31-29.el7.src.rpm
Build Date : Mon 09 Mar 2015 04:51:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://yum.baseurl.org/download/yum-utils/>
Summary : Yum plugin which chooses fastest repository from a mirrorlist
Description :
This plugin sorts each repository's mirrorlist by connection speed prior to downloading packages.

Name : mtr
Epoch : 2
Version : 0.85
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:50 PM EDT
Group : Applications/Internet
Size : 130820
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:25 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : mtr-0.85-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:43:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.BitWizard.nl/mtr>
Summary : A network diagnostic tool
Description :
Mtr is a network diagnostic tool that combines ping and traceroute into one program. Mtr provides two interfaces: an ncurses interface, useful for using Mtr from a telnet session; and a GTK+ interface for X (provided in the mtr-gtk package).

Name : libosinfo
Version : 0.2.11
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:32 PM EDT
Group : Development/Libraries
Size : 1069093
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:06:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libosinfo-0.2.11-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:35:10 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libosinfo.org/>
Summary : A library for managing OS information for virtualization
Description :
libosinfo is a library that allows virtualization provisioning tools to determine the optimal device settings for a hypervisor/operating system combination.

Name : yum-utils
Version : 1.1.31
Release : 29.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:22 PM EDT
Group : Development/Tools
Size : 331968
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:42:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : yum-utils-1.1.31-29.el7.src.rpm
Build Date : Mon 09 Mar 2015 04:51:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://yum.baseurl.org/download/yum-utils/>

Summary : Utilities based around the yum package manager
Description :
yum-utils is a collection of utilities and examples for the yum package manager. It includes utilities by different authors that make yum easier and more powerful to use. These tools include: debuginfo-install, find-repos-of-install, needs-restarting, package-cleanup, repoclosure, repodiff, repo-graph, repomanage, repoquery, repo-rss, reposync, repotrack, show-installed, show-changed-rco, verifytree, yumdownloader, yum-builddep, yum-complete-transaction, yum-config-manager, yum-debug-dump, yum-debug-restore and yum-groups-manager.

Name : m17n-contrib
Version : 1.1.14
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:51 PM EDT
Group : System Environment/Libraries
Size : 1160122
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:31 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : m17n-contrib-1.1.14-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:23:42 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nongnu.org/m17n>
Summary : Contributed multilingualization datafiles for m17n-lib
Description :
This package contains contributed multilingualization (m17n) datafiles for the m17n-lib project.

Name : NetworkManager-libnm
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:34 PM EDT
Group : Development/Libraries
Size : 1475996
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>

Summary : Libraries for adding NetworkManager support to applications (new API).

Description :

This package contains the libraries that make it easier to use some NetworkManager functionality from applications. This is the new NetworkManager API. See also NetworkManager-glib.

Name : NetworkManager-team
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:23 PM EDT
Group : System Environment/Base
Size : 32736
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:56 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Team device plugin for NetworkManager
Description :
This package contains NetworkManager support for team devices.

Name : pax
Version : 3.4
Release : 19.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:52 PM EDT
Group : Applications/Archiving
Size : 140149
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:56 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pax-3.4-19.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:29:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.suse.com/pub/people/kukuk/pax/>
Summary : POSIX File System Archiver
Description :
The 'pax' utility is the POSIX standard archive tool. It supports the two most common forms of standard Unix archive (backup) files - CPIO and TAR.

Name : libcanberra-gtk3
Version : 0.30
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:35 PM EDT
Group : System Environment/Libraries
Size : 56351
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:16 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libcanberra-0.30-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>
Summary : Gtk+ 3.x Bindings for libcanberra
Description :
Gtk+ 3.x bindings for libcanberra

Name : kbd-legacy
Version : 1.15.5
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:25 PM EDT
Group : System Environment/Base
Size : 503608
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kbd-1.15.5-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:13:52 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>
Summary : Legacy data for kbd package
Description :
The kbd-legacy package contains original keymaps for kbd package.
Please note that kbd-legacy is not helpful without kbd.

Name : time
Version : 1.7
Release : 45.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:53 PM EDT
Group : Applications/System
Size : 47926
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:47 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : time-1.7-45.el7.src.rpm

Build Date : Thu 12 Jun 2014 09:29:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/time/>
Summary : A GNU utility for monitoring a program's use of system resources
Description :
The GNU time utility runs another program, collects information about the resources used by that program while it is running, and displays the results.

Name : clutter-gst2
Version : 2.0.4
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:37 PM EDT
Group : Unspecified
Size : 182234
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:38 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : clutter-gst2-2.0.4-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:57:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.clutter-project.org>
Summary : GStreamer integration for Clutter
Description :
Clutter is an open source software library for creating fast, visually rich and animated graphical user interfaces.

Clutter GStreamer enables the use of GStreamer with Clutter.

Name : tracker
Version : 0.16.2
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:27 PM EDT
Group : Applications/System
Size : 4614774
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tracker-0.16.2-11.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:01:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/tracker/>

Summary : Desktop-neutral search tool and indexer
Description :
Tracker is a powerful desktop-neutral first class object database,
tag/metadata database, search tool and indexer.

It consists of a common object database that allows entities to have an almost infinite number of properties, metadata (both embedded/harvested as well as user definable), a comprehensive database of keywords/tags and links to other entities.

It provides additional features for file based objects including context linking and audit trails for a file object.

It has the ability to index, store, harvest metadata. retrieve and search all types of files and other first class objects

Name : lohit-gujarati-fonts
Version : 2.5.3
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:54 PM EDT
Group : User Interface/X
Size : 77133
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:06 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lohit-gujarati-fonts-2.5.3-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:57:29 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Gujarati font
Description :
This package provides a free Gujarati truetype/opentype font.

Name : gnome-bluetooth-libs
Epoch : 1
Version : 3.8.2.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:38 PM EDT
Group : System Environment/Libraries
Size : 2196823
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-bluetooth-3.8.2.1-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:25:58 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://live.gnome.org/GnomeBluetooth>
Summary : GTK+ Bluetooth device selection widgets
Description :
This package contains libraries needed for applications that want to display a Bluetooth device selection widget.

Name : PackageKit
Version : 0.8.9
Release : 11.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:30 PM EDT
Group : Unspecified
Size : 3021892
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:30 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : Package management service
Description :
PackageKit is a D-Bus abstraction layer that allows the session user to manage packages in a secure way using a cross-distro, cross-architecture API.

Name : khmeros-base-fonts
Version : 5.0
Release : 17.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:59 PM EDT
Group : User Interface/X
Size : 732951
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:31:12 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : khmeros-fonts-5.0-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:27:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>
Summary : Base KhmerOS font
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not

necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

Base KhmerOS fonts.

Name : libgnomekbd
Version : 3.6.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:39 PM EDT
Group : System Environment/Libraries
Size : 616987
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:48:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgnomekbd-3.6.0-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:06:47 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gswitchit.sourceforge.net>
Summary : A keyboard configuration library
Description :
The libgnomekbd package contains a GNOME library which manages keyboard configuration and offers various widgets related to keyboard configuration.

Name : adwaita-cursor-theme
Version : 3.8.4
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:32 PM EDT
Group : User Interface/Desktops
Size : 1813408
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:47 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 07:05:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.gnome.org/browse/gnome-themes-standard>
Summary : Adwaita cursor theme
Description :
The adwaita-cursor-theme package contains a modern set of cursors originally designed for the GNOME desktop.

Name : thai-scalable-waree-fonts
Version : 0.5.0

Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:04 PM EDT
Group : User Interface/X
Size : 368592
License : GPLv2+ and Bitstream Vera
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : thai-scalable-fonts-0.5.0-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:03:19 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://linux.thai.net/projects/thaifonts-scalable>
Summary : Thai Waree fonts
Description :

fonts-tlwg provides a collection of free scalable Thai fonts.

This package provides the Waree family of Thai fonts.

Name : gnome-abrt
Version : 0.3.4
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:40 PM EDT
Group : User Interface/Desktops
Size : 744377
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-abrt-0.3.4-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:44:26 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : A utility for viewing problems that have occurred with the
system
Description :
A GNOME application allows users to browse through detected problems and
provides them with convenient way for managing these problems.

Name : cheese-libs
Epoch : 2
Version : 3.8.2
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:36 PM EDT
Group : System Environment/Libraries
Size : 4474992
License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:31 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cheese-3.8.2-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:53:25 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/cheese/>
Summary : Webcam display and capture widgets
Description :
This package contains libraries needed for applications that
want to display a webcam in their interface.

Name : lklug-fonts
Version : 0.6
Release : 10.20090803cvs.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:10 PM EDT
Group : User Interface/X
Size : 329427
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:58 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lklug-fonts-0.6-10.20090803cvs.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:03:38 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sinhala.sourceforge.net/>
Summary : Fonts for Sinhala language
Description :
The lklug-fonts package contains fonts for the display of
Sinhala. The original font for TeX/LaTeX is developed by Yannis
Haralambous and are in GPL. OTF tables are added by Anuradha
Ratnaweera and Harshani Devadithya.

Name : rsync
Version : 3.0.9
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:41 PM EDT
Group : Applications/Internet
Size : 749750
License : GPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:51:30 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rsync-3.0.9-15.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:47:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://rsync.samba.org/>
Summary : A program for synchronizing files over a network
Description :
Rsync uses a reliable algorithm to bring remote and host files into sync very quickly. Rsync is fast because it just sends the differences in the files over the network instead of sending the complete files. Rsync is often used as a very powerful mirroring process or just as a more capable replacement for the rcp command. A technical report which describes the rsync algorithm is included in this package.

Name : kernel
Version : 3.10.0
Release : 229.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:50 PM EDT
Group : System Environment/Kernel
Size : 137460216
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:47 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kernel-3.10.0-229.el7.src.rpm
Build Date : Fri 06 Mar 2015 07:20:57 AM EST
Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL : <http://www.kernel.org/>
Summary : The Linux kernel
Description :
The kernel package contains the Linux kernel (vmlinuz), the core of any Linux operating system. The kernel handles the basic functions of the operating system: memory allocation, process allocation, device input and output, etc.

Name : lohita-kannada-fonts
Version : 2.5.3
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:14 PM EDT
Group : User Interface/X
Size : 214685
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:08 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lohita-kannada-fonts-2.5.3-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:08:17 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohita/>
Summary : Free Kannada font
Description :
This package provides a free Kannada truetype/opentype font.

Name : gnome-bluetooth
Epoch : 1
Version : 3.8.2.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:52 PM EDT
Group : Applications/Communications
Size : 202876
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:09 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-bluetooth-3.8.2.1-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:25:58 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeBluetooth>
Summary : Bluetooth graphical utilities
Description :
The gnome-bluetooth package contains graphical utilities to setup,
monitor and use Bluetooth devices.

Name : cjkuni-uming-fonts
Version : 0.2.20080216.1
Release : 53.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:23 PM EDT
Group : User Interface/X
Size : 21094325
License : Arphic
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:04 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cjkuni-uming-fonts-0.2.20080216.1-53.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:42:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/CJKUnifonts>
Summary : Chinese Unicode TrueType font in Ming face
Description :

CJK Unifonts are Unicode TrueType fonts derived from original fonts made
available by Arphic Technology under "Arphic Public License" and extended
by
the CJK Unifonts project.

CJK Unifonts in Ming face.

Name : sane-backends-libs
Version : 1.0.24
Release : 9.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:32:45 PM EDT
Group : System Environment/Libraries
Size : 183096
License : GPLv2+ and GPLv2+ with exceptions and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sane-backends-1.0.24-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.sane-project.org>
Summary : SANE libraries
Description :
This package contains the SANE libraries which are needed by applications that want to access scanners.

Name : fcoe-utils
Version : 1.0.29
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:53 PM EDT
Group : Applications/System
Size : 291417
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:47:12 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : fcoe-utils-1.0.29-9.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:23:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.open-fcoe.org>
Summary : Fibre Channel over Ethernet utilities
Description :
Fibre Channel over Ethernet utilities
fcoeadm - command line tool for configuring FCoE interfaces
fcoemon - service to configure DCB Ethernet QOS filters, works with lldpad

Name : smc-meera-fonts
Version : 6.0
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:28 PM EDT
Group : Unspecified
Size : 349365
License : GPLv2+ with exceptions
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:52 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : smc-fonts-6.0-7.el7.src.rpm

Build Date : Mon 09 Jun 2014 09:40:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://savannah.nongnu.org/projects/smc>
Summary : Open Type Fonts for Malayalam script
Description :
The Meera font package contains fonts for the display of traditional Malayalam Scripts.

Name : ppp
Version : 2.4.5
Release : 33.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:46 PM EDT
Group : System Environment/Daemons
Size : 872624
License : BSD and LGPLv2+ and GPLv2+ and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 12:34:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ppp-2.4.5-33.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:27:03 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.samba.org/ppp>
Summary : The Point-to-Point Protocol daemon
Description :
The ppp package contains the PPP (Point-to-Point Protocol) daemon and documentation for PPP support. The PPP protocol provides a method for transmitting datagrams over serial point-to-point links. PPP is usually used to dial in to an ISP (Internet Service Provider) or other organization over a modem and phone line.

Name : sgabios-bin
Epoch : 1
Version : 0.20110622svn
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:54 PM EDT
Group : Applications/Emulators
Size : 4096
License : ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:29 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sgabios-0.20110622svn-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:33:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/sgabios/>

Summary : Sgabios for x86
Description :
SGABIOS is designed to be inserted into a BIOS as an option rom to provide over a serial port the display and input capabilities normally handled by a VGA adapter and a keyboard, and additionally provide hooks for logging displayed characters for later collection after an operating system boots.

Name : lohit-marathi-fonts
Version : 2.5.3
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:34 PM EDT
Group : User Interface/X
Size : 85042
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:12 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lohit-marathi-fonts-2.5.3-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:46:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Marathi font
Description :
This package provides a free Marathi truetype/opentype font.

Name : ebtables
Version : 2.0.10
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:47 PM EDT
Group : System Environment/Base
Size : 350432
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:11:33 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ebtables-2.0.10-13.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:13:53 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ebtables.sourceforge.net/>
Summary : Ethernet Bridge frame table administration tool
Description :
Ethernet bridge tables is a firewalling tool to transparently filter network traffic passing a bridge. The filtering possibilities are limited to link layer filtering and some basic filtering on higher network layers.

This tool is the userspace control for the bridge and ebtables kernel components.

The ebtables tool can be used together with the other Linux filtering tools, like iptables. There are no known incompatibility issues.

Name : libnm-gtk
Version : 1.0.0
Release : 2.git20150122.76569a46.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:56 PM EDT
Group : Development/Libraries
Size : 220767
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:06:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : network-manager-applet-1.0.0-2.git20150122.76569a46.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:19:35 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Private libraries for NetworkManager GUI support
Description :
This package contains private libraries to be used only by nm-applet, nm-connection editor, and the GNOME Control Center.

Name : traceroute
Epoch : 3
Version : 2.0.19
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:38 PM EDT
Group : Applications/Internet
Size : 93578
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:36:20 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : traceroute-2.0.19-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:18:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://traceroute.sourceforge.net>
Summary : Traces the route taken by packets over an IPv4/IPv6 network
Description :
The traceroute utility displays the route used by IP packets on their way to a specified network (or Internet) host. Traceroute displays the IP number and host name (if possible) of the machines along the

route taken by the packets. Traceroute is used as a network debugging tool. If you're having network connectivity problems, traceroute will show you where the trouble is coming from along the route.

Install traceroute if you need a tool for diagnosing network connectivity problems.

```
Name      : gnome-settings-daemon
Version    : 3.8.6.1
Release    : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:58 PM EDT
Group      : System Environment/Daemons
Size       : 6526950
License    : GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:51:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-settings-daemon-3.8.6.1-12.el7.src.rpm
Build Date : Tue 10 Mar 2015 05:54:47 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://download.gnome.org/sources/gnome-settings-daemon
Summary     : The daemon sharing settings from GNOME to GTK+/KDE
applications
Description :
A daemon to share settings from GNOME to other applications. It also
handles global keybindings, as well as a number of desktop-wide settings.
```

```
Name      : sil-padauk-fonts
Version    : 2.8
Release    : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:42 PM EDT
Group      : User Interface/X
Size       : 763225
License    : OFL
Signature  : RSA/SHA256, Fri 04 Jul 2014 01:00:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sil-padauk-fonts-2.8-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:07:47 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://scripts.sil.org/Padauk
Summary     : A font for Burmese and the Myanmar script
Description :
```

Padauk is a Myanmar font covering all currently used characters in the Myanmar block. The font aims to cover all minority language needs. At the moment, these do not extend to stylistic variation needs. The font is a smart font using a Graphite description.

Name : evince
Version : 3.8.3
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:52 PM EDT
Group : Applications/Publishing
Size : 14931310
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse
Signature : RSA/SHA256, Thu 03 Jul 2014 09:14:12 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : evince-3.8.3-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:58:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/evince/>
Summary : Document viewer
Description :
Evince is simple multi-page document viewer. It can display and print Portable Document Format (PDF), PostScript (PS) and Encapsulated PostScript (EPS) files. When supported by the document format, evince allows searching for text, copying text to the clipboard, hypertext navigation, table-of-contents bookmarks and editing of forms.

Support for other document formats such as DVI can be added by installing additional backends.

Name : pulseaudio-gdm-hooks
Version : 3.0
Release : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:00 PM EDT
Group : Unspecified
Size : 354
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pulseaudio-3.0-30.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:23 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>
Summary : PulseAudio GDM integration
Description :
This package contains GDM integration hooks for the PulseAudio sound server.

Name : compat-db47

Version : 4.7.25
Release : 28.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:47 PM EDT
Group : System Environment/Libraries
Size : 3502143
License : BSD
Signature : RSA/SHA256, Thu 11 Sep 2014 02:01:43 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : compat-db-4.7.25-28.el7.src.rpm
Build Date : Thu 11 Sep 2014 01:42:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database 4.7.25 compatibility library
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications.
This package contains Berkeley DB library version 4.7.25 used for compatibility.

Name : keybinder3
Version : 0.3.0
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:53 PM EDT
Group : Development/Libraries
Size : 24055
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : keybinder3-0.3.0-1.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:59:09 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/englak/keybinder/tree/keybinder-3.0>
Summary : A library for registering global keyboard shortcuts
Description :
Keybinder is a library for registering global keyboard shortcuts. Keybinder works with GTK-based applications using the X Window System.

The library contains:
- A C library, libkeybinder
- GObject-Introspection bindings

Name : ibus
Version : 1.5.3
Release : 11.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:01 PM EDT
Group : System Environment/Libraries
Size : 1316311
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:03:30 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-1.5.3-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:14:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : Intelligent Input Bus for Linux OS
Description :
IBus means Intelligent Input Bus. It is an input framework for Linux OS.

Name : compat-libgfortran-41
Version : 4.1.2
Release : 44.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:50 PM EDT
Group : System Environment/Libraries
Size : 959528
License : GPLv2+ with exceptions
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:46 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-libgfortran-41-4.1.2-44.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:20:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : Compatibility Fortran 95 runtime library version 4.1.2
Description :
This package includes a Fortran 95 runtime library for compatibility
with GCC 4.1.x-RH compiled Fortran applications.

Name : glade-libs
Version : 3.15.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:54 PM EDT
Group : Unspecified
Size : 1514529
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:33:36 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glade-3.15.0-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:45:16 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://glade.gnome.org/>
Summary : Widget library for Glade UI designer
Description :
The glade-libs package consists of the widgets that compose the Glade GUI as
a separate library to ease the integration of Glade into other applications.

Name : brasero-libs
Version : 3.8.0
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:04 PM EDT
Group : System Environment/Libraries
Size : 965660
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:37 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : brasero-3.8.0-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:21:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/brasero/>
Summary : Libraries for brasero
Description :
The brasero-libs package contains the runtime shared libraries for brasero.

Name : byacc
Version : 1.9.20130304
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:50 PM EDT
Group : Development/Tools
Size : 135161
License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 08:54:37 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : byacc-1.9.20130304-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:46:19 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://invisible-island.net/byacc/byacc.html>
Summary : Berkeley Yacc, a parser generator
Description :
This package provides a parser generator utility that reads a grammar specification from a file and generates an LR(1) parser for it. The parsers consist of a set of LALR(1) parsing tables and a driver

routine written in the C programming language. It has a public domain license which includes the generated C.

If you are going to do development on your system, you will want to install this package.

Name : caribou-gtk2-module
Version : 0.4.11
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:55 PM EDT
Group : Unspecified
Size : 37064
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:05 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : caribou-0.4.11-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:50:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Caribou>
Summary : Gtk2 module for caribou
Description :
This package contains caribou module for gtk2 applications.

Name : brasero
Version : 3.8.0
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:07 PM EDT
Group : Applications/Multimedia
Size : 10589277
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : brasero-3.8.0-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:21:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/brasero/>
Summary : Gnome CD/DVD burning application
Description :
Simple and easy to use CD/DVD burning application for the Gnome desktop.

Name : libsysfs
Version : 2.1.0
Release : 16.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:37:51 PM EDT
Group : System Environment/Libraries
Size : 149365
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sysfsutils-2.1.0-16.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:06:19 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/linux-diag/>
Summary : Shared library for interfacing with sysfs
Description :
Library used in handling linux kernel sysfs mounts and their various
files.

Name : gtkmm24
Version : 2.24.2
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:56 PM EDT
Group : System Environment/Libraries
Size : 5090749
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:49:53 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gtkmm24-2.24.2-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:52:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtkmm.org/>
Summary : C++ interface for GTK2 (a GUI library for X)
Description :
gtkmm provides a C++ interface to the GTK+ GUI library. gtkmm2 wraps GTK+
2.
Highlights include typesafe callbacks, widgets extensible via inheritance
and a comprehensive set of widget classes that can be freely combined to
quickly create complex user interfaces.

Name : gnome-shell-extension-places-menu
Version : 3.8.4
Release : 12.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:09 PM EDT
Group : User Interface/Desktops
Size : 22215
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm

Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell/Extensions>
Summary : Places status menu for GNOME Shell
Description :
This GNOME Shell extension add a system status menu for quickly navigating places in the system.

Name : iwl2000-firmware
Version : 18.168.6.1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:59 PM EDT
Group : System Environment/Kernel
Size : 777801
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:43 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Centrino Wireless-N 2000 Series Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl2000 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : java-1.7.0-openjdk-headless
Epoch : 1
Version : 1.7.0.75
Release : 2.5.4.2.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:59 PM EDT
Group : Development/Languages
Size : 94724625
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C
Signature : RSA/SHA256, Wed 21 Jan 2015 01:18:20 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : java-1.7.0-openjdk-1.7.0.75-2.5.4.2.el7_0.src.rpm
Build Date : Wed 21 Jan 2015 01:10:00 AM EST
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://openjdk.java.net/>
Summary : The OpenJDK runtime environment without audio and video support
Description :
The OpenJDK runtime environment without audio and video

Name : abrt-gui
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:10 PM EDT
Group : User Interface/Desktops
Size : 245762
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:34 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's gui
Description :
GTK+ wizard for convenient bug reporting.

Name : rootfiles
Version : 8.1
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:00 PM EDT
Group : System Environment/Base
Size : 599
License : Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 12:50:28 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rootfiles-8.1-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:11:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : The basic required files for the root user's directory
Description :
The rootfiles package contains basic required files that are placed in the root user's account. These files are basically the same as those in /etc/skel, which are placed in regular users' home directories.

Name : xml-commons-apis

Version : 1.4.01
Release : 16.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:01 PM EDT
Group : Unspecified
Size : 337446
License : ASL 2.0 and W3C and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xml-commons-apis-1.4.01-16.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:26:03 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xml.apache.org/commons/>
Summary : APIs for DOM, SAX, and JAXP
Description :
xml-commons-apis is designed to organize and have common packaging for the various externally-defined standard interfaces for XML. This includes the DOM, SAX, and JAXP.

Name : gnome-packagekit
Version : 3.8.2
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:12 PM EDT
Group : Applications/System
Size : 12202719
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:50 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-packagekit-3.8.2-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:52:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : Session applications to manage packages
Description :
gnome-packagekit provides session applications for the PackageKit API. There are several utilities designed for installing, updating and removing packages on your system.

Name : iwl4965-firmware
Version : 228.61.2.24
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:03 PM EDT
Group : System Environment/Kernel
Size : 269897
License : Redistributable, no modification permitted

Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel® PRO/Wireless 4965 A/G/N network
adaptors
Description :
This package contains the firmware required by the iwl4965 driver
for Linux. Usage of the firmware is subject to the terms and conditions
contained inside the provided LICENSE file. Please read it carefully.

Name : xalan-j2
Epoch : 0
Version : 2.7.1
Release : 23.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:03 PM EDT
Group : Development/Libraries
Size : 2134737
License : ASL 2.0 and W3C
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xalan-j2-2.7.1-23.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:15:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xalan.apache.org/>
Summary : Java XSLT processor
Description :
Xalan is an XSLT processor for transforming XML documents into HTML,
text, or other XML document types. It implements the W3C Recommendations
for XSL Transformations (XSLT) and the XML Path Language (XPath). It can
be used from the command line, in an applet or a servlet, or as a module
in other program.

Name : initial-setup-gui
Version : 0.3.9.23
Release : 1.el7.centos.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:15 PM EDT
Group : System Environment/Base
Size : 34480
License : GPLv2+
Signature : RSA/SHA256, Fri 27 Mar 2015 05:53:43 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : initial-setup-0.3.9.23-1.el7.centos.2.src.rpm

Build Date : Fri 27 Mar 2015 05:51:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/InitialSetup>
Summary : Graphical user interface for the initial-setup utility
Description :
The initial-setup-gui package contains a graphical user interface for the initial-setup utility.

Name : iwl3945-firmware
Version : 15.32.2.9
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:04 PM EDT
Group : System Environment/Kernel
Size : 232025
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:48 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel® PRO/Wireless 3945 A/B/G network adaptors
Description :
This package contains the firmware required by the iwl3945 driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : avalon-logkit
Epoch : 0
Version : 2.1
Release : 14.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:04 PM EDT
Group : Development/Libraries
Size : 98056
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:45:52 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : avalon-logkit-2.1-14.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:34:53 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avalon.apache.org/logkit/>

Summary : Java logging toolkit
Description :
LogKit is a logging toolkit designed for secure performance orientated logging in applications. To get started using LogKit, it is recommended that you read the whitepaper and browse the API docs.

Name : gnome-tweak-tool
Version : 3.8.1
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:19 PM EDT
Group : Unspecified
Size : 524425
License : GPLv3
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-tweak-tool-3.8.1-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:16:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeTweakTool>
Summary : A tool to customize advanced GNOME 3 options
Description :
GNOME Tweak Tool is an application for changing the advanced settings of GNOME 3.

Features:

- * Install and switch gnome-shell themes
- * Switch gtk/icon/cursor themes
- * Switch window manager themes
- * Change:
 - * The user-interface and titlebar fonts
 - * Icons in menus and buttons
 - * Behavior on laptop lid close
 - * Shell font size
 - * File manager desktop icons
 - * Titlebar click action
 - * Shell clock to show date
 - * Font hinting and antialiasing

Name : iwl6050-firmware
Version : 41.28.5.1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:04 PM EDT
Group : System Environment/Kernel
Size : 1015397
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Wireless WiFi Link 6050 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : geronimo-jta
Version : 1.1.1
Release : 17.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:05 PM EDT
Group : Development/Libraries
Size : 28373
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:03 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : geronimo-jta-1.1.1-17.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:18:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://geronimo.apache.org/>
Summary : J2EE JTA v1.1 API
Description :
Java Transaction API (JTA) specifies standard Java interfaces between a transaction manager and the parties involved in a distributed transaction system: the resource manager, the application server, and the transactional applications.

Name : ibus-sayura
Version : 1.3.2
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:20 PM EDT
Group : System Environment/Libraries
Size : 37169
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:18 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ibus-sayura-1.3.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:29:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <https://fedorahosted.org/ibus-sayura>
Summary : The Sinhala engine for IBus input platform
Description :
The Sayura engine for IBus platform. It provides Sinhala input method.

Name : nss-softokn-freebl
Version : 3.16.2.3
Release : 9.el7
Architecture: i686
Install Date: Wed 05 Apr 2017 03:38:05 PM EDT
Group : System Environment/Base
Size : 427932
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:37 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nss-softokn-3.16.2.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:23:05 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Freebl library for the Network Security Services
Description :
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl library.

Name : rhino
Version : 1.7R4
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:07 PM EDT
Group : Development/Libraries
Size : 1093647
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:44 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rhino-1.7R4-5.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:25:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/rhino/>
Summary : JavaScript for Java
Description :
Rhino is an open-source implementation of JavaScript written entirely in Java. It is typically embedded into Java applications to provide scripting to end users.

Name : ibus-m17n
Version : 1.3.4

Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:21 PM EDT
Group : System Environment/Libraries
Size : 159233
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-m17n-1.3.4-13.el7.src.rpm
Build Date : Wed 11 Jun 2014 05:55:09 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : The M17N engine for IBus platform
Description :
M17N engine for IBus input platform. It allows input of many languages
using
the input table maps from m17n-db.

Name : libX11
Version : 1.6.0
Release : 2.1.el7
Architecture: i686
Install Date: Wed 05 Apr 2017 03:38:08 PM EDT
Group : System Environment/Libraries
Size : 1308180
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libX11-1.6.0-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 10:28:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Core X11 protocol client library
Description :
Core X11 protocol client library.

Name : plymouth-theme-charge
Version : 0.8.9
Release : 0.13.20140113.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:08 PM EDT
Group : System Environment/Base
Size : 3685
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:26 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Plymouth "Charge" plugin
Description :
This package contains the "charge" boot splash theme for
Plymouth. It is the default theme for CentOS Linux.

Name : vino
Version : 3.8.1
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:22 PM EDT
Group : User Interface/Desktops
Size : 2101528
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:29 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : vino-3.8.1-10.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:53:06 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : A remote desktop system for GNOME
Description :
Vino is a VNC server for GNOME. It allows remote users to
connect to a running GNOME session using VNC.

Name : gnome-boxes
Version : 3.8.3
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:25 PM EDT
Group : Applications/Emulators
Size : 4299813
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-boxes-3.8.3-11.el7.src.rpm
Build Date : Tue 10 Mar 2015 06:11:20 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://live.gnome.org/Boxes>
Summary : A simple GNOME 3 application to access remote or virtual
systems
Description :
gnome-boxes lets you easily create, setup, access, and use:
* remote machines

- * remote virtual machines
- * local virtual machines
- * When technology permits, set up access for applications on local virtual machines

```

Name       : freerdp-libs
Version    : 1.0.2
Release    : 6.el7_2.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:44 PM EDT
Group      : Applications/Communications
Size       : 716587
License    : ASL 2.0
Signature  : RSA/SHA256, Tue 16 Feb 2016 05:10:08 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : freerdp-1.0.2-6.el7_2.1.src.rpm
Build Date : Tue 16 Feb 2016 11:13:26 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.freerdp.com/
Summary    : Core libraries implementing the RDP protocol
Description :
libfreerdp-core can be embedded in applications.

```

libfreerdp-channels and libfreerdp-kbd might be convenient to use in X applications together with libfreerdp-core.

libfreerdp-core can be extended with plugins handling RDP channels.

```

Name       : xorg-x11-drv-ati
Version    : 7.4.0
Release    : 1.20140918git56c7fb8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:09 PM EDT
Group      : User Interface/X Hardware Support
Size       : 454699
License    : MIT
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:40:49 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-ati-7.4.0-1.20140918git56c7fb8.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:23:22 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.x.org
Summary    : Xorg X11 ati video driver
Description :
X.Org X11 ati video driver.

```

```

Name       : firefox
Version    : 31.4.0

```

Release : 1.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:45 PM EDT
Group : Applications/Internet
Size : 122119209
License : MPLv1.1 or GPLv2+ or LGPLv2+
Signature : RSA/SHA256, Wed 14 Jan 2015 01:40:33 PM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : firefox-31.4.0-1.el7.centos.src.rpm
Build Date : Wed 14 Jan 2015 11:53:04 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/firefox/>
Summary : Mozilla Firefox Web browser
Description :
Mozilla Firefox is an open-source web browser, designed for standards
compliance, performance and portability.

Name : samba-common
Epoch : 0
Version : 3.6.23
Release : 20.el6
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:48 PM EDT
Group : Applications/System
Size : 37554531
License : GPLv3+ and LGPLv3+
Signature : RSA/SHA1, Fri 24 Jul 2015 04:43:32 PM EDT, Key ID
0946fca2c105b9de
Source RPM : samba-3.6.23-20.el6.src.rpm
Build Date : Thu 23 Jul 2015 11:17:04 PM EDT
Build Host : c6b8.bsys.dev.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.samba.org/>
Summary : Files used by both Samba servers and clients
Description :
Samba-common provides files necessary for both the server and client
packages of Samba.

Name : libibverbs
Version : 1.1.8
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:10 PM EDT
Group : System Environment/Libraries
Size : 123595
License : GPLv2 or BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:49 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libibverbs-1.1.8-5.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:26:24 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://www.openfabrics.org/>
Summary : A library for direct userspace use of RDMA
(InfiniBand/iWARP) hardware
Description :
libibverbs is a library that allows userspace processes to use RDMA
"verbs" as described in the InfiniBand Architecture Specification and
the RDMA Protocol Verbs Specification. This includes direct hardware
access from userspace to InfiniBand/iWARP adapters (kernel bypass) for
fast path operations.

For this library to be useful, a device-specific plug-in module should
also be installed.

Name : gnome-font-viewer
Version : 3.8.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:47 PM EDT
Group : Applications/System
Size : 303359
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-font-viewer-3.8.0-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:01:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/gnome-3/>
Summary : Utility for previewing fonts for GNOME
Description :
Use gnome-font-viewer, the Font Viewer, to preview fonts and display
information about a specified font. You can use the Font Viewer to
display the
name, style, type, size, version and copyright of the font.

Name : abrt-addon-vmcore
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:11 PM EDT
Group : System Environment/Libraries
Size : 41589
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:21 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's vmcore addon
Description :
This package contains plugin for collecting kernel crash information from
vmcore files.

Name : yum-langpacks
Version : 0.4.2
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:50 PM EDT
Group : Development/Tools
Size : 65576
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:02 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : yum-langpacks-0.4.2-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:36:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/yum-langpacks/>
Summary : Langpacks plugin for yum
Description :
Yum-langpacks is a plugin for YUM that looks for langpacks for your
native
language for packages you install.

Name : gnutls-utils
Version : 3.3.8
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:12 PM EDT
Group : Applications/System
Size : 894764
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:52:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnutls-3.3.8-12.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:33:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnutls.org/>
Summary : Command line tools for TLS protocol
Description :
GnuTLS is a secure communications library implementing the SSL, TLS and
DTLS

protocols and technologies around them. It provides a simple C language application programming interface (API) to access the secure communications protocols as well as APIs to parse and write X.509, PKCS #12, OpenPGP and other required structures.
This package contains command line TLS client and server and certificate manipulation tools.

Name : gstreamer-plugins-bad-free
Version : 0.10.23
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:54 PM EDT
Group : Applications/Multimedia
Size : 4708848
License : LGPLv2+ and LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:07 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gstreamer-plugins-bad-free-0.10.23-20.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:02:13 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework "bad" plug-ins
Description :
GStreamer is a streaming media framework, based on graphs of elements which operate on media data.

This package contains plug-ins that aren't tested well enough, or the code is not of good enough quality.

Name : NetworkManager
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:14 PM EDT
Group : System Environment/Base
Size : 9268589
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Network connection manager and user applications
Description :

NetworkManager is a system service that manages network interfaces and connections based on user or automatic configuration. It supports Ethernet, Bridge, Bond, VLAN, Team, InfiniBand, Wi-Fi, mobile broadband (WWAN), PPPoE and other devices, and supports a variety of different VPN services.

Name : gvfs-mtp
Version : 1.16.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:55 PM EDT
Group : System Environment/Libraries
Size : 259720
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : MTP support for gvfs
Description :
This package provides support for reading and writing files on MTP based devices (Media Transfer Protocol) to applications using gvfs.

Name : gstreamer1-plugins-good
Version : 1.0.7
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:17 PM EDT
Group : Unspecified
Size : 7343643
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:53 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gstreamer1-plugins-good-1.0.7-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:32:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer plugins with good code and licensing
Description :
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new

plugins.

GStreamer Good Plugins is a collection of well-supported plugins of good quality and under the LGPL license.

Name : targetcli
Version : 2.1.fb37
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:57 PM EDT
Group : System Environment/Libraries
Size : 190697
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : targetcli-2.1.fb37-3.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:49:11 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/targetcli-fb/>
Summary : An administration shell for storage targets
Description :
An administration shell for configuring iSCSI, FCoE, and other SCSI targets, using the TCM/LIO kernel target subsystem. FCoE users will also need to install and use fcoe-utils.

Name : geoclue
Version : 0.12.99
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:18 PM EDT
Group : System Environment/Libraries
Size : 342249
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:28:26 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : geoclue-0.12.99-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:25:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://geoclue.freedesktop.org/>
Summary : A modular geoinformation service
Description :
Geoclue is a modular geoinformation service built on top of the D-Bus messaging system. The goal of the Geoclue project is to make creating location-aware applications as simple as possible.

Name : gvfs-goa
Version : 1.16.4
Release : 8.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:58 PM EDT
Group : System Environment/Libraries
Size : 101851
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : GOA support for gvfs
Description :
This package provides seamless integration with gnome-online-accounts
file services.

Name : numad
Version : 0.5
Release : 14.20140620git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:22 PM EDT
Group : System Environment/Daemons
Size : 57563
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:21:01 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : numad-0.5-14.20140620git.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:21:38 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/?p=numad.git>
Summary : NUMA user daemon
Description :
Numad, a daemon for NUMA (Non-Uniform Memory Architecture) systems,
that monitors NUMA characteristics and manages placement of processes
and memory to minimize memory latency and thus provide optimum
performance.

Name : cgdcbxd
Version : 1.0.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:59 PM EDT
Group : System Environment/Base
Size : 48566
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:05 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cgdcbxd-1.0.2-5.el7.src.rpm

Build Date : Mon 09 Jun 2014 05:07:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/jrfastab/cgdcboxd>
Summary : DCB network priority management daemon
Description :
This is a daemon to manage the priority of network traffic in dcb enabled environments. By using the information exchanged over the dcbx protocol on a LAN, this package will enforce network priority on running applications on your host using the net_prio cgroup

Name : libvirt-daemon
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:24 PM EDT
Group : Development/Libraries
Size : 1593342
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Server side daemon and supporting files for libvirt library
Description :
Server side daemon required to manage the virtualization capabilities of recent versions of Linux. Requires a hypervisor specific sub-RPM for specific drivers.

Name : NetworkManager-bluetooth
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:00 PM EDT
Group : System Environment/Base
Size : 88072
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:31 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Bluetooth device plugin for NetworkManager
Description :
This package contains NetworkManager support for Bluetooth devices.

Name : libvirt-daemon-driver-nodedev
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:24 PM EDT
Group : Development/Libraries
Size : 107144
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:11 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Nodedev driver plugin for the libvirtd daemon
Description :
The nodedev driver plugin for the libvirtd daemon, providing an implementation of the node device APIs using the udev capabilities.

Name : gvfs-fuse
Version : 1.16.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:01 PM EDT
Group : System Environment/Libraries
Size : 38637
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : FUSE support for gvfs
Description :
This package provides support for applications not using gio to access the gvfs filesystems.

Name : libstoragemgmt-python
Version : 1.1.0
Release : 2.el7

Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:25 PM EDT
Group : System Environment/Libraries
Size : 537643
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libstoragemgmt-1.1.0-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:48:36 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libstoragemgmt/>
Summary : Python client libraries and plug-in support for libstoragemgmt
Description :
The libstoragemgmt-python package contains python client libraries as well as python framework support and open source plug-ins written in python.

Name : gvfs-gphoto2
Version : 1.16.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:02 PM EDT
Group : System Environment/Libraries
Size : 276488
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : gphoto2 support for gvfs
Description :
This package provides support for reading and writing files on PTP based cameras (Picture Transfer Protocol) and MTP based media players (Media Transfer Protocol) to applications using gvfs.

Name : policycoreutils-python
Version : 2.2.5
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:26 PM EDT
Group : System Environment/Base
Size : 1211005
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:46 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : policycoreutils-2.2.5-15.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:04:15 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.selinuxproject.org>
Summary : SELinux policy core python utilities
Description :
The policycoreutils-python package contains the management tools use to manage an SELinux environment.

Name : xorg-x11-drv-wacom
Version : 0.23.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:27 PM EDT
Group : User Interface/X Hardware Support
Size : 865617
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-wacom-0.23.0-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:04:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 wacom input driver
Description :
X.Org X11 wacom input driver for Wacom tablets.

Name : tomcat
Epoch : 0
Version : 7.0.54
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:05 PM EDT
Group : System Environment/Daemons
Size : 305914
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tomcat-7.0.54-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:54:31 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tomcat.apache.org/>
Summary : Apache Servlet/JSP Engine, RI for Servlet 3.0/JSP 2.2 API
Description :

Tomcat is the servlet container that is used in the official Reference Implementation for the Java Servlet and JavaServer Pages technologies. The Java Servlet and JavaServer Pages specifications are developed by Sun under the Java Community Process.

Tomcat is developed in an open and participatory environment and released under the Apache Software License version 2.0. Tomcat is intended to be a collaboration of the best-of-breed developers from around the world.

```
Name       : xorg-x11-drv-synaptics
Version    : 1.7.1
Release    : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:27 PM EDT
Group      : User Interface/X Hardware Support
Size       : 129636
License    : MIT
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:41:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-synaptics-1.7.1-13.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:05:28 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.x.org
Summary    : Xorg X11 Synaptics touchpad input driver
Description :
This is the Synaptics touchpad driver for the X.Org X server. The
following
touchpad models are supported:
* Synaptics
* appletouch (Post February 2005 and October 2005 Apple Aluminium
Powerbooks)
* Elantech (EeePC)
* bcm5974 (Macbook Air (Jan 2008), Macbook Pro Penryn (Feb 2008), iPhone
(2007), iPod Touch (2008))
```

Note that support for appletouch, elantech and bcm5974 requires the respective kernel module.

A touchpad by default operates in compatibility mode by emulating a standard mouse. However, by using a dedicated driver, more advanced features of the touchpad become available.

Features:

- * Movement with adjustable, non-linear acceleration and speed.
- * Button events through short touching of the touchpad ("tapping").
- * Double-Button events through double short touching of the touchpad.

- * Dragging through short touching and holding down the finger on the touchpad.
- * Middle and right button events on the upper and lower corner of the touchpad.
- * Vertical scrolling (button four and five events) through moving the finger on the right side of the touchpad.
- * The up/down button sends button four/five events.
- * Horizontal scrolling (button six and seven events) through moving the finger on the lower side of the touchpad.
- * The multi-buttons send button four/five events, and six/seven events for horizontal scrolling.
- * Adjustable finger detection.
Multifinger taps: two finger for middle button and three finger for right button events. (Needs hardware support. Not all models implement this feature.)
- * Run-time configuration using shared memory. This means you can change parameter settings without restarting the X server.

```

Name       : grub2
Epoch     : 1
Version    : 2.02
Release    : 0.16.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:09 PM EDT
Group      : System Environment/Base
Size       : 7394172
License    : GPLv3+
Signature  : RSA/SHA256, Thu 26 Mar 2015 06:55:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : grub2-2.02-0.16.el7.centos.src.rpm
Build Date : Thu 26 Mar 2015 04:28:33 AM EDT
Build Host  : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL         : http://www.gnu.org/software/grub/
Summary     : Bootloader with support for Linux, Multiboot and more
Description :
The GRand Unified Bootloader (GRUB) is a highly configurable and
customizable
bootloader with modular architecture. It support rich variety of kernel
formats,
file systems, computer architectures and hardware devices. This
subpackage
provides support for PC BIOS systems.

```

```

Name       : xorg-x11-drv-vmmouse
Version    : 13.0.0
Release    : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:28 PM EDT
Group      : User Interface/X Hardware Support

```

Size : 29598
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-vmmouse-13.0.0-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:28:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 vmmouse input driver
Description :
X.Org X11 vmmouse input driver.

Name : libreoffice-pyuno
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:51 PM EDT
Group : Development/Libraries
Size : 1996136
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0
and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:28 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : Python support for LibreOffice
Description :
Python bindings for the LibreOffice UNO component model. Allows scripts
both
external to LibreOffice and within the internal LibreOffice scripting
framework
to be written in python.

Name : baobab
Version : 3.8.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:12 PM EDT
Group : Applications/System
Size : 1398956
License : GPLv2+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 08:46:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : baobab-3.8.2-4.el7.src.rpm

Build Date : Mon 09 Jun 2014 10:01:14 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://live.gnome.org/Baobab>
Summary : A graphical directory tree analyzer
Description :
Baobab is able to scan either specific directories or the whole filesystem, in order to give the user a graphical tree representation including each directory size or percentage in the branch. It also auto-detects in real-time any change made to your home folder as far as any mounted/unmounted device.

Name : libreoffice-impress
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:52 PM EDT
Group : Applications/Productivity
Size : 5100272
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : LibreOffice Presentation Application
Description :
The LibreOffice Presentation Application.

Name : gnome-calculator
Version : 3.8.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:14 PM EDT
Group : Applications/System
Size : 4150117
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:24 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-calculator-3.8.2-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:54:40 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Gcalctool>
Summary : A desktop calculator
Description :
gnome-calculator is a powerful graphical calculator with financial, logical and scientific modes. It uses a multiple precision package to do its arithmetic to give a high degree of accuracy.

Name : xorg-x11-drv-vmware
Version : 13.0.2
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:54 PM EDT
Group : User Interface/X Hardware Support
Size : 163890
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-vmware-13.0.2-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:30:07 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 vmware video driver
Description :
X.Org X11 vmware video driver.

Name : system-config-printer-udev
Version : 1.4.1
Release : 19.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:15 PM EDT
Group : System Environment/Base
Size : 45689
License : GPLv2+
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:50 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm
Build Date : Mon 03 Nov 2014 08:49:36 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cyberelk.net/tim/software/system-config-printer/>
Summary : Rules for udev for automatic configuration of USB printers
Description :
The udev rules and helper programs for automatically configuring USB printers.

Name : sssd-proxy
Version : 1.12.2

Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:55 PM EDT
Group : Applications/System
Size : 133011
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : The proxy back end of the SSSD
Description :
Provides the proxy back end which can be used to wrap an existing NSS
and/or
PAM modules to leverage SSSD caching.

Name : avahi
Version : 0.6.31
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:17 PM EDT
Group : Unspecified
Size : 1025675
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:07 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : avahi-0.6.31-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:03:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avahi.org>
Summary : Local network service discovery
Description :
Avahi is a system which facilitates service discovery on
a local network -- this means that you can plug your laptop or
computer into a network and instantly be able to view other people who
you can chat with, find printers to print to or find files being
shared. This kind of technology is already found in MacOS X (branded
'Rendezvous', 'Bonjour' and sometimes 'ZeroConf') and is very
convenient.

Name : abrt-addon-ccpp
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:56 PM EDT
Group : System Environment/Libraries

Size : 335117
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's C/C++ addon
Description :
This package contains hook for C/C++ crashed programs and abrt's C/C++
analyzer plugin.

Name : pciutils
Version : 3.2.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:18 PM EDT
Group : Applications/System
Size : 193227
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pciutils-3.2.1-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:52:49 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>
Summary : PCI bus related utilities
Description :
The pciutils package contains various utilities for inspecting and
setting devices connected to the PCI bus. The utilities provided
require kernel version 2.1.82 or newer (which support the
/proc/bus/pci interface).

Name : oddjob
Version : 0.31.5
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:57 PM EDT
Group : System Environment/Daemons
Size : 153686
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : oddjob-0.31.5-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:33:03 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.fedorahosted.org/oddjob>
Summary : A D-Bus service which runs odd jobs on behalf of client applications
Description :
oddjob is a D-Bus service which performs particular tasks for clients which connect to it and issue requests using the system-wide message bus.

Name : psacct
Version : 6.6.1
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:19 PM EDT
Group : Applications/System
Size : 203272
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : psacct-6.6.1-9.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:05:05 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/acct/>
Summary : Utilities for monitoring process activities
Description :
The psacct package contains several utilities for monitoring process activities, including ac, lastcomm, accton and sa. The ac command displays statistics about how long users have been logged on. The lastcomm command displays information about previous executed commands. The accton command turns process accounting on or off. The sa command summarizes information about previously executed commands.

Name : libgdata
Version : 0.13.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:58 PM EDT
Group : System Environment/Libraries
Size : 1564898
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:39 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgdata-0.13.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:28:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/libgdata>

Summary : Library for the GData protocol
Description :
libgdata is a GLib-based library for accessing online service APIs using the
GData protocol --- most notably, Google's services. It provides APIs to access
the common Google services, and has full asynchronous support.

Name : biosdevname
Version : 0.6.1
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:21 PM EDT
Group : System Environment/Base
Size : 59151
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:48 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : biosdevname-0.6.1-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:06:20 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://linux.dell.com/files/biosdevname>
Summary : Udev helper for naming devices per BIOS names
Description :
biosdevname in its simplest form takes a kernel device name as an argument, and returns the BIOS-given name it "should" be. This is necessary
on systems where the BIOS name for a given device (e.g. the label on the chassis is "Gb1") doesn't map directly and obviously to the kernel name (e.g. eth0).

Name : rtkit
Version : 0.11
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:00 PM EDT
Group : System Environment/Base
Size : 136145
License : GPLv3+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rtkit-0.11-10.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:27:17 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.0pointer.de/?p=rtkit.git>
Summary : Realtime Policy and Watchdog Daemon
Description :
RealtimeKit is a D-Bus system service that changes the

scheduling policy of user processes/threads to SCHED_RR (i.e. realtime scheduling mode) on request. It is intended to be used as a secure mechanism to allow real-time scheduling to be used by normal user processes.

Name : crda
Version : 1.1.3_2014.06.13
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:22 PM EDT
Group : System Environment/Base
Size : 46183
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:25 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : crda-1.1.3_2014.06.13-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:49:30 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.linuxwireless.org/en/developers/Regulatory/CRDA>
Summary : Regulatory compliance daemon for 802.11 wireless networking
Description :
CRDA acts as the udev helper for communication between the kernel and userspace for regulatory compliance. It relies on nl80211 for communication. CRDA is intended to be run only through udev communication from the kernel.

Name : net-tools
Version : 2.0
Release : 0.17.20131004git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:01 PM EDT
Group : System Environment/Base
Size : 938653
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:56:18 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : net-tools-2.0-0.17.20131004git.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:15:04 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/net-tools/>
Summary : Basic networking tools
Description :
The net-tools package contains basic networking tools, including ifconfig, netstat, route, and others. Most of them are obsolete. For replacement check iproute package.

Name : dhcp
Epoch : 12

Version : 4.2.5
Release : 36.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:24 PM EDT
Group : System Environment/Daemons
Size : 1452446
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:49 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm
Build Date : Thu 05 Mar 2015 05:43:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://isc.org/products/DHCP/>
Summary : Dynamic host configuration protocol software
Description :
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhcp package provides the ISC DHCP service and relay agent.

Name : usb_modeswitch-data
Version : 20130807
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:02 PM EDT
Group : Applications/System
Size : 109191
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : usb_modeswitch-data-20130807-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:42:51 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.draisberghof.de/usb_modeswitch/
Summary : USB Modeswitch gets mobile broadband cards in operational mode
Description :
USB Modeswitch brings up your datacard into operational mode. When plugged in they identify themselves as cdrom and present some non-Linux compatible installation files. This tool deactivates this cdrom-devices and enables the real communication device. It supports most devices built and

sold by Huawei, T-Mobile, Vodafone, Option, ZTE, Novatel.

This package contains the data files needed for usb_modeswitch to function.

```
Name       : irqbalance
Epoch     : 2
Version    : 1.0.7
Release    : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:25 PM EDT
Group      : System Environment/Base
Size       : 66999
License    : GPLv2
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:56:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : irqbalance-1.0.7-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:07:55 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://github.com/Irqbalance/irqbalance
Summary    : IRQ balancing daemon
Description :
irqbalance is a daemon that evenly distributes IRQ load across
multiple CPUs for enhanced performance.
```

```
Name       : qemu-kvm-common
Epoch     : 10
Version    : 1.5.3
Release    : 86.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:04 PM EDT
Group      : Development/Tools
Size       : 747119
License    : GPLv2+ and LGPLv2+ and BSD
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:31:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.qemu.org/
Summary    : QEMU common files needed by all QEMU targets
Description :
qemu-kvm is an open source virtualizer that provides hardware emulation
for
the KVM hypervisor.
```

This package provides documentation and auxiliary programs used with qemu-kvm.

Name : perl-Template-Toolkit
Version : 2.24
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:27 PM EDT
Group : Development/Libraries
Size : 6473147
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Template-Toolkit-2.24-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:39:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.template-toolkit.org/>
Summary : Template processing system
Description :
The Template Toolkit is a collection of modules which implement a fast, flexible, powerful and extensible template processing system. It was originally designed and remains primarily useful for generating dynamic web content, but it can be used equally well for processing any other kind of text based documents: HTML, XML, POD, PostScript, LaTeX, and so on.

Name : radvd
Version : 1.9.2
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:05 PM EDT
Group : System Environment/Daemons
Size : 161893
License : BSD with advertising
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : radvd-1.9.2-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:43:58 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.litech.org/radvd/>
Summary : A Router Advertisement daemon
Description :
radvd is the router advertisement daemon for IPv6. It listens to router solicitations and sends router advertisements as described in "Neighbor Discovery for IP Version 6 (IPv6)" (RFC 2461). With these advertisements hosts can automatically configure their addresses and some other parameters. They also can choose a default router based on these advertisements.

Install radvd if you are setting up IPv6 network and/or Mobile IPv6

services.

Name : gcc-gfortran
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:30 PM EDT
Group : Development/Languages
Size : 16376773
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:05 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gcc.gnu.org>
Summary : Fortran support
Description :
The gcc-gfortran package provides support for compiling Fortran programs with the GNU Compiler Collection.

Name : hypervvssd
Version : 0
Release : 0.25.20141008git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:06 PM EDT
Group : System Environment/Daemons
Size : 11392
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:20 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:02:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org>
Summary : HyperV VSS daemon
Description :
Hypervvssd is an implementation of HyperV VSS functionality for Linux. The daemon is used for host initiated guest snapshot on HyperV hypervisor. The daemon first registers with the kernel driver. After this is done it waits for instructions from Windows Host if to "freeze" or "thaw" the filesystem on the Linux Guest.

Name : libreport-plugin-mailx
Version : 2.1.11
Release : 21.el7.centos.0.4

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:32 PM EDT
Group : System Environment/Libraries
Size : 63437
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:23 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's mailx reporter plugin
Description :
The simple reporter plugin which sends a report via mailx to a specified
email address.

Name : libmtp
Version : 1.1.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:07 PM EDT
Group : System Environment/Libraries
Size : 471343
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:00:24 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmtp-1.1.6-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:46:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libmtp.sourceforge.net/>
Summary : A software library for MTP media players
Description :
This package provides a software library for communicating with MTP
(Media Transfer Protocol) media players, typically audio players, video
players etc.

Name : pinfo
Version : 0.6.10
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:33 PM EDT
Group : System Environment/Base
Size : 304096
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:20 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pinfo-0.6.10-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:22:07 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pinfo.aliioth.debian.org>
Summary : An info file viewer
Description :
Pinfo is an info file (or man page) viewer with a user interface similar to the Lynx Web browser's interface. Pinfo supports searching using regular expressions, and is based on the ncurses library.

Name : device-mapper-multipath
Version : 0.4.9
Release : 77.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:08 PM EDT
Group : System Environment/Base
Size : 179390
License : GPL+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : device-mapper-multipath-0.4.9-77.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:51:48 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://christophe.varoqui.free.fr/>
Summary : Tools to manage multipath devices using device-mapper
Description :
device-mapper-multipath provides tools to manage multipath devices by instructing the device-mapper multipath kernel module what to do.
The tools are :
* multipath - Scan the system for multipath devices and assemble them.
* multipathd - Detects when paths fail and execs multipath to update things.

Name : gcc-c++
Version : 4.8.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:37 PM EDT
Group : Development/Languages
Size : 17251157
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gcc-4.8.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 02:59:34 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://gcc.gnu.org>
Summary : C++ support for GCC
Description :
This package adds C++ support to the GNU Compiler Collection.
It includes support for most of the current C++ specification,
including templates and exception handling.

Name : glusterfs-libs
Version : 3.6.0.29
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:09 PM EDT
Group : Applications/File
Size : 915240
License : GPLv2 or LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glusterfs-3.6.0.29-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:47:02 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gluster.org/docs/index.php/GlusterFS>
Summary : GlusterFS common libraries
Description :
GlusterFS is a clustered file-system capable of scaling to several
petabytes. It aggregates various storage bricks over Infiniband RDMA
or TCP/IP interconnect into one large parallel network file
system. GlusterFS is one of the most sophisticated file systems in
terms of features and extensibility. It borrows a powerful concept
called Translators from GNU Hurd kernel. Much of the code in GlusterFS
is in user space and easily manageable.

This package provides the base GlusterFS libraries

Name : compat-openldap
Epoch : 1
Version : 2.3.43
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:41 PM EDT
Group : System Environment/Libraries
Size : 613501
License : OpenLDAP
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:04 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : compat-openldap-2.3.43-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:27:00 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openldap.org/>

Summary : OpenLDAP compatibility shared libraries
Description :
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. The compat-openldap package includes older versions of the OpenLDAP shared libraries which may be required by some applications.

Name : libvirt-daemon-driver-storage
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:11 PM EDT
Group : Development/Libraries
Size : 519944
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Storage driver plugin for the libvirtd daemon
Description :
The storage driver plugin for the libvirtd daemon, providing an implementation of the storage APIs using LVM, iSCSI, parted and more.

Name : tcsh
Version : 6.18.01
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:43 PM EDT
Group : System Environment/Shells
Size : 677498
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tcsh-6.18.01-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:10:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.tcsh.org/>
Summary : An enhanced version of csh, the C shell
Description :
Tcsh is an enhanced but completely compatible version of csh, the C shell. Tcsh is a command language interpreter which can be used both as an interactive login shell and as a shell script command processor. Tcsh includes a command line editor, programmable word completion, spelling correction, a history mechanism, job control and a C language

like syntax.

Name : libiptcdata
Version : 1.0.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:14 PM EDT
Group : Development/Libraries
Size : 163421
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:54:47 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libiptcdata-1.0.4-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:22:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libiptcdata.sourceforge.net/>
Summary : IPTC tag library
Description :
libiptcdata is a library for parsing, editing, and saving IPTC data stored inside images. IPTC is a standard for encoding metadata such as captions, titles, locations, etc. in the headers of an image file. libiptcdata also includes a command-line utility for modifying the metadata.

Name : libproxy-mozjs
Version : 0.4.11
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:44 PM EDT
Group : System Environment/Libraries
Size : 24584
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libproxy-0.4.11-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:31:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/libproxy/>
Summary : Plugin for libproxy and mozjs
Description :
The libproxy-mozjs package contains the libproxy plugin for mozjs.

Name : perl-Expect
Version : 1.21
Release : 1
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:45 PM EDT
Group : Applications/CPAN

Size : 168772
License : Artistic
Signature : DSA/SHA1, Wed 07 Jan 2015 08:53:06 PM EST, Key ID
60a3e9acc6565bc9
Source RPM : perl-Expect-1.21-1.src.rpm
Build Date : Mon 03 Mar 2008 02:22:29 PM EST
Build Host : mn.cluster8
Relocations : /usr
Packager : Arix International <cpan2rpm@arix.com>
Vendor : rgiersig@cpan.org
URL : http://www.cpan.org
Summary : Expect - Perl module
Description :
None.

Name : sgpio
Version : 1.2.0.10
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:16 PM EDT
Group : System Environment/Base
Size : 19045
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sgpio-1.2.0.10-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:13:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <http://bugs.centos.org>
Vendor : CentOS
URL : http://sources.redhat.com/lvm2/wiki/DMRAID_Eventing
Summary : SGPIO captive backplane tool
Description :
Intel SGPIO enclosure management utility

Name : pygobject3-base
Version : 3.8.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:34 PM EDT
Group : Development/Languages
Size : 1146194
License : LGPLv2+ and MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:29 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pygobject3-3.8.2-6.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:12 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <http://bugs.centos.org>
Vendor : CentOS
URL : https://live.gnome.org/PyGObject
Summary : Python 2 bindings for GObject Introspection base package

Description :

This package provides the non-cairo specific bits of the GObject Introspection library.

Name : patchutils
Version : 0.3.3
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:46 PM EDT
Group : Applications/System
Size : 260135
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : patchutils-0.3.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:45:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cyberelk.net/tim/patchutils/>
Summary : A collection of programs for manipulating patch files
Description :
This is a collection of programs that can manipulate patch files in a variety of ways, such as interpolating between two pre-patches, combining two incremental patches, fixing line numbers in hand-edited patches, and simply listing the files modified by a patch.

Name : liberation-fonts-common
Epoch : 1
Version : 1.07.2
Release : 14.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:56 PM EDT
Group : User Interface/X
Size : 75627
License : Liberation
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : liberation-fonts-1.07.2-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:51:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/liberation-fonts/>
Summary : Shared common files of Liberation font families
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

Shared common files of Liberation font families.

Name : cairomm
Version : 1.10.0
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:26 PM EDT
Group : System Environment/Libraries
Size : 190574
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:30 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cairomm-1.10.0-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:54:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.cairographics.org>
Summary : C++ API for the cairo graphics library
Description :
Cairomm is the C++ API for the cairo graphics library. It offers all the power of cairo with an interface familiar to C++ developers, including use of the Standard Template Library where it makes sense.

Name : keyutils
Version : 1.5.8
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:17 PM EDT
Group : System Environment/Base
Size : 99436
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : keyutils-1.5.8-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:17:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/~dhowells/keyutils/>
Summary : Linux Key Management Utilities
Description :
Utilities to control the kernel key management facility and to provide a mechanism by which the kernel call back to user space to get a key instantiated.

Name : rpm-python
Version : 4.11.1
Release : 25.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:19 PM EDT
Group : Development/Libraries
Size : 143474
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:19 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rpm-4.11.1-25.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:27:41 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rpm.org/>
Summary : Python bindings for apps which will manipulate RPM packages
Description :
The rpm-python package contains a module that permits applications written in the Python programming language to use the interface supplied by RPM Package Manager libraries.

This package should be installed if you want to develop Python programs that will manipulate RPM packages and databases.

Name : procps-ng
Version : 3.3.10
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:47 PM EDT
Group : Applications/System
Size : 758622
License : GPL+ and GPLv2 and GPLv2+ and GPLv3+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : procps-ng-3.3.10-3.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:05:42 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://sourceforge.net/projects/procps-ng/>
Summary : System and process monitoring utilities
Description :
The procps package contains a set of system utilities that provide system information. Procps includes ps, free, skill, pkill, pgrep, snice, tload, top, uptime, vmstat, w, watch and pwdx. The ps command displays a snapshot of running processes. The top command provides a repetitive update of the statuses of running processes. The free command displays the amounts of free and used memory on your system. The skill command sends a terminate command (or another specified signal) to a specified set of processes. The snice command is used to change the scheduling priority of specified processes. The tload command prints a graph of the current system load average to a specified tty. The uptime command displays the current time, how long the system has been running, how many users

are logged on, and system load averages for the past one, five, and fifteen minutes. The `w` command displays a list of the users who are currently logged on and what they are running. The `watch` program watches a running program. The `vmstat` command displays virtual memory statistics about processes, memory, paging, block I/O, traps, and CPU activity. The `pwdx` command reports the current working directory of a process or processes.

```
Name       : bison
Version    : 2.7
Release    : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:49 PM EDT
Group      : Development/Tools
Size       : 1734154
License    : GPLv3+
Signature  : RSA/SHA256, Thu 03 Jul 2014 08:48:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bison-2.7-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:58:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/bison/
Summary    : A GNU general-purpose parser generator
Description :
Bison is a general purpose parser generator that converts a grammar
description for an LALR(1) context-free grammar into a C program to
parse that grammar. Bison can be used to develop a wide range of
language parsers, from ones used in simple desk calculators to complex
programming languages. Bison is upwardly compatible with Yacc, so any
correctly written Yacc grammar should work with Bison without any
changes. If you know Yacc, you shouldn't have any trouble using
Bison. You do need to be very proficient in C programming to be able
to use Bison. Bison is only needed on systems that are used for
development.
```

If your system will be used for C development, you should install Bison.

```
Name       : filesystem
Version    : 3.2
Release    : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:27:58 PM EDT
Group      : System Environment/Base
Size       : 0
License    : Public Domain
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:20:34 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : filesystem-3.2-18.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:12:28 PM EDT
Build Host : worker1.bsys.centos.org
```

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/filesystem>
Summary : The basic directory layout for a Linux system
Description :
The filesystem package is one of the basic packages that is installed on a Linux system. Filesystem contains the basic directory layout for a Linux operating system, including the correct permissions for the directories.

Name : poppler-glib
Version : 0.22.5
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:29 PM EDT
Group : Development/Libraries
Size : 324288
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : poppler-0.22.5-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:01:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://poppler.freedesktop.org/>
Summary : Glib wrapper for poppler
Description :
Glib wrapper for poppler.

Name : jasper-libs
Version : 1.900.1
Release : 26.el7_0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:19 PM EDT
Group : System Environment/Libraries
Size : 350610
License : JasPer
Signature : RSA/SHA256, Fri 23 Jan 2015 10:44:54 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : jasper-1.900.1-26.el7_0.3.src.rpm
Build Date : Fri 23 Jan 2015 10:42:27 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.ece.uvic.ca/~frodo/jasper/>
Summary : Runtime libraries for jasper
Description :
Runtime libraries for jasper.

Name : python-meh-gui

Version : 0.25.2
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:21 PM EDT
Group : System Environment/Libraries
Size : 24610
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-meh-0.25.2-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:13:34 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>
Summary : Graphical user interface for the python-meh library
Description :
The python-meh-gui package provides a GUI for the python-meh library.

Name : polycoreutils
Version : 2.2.5
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:49 PM EDT
Group : System Environment/Base
Size : 4896574
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:36 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : polycoreutils-2.2.5-15.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:04:15 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.selinuxproject.org>
Summary : SELinux policy core utilities
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

polycoreutils contains the policy core utilities that are required for basic operation of a SELinux system. These utilities include `load_policy` to load policies, `setfiles` to label filesystems, `newrole` to switch roles.

Name : cyrus-sasl-plain
Version : 2.1.26
Release : 17.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:51 PM EDT
Group : System Environment/Libraries
Size : 39968
License : BSD with advertising
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>
Summary : PLAIN and LOGIN authentication support for Cyrus SASL
Description :
The cyrus-sasl-plain package contains the Cyrus SASL plugins which support PLAIN and LOGIN authentication schemes.

Name : poppler-data
Version : 0.4.6
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:00 PM EDT
Group : Development/Libraries
Size : 12013394
License : BSD and GPLv2 and GPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : poppler-data-0.4.6-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:57:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://poppler.freedesktop.org/>
Summary : Encoding files
Description :
This package consists of encoding files for poppler. When installed, the encoding files enables poppler to correctly render CJK and Cyrillic properly.

Name : libgusb
Version : 0.1.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:34 PM EDT
Group : Unspecified
Size : 87060
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:50:46 PM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : libgusb-0.1.6-3.el7.src.rpm

Build Date : Mon 09 Jun 2014 08:27:53 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://gitorious.org/gusb/>

Summary : GLib wrapper around libusb1

Description :

GUsb is a GObject wrapper for libusb1 that makes it easy to do asynchronous control, bulk and interrupt transfers with proper cancellation and integration into a mainloop.

Name : clucene-core

Version : 2.3.3.4

Release : 11.el7

Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:22 PM EDT

Group : Development/System

Size : 1889958

License : LGPLv2+ or ASL 2.0

Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:15 PM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : clucene-2.3.3.4-11.el7.src.rpm

Build Date : Mon 09 Jun 2014 06:18:02 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.sourceforge.net/projects/clucene>

Summary : Core clucene module

Description :

CLucene is a C++ port of the popular Apache Lucene search engine (<http://lucene.apache.org/java>).

CLucene aims to be a high-speed alternative to Java Lucene, its API is very

similar to that of the Java version. CLucene has recently been brought up to

date with Lucene 2.3.2. It contains most of the same functionality as the Java version.

Name : seabios-bin

Version : 1.7.5

Release : 8.el7

Architecture: noarch

Install Date: Wed 05 Apr 2017 03:34:25 PM EDT

Group : Applications/Emulators

Size : 393216

License : LGPLv3

Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:14 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : seabios-1.7.5-8.el7.src.rpm

Build Date : Fri 06 Mar 2015 12:30:32 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.coreboot.org/SeaBIOS>
Summary : Seabios for x86
Description :
SeaBIOS is an open-source legacy BIOS implementation which can be used as a coreboot payload. It implements the standard BIOS calling interfaces that a typical x86 proprietary BIOS implements.

Name : dhcp-libs
Epoch : 12
Version : 4.2.5
Release : 36.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:54 PM EDT
Group : System Environment/Base
Size : 149056
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:58 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm
Build Date : Thu 05 Mar 2015 05:43:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://isc.org/products/DHCP/>
Summary : Shared libraries used by ISC dhcp client and server
Description :
This package contains shared libraries used by ISC dhcp client and server

Name : ed
Version : 1.9
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:53 PM EDT
Group : Applications/Text
Size : 119985
License : GPLv3+, GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:11:39 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ed-1.9-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:54:13 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/ed/>
Summary : The GNU line editor
Description :
Ed is a line-oriented text editor, used to create, display, and modify

text files (both interactively and via shell scripts). For most purposes, ed has been replaced in normal usage by full-screen editors (emacs and vi, for example).

Ed was the original UNIX editor, and may be used by some programs. In general, however, you probably don't need to install it and you probably won't use it.

Name : telepathy-filesystem
Version : 0.0.2
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : System Environment/Base
Size : 0
License : Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : telepathy-filesystem-0.0.2-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:16:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Telepathy filesystem layout
Description :
This package provides some directories which are required by other packages which comprise the Telepathy release.

Name : evince-libs
Version : 3.8.3
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:37 PM EDT
Group : System Environment/Libraries
Size : 947215
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse
Signature : RSA/SHA256, Thu 03 Jul 2014 09:14:25 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : evince-3.8.3-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:58:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/evince/>
Summary : Libraries for the evince document viewer
Description :
This package contains shared libraries needed for evince

Name : soundtouch
Version : 1.4.0
Release : 9.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:25 PM EDT
Group : System Environment/Libraries
Size : 141628
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : soundtouch-1.4.0-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:16:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.surina.net/soundtouch/>
Summary : Audio Processing library for changing Tempo, Pitch and
Playback Rates
Description :
SoundTouch is a LGPL-licensed open-source audio processing library for
changing the Tempo, Pitch and Playback Rates of audio streams or
files. The SoundTouch library is suited for application developers
writing sound processing tools that require tempo/pitch control
functionality, or just for playing around with the sound effects.

The SoundTouch library source kit includes an example utility
SoundStretch which allows processing .wav audio files from a
command-line interface.

Name : comps-extras
Epoch : 1
Version : 7
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:29 PM EDT
Group : Applications/System
Size : 72535
License : GPL+ and LGPLv2+ and CC-BY-SA
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:06 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : comps-extras-7-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:16:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/git/?p=comps-extras.git;a=summary>
Summary : Images for package groups
Description :
This package contains images for the components included in this
distribution.

Name : plymouth-graphics-libs
Version : 0.8.9
Release : 0.13.20140113.el7.centos
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:30:56 PM EDT
Group : Development/Libraries
Size : 40952
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>
Summary : Plymouth graphics libraries
Description :
This package contains the libply-splash-graphics library
used by graphical Plymouth splashes.

Name : lohit-devanagari-fonts
Version : 2.5.3
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:00 PM EDT
Group : User Interface/X
Size : 90128
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:04 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lohit-devanagari-fonts-2.5.3-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:36:39 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Devanagari Script Font
Description :
This package provides a free Devanagari Script TrueType/OpenType font.

Name : anaconda-user-help
Version : 19.31.123
Release : 1.el7.centos.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:07 PM EDT
Group : Applications/System
Size : 589900
License : GPLv2+
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:33 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://fedoraproject.org/wiki/Anaconda>
Summary : Content for the Anaconda built-in help system
Description :
This package hold the content for the Anaconda built-in help system.

Name : gtk-vnc2
Version : 0.5.2
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:39 PM EDT
Group : Applications/Internet
Size : 80218
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:50:51 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gtk-vnc-0.5.2-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:31:12 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/gtk-vnc>
Summary : A GTK3 widget for VNC clients
Description :
gtk-vnc is a VNC viewer widget for GTK3. It is built using coroutines allowing it to be completely asynchronous while remaining single threaded.

Name : libvisual
Version : 0.4.0
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:27 PM EDT
Group : Applications/Multimedia
Size : 419592
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvisual-0.4.0-16.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:37:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvisual.sf.net>
Summary : Abstraction library for audio visualisation plugins
Description :
Libvisual is an abstraction library that comes between applications and audio visualisation plugins.

Often when it comes to audio visualisation plugins or programs that create

visuals they do depend on a player or something else, basically there is no general framework that enable application developers to easy access cool audio visualisation plugins. Libvisual wants to change this by providing an interface towards plugins and applications, through this easy to use interface applications can easily access plugins and since the drawing is done by the application it also enables the developer to draw the visual anywhere he wants.

Name : gnome-session
Version : 3.8.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:35 PM EDT
Group : User Interface/Desktops
Size : 1898331
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:39:10 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-session-3.8.4-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:12:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : GNOME session manager
Description :
gnome-session manages a GNOME desktop or GDM login session. It starts up the other core GNOME components and handles logout and saving the session.

Name : python-ethtool
Version : 0.8
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:58 PM EDT
Group : System Environment/Libraries
Size : 76161
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-ethtool-0.8-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:41:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.fedorahosted.org/cgit/python-ethtool.git>
Summary : Ethernet settings python bindings
Description :
Python bindings for the ethtool kernel interface, that allows querying and

changing of Ethernet card settings, such as speed, port, auto-negotiation, and PCI locations.

Name : pnm2ppa
Epoch : 1
Version : 1.04
Release : 28.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:11 PM EDT
Group : Applications/Publishing
Size : 895626
License : GPLv2+ and GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:31:30 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pnm2ppa-1.04-28.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:07:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/pnm2ppa>
Summary : Drivers for printing to HP PPA printers
Description :
Pnm2ppa is a color driver for HP PPA host-based printers such as the HP710C, 712C, 720C, 722C, 820Cse, 820Cxi, 1000Cse, and 1000Cxi. Pnm2ppa accepts Ghostscript output in PPM format and sends it to the printer in PPA format.

Install pnm2ppa if you need to print to a PPA printer.

Name : yelp-xsl
Version : 3.8.1
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:12 PM EDT
Group : Applications/System
Size : 1516506
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:47 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : yelp-xsl-3.8.1-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:12:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/yelp-xsl>
Summary : XSL stylesheets for the yelp help browser
Description :
This package contains XSL stylesheets that are used by the yelp help browser.

Name : perl-Git

Version : 1.8.3.1
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:32:41 PM EDT
Group : Development/Libraries
Size : 58567
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:36 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : git-1.8.3.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:40:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git-scm.com/>
Summary : Perl interface to Git
Description :
Perl interface to Git.

Name : sysvinit-tools
Version : 2.88
Release : 14.dsfe.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:29 PM EDT
Group : System Environment/Base
Size : 109118
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:09:36 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sysvinit-2.88-14.dsfe.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:16:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://savannah.nongnu.org/projects/sysvinit/>
Summary : Tools used for process and utmp management.
Description :
The sysvinit-tools package contains various tools used for process
management.

Name : pulseaudio-module-bluetooth
Version : 3.0
Release : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:52 PM EDT
Group : Unspecified
Size : 184896
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:18 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pulseaudio-3.0-30.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:23 AM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>
Summary : Bluetooth support for the PulseAudio sound server
Description :
Contains Bluetooth audio (A2DP/HSP/HFP) support for the PulseAudio sound server.

Also contains a module that can be used to automatically turn down the volume if
a bluetooth mobile phone leaves the proximity or turn it up again if it enters the
proximity again

Name : xfsprogs
Version : 3.2.1
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:01 PM EDT
Group : System Environment/Base
Size : 3870882
License : GPL+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xfsprogs-3.2.1-6.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:03:45 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.sgi.com/projects/xfs/>
Summary : Utilities for managing the XFS filesystem
Description :
A set of commands to use the XFS filesystem, including mkfs.xfs.

XFS is a high performance journaling filesystem which originated on the SGI IRIX platform. It is completely multi-threaded, can support large files and large filesystems, extended attributes, variable block sizes, is extent based, and makes extensive use of Btrees (directories, extents, free space) to aid both performance and scalability.

Refer to the documentation at <http://oss.sgi.com/projects/xfs/> for complete details. This implementation is on-disk compatible with the IRIX version of XFS.

Name : lohit-tamil-fonts
Version : 2.5.3
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:25 PM EDT
Group : User Interface/X

Size : 79141
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:20 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lohit-tamil-fonts-2.5.3-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:37:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Tamil font
Description :
This package provides a free Tamil truetype/opentype font.

Name : xz-libs
Version : 5.1.2
Release : 9alpha.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:21 PM EDT
Group : System Environment/Libraries
Size : 235727
License : LGPLv2+
Signature : RSA/SHA256, Wed 01 Oct 2014 08:35:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xz-5.1.2-9alpha.el7.src.rpm
Build Date : Tue 30 Sep 2014 01:51:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tukaani.org/xz/>
Summary : Libraries for decoding LZMA compression
Description :
Libraries for decoding files compressed with LZMA or XZ utils.

Name : sane-backends
Version : 1.0.24
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:45 PM EDT
Group : System Environment/Libraries
Size : 2032215
License : GPLv2+ and GPLv2+ with exceptions and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sane-backends-1.0.24-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.sane-project.org>
Summary : Scanner access software

Description :

Scanner Access Now Easy (SANE) is a universal scanner interface. The SANE application programming interface (API) provides standardized access to any raster image scanner hardware (flatbed scanner, hand-held scanner, video and still cameras, frame-grabbers, etc.).

Name : clucene-contribs-lib
Version : 2.3.3.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:32 PM EDT
Group : Development/System
Size : 405464
License : LGPLv2+ or ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:10 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : clucene-2.3.3.4-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:18:02 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.sourceforge.net/projects/clucene>
Summary : Language specific text analyzers for clucene
Description :
Language specific text analyzers for clucene.

Name : initial-setup
Version : 0.3.9.23
Release : 1.el7.centos.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:54 PM EDT
Group : System Environment/Base
Size : 174516
License : GPLv2+
Signature : RSA/SHA256, Fri 27 Mar 2015 05:53:41 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : initial-setup-0.3.9.23-1.el7.centos.2.src.rpm
Build Date : Fri 27 Mar 2015 05:51:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/InitialSetup>
Summary : Initial system configuration utility
Description :
The initial-setup utility runs after installation. It guides the user through a series of steps that allows for easier configuration of the machine.

Name : fipscheck-lib
Version : 1.4.1
Release : 5.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:31:03 PM EDT
Group : System Environment/Libraries
Size : 11450
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:50 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fipscheck-1.4.1-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:33:57 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/fipscheck/>
Summary : Library files for fipscheck
Description :
This package contains the FIPSCheck library.

Name : lohit-malayalam-fonts
Version : 2.5.3
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:36 PM EDT
Group : User Interface/X
Size : 86092
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:10 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lohit-malayalam-fonts-2.5.3-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:33:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Malayalam font
Description :
This package provides a free Malayalam truetype/opentype font.

Name : info
Version : 5.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:23 PM EDT
Group : System Environment/Base
Size : 494499
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:07:00 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : texinfo-5.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:22:04 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://www.gnu.org/software/texinfo/>
Summary : A stand-alone TTY-based reader for GNU texinfo documentation
Description :
The GNU project uses the texinfo file format for much of its documentation. The info package provides a standalone TTY-based browser program for viewing texinfo files.

Name : firewalld
Version : 0.3.9
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:32:47 PM EDT
Group : System Environment/Base
Size : 2404285
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : firewalld-0.3.9-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:35:57 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/firewalld>
Summary : A firewall daemon with D-BUS interface providing a dynamic firewall
Description :
firewalld is a firewall service daemon that provides a dynamic customizable firewall with a D-BUS interface.

Name : iw
Version : 3.10
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:33 PM EDT
Group : System Environment/Base
Size : 137033
License : ISC
Signature : RSA/SHA256, Thu 07 Aug 2014 09:30:45 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : iw-3.10-6.el7.src.rpm
Build Date : Thu 07 Aug 2014 09:20:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.linuxwireless.org/en/users/Documentation/iw>
Summary : A nl80211 based wireless configuration tool
Description :
iw is a new nl80211 based CLI configuration utility for wireless devices. Currently you can only use this utility to configure devices which use a mac80211 driver as these are the new drivers being written -

only because most new wireless devices being sold are now SoftMAC.

Name : libnotify
Version : 0.7.5
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:58 PM EDT
Group : System Environment/Libraries
Size : 86817
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:02:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libnotify-0.7.5-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:25:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : Desktop notification library
Description :
libnotify is a library for sending desktop notifications to a notification daemon, as defined in the freedesktop.org Desktop Notifications spec. These notifications can be used to inform the user about an event or display some form of information without getting in the user's way.

Name : vorbis-tools
Epoch : 1
Version : 1.4.0
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:05 PM EDT
Group : Applications/Multimedia
Size : 794577
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:12 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : vorbis-tools-1.4.0-12.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:20:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xiph.org/>
Summary : The Vorbis General Audio Compression Codec tools
Description :
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free, general-purpose compressed audio format for audio and music at fixed and variable bitrates from 16 to 128 kbps/channel.

The vorbis package contains an encoder, a decoder, a playback tool, and a

comment editor.

Name : gnu-free-sans-fonts
Version : 20120503
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:43 PM EDT
Group : User Interface/X
Size : 3086187
License : GPLv3+ with exceptions
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:59 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/freefont/>
Summary : GNU FreeFont Sans-Serif Font
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont sans-serif font.

Name : audit-libs
Version : 2.4.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:24 PM EDT
Group : Development/Libraries
Size : 210402
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:45 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : audit-2.4.1-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:59:11 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.redhat.com/sgrubb/audit/>
Summary : Dynamic library for libaudit
Description :
The audit-libs package contains the dynamic libraries needed for applications to use the audit framework.

Name : libcanberra-gtk2
Version : 0.30
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:52 PM EDT
Group : System Environment/Libraries
Size : 43896
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:12 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libcanberra-0.30-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>
Summary : Gtk+ 2.x Bindings for libcanberra
Description :
Gtk+ 2.x bindings for libcanberra

Name : perl-Encode
Version : 2.51
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:35 PM EDT
Group : Development/Libraries
Size : 10176350
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Encode-2.51-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:49:45 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Encode/>
Summary : Character encodings in Perl
Description :
The Encode module provides the interface between Perl strings and the rest of the system. Perl strings are sequences of characters.

Name : ibus-gtk3
Version : 1.5.3

Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:00 PM EDT
Group : System Environment/Libraries
Size : 33216
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:03:45 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-1.5.3-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:14:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : IBus im module for gtk3
Description :
This package contains ibus im module for gtk3

Name : perl-Tk
Version : 804.030
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:07 PM EDT
Group : Development/Libraries
Size : 6704158
License : (GPL+ or Artistic) and SWL
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:41 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Tk-804.030-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:16:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Tk/>
Summary : Perl Graphical User Interface ToolKit
Description :
This a re-port of a perl interface to Tk8.4.
C code is derived from Tcl/Tk8.4.5.
It also includes all the C code parts of Tix8.1.4 from SourceForge.
The perl code corresponding to Tix's Tcl code is not fully implemented.

Perl API is essentially the same as Tk800 series Tk800.025 but has not been verified as compliant. There ARE differences see pod/804delta.pod.

Name : rdate
Version : 1.4
Release : 25.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:50 PM EDT
Group : Applications/System
Size : 29251
License : GPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:26 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rdate-1.4-25.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:26:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://people.redhat.com/sopwith/>
Summary : Tool for getting the date/time from a remote machine
Description :
The rdate utility retrieves the date and time from another machine on
your network, using the protocol described in RFC 868. If you run
rdate as root, it will set your machine's local time to the time of
the machine that you queried.

Name : readline
Version : 6.2
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:26 PM EDT
Group : System Environment/Libraries
Size : 460408
License : GPLv3+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : readline-6.2-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:52:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>
Summary : A library for editing typed command lines
Description :
The Readline library provides a set of functions that allow users to
edit command lines. Both Emacs and vi editing modes are available. The
Readline library includes additional functions for maintaining a list
of previously-entered command lines for recalling or editing those
lines, and for performing csh-like history expansion on previous
commands.

Name : anaconda-widgets
Version : 19.31.123
Release : 1.el7.centos.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:55 PM EDT
Group : System Environment/Libraries
Size : 689270
License : GPLv2+
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/Anaconda>
Summary : A set of custom GTK+ widgets for use with anaconda
Description :
This package contains a set of custom GTK+ widgets used by the anaconda installer.

Name : perl-libs
Epoch : 4
Version : 5.16.3
Release : 285.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:36 PM EDT
Group : Development/Languages
Size : 1643224
License : GPL+ or Artistic
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:14 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-5.16.3-285.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:00 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.perl.org/>
Summary : The libraries for the perl runtime
Description :
The libraries for the perl runtime

Name : anaconda-gui
Version : 19.31.123
Release : 1.el7.centos.2
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:06 PM EDT
Group : Applications/System
Size : 1196368
License : GPLv2+
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/Anaconda>
Summary : Graphical user interface for the Anaconda installer
Description :
This package contains graphical user interface for the Anaconda installer.

Name : libreport-anaconda
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : Applications/File
Size : 23085
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Default configuration for reporting anaconda bugs
Description :
Default configuration for reporting Anaconda problems or uploading the gathered data over ftp/scp...

Name : gnome-getting-started-docs
Version : 3.8.3.0.2
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:56 PM EDT
Group : Documentation
Size : 59459681
License : CC-BY-SA
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:20 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-getting-started-docs-3.8.3.0.2-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:29:24 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://help.gnome.org/>
Summary : Help a new user get started in GNOME
Description :
This package contains a 'Getting Started' guide that can be viewed with yelp. It is normally used together with gnome-initial-setup.

Name : libtdb
Version : 1.3.0
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:28 PM EDT
Group : System Environment/Daemons
Size : 87296
License : LGPLv3+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libtdb-1.3.0-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:43:55 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tdb.samba.org/>
Summary : The tdb library
Description :
A library that implements a trivial database.

Name : adwaita-gtk2-theme
Version : 3.8.4
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:56 PM EDT
Group : User Interface/Desktops
Size : 207387
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.gnome.org/browse/gnome-themes-standard>
Summary : Adwaita gtk2 theme
Description :
The adwaita-gtk2-theme package contains a gtk2 theme for presenting
widgets
with a GNOME look and feel.

Name : perl-Time-Local
Version : 1.2300
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:37 PM EDT
Group : Development/Libraries
Size : 44062
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:36 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Time-Local-1.2300-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:31:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Time-Local/>
Summary : Efficiently compute time from local and GMT time

Description :

This module provides functions that are the inverse of built-in perl functions localtime() and gmtime(). They accept a date as a six-element array, and return the corresponding time(2) value in seconds since the system epoch (Midnight, January 1, 1970 GMT on Unix, for example). This value can be positive or negative, though POSIX only requires support for positive values, so dates before the system's epoch may not work on all operating systems.

Name : gnome-settings-daemon-updates
Version : 3.8.6.1
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:10 PM EDT
Group : Development/Libraries
Size : 67131
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:28 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-settings-daemon-3.8.6.1-12.el7.src.rpm
Build Date : Tue 10 Mar 2015 05:54:47 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://download.gnome.org/sources/gnome-settings-daemon>
Summary : updates plugin for gnome-settings-daemon
Description :
The gnome-settings-daemon-updates package contains the updates plugin for gnome-settings-daemon

Name : python-setuptools
Version : 0.9.8
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:11 PM EDT
Group : Applications/System
Size : 2039798
License : Python or ZPLv2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-setuptools-0.9.8-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:36:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pypi.python.org/pypi/setuptools>
Summary : Easily build and distribute Python packages
Description :
Setuptools is a collection of enhancements to the Python distutils that allow

you to more easily build and distribute Python packages, especially ones that have dependencies on other packages.

This package contains the runtime components of setuptools, necessary to execute the software that requires pkg_resources.py.

This package contains the distribute fork of setuptools.

Name : man-pages-overrides
Version : 7.1.3
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:38:00 PM EDT
Group : Documentation
Size : 767161
License : GPL+ and GPLv2+ and BSD and MIT and Copyright only and IEEE
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:28 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : man-pages-overrides-7.1.3-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:51:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Complementary and updated manual pages
Description :
A collection of manual ("man") pages to complement other packages or update those contained therein. Always have the latest version of this package installed.

Name : libogg
Epoch : 2
Version : 1.3.0
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:30 PM EDT
Group : System Environment/Libraries
Size : 35628
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:37 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libogg-1.3.0-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:27:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xiph.org/>
Summary : The Ogg bitstream file format library
Description :
Libogg is a library for manipulating Ogg bitstream file formats. Libogg supports both making Ogg bitstreams and getting packets from

Ogg bitstreams.

Name : apache-commons-collections
Version : 3.2.1
Release : 21.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:02 PM EDT
Group : Development/Libraries
Size : 608010
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:23 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : apache-commons-collections-3.2.1-21.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:41:38 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://commons.apache.org/collections/>
Summary : Provides new interfaces, implementations and utilities for
Java Collections
Description :
The introduction of the Collections API by Sun in JDK 1.2 has been a
boon to quick and effective Java programming. Ready access to powerful
data structures has accelerated development by reducing the need for
custom container classes around each core object. Most Java2 APIs are
significantly easier to use because of the Collections API.
However, there are certain holes left unfilled by Sun's
implementations, and the Jakarta-Commons Collections Component strives
to fulfill them. Among the features of this package are:
- special-purpose implementations of Lists and Maps for fast access
- adapter classes from Java1-style containers (arrays, enumerations) to
Java2-style collections.
- methods to test or create typical set-theory properties of collections
such as union, intersection, and closure.

Name : perl-XML-Parser
Version : 2.41
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:41 PM EDT
Group : Development/Libraries
Size : 642973
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-XML-Parser-2.41-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:50:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-Parser/>
Summary : Perl module for parsing XML documents

Description :

This module provides ways to parse XML documents. It is built on top of XML::Parser::Expat, which is a lower level interface to James Clark's expat library. Each call to one of the parsing methods creates a new instance of XML::Parser::Expat which is then used to parse the document. Expat options may be provided when the XML::Parser object is created. These options are then passed on to the Expat object on each parse call. They can also be given as extra arguments to the parse methods, in which case they override options given at XML::Parser creation time.

Name : brasero-nautilus
Version : 3.8.0
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:15 PM EDT
Group : User Interface/Desktops
Size : 47810
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:40 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : brasero-3.8.0-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:21:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/brasero/>
Summary : Nautilus extension for brasero
Description :
The brasero-nautilus package contains the brasero nautilus extension.

Name : python-chardet
Version : 2.0.1
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:12 PM EDT
Group : Development/Languages
Size : 1141130
License : LGPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-chardet-2.0.1-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:38:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://chardet.feedparser.org>
Summary : Character encoding auto-detection in Python
Description :
Character encoding auto-detection in Python. As smart as your browser. Open source.

Name : iwl3160-firmware
Version : 22.0.7.0
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:04 PM EDT
Group : System Environment/Kernel
Size : 2086485
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Dual Band Wireless-AC 3160 Series Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl3160 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : libcap
Version : 2.22
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:33 PM EDT
Group : System Environment/Libraries
Size : 111389
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:19 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libcap-2.22-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:05:45 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://ftp.kernel.org/pub/linux/libs/security/linux-privs/kernel-2.6/>
Summary : Library for getting and setting POSIX.1e capabilities
Description :
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6) draft 15 capabilities.

Name : apache-commons-logging
Version : 1.1.2
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:05 PM EDT

Group : Development/Libraries
Size : 185120
License : ASL 2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 08:38:26 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : apache-commons-logging-1.1.2-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://commons.apache.org/logging>
Summary : Apache Commons Logging
Description :
The commons-logging package provides a simple, component oriented
interface (org.apache.commons.logging.Log) together with wrappers for
logging systems. The user can choose at runtime which system they want
to use. In addition, a small number of basic implementations are
provided to allow users to use the package standalone.
commons-logging was heavily influenced by Avalon's Logkit and Log4J. The
commons-logging abstraction is meant to minimize the differences between
the two, and to allow a developer to not tie himself to a particular
logging implementation.

Name : perl-Image-Xpm
Version : 1.09
Release : 21.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 36317
License : GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Image-Xpm-1.09-21.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:51:47 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Image-Xpm/>
Summary : Load, create, manipulate and save xpm image files in Perl
Description :
This class module provides basic load, manipulate and save functionality
for
the xpm file format. It inherits from Image::Base which provides
additional
manipulation functionality.

Name : ibus-chewing
Version : 1.4.4
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:20 PM EDT

Group : System Environment/Libraries
Size : 216560
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:26 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ibus-chewing-1.4.4-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:05:12 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : The Chewing engine for IBus input platform
Description :
IBus-chewing is an IBus front-end of Chewing, an intelligent Chinese
input
method for Zhuyin (BoPoMoFo) users.
It supports various Zhuyin keyboard layout, such as standard (DaChen),
IBM, Gin-Yeah, Eten, Eten 26, Hsu, Dvorak, Dvorak-Hsu, and DaChen26.

Chewing also support toned Hanyu pinyin input.

Name : pytz
Version : 2012d
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:13 PM EDT
Group : Development/Languages
Size : 142446
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:43:03 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pytz-2012d-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:50:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pytz.sourceforge.net/>
Summary : World Timezone Definitions for Python
Description :
pytz brings the Olson tz database into Python. This library allows
accurate
and cross platform timezone calculations using Python 2.3 or higher. It
also solves the issue of ambiguous times at the end of daylight savings,
which you can read more about in the Python Library Reference
(`datetime.tzinfo`).

Amost all (over 540) of the Olson timezones are supported.

Name : glibc
Version : 2.17
Release : 78.el7
Architecture: i686

Install Date: Wed 05 Apr 2017 03:38:07 PM EDT
Group : System Environment/Libraries
Size : 15028133
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glibc-2.17-78.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:14:42 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/glibc/>
Summary : The GNU libc libraries
Description :
The glibc package contains standard libraries which are used by multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

Name : libref_array
Version : 0.1.4
Release : 24.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:35 PM EDT
Group : Development/Libraries
Size : 54118
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : ding-libs-0.4.0-24.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:54:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sssd/>
Summary : A refcounted array for C
Description :
A dynamically-growing, reference-counted array

Name : pinentry-gtk
Version : 0.8.1
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:07 PM EDT
Group : Applications/System
Size : 110728
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:14 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : pinentry-0.8.1-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:40:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnupg.org/aegypten/>
Summary : Passphrase/PIN entry dialog based on GTK+
Description :
Pinentry is a collection of simple PIN or passphrase entry dialogs which utilize the Assuan protocol as described by the aegypten project; see <http://www.gnupg.org/aegypten/> for details.
This package contains the GTK GUI based version of the PIN entry dialog.

Name : perl-Business-ISBN-Data
Version : 20120719.001
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:48 PM EDT
Group : Development/Libraries
Size : 165294
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:07 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Business-ISBN-Data-20120719.001-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:25:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Business-ISBN-Data/>
Summary : The data pack for Business::ISBN
Description :
This is a data pack for Business::ISBN. You can update the ISBN data without changing the version of Business::ISBN. Most of the interesting stuff is in Business::ISBN.

Name : gnome-clocks
Version : 3.8.2
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:22 PM EDT
Group : Unspecified
Size : 694521
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:29 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-clocks-3.8.2-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:22:09 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://live.gnome.org/GnomeClocks>

Summary : Clock application designed for GNOME 3
Description :
Clock application designed for GNOME 3

Name : python-javapackages
Version : 3.4.1
Release : 6.el7_0
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:15 PM EDT
Group : Unspecified
Size : 66505
License : BSD
Signature : RSA/SHA256, Thu 14 Aug 2014 06:35:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : javapackages-tools-3.4.1-6.el7_0.src.rpm
Build Date : Thu 14 Aug 2014 06:18:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/javapackages/>
Summary : Module for handling various files for Java packaging
Description :
Module for handling, querying and manipulating of various files for Java
packaging in Linux distributions

Name : XRXTTOOLS
Version : 1.0.0.25
Release : 1
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:48:47 PM EDT
Group : Applications/Xerox
Size : 336785
License : Copyright 1996-2010 Xerox Corporation
Signature : (none)
Source RPM : XRXTTOOLS-1.0.0.25-1.src.rpm
Build Date : Mon 13 Feb 2017 03:05:49 PM EST
Build Host : chicory
Relocations : (not relocatable)
Packager : sdonnell
Vendor : Xerox Corporation
Summary : Xerox Print Engine Tools
Description :
Xerox Print Engine Tools for Development and Debugging

Name : dbus-glib
Version : 0.100
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:37 PM EDT
Group : System Environment/Libraries
Size : 301237
License : AFL and GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:03 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dbus-glib-0.100-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:06:04 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/dbus/>
Summary : GLib bindings for D-Bus
Description :

D-Bus add-on library to integrate the standard D-Bus library with
the GLib thread abstraction and main loop.

Name : perl-Digest
Version : 1.17
Release : 245.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:50 PM EDT
Group : Development/Libraries
Size : 28661
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:08 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Digest-1.17-245.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:13:52 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Digest/>
Summary : Modules that calculate message digests
Description :
The Digest:: modules calculate digests, also called "fingerprints" or
"hashes", of some data, called a message. The digest is (usually)
some small/fixed size string. The actual size of the digest depend of
the algorithm used. The message is simply a sequence of arbitrary
bytes or bits.

Name : pulseaudio-module-x11
Version : 3.0
Release : 30.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:28 PM EDT
Group : Unspecified
Size : 69412
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:21 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pulseaudio-3.0-30.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:08:23 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>
Summary : X11 support for the PulseAudio sound server
Description :
X11 bell and security modules for the PulseAudio sound server.

Name : tomcat-el-2.2-api
Epoch : 0
Version : 7.0.54
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:22 PM EDT
Group : Development/Libraries
Size : 115552
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tomcat-7.0.54-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:54:31 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tomcat.apache.org/>
Summary : Expression Language v2.2 API
Description :
Expression Language 2.2.

Name : samba-winbind
Epoch : 0
Version : 3.6.23
Release : 20.el6
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:48 PM EDT
Group : Applications/System
Size : 8050884
License : GPLv3+ and LGPLv3+
Signature : RSA/SHA1, Fri 24 Jul 2015 04:41:00 PM EDT, Key ID
0946fca2c105b9de
Source RPM : samba-3.6.23-20.el6.src.rpm
Build Date : Thu 23 Jul 2015 11:17:04 PM EDT
Build Host : c6b8.bsys.dev.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.samba.org/>
Summary : Samba winbind
Description :
The samba-winbind package provides the winbind daemon and some client tools.
Winbind enables Linux to be a full member in Windows domains and to use Windows user and group accounts on Linux.

Name : orc
Version : 0.4.17
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:40 PM EDT
Group : System Environment/Libraries
Size : 601006
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:08:57 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : orc-0.4.17-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:20:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cgit.freedesktop.org/gstreamer/orc/>
Summary : The Oil Run-time Compiler
Description :
Orc is a library and set of tools for compiling and executing very simple programs that operate on arrays of data. The "language" is a generic assembly language that represents many of the features available in SIMD architectures, including saturated addition and subtraction, and many arithmetic operations.

Name : librdmacm
Version : 1.0.19.1
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:11 PM EDT
Group : System Environment/Libraries
Size : 141875
License : GPLv2 or BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:28 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : librdmacm-1.0.19.1-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:36:06 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.openfabrics.org/>
Summary : Userspace RDMA Connection Manager
Description :
librdmacm provides a userspace RDMA Communication Managment API.

Name : perl-IO-Zlib
Epoch : 1
Version : 1.10
Release : 285.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:51 PM EDT
Group : Development/Libraries
Size : 19723

License : GPL+ or Artistic
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:08 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-5.16.3-285.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:00 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.perl.org/>
Summary : Perl IO:: style interface to Compress::Zlib
Description :
This modules provides an IO:: style interface to the Compress::Zlib package.
The main advantage is that you can use an IO::Zlib object in much the same way as an IO::File object so you can have common code that doesn't know which sort of file it is using.

Name : vim-enhanced
Epoch : 2
Version : 7.4.160
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:50 PM EDT
Group : Applications/Editors
Size : 2292114
License : Vim
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : vim-7.4.160-1.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.vim.org/>
Summary : A version of the VIM editor which includes recent enhancements
Description :
VIM (VIsual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-enhanced package contains a version of VIM with extra, recently introduced features like Python and Perl interpreters.

Install the vim-enhanced package if you'd like to use a version of the VIM editor which includes recently added enhancements like interpreters for the Python and Perl scripting languages. You'll also need to install the vim-common package.

Name : urw-fonts

Version : 2.4
Release : 16.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:24 PM EDT
Group : User Interface/X
Size : 4389400
License : GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : urw-fonts-2.4-16.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:22:42 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://svn.ghostscript.com/ghostscript/tags/urw-fonts-1.0.7pre44/>
Summary : Free versions of the 35 standard PostScript fonts.
Description :
Free, good quality versions of the 35 standard PostScript(TM) fonts,
donated under the GPL by URW++ Design and Development GmbH.

Install the urw-fonts package if you need free versions of standard
PostScript fonts.

Name : avahi-glib
Version : 0.6.31
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:41 PM EDT
Group : Unspecified
Size : 15664
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:29 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : avahi-0.6.31-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:03:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avahi.org>
Summary : Glib libraries for avahi
Description :
Libraries for easy use of avahi from glib applications.

Name : glib-networking
Version : 2.40.0
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:12 PM EDT
Group : Development/Libraries
Size : 417100
License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glib-networking-2.40.0-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:55:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : Networking support for GLib
Description :
This package contains modules that extend the networking support in
GIO. In particular, it contains libproxy- and GSettings-based
GProxyResolver implementations and a gnutls-based GTlsConnection
implementation.

Name : perl-XML-RegExp
Version : 0.04
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:52 PM EDT
Group : Development/Libraries
Size : 9605
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:27 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-XML-RegExp-0.04-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:38:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/XML-RegExp/>
Summary : Regular expressions for XML tokens
Description :
This package contains an utility module containing regular expressions
for the following XML tokens: BaseChar, Ideographic, Letter, Digit,
Extender, CombiningChar,
NameChar, EntityRef, CharRef, Reference,

Name, NmToken, and AttValue.

Name : glusterfs-fuse
Version : 3.6.0.29
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:55 PM EDT
Group : Applications/File
Size : 250832
License : GPLv2 or LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glusterfs-3.6.0.29-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:47:02 PM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gluster.org/docs/index.php/GlusterFS>
Summary : Fuse client
Description :
GlusterFS is a clustered file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package provides support to FUSE based clients.

Name : systemtap-runtime
Version : 2.6
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:28 PM EDT
Group : Development/System
Size : 807738
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : systemtap-2.6-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:01:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceware.org/systemtap/>
Summary : Programmable system-wide instrumentation system - runtime
Description :
SystemTap runtime contains the components needed to execute a systemtap script that was already compiled into a module using a local or remote systemtap-devel installation.

Name : libXext
Version : 1.3.2
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:43 PM EDT
Group : System Environment/Libraries
Size : 87110
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:09 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXext-1.3.2-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:57:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXext runtime library
Description :
X.Org X11 libXext runtime library

Name : libgovirt
Version : 0.3.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:18 PM EDT
Group : Development/Libraries
Size : 140357
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libgovirt-0.3.1-3.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:10:09 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://people.freedesktop.org/~teuf/govirt/>
Summary : A GObject library for interacting with oVirt REST API
Description :
libgovirt is a library that allows applications to use oVirt REST API
to list VMs managed by an oVirt instance, and to get the connection
parameters needed to make a SPICE/VNC connection to them.

Name : telepathy-logger
Version : 0.8.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:54 PM EDT
Group : Applications/Communications
Size : 273056
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:12:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : telepathy-logger-0.8.0-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:40:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://telepathy.freedesktop.org/wiki/Logger>
Summary : Telepathy framework logging daemon
Description :
telepathy-logger is a headless Observer client that logs information
received by the Telepathy framework. It features pluggable
backends to log different sorts of messages, in different formats.

Name : fprintd-pam

Version : 0.5.0
Release : 4.0.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:58 PM EDT
Group : System Environment/Base
Size : 25623
License : GPLv2+
Signature : RSA/SHA256, Sat 05 Jul 2014 11:22:26 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fprintd-0.5.0-4.0.el7_0.src.rpm
Build Date : Tue 24 Jun 2014 07:15:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/fprint/fprintd>
Summary : PAM module for fingerprint authentication
Description :
PAM module that uses the fprintd D-Bus service for fingerprint authentication.

Name : perl-Net-SSLeay
Version : 1.55
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:30 PM EDT
Group : Development/Libraries
Size : 1013431
License : OpenSSL
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Net-SSLeay-1.55-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:33:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Net-SSLeay/>
Summary : Perl extension for using OpenSSL
Description :
This module offers some high level convenience functions for accessing web pages on SSL servers (for symmetry, same API is offered for accessing http servers, too), a sslcat() function for writing your own clients, and finally access to the SSL API of SSLeay/OpenSSL package so you can write servers or clients for more complicated applications.

Name : libXinerama
Version : 1.1.3
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 14967
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXinerama-1.1.3-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:25:20 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXinerama runtime library
Description :
X.Org X11 libXinerama runtime library

Name : xinetd
Epoch : 2
Version : 2.3.15
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:22 PM EDT
Group : System Environment/Daemons
Size : 266816
License : xinetd
Signature : RSA/SHA256, Fri 04 Jul 2014 01:46:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xinetd-2.3.15-12.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:55:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xinetd.org>
Summary : A secure replacement for inetd
Description :
Xinetd is a secure replacement for inetd, the Internet services daemon. Xinetd provides access control for all services based on the address of the remote host and/or on time of access and can prevent denial-of-access attacks. Xinetd provides extensive logging, has no limit on the number of server arguments, and lets you bind specific services to specific IP addresses on your host machine. Each service has its own specific configuration file for Xinetd; the files are located in the /etc/xinetd.d directory.

Name : hunspell-en
Version : 0.20121024
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:57 PM EDT
Group : Applications/Text
Size : 551130
License : LGPLv2+ and LGPLv2 and BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:56:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : hunspell-en-0.20121024-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:45:57 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://wordlist.sourceforge.net/>
Summary : English hunspell dictionaries
Description :
English (US, UK, etc.) hunspell dictionaries

Name : sushi
Version : 3.8.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:00 PM EDT
Group : User Interface/Desktops
Size : 314846
License : GPLv2+ with exceptions
Signature : RSA/SHA256, Fri 04 Jul 2014 01:07:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sushi-3.8.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:10:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/ThreePointOne/Features/FilePreviewing>
Summary : A quick previewer for Nautilus
Description :
This is sushi, a quick previewer for Nautilus, the GNOME desktop
file manager.

Name : net-snmp-libs
Epoch : 1
Version : 5.7.2
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:32 PM EDT
Group : Development/Libraries
Size : 3067392
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:09 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : net-snmp-5.7.2-20.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:30:33 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://net-snmp.sourceforge.net/>
Summary : The NET-SNMP runtime client libraries
Description :
The net-snmp-libs package contains the runtime client libraries for
shared
binaries and applications.

Name : hunspell
Version : 1.3.2
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:46 PM EDT
Group : System Environment/Libraries
Size : 582944
License : LGPLv2+ or GPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 09:55:49 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hunspell-1.3.2-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:36:55 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hunspell.sourceforge.net/>
Summary : A spell checker and morphological analyzer library
Description :
Hunspell is a spell checker and morphological analyzer library and program designed for languages with rich morphology and complex word compounding or character encoding. Hunspell interfaces: Ispell-like terminal interface using Curses library, Ispell pipe interface, OpenOffice.org UNO module.

Name : libvirt-glib
Version : 0.1.7
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:24 PM EDT
Group : Development/Libraries
Size : 155163
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:19 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libvirt-glib-0.1.7-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:15:43 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : libvirt glib integration for events
Description :
This package provides integration between libvirt and the glib event loop.

Name : gstreamer
Version : 0.10.36
Release : 7.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:58 PM EDT
Group : Applications/Multimedia
Size : 3480677
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:08 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gstreamer-0.10.36-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:26:08 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework runtime
Description :
GStreamer is a streaming media framework, based on graphs of filters
which
operate on media data. Applications using this library can do anything
from real-time sound processing to playing videos, and just about
anything
else media-related. Its plugin-based architecture means that new data
types or processing capabilities can be added simply by installing new
plugins.

Name : gvfs-archive
Version : 1.16.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:02 PM EDT
Group : System Environment/Libraries
Size : 154400
License : GPLv3 and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:42 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gvfs-1.16.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:33:25 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gtk.org>
Summary : Archiving support for gvfs
Description :
This package provides support for accessing files inside Zip and Tar
archives,
as well as ISO images, to applications using gvfs.

Name : bind-utils
Epoch : 32
Version : 9.9.4
Release : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:35 PM EDT
Group : Applications/System

Size : 444749
License : ISC
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : bind-9.9.4-18.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:10:04 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.isc.org/products/BIND/>
Summary : Utilities for querying DNS name servers
Description :
Bind-utils contains a collection of utilities for querying DNS (Domain

Name System) name servers to find out information about Internet hosts. These tools will provide you with the IP addresses for given host names, as well as other information about registered domains and network addresses.

You should install bind-utils if you need to get information from DNS name servers.

Name : libtheora
Epoch : 1
Version : 1.1.1
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:47 PM EDT
Group : System Environment/Libraries
Size : 473210
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:05 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libtheora-1.1.1-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:24:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.theora.org>
Summary : Theora Video Compression Codec
Description :
Theora is Xiph.Org's first publicly released video codec, intended for use within the Ogg's project's Ogg multimedia streaming system. Theora is derived directly from On2's VP3 codec; Currently the two are nearly identical, varying only in encapsulating decoder tables in the bitstream headers, but Theora will make use of this extra freedom in the future to improve over what is possible with VP3.

Name : libcgroup-tools
Version : 0.41
Release : 8.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:26 PM EDT
Group : System Environment/Base
Size : 262753
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:03 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libcgroup-0.41-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:13:26 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libcgroup.sourceforge.net/>
Summary : Command-line utility programs, services and daemons for
libcgroup
Description :
This package contains command-line programs, services and a daemon for
manipulating control groups using the libcgroup library.

Name : libisofs
Version : 1.2.8
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:00 PM EDT
Group : System Environment/Libraries
Size : 388330
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:55:07 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libisofs-1.2.8-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:25:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libburnia-project.org/>
Summary : Library to create ISO 9660 disk images
Description :
Libisofs is a library to create an ISO-9660 filesystem and supports
extensions like RockRidge or Joliet. It is also a full featured
ISO-9660 editor, allowing you to modify an ISO image or multisession
disc, including file addition or removal, change of file names and
attributes etc. It supports the extension AAIP which allows to store
ACLs and xattr in ISO-9660 filesystems as well. As it is linked with
zlib, it supports zisofs compression, too.

Name : icedtea-web
Version : 1.5.2
Release : 0.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:04 PM EDT
Group : Applications/Internet
Size : 1881471

License : LGPLv2+ and GPLv2 with exceptions
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : icedtea-web-1.5.2-0.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:14:48 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://icedtea.classpath.org/wiki/IcedTea-Web>
Summary : Additional Java components for OpenJDK - Java browser plugin and Web Start implementation
Description :
The IcedTea-Web project provides a Java web browser plugin, an implementation of Java Web Start (originally based on the Netx project) and a settings tool to manage deployment settings for the aforementioned plugin and Web Start implementations.

Name : poppler
Version : 0.22.5
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:38 PM EDT
Group : Development/Libraries
Size : 2575965
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : poppler-0.22.5-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:01:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://poppler.freedesktop.org/>
Summary : PDF rendering library
Description :
Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

Name : numactl-libs
Version : 2.0.9
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:49 PM EDT
Group : System Environment/Libraries
Size : 50712
License : LGPLv2 and GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:21:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : numactl-2.0.9-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:21:13 PM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://oss.sgi.com/www/projects/libnuma/download>
Summary : libnuma libraries
Description :
numactl-libs provides libnuma, a library to do allocations with
NUMA policy in applications.

Name : xorg-x11-drv-modesetting
Version : 0.8.0
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:27 PM EDT
Group : User Interface/X Hardware Support
Size : 54501
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:42 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-modesetting-0.8.0-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:47:04 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 modesetting video driver
Description :
X.Org X11 modesetting video driver - basic modesetting fallback driver.

Name : libwps
Version : 0.2.9
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:02 PM EDT
Group : System Environment/Libraries
Size : 816419
License : LGPLv2+ or MPLv2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libwps-0.2.9-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:05:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libwps.sourceforge.net/>
Summary : Library for reading and converting Microsoft Works word
processor documents
Description :
Library that handles Microsoft Works documents.

Name : sane-backends-drivers-scanners

Version : 1.0.24
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:10 PM EDT
Group : System Environment/Libraries
Size : 9196264
License : GPLv2+ and GPLv2+ with exceptions and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sane-backends-1.0.24-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.sane-project.org>
Summary : SANE backend drivers for scanners
Description :
This package contains backend drivers to access scanner hardware through SANE.

Name : lm_sensors-libs
Version : 3.3.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:42 PM EDT
Group : System Environment/Libraries
Size : 61552
License : LGPLv2+ and GPLv3+ and GPLv2+ and Verbatim and Public domain
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lm_sensors-3.3.4-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:48:12 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.lm-sensors.org/>
Summary : Lm_sensors core libraries
Description :
Core libraries for lm_sensors applications

Name : libcroco
Version : 0.6.8
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:51 PM EDT
Group : System Environment/Libraries
Size : 320283
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 10:40:39 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libcroco-0.6.8-5.el7.src.rpm

Build Date : Mon 09 Jun 2014 08:19:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : A CSS2 parsing library
Description :
CSS2 parsing and manipulation library for GNOME

Name : libreoffice-graphicfilter
Epoch : 1
Version : 4.2.6.3
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:51 PM EDT
Group : Applications/Productivity
Size : 1378056
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:12 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : LibreOffice Extra Graphic filters
Description :
The graphicfilter module for LibreOffice provides graphic filters, e.g. svg and flash filters.

Name : setools-libs
Version : 3.3.7
Release : 46.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:05 PM EDT
Group : System Environment/Libraries
Size : 1529036
License : LGPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:58:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : setools-3.3.7-46.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:03:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/projects/setools>
Summary : Policy analysis support libraries for SELinux
Description :

SETools is a collection of graphical tools, command-line tools, and libraries designed to facilitate SELinux policy analysis.

This package includes the following run-time libraries:

libapol	policy analysis library
libpoldiff	semantic policy difference library
libqpol	library that abstracts policy internals
libseaudit	parse and filter SELinux audit messages in log files
libsefs	SELinux file contexts library

Name : gnome-system-log
Epoch : 1
Version : 3.8.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:13 PM EDT
Group : Applications/System
Size : 1812159
License : GPLv2+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:01 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-system-log-3.8.1-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:18:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : A log file viewer for GNOME
Description :
gnome-system-log lets you view various log files on your system.

Name : libsss_nss_idmap
Version : 1.12.2
Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:44 PM EDT
Group : Development/Libraries
Size : 63070
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:12 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : Library for SID based lookups
Description :
Utility library for SID based lookups

Name : redhat-menus
Version : 12.0.2
Release : 7.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:53 PM EDT
Group : User Interface/Desktops
Size : 634375
License : GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:48:32 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : redhat-menus-12.0.2-7.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:45:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.redhat.com>
Summary : Configuration and data files for the desktop menus
Description :
This package contains the XML files that describe the menu layout for GNOME and KDE, and the .desktop files that define the names and icons of "subdirectories" in the menus.

Name : libhbalinux
Version : 1.0.16
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:55 PM EDT
Group : System Environment/Libraries
Size : 75130
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libhbalinux-1.0.16-4.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:12:23 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.open-fcoe.org>
Summary : FC-HBAAPI implementation using scsi_transport_fc interfaces
Description :
SNIA HBAAPI vendor library built on top of the scsi_transport_fc interfaces.

Name : liblangtag
Version : 0.5.4
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:08 PM EDT
Group : Unspecified
Size : 1665045
License : (LGPLv3+ or MPLv2.0) and UCD

Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:28 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : liblangtag-0.5.4-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:27:57 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tagoh.bitbucket.org/liblangtag/>
Summary : An interface library to access tags for identifying
languages
Description :
liblangtag is an interface library to access tags for identifying
languages.

Features:

- * several subtag registry database supports:
 - language
 - extlang
 - script
 - region
 - variant
 - extension
 - grandfathered
 - redundant
- * handling of the language tags
 - parser
 - matching
 - canonicalizing

Name : dracut-config-rescue
Version : 033
Release : 240.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:16 PM EDT
Group : System Environment/Base
Size : 4067
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dracut-033-240.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:58:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://dracut.wiki.kernel.org/>
Summary : dracut configuration to turn on rescue image generation
Description :
This package provides the configuration to turn on the rescue initramfs
generation with dracut.

Name : libwebp
Version : 0.3.0

Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:46 PM EDT
Group : Development/Libraries
Size : 379861
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:27:16 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libwebp-0.3.0-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:56:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://webmproject.org/>
Summary : Library and tools for the WebP graphics format
Description :
WebP is an image format that does lossy compression of digital photographic images. WebP consists of a codec based on VP8, and a container based on RIFF. Webmasters, web developers and browser developers can use WebP to compress, archive and distribute digital images more efficiently.

Name : file
Version : 5.11
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:56 PM EDT
Group : Applications/File
Size : 67352
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:12 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : file-5.11-21.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:06:51 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.darwinsys.com/file/>
Summary : A utility for determining file types
Description :
The file command is used to identify a particular file according to the type of data contained by the file. File can identify many different file types, including ELF binaries, system libraries, RPM packages, and different graphics formats.

Name : abrt-cli
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:56 PM EDT
Group : Applications/System
Size : 0

License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Virtual package to make easy default installation on non-
graphical environments
Description :
Virtual package to install all necessary packages for usage from command
line
environment.

Name : dejavu-sans-fonts
Version : 2.33
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:12 PM EDT
Group : User Interface/X
Size : 5395167
License : Bitstream Vera and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dejavu-fonts.org/>
Summary : Variable-width sans-serif font faces
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10.
Its
purpose is to provide a wider range of characters, while maintaining the
original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif variable-width font faces,
in
their unabridged version.

Name : PackageKit-command-not-found
Version : 0.8.9
Release : 11.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:18 PM EDT
Group : Development/Libraries
Size : 40052
License : GPLv2+ and LGPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:38 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.packagekit.org>
Summary : Ask the user to install command line programs automatically
Description :
A simple helper that offers to install new packages on the command line
using PackageKit.

Name : polkit
Version : 0.112
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:48 PM EDT
Group : System Environment/Libraries
Size : 483346
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:31:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : polkit-0.112-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:03:32 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/polkit>
Summary : An authorization framework
Description :
polkit is a toolkit for defining and handling authorizations. It is
used for allowing unprivileged processes to speak to privileged
processes.

Name : nss-softokn
Version : 3.16.2.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:58 PM EDT
Group : System Environment/Libraries
Size : 1097414
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nss-softokn-3.16.2.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:26:29 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/security/pki/nss/>

Summary : Network Security Services Softoken Module
Description :
Network Security Services Softoken Cryptographic Module

Name : evolution-data-server
Version : 3.8.5
Release : 34.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:59 PM EDT
Group : System Environment/Libraries
Size : 13860049
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : evolution-data-server-3.8.5-34.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:45:46 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/evolution/>
Summary : Backend data server for Evolution
Description :
The evolution-data-server package provides a unified backend for programs
that work
with contacts, tasks, and calendar information.

It was originally developed for Evolution (hence the name), but is now
used
by other packages.

Name : gpm-libs
Version : 1.20.7
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:14 PM EDT
Group : System Environment/Libraries
Size : 27736
License : GPLv2 and GPLv2+ with exceptions and GPLv3+ and Verbatim
and Copyright only
Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:28 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gpm-1.20.7-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:13:25 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nico.schottelius.org/software/gpm/>
Summary : Dynamic library for for the gpm
Description :
This package contains the libgpm.so dynamic library which contains
the gpm system calls and library functions.

Name : tuned
Version : 2.4.1
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:22 PM EDT
Group : Unspecified
Size : 453412
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tuned-2.4.1-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:56:01 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/tuned/>
Summary : A dynamic adaptive system tuning daemon
Description :
The tuned package contains a daemon that tunes system settings dynamically.
It does so by monitoring the usage of several system components periodically.
Based on that information components will then be put into lower or higher power saving modes to adapt to the current usage. Currently only ethernet network and ATA harddisk devices are implemented.

Name : NetworkManager-glib
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:51 PM EDT
Group : Development/Libraries
Size : 980992
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:42 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : Libraries for adding NetworkManager support to applications (old API).
Description :
This package contains the libraries that make it easier to use some NetworkManager functionality from applications that use glib. This is the older NetworkManager API.
See also NetworkManager-libnm.

Name : m4
Version : 1.4.16
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:00 PM EDT
Group : Applications/Text
Size : 525715
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:58 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : m4-1.4.16-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:24:19 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/m4/>
Summary : The GNU macro processor
Description :
A GNU implementation of the traditional UNIX macro processor. M4 is useful for writing text files which can be logically parsed, and is used by many programs as part of their build process. M4 has built-in functions for including files, running shell commands, doing arithmetic, etc. The autoconf program needs m4 for generating configure scripts, but not for running configure scripts.

Install m4 if you need a macro processor.

Name : open-vm-tools
Version : 9.4.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:01 PM EDT
Group : Applications/System
Size : 1394269
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : open-vm-tools-9.4.0-6.el7.src.rpm
Build Date : Thu 12 Mar 2015 11:06:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://open-vm-tools.sourceforge.net/>
Summary : Open Virtual Machine Tools for virtual machines hosted on VMware
Description :
The open-vm-tools project is an open source implementation of VMware Tools. It is a suite of open source virtualization utilities and drivers to improve the

functionality, user experience and administration of VMware virtual machines.

This package contains only the core user-space programs and libraries of open-vm-tools.

Name : compat-glibc
Epoch : 1
Version : 2.12
Release : 4.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:17 PM EDT
Group : Development/Libraries
Size : 7063202
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:31 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : compat-glibc-2.12-4.el7.centos.src.rpm
Build Date : Fri 27 Jun 2014 06:58:28 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/glibc/>
Summary : Compatibility C library
Description :
This package contains stub shared libraries and static libraries from CentOS Linux 6.

To compile and link against these compatibility libraries, use
gcc -fgnu89-inline \
-I /usr/lib/x86_64-redhat-linux6E/include \
-B /usr/lib/x86_64-redhat-linux6E/lib64/

Name : ksh
Version : 20120801
Release : 22.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:25 PM EDT
Group : System Environment/Shells
Size : 3277235
License : EPL
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:54 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ksh-20120801-22.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:42:30 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kornshell.com/>
Summary : The Original ATT Korn Shell
Description :
KSH-93 is the most recent version of the KornShell by David Korn of AT&T Bell Laboratories.

KornShell is a shell programming language, which is upward compatible with "sh" (the Bourne Shell).

Name : libdrm
Version : 2.4.56
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:53 PM EDT
Group : System Environment/Libraries
Size : 294971
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:45 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libdrm-2.4.56-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:16:56 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://dri.sourceforge.net>
Summary : Direct Rendering Manager runtime library
Description :
Direct Rendering Manager runtime library

Name : xerces-c
Version : 3.1.2
Release : 1
Architecture: x86_64
Install Date: Mon 12 Jun 2017 05:02:09 PM EDT
Group : Development/Libraries
Size : 16275338
License : Apache
Signature : (none)
Source RPM : xerces-c-3.1.2-1.src.rpm
Build Date : Tue 21 Jul 2015 11:49:02 AM EDT
Build Host : jlissade-f5nb9p1-v1
Relocations : (not relocatable)
Packager : Joel Lissade <joel.lissade@usa.xerox.com>
Vendor : Xerox Corp.
URL : <http://xml.apache.org/xerces-c/>
Summary : Validating XML Parser
Description :
Xerces-C is a validating XML parser written in a portable subset of C++. Xerces-C makes it easy to give your application the ability to read and write XML data. A shared library is provided for parsing, generating, manipulating, and validating XML documents. Xerces-C is faithful to the XML 1.0 recommendation and associated standards (DOM 1.0, DOM 2.0. SAX 1.0, SAX 2.0, Namespaces).

Name : libedit
Version : 3.0
Release : 12.20121213cvs.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:01 PM EDT
Group : System Environment/Libraries
Size : 244257
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:30 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libedit-3.0-12.20121213cvs.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:33:10 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.thrysoee.dk/editline/>
Summary : The NetBSD Editline library
Description :
Libedit is an autotool- and libtoolized port of the NetBSD Editline
library.
It provides generic line editing, history, and tokenization functions,
similar
to those found in GNU Readline.

Name : hplip-common
Version : 3.13.7
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:04 PM EDT
Group : System Environment/Libraries
Size : 997410
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : hplip-3.13.7-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:41:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hplip.sourceforge.net/>
Summary : Files needed by the HPLIP printer and scanner drivers
Description :
Files needed by the HPLIP printer and scanner drivers.

Name : libssh2
Version : 1.4.3
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:19 PM EDT
Group : System Environment/Libraries
Size : 341766
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:18:52 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libssh2-1.4.3-8.el7.src.rpm
Build Date : Tue 17 Jun 2014 01:05:33 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libssh2.org/>
Summary : A library implementing the SSH2 protocol
Description :
libssh2 is a library implementing the SSH2 protocol as defined by
Internet Drafts: SECSH-TRANS(22), SECSH-USERAUTH(25),
SECSH-CONNECTION(23), SECSH-ARCH(20), SECSH-FILEXFER(06)*,
SECSH-DHGEX(04), and SECSH-NUMBERS(10).

Name : libsamplerate
Version : 0.1.8
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:04 PM EDT
Group : System Environment/Libraries
Size : 1653101
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:15:50 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libsamplerate-0.1.8-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:59:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mega-nerd.com/SRC/>
Summary : Sample rate conversion library for audio data
Description :
Secret Rabbit Code is a sample rate converter for audio. It is capable
of arbitrary and time varying conversions. It can downsample by a
factor of 12 and upsample by the same factor. The ratio of input and
output sample rates can be a real number. The conversion ratio can
also vary with time for speeding up and slowing down effects.

Name : fxload
Version : 2002_04_11
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:06 PM EDT
Group : System Environment/Kernel
Size : 42589
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fxload-2002_04_11-16.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:45:39 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://linux-hotplug.sourceforge.net/>

Summary : A helper program to download firmware into FX and FX2 EZ-USB devices

Description :

This program is conveniently able to download firmware into FX and FX2 EZ-USB devices, as well as the original AnchorChips EZ-USB. It is intended to be invoked by udev scripts when the unprogrammed device appears on the bus.

Name : rpm-libs
Version : 4.11.1
Release : 25.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:22 PM EDT
Group : Development/Libraries
Size : 607096
License : GPLv2+ and LGPLv2+ with exceptions
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rpm-4.11.1-25.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:27:41 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rpm.org/>
Summary : Libraries for manipulating RPM packages
Description :
This package contains the RPM shared libraries.

Name : xfsdump
Version : 3.1.4
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:33 PM EDT
Group : System Environment/Base
Size : 969087
License : GPL+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:04 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xfsdump-3.1.4-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:02:43 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.sgi.com/projects/xfs/>
Summary : Administrative utilities for the XFS filesystem
Description :
The xfsdump package contains xfsdump, xfsrestore and a number of other utilities for administering XFS filesystems.

xfsdump examines files in a filesystem, determines which need to be backed up, and copies those files to a specified disk, tape or other storage medium. It uses XFS-specific directives for optimizing the

dump of an XFS filesystem, and also knows how to backup XFS extended attributes. Backups created with xfsdump are "endian safe" and can thus be transferred between Linux machines of different architectures and also between IRIX machines.

xfsrestore performs the inverse function of xfsdump; it can restore a full backup of a filesystem. Subsequent incremental backups can then be layered on top of the full backup. Single files and directory subtrees may be restored from full or partial backups.

Name : unbound-libs
Version : 1.4.20
Release : 19.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:57 PM EDT
Group : Applications/System
Size : 788168
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : unbound-1.4.20-19.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:12:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.nlnetlabs.nl/unbound/>
Summary : Libraries used by the unbound server and client applications
Description :
Contains libraries used by the unbound server and client applications

Name : libXdmcp
Version : 1.1.1
Release : 6.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:06 PM EDT
Group : System Environment/Libraries
Size : 62972
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:54 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXdmcp-1.1.1-6.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:03:49 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X Display Manager Control Protocol library
Description :
X Display Manager Control Protocol library.

Name : libestr

Version : 0.1.9
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:09 PM EDT
Group : Unspecified
Size : 44322
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libestr-0.1.9-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:27:04 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libestr.adiscon.com/>
Summary : String handling essentials library
Description :
This package compiles the string handling essentials library used by the Rsyslog daemon.

Name : shadow-utils
Epoch : 2
Version : 4.1.5.1
Release : 18.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:25 PM EDT
Group : System Environment/Base
Size : 3513792
License : BSD and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:34 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : shadow-utils-4.1.5.1-18.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:32:36 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pkg-shadow.alioth.debian.org/>
Summary : Utilities for managing accounts and shadow password files
Description :
The shadow-utils package includes the necessary programs for converting UNIX password files to the shadow password format, plus programs for managing user and group accounts. The pwconv command converts passwords to the shadow password format. The pwunconv command unconverts shadow passwords and generates a passwd file (a standard UNIX password file). The pwck command checks the integrity of password and shadow files. The lastlog command prints out the last login times for all users. The useradd, userdel, and usermod commands are used for managing user accounts. The groupadd, groupdel, and groupmod commands are used for managing group accounts.

Name : xorg-x11-fonts-misc
Version : 7.5

Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:39 PM EDT
Group : User Interface/X
Size : 7179431
License : MIT and Lucida and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : misc bitmap fonts for the X Window System
Description :
This package contains misc bitmap Chinese, Japanese, Korean, Indic, and
Arabic
fonts for use with X Window System.

Name : neon
Version : 0.30.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:21 PM EDT
Group : System Environment/Libraries
Size : 567772
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:44 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : neon-0.30.0-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:43:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.webdav.org/neon/>
Summary : An HTTP and WebDAV client library
Description :
neon is an HTTP and WebDAV client library, with a C interface;
providing a high-level interface to HTTP and WebDAV methods along
with a low-level interface for HTTP request handling. neon
supports persistent connections, proxy servers, basic, digest and
Kerberos authentication, and has complete SSL support.

Name : libavc1394
Version : 0.5.3
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:08 PM EDT
Group : System Environment/Libraries
Size : 120428
License : GPLv2+ and LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:40 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libavc1394-0.5.3-14.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:52:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libavc1394/>
Summary : Audio/Video Control library for IEEE-1394 devices
Description :
The libavc1394 library allows utilities to control IEEE-1394 devices
using the AV/C specification. Audio/Video Control allows applications
to control devices like the tape on a VCR or camcorder.

Name : libvirt-daemon-driver-qemu
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:11 PM EDT
Group : Development/Libraries
Size : 1201300
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Qemu driver plugin for the libvirtd daemon
Description :
The qemu driver plugin for the libvirtd daemon, providing
an implementation of the hypervisor driver APIs using
QEMU

Name : fontconfig
Version : 2.10.95
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:28 PM EDT
Group : System Environment/Libraries
Size : 571847
License : MIT and Public Domain and UCD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:22:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fontconfig-2.10.95-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:32:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://fontconfig.org>
Summary : Font configuration and customization library
Description :
Fontconfig is designed to locate fonts within the system and select them according to requirements specified by applications.

Name : ledmon
Version : 0.79
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:44 PM EDT
Group : Applications/System
Size : 142730
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:34:57 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ledmon-0.79-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:28:34 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/ledmon/>
Summary : Enclosure LED Utilities
Description :
The ledmon and ledctl are user space applications design to control LED associated with each slot in an enclosure or a drive bay. There are two types of system: 2-LED system (Activity LED, Status LED) and 3-LED system (Activity LED, Locate LED, Fail LED). User must have root privileges to use this application.

Name : device-mapper-event
Epoch : 7
Version : 1.02.93
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:22 PM EDT
Group : System Environment/Base
Size : 37681
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lvm2-2.02.115-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:51:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper event daemon
Description :
This package contains the dmeventd daemon for monitoring the state of device-mapper devices.

Name : xorg-x11-server-utils
Version : 7.7
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:11 PM EDT
Group : User Interface/X
Size : 418939
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-server-utils-7.7-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:20:06 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 X server utilities
Description :
A collection of utilities used to tweak and query the runtime
configuration
of the X server.

Name : libburn
Version : 1.2.8
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:16 PM EDT
Group : System Environment/Libraries
Size : 336722
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:37:44 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libburn-1.2.8-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:20:00 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libburnia-project.org/>
Summary : Library for reading, mastering and writing optical discs
Description :
Libburn is an open-source library for reading, mastering and writing
optical discs. For now this means only CD-R and CD-RW.

The project comprises of several more or less interdependent parts which
together strive to be a usable foundation for application development.
These are libraries, language bindings, and middleware binaries which
emulate
classical (and valuable) Linux tools.

Name : dbus-python
Version : 1.1.1

Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:34 PM EDT
Group : Unspecified
Size : 848122
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dbus-python-1.1.1-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:12:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/dbus-python>
Summary : D-Bus Python Bindings
Description :
D-Bus python bindings for use with python programs.

Name : enscript
Version : 1.6.6
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:45 PM EDT
Group : Applications/Publishing
Size : 1862941
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:13:42 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : enscript-1.6.6-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:10:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/enscript>
Summary : A plain ASCII to PostScript converter
Description :
GNU enscript is a free replacement for Adobe's Enscript
program. Enscript converts ASCII files to PostScript(TM) and spools
generated PostScript output to the specified printer or saves it to a
file. Enscript can be extended to handle different output media and
includes many options for customizing printouts

Name : cogl
Version : 1.14.0
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:25 PM EDT
Group : Development/Libraries
Size : 1265659
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:35 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : cogl-1.14.0-6.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:47:36 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.clutter-project.org/>
Summary : A library for using 3D graphics hardware to draw pretty pictures
Description :
Cogl is a small open source library for using 3D graphics hardware to draw pretty pictures. The API departs from the flat state machine style of OpenGL and is designed to make it easy to write orthogonal components that can render without stepping on each others toes.

As well aiming for a nice API, we think having a single library as opposed to an API specification like OpenGL has a few advantages too; like being able to paper over the inconsistencies/bugs of different OpenGL implementations in a centralized place, not to mention the myriad of OpenGL extensions. It also means we are in a better position to provide utility APIs that help software developers since they only need to be implemented once and there is no risk of inconsistency between implementations.

Having other backends, besides OpenGL, such as drm, Gallium or D3D are options we are interested in for the future.

Name : python-pyblock
Version : 0.53
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:17 PM EDT
Group : System Environment/Libraries
Size : 211441
License : GPLv2 or GPLv3
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:25 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-pyblock-0.53-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:51:00 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/Anaconda>
Summary : Python modules for dealing with block devices
Description :
The pyblock contains Python modules for dealing with block devices.

Name : libpinyin
Version : 0.9.93
Release : 4.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:17 PM EDT
Group : Unspecified
Size : 437316
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libpinyin-0.9.93-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:47:31 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/libpinyin/libpinyin>
Summary : Library to deal with pinyin
Description :
The libpinyin project aims to provide the algorithms core
for intelligent sentence-based Chinese pinyin input methods.

Name : libreport-web
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:40 PM EDT
Group : System Environment/Libraries
Size : 45312
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:52 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Library providing network API for libreport
Description :
Library providing network API for libreport

Name : tzdata
Version : 2015a
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:57 PM EDT
Group : System Environment/Base
Size : 1776629
License : Public Domain
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : tzdata-2015a-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:56:55 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://www.iana.org/time-zones>
Summary : Timezone data
Description :
This package contains data files with rules for various timezones around the world.

Name : xorg-x11-fonts-ISO8859-1-100dpi
Version : 7.5
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:47 PM EDT
Group : User Interface/X
Size : 1070824
License : MIT and Lucida and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : A set of 100dpi ISO-8859-1 fonts for X.
Description :
Contains a set of 100dpi fonts for ISO-8859-1.

Name : pycairo
Version : 1.8.10
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:28 PM EDT
Group : Development/Languages
Size : 335193
License : MPLv1.1 or LGPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:35:59 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pycairo-1.8.10-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:21:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cairographics.org/pycairo>
Summary : Python bindings for the cairo library
Description :
Python bindings for the cairo library.

Name : gpgme
Version : 1.3.2
Release : 5.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:34:20 PM EDT
Group : Applications/System
Size : 547534
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gpgme-1.3.2-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:03:04 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : http://www.gnupg.org/related_software/gpgme/
Summary : GnuPG Made Easy - high level crypto API
Description :
GnuPG Made Easy (GPGME) is a library designed to make access to GnuPG easier for applications. It provides a high-level crypto API for encryption, decryption, signing, signature verification and key management.

Name : libassuan
Version : 2.1.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:19 PM EDT
Group : System Environment/Libraries
Size : 155391
License : LGPLv2+ and GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:59 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libassuan-2.1.0-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:14:00 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnupg.org/>
Summary : GnuPG IPC library
Description :
This is the IPC library used by GnuPG 2, GPGME and a few other packages.

Name : gettext
Version : 0.18.2.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:48 PM EDT
Group : Development/Tools
Size : 4267498
License : GPLv3+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:17 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gettext-0.18.2.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:01:55 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/gettext/>
Summary : GNU libraries and utilities for producing multi-lingual messages
Description :
The GNU gettext package provides a set of tools and documentation for producing multi-lingual messages in programs. Tools include a set of conventions about how programs should be written to support message catalogs, a directory and file naming organization for the message catalogs, a runtime library which supports the retrieval of translated messages, and stand-alone programs for handling the translatable and the already translated strings. Gettext provides an easy to use library and tools for creating, using, and modifying natural language catalogs and is a powerful and simple method for internationalizing programs.

Name : langtable
Version : 0.0.13
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:27:58 PM EDT
Group : Development/Tools
Size : 103216
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:33:33 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : langtable-0.0.13-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:16:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/mike-fabian/langtable>
Summary : Guessing reasonable defaults for locale, keyboard layout, territory, and language.
Description :
langtable is used to guess reasonable defaults for locale, keyboard layout, territory, and language, if part of that information is already known. For example, guess the territory and the keyboard layout if the language is known or guess the language and keyboard layout if the territory is already known.

Name : bash-completion
Epoch : 1
Version : 2.1
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:50 PM EDT
Group : Unspecified

Size : 264934
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:47:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bash-completion-2.1-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:05:27 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://bash-completion.alioth.debian.org/>
Summary : Programmable completion for Bash
Description :
bash-completion is a collection of shell functions that take advantage
of the programmable completion feature of bash.

Name : dnsmasq
Version : 2.66
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:33 PM EDT
Group : System Environment/Daemons
Size : 475528
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dnsmasq-2.66-12.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:30:42 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.thekelleys.org.uk/dnsmasq/>
Summary : A lightweight DHCP/caching DNS server
Description :
Dnsmasq is lightweight, easy to configure DNS forwarder and DHCP server.
It is designed to provide DNS and, optionally, DHCP, to a small network.
It can serve the names of local machines which are not in the global
DNS. The DHCP server integrates with the DNS server and allows machines
with DHCP-allocated addresses to appear in the DNS with names configured
either in each host or in a central configuration file. Dnsmasq supports
static and dynamic DHCP leases and BOOTP for network booting of diskless
machines.

Name : jansson
Version : 2.4
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:22 PM EDT
Group : System Environment/Libraries
Size : 62727
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 10:11:26 PM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : jansson-2.4-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:57:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.digip.org/jansson/>
Summary : C library for encoding, decoding and manipulating JSON data
Description :
Small library for parsing and writing JSON documents.

Name : xml-common
Version : 0.6.3
Release : 39.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:21 PM EDT
Group : Applications/Text
Size : 46969
License : GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:46:52 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sgml-common-0.6.3-39.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:31:38 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.w3.org/2003/entities/>
Summary : Common XML catalog and DTD files
Description :
The xml-common is a subpackage of sgml-common which contains
a collection XML catalogs that are useful for processing XML,
but that don't need to be included in main package.

Name : gnome-icon-theme-symbolic
Version : 3.8.2.2
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:53 PM EDT
Group : User Interface/Desktops
Size : 1815237
License : CC-BY-SA
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:18 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-icon-theme-symbolic-3.8.2.2-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:50:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
Summary : Symbolic GNOME icons
Description :
This package contains symbolic icons for use by the GNOME desktop.

Name : gnome-user-docs
Version : 3.8.2
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:05 PM EDT
Group : Documentation
Size : 29411354
License : CC-BY-SA
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:18 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-user-docs-3.8.2-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:24:48 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://help.gnome.org/>
Summary : GNOME User Documentation
Description :
This package contains end-user documentation for the GNOME desktop environment.

Name : indent
Version : 2.2.11
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:52 PM EDT
Group : Applications/Text
Size : 359131
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:42 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : indent-2.2.11-13.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:51:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://indent.isidore-it.eu/beautify.html>
Summary : A GNU program for formatting C code
Description :
Indent is a GNU program for beautifying C code, so that it is easier to read. Indent can also convert from one C writing style to a different one. Indent understands correct C syntax and tries to handle incorrect C syntax.

Install the indent package if you are developing applications in C and you want a program to format your code.

Name : clutter-gtk
Version : 1.4.4
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:36 PM EDT

Group : Development/Languages
Size : 96488
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : clutter-gtk-1.4.4-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:36:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.clutter-project.org>
Summary : A basic GTK clutter widget
Description :
clutter-gtk is a library which allows the embedding of a Clutter canvas (or "stage") into a GTK+ application, as well as embedding GTK+ widgets inside the stage.

Name : pm-utils
Version : 1.4.1
Release : 27.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:26 PM EDT
Group : System Environment/Base
Size : 372827
License : GPLv2
Signature : RSA/SHA256, Tue 16 Sep 2014 08:17:53 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pm-utils-1.4.1-27.el7.src.rpm
Build Date : Tue 16 Sep 2014 02:20:54 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pm-utils.freedesktop.org>
Summary : Power management utilities and scripts
Description :
The pm-utils package contains utilities and scripts useful for tasks related to power management.

Name : mythes
Version : 1.2.3
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:23 PM EDT
Group : System Environment/Libraries
Size : 19475
License : BSD and MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:52:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mythes-1.2.3-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:05:34 AM EDT
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hunspell.sourceforge.net/>
Summary : A thesaurus library
Description :
MyThes is a simple thesaurus that uses a structured text data file and an index file with binary search to look up words and phrases and return information on part of speech, meanings, and synonyms.

Name : genisoimage
Version : 1.1.11
Release : 22.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:55 PM EDT
Group : Applications/System
Size : 1072676
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 09:28:22 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cdrkit-1.1.11-22.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:32:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cdrkit.org/>
Summary : Creates an image of an ISO9660 file-system
Description :
The genisoimage program is used as a pre-mastering program; i.e., it generates the ISO9660 file-system. Genisoimage takes a snapshot of a given directory tree and generates a binary image of the tree which will correspond to an ISO9660 file-system when written to a block device. Genisoimage is used for writing CD-ROMs, and includes support for creating boot-able El Torito CD-ROMs.

Install the genisoimage package if you need a program for writing CD-ROMs.

Name : khmeros-fonts-common
Version : 5.0
Release : 17.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:28:06 PM EDT
Group : User Interface/X
Size : 826
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:31:18 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : khmeros-fonts-5.0-17.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:27:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>
Summary : Common files of khmeros-fonts
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

This package consists of files used by other khmeros-fonts packages.

Name : open-sans-fonts
Version : 1.10
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:57 PM EDT
Group : Unspecified
Size : 2185729
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:01 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : open-sans-fonts-1.10-1.el7.src.rpm
Build Date : Wed 11 Mar 2015 11:10:05 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.google.com/fonts/specimen/Open+Sans>
Summary : Open Sans is a humanist sans-serif typeface designed by Steve Matteson
Description :
Open Sans is a humanist sans serif typeface designed by Steve Matteson, Type Director of Ascender Corp. This version contains the complete 897 character set, which includes the standard ISO Latin 1, Latin CE, Greek and Cyrillic character sets. Open Sans was designed with an upright stress, open forms and a neutral, yet friendly appearance. It was optimized for print, web, and mobile interfaces, and has excellent legibility characteristics in its letter forms.

Name : colord
Version : 1.0.4
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:39 PM EDT
Group : Unspecified

Size : 1455966
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:28 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : colord-1.0.4-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:08:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/colord/>
Summary : Color daemon
Description :
colord is a low level system activated daemon that maps color devices to color profiles in the system context.

Name : libkkc-common
Version : 0.3.1
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:32 PM EDT
Group : System Environment/Libraries
Size : 373650
License : GPLv3+
Signature : RSA/SHA256, Mon 15 Dec 2014 07:58:05 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : libkkc-0.3.1-5.el7.src.rpm
Build Date : Mon 15 Dec 2014 07:48:52 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://bitbucket.org/libkkc>
Summary : Common data files for libkkc
Description :
The libkkc-common package contains the arch-independent data that libkkc uses at run time.

Name : libmnl
Version : 1.0.3
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:26 PM EDT
Group : System Environment/Libraries
Size : 51847
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libmnl-1.0.3-7.el7.src.rpm
Build Date : Tue 17 Jun 2014 11:49:02 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS

URL : <http://netfilter.org/projects/libmnl>
Summary : A minimalistic Netlink library
Description :
libmnl is a minimalistic user-space library oriented to Netlink developers.
There are a lot of common tasks in parsing, validating, constructing of both
the Netlink header and TLVs that are repetitive and easy to get wrong.
This library aims to provide simple helpers that allows you to re-use code and
to avoid re-inventing the wheel.

Name : libreport-plugin-bugzilla
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:57 PM EDT
Group : System Environment/Libraries
Size : 150607
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:13 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : libreport's bugzilla plugin
Description :
Plugin to report bugs into the bugzilla.

Name : libkkc-data
Version : 0.3.1
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:11 PM EDT
Group : System Environment/Libraries
Size : 31346547
License : GPLv3+
Signature : RSA/SHA256, Mon 15 Dec 2014 07:58:08 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : libkkc-0.3.1-5.el7.src.rpm
Build Date : Mon 15 Dec 2014 07:48:52 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://bitbucket.org/libkkc>
Summary : Data files for libkkc
Description :
The libkkc-data package contains the language model data that libkkc uses at run time.

Name : stix-fonts
Version : 1.1.0
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:07 PM EDT
Group : User Interface/X
Size : 1892532
License : OFL
Signature : RSA/SHA256, Fri 04 Jul 2014 01:05:45 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : stix-fonts-1.1.0-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:27:25 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.stixfonts.org/>
Summary : Scientific and engineering fonts
Description :

The mission of the Scientific and Technical Information Exchange (STIX) font creation project is the preparation of a comprehensive set of fonts that serve the scientific and engineering community in the process from manuscript creation through final publication, both in electronic and print formats.

This package includes base Unicode fonts containing most glyphs for standard use in the usual four styles.

Name : gtksourceview3
Version : 3.8.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:41 PM EDT
Group : System Environment/Libraries
Size : 4471011
License : LGPLv2+ and GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:50:24 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gtksourceview3-3.8.1-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:11:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gtksourceview.sourceforge.net/>
Summary : A library for viewing source files
Description :
GtkSourceView is a text widget that extends the standard GTK+ GtkTextView widget. It improves GtkTextView by implementing syntax highlighting and other features typical of a source code editor.

This package contains version 3 of GtkSourceView. The older version 2 is contains in the gtksourceview2 package.

Name : seavgabios-bin
Version : 1.7.5
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:34:37 PM EDT
Group : Applications/Emulators
Size : 184320
License : LGPLv3
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : seabios-1.7.5-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:30:32 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.coreboot.org/SeaBIOS>
Summary : Seavgabios for x86
Description :
SeaVGABIOS is an open-source VGABIOS implementation.

Name : newt
Version : 0.52.15
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:28 PM EDT
Group : System Environment/Libraries
Size : 185196
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:56:55 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : newt-0.52.15-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:48:12 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/newt/>
Summary : A library for text mode user interfaces
Description :
Newt is a programming library for color text mode, widget based user interfaces. Newt can be used to add stacked windows, entry widgets, checkboxes, radio buttons, labels, plain text fields, scrollbars, etc., to text mode user interfaces. This package also contains the shared library needed by programs built with newt, as well as a /usr/bin/dialog replacement called whiptail. Newt is based on the slang library.

Name : python-IPy
Version : 0.75

Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:58 PM EDT
Group : System Environment/Libraries
Size : 121946
License : BSD
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:22 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-IPy-0.75-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:18:29 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://github.com/haypo/python-ipy>
Summary : Python module for handling IPv4 and IPv6 Addresses and Networks
Description :
IPy is a Python module for handling IPv4 and IPv6 Addresses and Networks in a fashion similar to perl's Net::IP and friends. The IP class allows a comfortable parsing and handling for most notations in use for IPv4 and IPv6 Addresses and Networks.

Name : nss-softokn-freebl
Version : 3.16.2.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:17 PM EDT
Group : System Environment/Base
Size : 524036
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:39 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nss-softokn-3.16.2.3-9.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:26:29 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Freebl library for the Network Security Services
Description :
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl library.

Name : sil-abyssinica-fonts
Version : 1.200
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:18 PM EDT
Group : Unspecified
Size : 1171204

License : OFL
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sil-abyssinica-fonts-1.200-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:48:25 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://scripts.sil.org/AbyssinicaSIL>
Summary : SIL Abyssinica fonts
Description :
SIL Abyssinica is a Unicode typeface family containing glyphs for the
Ethiopic script.

The Ethiopic script is used for writing many of the languages of Ethiopia
and
Eritrea. Abyssinica SIL supports all Ethiopic characters which are in
Unicode
including the Unicode 4.1 extensions. Some languages of Ethiopia are not
yet
able to be fully represented in Unicode and, where necessary, we have
included
non-Unicode characters in the Private Use Area (see Private-use (PUA)
characters supported by Abyssinica SIL).

Abyssinica SIL is based on Ethiopic calligraphic traditions. This release
is
a regular typeface, with no bold or italic version available or planned.

Name : lockdev
Version : 1.0.4
Release : 0.13.20111007git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:44 PM EDT
Group : System Environment/Libraries
Size : 54799
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:34:32 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lockdev-1.0.4-0.13.20111007git.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:36:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://alioth.debian.org/projects/lockdev/>
Summary : A library for locking devices
Description :
Lockdev provides a reliable way to put an exclusive lock to devices
using both FSSTND and SVr4 methods.

Name : libseccomp
Version : 2.1.1

Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:52 PM EDT
Group : System Environment/Libraries
Size : 120834
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:02 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libseccomp-2.1.1-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:21:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libseccomp.sourceforge.net>
Summary : Enhanced seccomp library
Description :
The libseccomp library provides an easy to use interface to the Linux
Kernel's
syscall filtering mechanism, seccomp. The libseccomp API allows an
application
to specify which syscalls, and optionally which syscall arguments, the
application is allowed to execute, all of which are enforced by the Linux
Kernel.

Name : iptables
Version : 1.4.21
Release : 13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:30 PM EDT
Group : System Environment/Base
Size : 1541839
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 10:08:31 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : iptables-1.4.21-13.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:02:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.netfilter.org/>
Summary : Tools for managing Linux kernel packet filtering
capabilities
Description :
The iptables utility controls the network packet filtering code in the
Linux kernel. If you need to set up firewalls and/or IP masquerading,
you should install this package.

Name : logrotate
Version : 3.8.6
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:02 PM EDT

Group : System Environment/Base
Size : 102451
License : GPL+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:34:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : logrotate-3.8.6-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:58:02 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/logrotate/>
Summary : Rotates, compresses, removes and mails system log files
Description :
The logrotate utility is designed to simplify the administration of log files on a system which generates a lot of log files. Logrotate allows for the automatic rotation compression, removal and mailing of log files. Logrotate can be set to handle a log file daily, weekly, monthly or when the log file gets to a certain size. Normally, logrotate runs as a daily cron job.

Install the logrotate package if you need a utility to deal with the log files on your system.

Name : libselinux
Version : 2.2.2
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:22 PM EDT
Group : System Environment/Libraries
Size : 162746
License : Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:18 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libselinux-2.2.2-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:13:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/git/selinux.git>
Summary : SELinux library and simple utilities
Description :
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libselinux provides an API for SELinux applications to get and set

process and file security contexts and to obtain security policy decisions. Required for any applications that use the SELinux API.

Name : lohit-telugu-fonts
Version : 2.5.3
Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:31 PM EDT
Group : User Interface/X
Size : 187557
License : OFL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lohit-telugu-fonts-2.5.3-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:07:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/lohit/>
Summary : Free Telugu font
Description :
This package provides a free Telugu truetype/opentype font.

Name : libimobiledevice
Version : 1.1.5
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:46 PM EDT
Group : System Environment/Libraries
Size : 392099
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:54:07 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libimobiledevice-1.1.5-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:11:46 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libimobiledevice.org/>
Summary : Library for connecting to mobile devices
Description :
libimobiledevice is a library for connecting to mobile devices including phones and music players

Name : libvirt-daemon-kvm
Version : 1.2.8
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:55 PM EDT
Group : Development/Libraries
Size : 0

License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:20 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Server side daemon & driver required to run KVM guests
Description :
Server side daemon and driver required to manage the virtualization
capabilities of the KVM hypervisor

Name : libverto-tevent
Version : 0.2.5
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:33 PM EDT
Group : Unspecified
Size : 11520
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:24:09 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libverto-0.2.5-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:44:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/libverto/>
Summary : tevent module for libverto
Description :
Module for libverto which provides integration with tevent.

This package provides libverto-module-base since it supports io, timeout
and signal.

Name : openssh-clients
Version : 6.6.1p1
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:04 PM EDT
Group : Applications/Internet
Size : 2286160
License : BSD
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : openssh-6.6.1p1-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:44:06 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS
URL : <http://www.openssh.com/portable.html>
Summary : An open source SSH client applications
Description :
OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package includes the clients necessary to make encrypted connections to SSH servers.

Name : nss-util
Version : 3.16.2.3
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:23 PM EDT
Group : System Environment/Libraries
Size : 182016
License : MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : nss-util-3.16.2.3-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:48 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mozilla.org/projects/security/pki/nss/>
Summary : Network Security Services Utilities Library
Description :
Utilities for Network Security Services and the Softoken module

Name : ucs-miscfixed-fonts
Version : 0.3
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:39 PM EDT
Group : User Interface/X
Size : 7079547
License : Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:30 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : ucs-miscfixed-fonts-0.3-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:30:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.cl.cam.ac.uk/~mgk25/ucs-fonts.html>
Summary : Selected set of bitmap fonts
Description :
The usc-fixed-fonts package provides bitmap fonts for locations such as terminals.

Name : gettext-devel
Version : 0.18.2.1
Release : 4.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:49 PM EDT
Group : Development/Tools
Size : 1486930
License : LGPLv2+ and GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:24 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gettext-0.18.2.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:01:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/gettext/>
Summary : Development files for gettext
Description :
This package contains all development related files necessary for developing or compiling applications/libraries that needs internationalization capability. You also need this package if you want to add gettext support for your project.

Name : gnome-shell
Version : 3.8.4
Release : 45.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:59 PM EDT
Group : User Interface/Desktops
Size : 5517092
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:30 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-shell-3.8.4-45.el7.src.rpm
Build Date : Tue 10 Mar 2015 06:44:21 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell>
Summary : Window management and application launching for GNOME
Description :
GNOME Shell provides core user interface functions for the GNOME 3 desktop,
like switching to windows and launching applications. GNOME Shell takes advantage of the capabilities of modern graphics hardware and introduces innovative user interface concepts to provide a visually attractive and easy to use experience.

Name : perl-Pod-Perldoc
Version : 3.20
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:34 PM EDT
Group : Development/Libraries
Size : 166910

License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:38 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Pod-Perldoc-3.20-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:17:50 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Pod-Perldoc/>
Summary : Look up Perl documentation in Pod format
Description :
perldoc looks up a piece of documentation in .pod format that is embedded in the perl installation tree or in a perl script, and displays it via "groff -man | \$PAGER". This is primarily used for the documentation for the perl library modules.

Name : rasqal
Version : 0.9.30
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:05 PM EDT
Group : System Environment/Libraries
Size : 853085
License : LGPLv2+ or ASL 2.0
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rasqal-0.9.30-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:36:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://librdf.org/rasqal/>
Summary : RDF Query Library
Description :
Rasqal is a library providing full support for querying Resource Description Framework (RDF) including parsing query syntaxes, constructing the queries, executing them and returning result formats. It currently handles the RDF Data Query Language (RDQL) and SPARQL Query language.

Name : grep
Version : 2.20
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:25 PM EDT
Group : Applications/Text
Size : 1194688
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : grep-2.20-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:18:03 PM EST

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/grep/>
Summary : Pattern matching utilities
Description :
The GNU versions of commonly used grep utilities. Grep searches through textual input for lines which contain a match to a specified pattern and then prints the matching lines. GNU's grep utilities include grep, egrep and fgrep.

GNU grep is needed by many scripts, so it shall be installed on every system.

Name : diffstat
Version : 1.57
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:49 PM EDT
Group : Development/Tools
Size : 54065
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : diffstat-1.57-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:54:40 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://invisible-island.net/diffstat>
Summary : A utility which provides statistics based on the output of diff
Description :
The diff command compares files line by line. Diffstat reads the output of the diff command and displays a histogram of the insertions, deletions and modifications in each file. Diffstat is commonly used to provide a summary of the changes in large, complex patch files.

Install diffstat if you need a program which provides a summary of the diff command's output.

Name : avahi-ui-gtk3
Version : 0.6.31
Release : 14.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:53 PM EDT
Group : Unspecified
Size : 54000
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:04 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : avahi-0.6.31-14.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:03:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://avahi.org>
Summary : Gtk user interface library for Avahi (Gtk+ 3 version)
Description :
This library contains a Gtk 3.x widget for browsing services.

Name : nautilus-extensions
Version : 3.8.2
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:01 PM EDT
Group : Development/Libraries
Size : 52688
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nautilus-3.8.2-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:10:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/nautilus/>
Summary : Nautilus extensions library
Description :
This package provides the libraries used by nautilus extensions.

Name : perl-threads-shared
Version : 1.43
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:36 PM EDT
Group : Development/Libraries
Size : 73972
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:27 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-threads-shared-1.43-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:07:27 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/threads-shared/>
Summary : Perl extension for sharing data structures between threads
Description :
By default, variables are private to each thread, and each newly created thread gets a private copy of each existing variable. This module allows you to share variables across different threads (and pseudo-forks on

Win32). It is used together with the threads module.

Name : python-dmidecode
Version : 3.10.13
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:08 PM EDT
Group : System Environment/Libraries
Size : 267006
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-dmidecode-3.10.13-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:21:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.autonomy.net.au/python-dmidecode/>
Summary : Python module to access DMI data
Description :
python-dmidecode is a python extension module that uses the code-base of the 'dmidecode' utility, and presents the data as python data structures or as XML data using libxml2.

Name : libdb
Version : 5.3.21
Release : 17.el7_0.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:27 PM EDT
Group : System Environment/Libraries
Size : 1853824
License : BSD and LGPLv2 and Sleepycat
Signature : RSA/SHA256, Wed 06 Aug 2014 02:32:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libdb-5.3.21-17.el7_0.1.src.rpm
Build Date : Wed 06 Aug 2014 02:11:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.oracle.com/database/berkeley-db/>
Summary : The Berkeley DB database library for C
Description :
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. The Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is used by many applications, including Python and Perl, so this should be installed on all systems.

Name : setserial

Version : 2.17
Release : 33.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:37:51 PM EDT
Group : Applications/System
Size : 31579
License : GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:11 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : setserial-2.17-33.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:58:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://setserial.sourceforge.net/>
Summary : A utility for configuring serial ports
Description :
Setserial is a basic system utility for displaying or setting serial port information. Setserial can reveal and allow you to alter the I/O port and IRQ that a particular serial device is using, and more.

Name : caribou
Version : 0.4.11
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:55 PM EDT
Group : Unspecified
Size : 557733
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:56 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : caribou-0.4.11-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:50:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Caribou>
Summary : A simplified in-place on-screen keyboard
Description :
Caribou is a text entry application that currently manifests itself as a simplified in-place on-screen keyboard.

Name : gnome-shell-extension-launch-new-instance
Version : 3.8.4
Release : 12.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:35:09 PM EDT
Group : User Interface/Desktops
Size : 5360
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:43 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/GnomeShell/Extensions>
Summary : Always launch a new application instance for GNOME Shell
Description :
This GNOME Shell extension modifies the behavior of clicking in the dash and app launcher to always launch a new application instance.

Name : perl-Storable
Version : 2.45
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:37 PM EDT
Group : Development/Libraries
Size : 181031
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Storable-2.45-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:29:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Storable/>
Summary : Persistence for Perl data structures
Description :
The Storable package brings persistence to your Perl data structures containing scalar, array, hash or reference objects, i.e. anything that can be conveniently stored to disk and retrieved at a later time.

Name : pytalloc
Version : 2.1.1
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:09 PM EDT
Group : Development/Libraries
Size : 23088
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libtalloc-2.1.1-1.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:42:10 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://talloc.samba.org/>
Summary : Developer tools for the Talloc library

Description :

Pytalloc libraries for creating python bindings using talloc

Name : libgcrypt
Version : 1.5.3
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:29 PM EDT
Group : System Environment/Libraries
Size : 597151
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:28 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libgcrypt-1.5.3-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:23:38 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnupg.org/>
Summary : A general-purpose cryptography library
Description :
Libgcrypt is a general purpose crypto library based on the code used
in GNU Privacy Guard. This is a development version.

Name : iwl5150-firmware
Version : 8.24.2.2
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:37:59 PM EDT
Group : System Environment/Kernel
Size : 419325
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:53 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel® PRO/Wireless 5150 A/G/N network
adaptors
Description :
This package contains the firmware required by the iwl5150 driver
for Linux. Usage of the firmware is subject to the terms and conditions
contained inside the provided LICENSE file. Please read it carefully.

Name : libreoffice-ure
Epoch : 1
Version : 4.2.6.3
Release : 5.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:01 PM EDT
Group : Development/Libraries
Size : 7703738
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:40 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.libreoffice.org/>
Summary : UNO Runtime Environment
Description :
UNO is the component model of LibreOffice. UNO offers interoperability between programming languages, other components models and hardware architectures, either in process or over process boundaries, in the Intranet as well as in the Internet. UNO components may be implemented in and accessed from any programming language for which a UNO implementation (AKA language binding) and an appropriate bridge or adapter exists

Name : imsettings
Version : 1.6.3
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:10 PM EDT
Group : Applications/System
Size : 953970
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:24 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : imsettings-1.6.3-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:52:18 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://tagoh.bitbucket.org/imsettings/>
Summary : Delivery framework for general Input Method configuration
Description :
IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.

This package contains the core DBus services and some utilities.

Name : perl-Data-Dumper
Version : 2.145
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:40 PM EDT
Group : Development/Libraries
Size : 99287
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:16:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Data-Dumper-2.145-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:36:56 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Data-Dumper/>
Summary : Stringify perl data structures, suitable for printing and eval
Description :
Given a list of scalars or reference variables, writes out their contents in perl syntax. The references can also be objects. The content of each variable is output in a single Perl statement. Handles self-referential structures correctly.

Name : python-six
Version : 1.3.0
Release : 4.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:11 PM EDT
Group : Development/Languages
Size : 51382
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:54 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-six-1.3.0-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:14:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pypi.python.org/pypi/six/>
Summary : Python 2 and 3 compatibility utilities
Description :
python-six provides simple utilities for wrapping over differences between Python 2 and Python 3.

This is the Python 2 build of the module.

Name : libicu
Version : 50.1.2
Release : 11.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:32 PM EDT
Group : System Environment/Libraries
Size : 25221525
License : MIT and UCD and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:10 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : icu-50.1.2-11.el7.src.rpm
Build Date : Fri 30 May 2014 03:55:56 PM EDT
Build Host : bl8.bsys.dev.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.icu-project.org/>
Summary : International Components for Unicode - libraries
Description :
The International Components for Unicode (ICU) libraries provide robust and full-featured Unicode services on a wide variety of platforms. ICU supports the most current version of the Unicode standard, and they provide support for supplementary Unicode characters (needed for GB 18030 repertoire support).
As computing environments become more heterogeneous, software portability becomes more important. ICU lets you produce the same results across all the various platforms you support, without sacrificing performance. It offers great flexibility to extend and customize the supplied services.

Name : iwl5000-firmware
Version : 8.83.5.1_1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:03 PM EDT
Group : System Environment/Kernel
Size : 1120869
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:52 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel® PRO/Wireless 5000 A/G/N network adaptors
Description :
This package contains the firmware required by the iwl5000 driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : javamail
Version : 1.4.6

Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:03 PM EDT
Group : Unspecified
Size : 1917258
License : CDDL or GPLv2 with exceptions
Signature : RSA/SHA256, Thu 03 Jul 2014 10:13:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : javamail-1.4.6-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:41:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.oracle.com/technetwork/java/javamail>
Summary : Java Mail API
Description :
The JavaMail API provides a platform-independent and protocol-independent framework to build mail and messaging applications.

Name : firstboot
Version : 19.9
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:18 PM EDT
Group : System Environment/Base
Size : 291522
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:28 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : firstboot-19.9-8.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:37:18 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedoraproject.org/wiki/FirstBoot>
Summary : Initial system configuration utility
Description :
The firstboot utility runs after installation. It guides the user through a series of steps that allows for easier configuration of the machine.

Name : perl-Thread-Queue
Version : 3.02
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:42 PM EDT
Group : Development/Libraries
Size : 27642
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Thread-Queue-3.02-2.el7.src.rpm

Build Date : Mon 09 Jun 2014 05:00:33 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Thread-Queue/>
Summary : Thread-safe queues
Description :
This module provides thread-safe FIFO queues that can be accessed safely by
any number of threads.

Name : libsemanage-python
Version : 2.1.10
Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:12 PM EDT
Group : Development/Libraries
Size : 333292
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:44 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libsemanage-2.1.10-16.el7.src.rpm
Build Date : Mon 09 Jun 2014 02:50:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/git/selinux.git>
Summary : semmanage python bindings for libsemanage
Description :
The libsemanage-python package contains the python bindings for
developing
SELinux management applications.

Name : libvorbis
Epoch : 1
Version : 1.3.3
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:34 PM EDT
Group : System Environment/Libraries
Size : 3171606
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:26 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libvorbis-1.3.3-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:38:02 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.xiph.org/>
Summary : The Vorbis General Audio Compression Codec

Description :

Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free, general-purpose compressed audio format for audio and music at fixed and variable bitrates.

The libvorbis package contains runtime libraries for use in programs that support Ogg Vorbis.

Name : iwl2030-firmware
Version : 18.168.6.1
Release : 36.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:38:05 PM EDT
Group : System Environment/Kernel
Size : 789317
License : Redistributable, no modification permitted
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:45 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL :
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>
Summary : Firmware for Intel(R) Centrino Wireless-N 2030 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver for Linux to support the iwl2030 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : tomcat-lib
Epoch : 0
Version : 7.0.54
Release : 1.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:33:07 PM EDT
Group : Development/Libraries
Size : 4240903
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:53 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tomcat-7.0.54-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:54:31 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://tomcat.apache.org/>
Summary : Libraries needed to run the Tomcat Web container
Description :

Libraries needed to run the Tomcat Web container.

Name : ibus-hangul
Version : 1.4.2
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:21 PM EDT
Group : System Environment/Libraries
Size : 198133
License : GPLv2+
Signature : RSA/SHA256, Mon 01 Dec 2014 08:28:19 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : ibus-hangul-1.4.2-10.el7.src.rpm
Build Date : Mon 01 Dec 2014 08:12:27 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/ibus/>
Summary : The Hangul engine for IBus input platform
Description :
The Hangul engine for IBus platform. It provides Korean input method from libhangul.

Name : perl-Net-LibIDN
Version : 0.12
Release : 15.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:43 PM EDT
Group : Development/Libraries
Size : 52037
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:19 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-Net-LibIDN-0.12-15.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:32:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Net-LibIDN/>
Summary : Perl bindings for GNU LibIDN
Description :
Provides perl bindings for GNU Libidn, a C library for handling Internationalized Domain Names according to IDNA (RFC 3490), in a way very much inspired by Turbo Fredriksson's PHP-IDN.

Name : python-urlgrabber
Version : 3.10
Release : 6.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:14 PM EDT
Group : Development/Libraries

Size : 496639
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : python-urlgrabber-3.10-6.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:15:14 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://urlgrabber.baseurl.org/>
Summary : A high-level cross-protocol url-grabber
Description :
A high-level cross-protocol url-grabber for python supporting HTTP, FTP and file locations. Features include keepalive, byte ranges, throttling, authentication, proxies and more.

Name : libffi
Version : 3.0.13
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:35 PM EDT
Group : System Environment/Libraries
Size : 47758
License : MIT and Public Domain
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:52 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libffi-3.0.13-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:12:41 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceware.org/libffi>
Summary : A portable foreign function interface library
Description :
Compilers for high level languages generate code that follow certain conventions. These conventions are necessary, in part, for separate compilation to work. One such convention is the "calling convention". The calling convention is a set of assumptions made by the compiler about where function arguments will be found on entry to a function. A calling convention also specifies where the return value for a function is found.

Some programs may not know at the time of compilation what arguments are to be passed to a function. For instance, an interpreter may be told at run-time about the number and types of arguments used to call a given function. 'Libffi' can be used in such programs to provide a bridge from the interpreter program to compiled code.

The 'libffi' library provides a portable, high level programming interface to various calling conventions. This allows a programmer to call any function specified by a call interface description at run time.

FFI stands for Foreign Function Interface. A foreign function interface is the popular name for the interface that allows code written in one language to call code written in another language. The 'libffi' library really only provides the lowest, machine dependent layer of a fully featured foreign function interface. A layer must exist above 'libffi' that handles type conversions for values passed between the two languages.

Name : libXi
Version : 1.7.2
Release : 2.1.el7
Architecture: i686
Install Date: Wed 05 Apr 2017 03:38:08 PM EDT
Group : System Environment/Libraries
Size : 69159
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:37 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libXi-1.7.2-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 10:36:21 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXi runtime library
Description :
X.Org X11 libXi runtime library

Name : poppler-utils
Version : 0.22.5
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:08 PM EDT
Group : Applications/Text
Size : 421714
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : poppler-0.22.5-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:01:06 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://poppler.freedesktop.org/>
Summary : Command line utilities for converting PDF files
Description :
Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

This utils package installs a number of command line tools for converting PDF files to a number of other formats.

Name : gnome-disk-utility
Version : 3.8.2
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:23 PM EDT
Group : System Environment/Libraries
Size : 5906598
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:06 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gnome-disk-utility-3.8.2-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:47:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://git.gnome.org/browse/gnome-disk-utility>
Summary : Disks
Description :
This package contains the Disks and Disk Image Mounter applications. Disks supports partitioning, file system creation, encryption, fstab/crypttab editing, ATA SMART and other features

Name : perl-HTTP-Date
Version : 6.02
Release : 8.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:49 PM EDT
Group : Development/Libraries
Size : 20167
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:02 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : perl-HTTP-Date-6.02-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:20:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTTP-Date/>
Summary : Date conversion routines
Description :
This module provides functions that deal the date formats used by the HTTP protocol (and then some more). Only the first two functions, time2str() and str2time(), are exported by default.

Name : java-1.8.0-openjdk-devel
Epoch : 1
Version : 1.8.0.31
Release : 2.b13.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:21 PM EDT

Group : Development/Tools
Size : 40025843
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : java-1.8.0-openjdk-1.8.0.31-2.b13.el7.src.rpm
Build Date : Wed 11 Mar 2015 07:52:34 AM EDT
Build Host : sclbuild
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://openjdk.java.net/>
Summary : OpenJDK Development Environment
Description :
The OpenJDK development tools.

Name : gstreamer1
Version : 1.0.7
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:38 PM EDT
Group : Unspecified
Size : 3252353
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:14 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : gstreamer1-1.0.7-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:57:50 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>
Summary : GStreamer streaming media framework runtime
Description :
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plugins.

Name : pcsc-lite
Version : 1.8.8
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:50:45 PM EDT
Group : System Environment/Daemons
Size : 634337
License : BSD

Signature : RSA/SHA256, Wed 25 Nov 2015 10:28:22 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : pcsc-lite-1.8.8-6.el7.src.rpm
Build Date : Fri 20 Nov 2015 07:40:29 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://pcsc-lite.alioth.debian.org/>
Summary : PC/SC Lite smart card framework and applications
Description :
The purpose of PC/SC Lite is to provide a Windows(R) SCard interface
in a very small form factor for communicating to smartcards and
readers. PC/SC Lite uses the same winscard API as used under
Windows(R). This package includes the PC/SC Lite daemon, a resource
manager that coordinates communications with smart card readers and
smart cards that are connected to the system, as well as other command
line tools.

Name : lvm2
Epoch : 7
Version : 2.02.115
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:10 PM EDT
Group : System Environment/Base
Size : 1892013
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lvm2-2.02.115-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:51:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/lvm2>
Summary : Userland logical volume management tools
Description :
LVM2 includes all of the support for handling read/write operations on
physical volumes (hard disks, RAID-Systems, magneto optical, etc.,
multiple devices (MD), see mdadd(8) or even loop devices, see
losetup(8)), creating volume groups (kind of virtual disks) from one
or more physical volumes and creating one or more logical volumes
(kind of logical partitions) in volume groups.

Name : gnome-session-xsession
Version : 3.8.4
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:45 PM EDT
Group : User Interface/Desktops
Size : 14050
License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:39:14 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-session-3.8.4-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:12:26 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : Desktop file for gnome-session
Description :
Desktop file to add GNOME to display manager session menu.

Name : perl-HTTP-Daemon
Version : 6.01
Release : 5.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:50 PM EDT
Group : Development/Libraries
Size : 40152
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-HTTP-Daemon-6.01-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:27:59 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/HTTP-Daemon/>
Summary : Simple HTTP server class
Description :
Instances of the HTTP::Daemon class are HTTP/1.1 servers that listen on a
socket for incoming requests. The HTTP::Daemon is a subclass of
IO::Socket::INET, so you can perform socket operations directly on it
too.

Name : python-iniparse
Version : 0.4
Release : 9.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:23 PM EDT
Group : Development/Libraries
Size : 115166
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-iniparse-0.4-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:04:54 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/iniparse/>

Summary : Python Module for Accessing and Modifying Configuration Data in INI files

Description :

iniparse is an INI parser for Python which is API compatible with the standard library's ConfigParser, preserves structure of INI files (order of sections & options, indentation, comments, and blank lines are preserved when data is updated), and is more convenient to use.

Name : file-libs
Version : 5.11
Release : 21.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:41 PM EDT
Group : Applications/File
Size : 3101649
License : BSD
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:23 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : file-5.11-21.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:06:51 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.darwinsys.com/file/>
Summary : Libraries for applications using libmagic
Description :

Libraries for applications using libmagic.

Name : redhat-lsb-submod-security
Version : 4.1
Release : 27.el7.centos.1
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:59:36 PM EDT
Group : System Environment/Base
Size : 0
License : GPLv2
Signature : RSA/SHA256, Fri 27 Mar 2015 09:19:00 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : redhat-lsb-4.1-27.el7.centos.1.src.rpm
Build Date : Fri 27 Mar 2015 09:11:42 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.linuxfoundation.org/collaborate/workgroups/lsb>
Summary : LSB Security submodule support
Description :
The Linux Standard Base (LSB) Security submodule specifications define components that are required to be present on an LSB conforming system.

Name : libmusicbrainz5

Version : 5.0.1
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:12 PM EDT
Group : System Environment/Libraries
Size : 607838
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:00:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmusicbrainz5-5.0.1-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:14:00 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.musicbrainz.org/>
Summary : Library for accessing MusicBrainz servers
Description :
The MusicBrainz client library allows applications to make metadata
lookup to a MusicBrainz server, generate signatures from WAV data and
create CD Index Disk ids from audio CD roms.

Name : rpm-sign
Version : 4.11.1
Release : 25.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:53 PM EDT
Group : System Environment/Base
Size : 17293
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:21 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rpm-4.11.1-25.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:27:41 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.rpm.org/>
Summary : Package signing support
Description :
This package contains support for digitally signing RPM packages.

Name : perl-perlindex
Version : 1.605
Release : 1
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:29:51 PM EDT
Group : Applications/CPAN
Size : 29214
License : Artistic/GPL
Signature : (none)
Source RPM : perl-perlindex-1.605-1.src.rpm
Build Date : Thu 15 Jul 2010 09:36:33 AM EDT

Build Host : lorax
Relocations : (not relocatable)
Packager : Jason Messmer <Jason.Messmer@xerox.com>
URL : <http://search.cpan.org/dist/perlindex/>
Summary : Index and query perl manual pages
Description :
Index and query perl manual pages.

Name : passwd
Version : 0.79
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:27 PM EDT
Group : System Environment/Base
Size : 429874
License : BSD or GPL+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:50 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : passwd-0.79-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:27:56 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/passwd>
Summary : An utility for setting or changing passwords using PAM
Description :
This package contains a system utility (passwd) which sets or changes passwords, using PAM (Pluggable Authentication Modules) library.

Name : xmlrpc-c
Version : 1.32.5
Release : 1905.svn2451.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:42 PM EDT
Group : System Environment/Libraries
Size : 330001
License : BSD and MIT and GPL+ and Public Domain
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:21 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xmlrpc-c-1.32.5-1905.svn2451.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:03:43 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://xmlrpc-c.sourceforge.net/>
Summary : A lightweight RPC library based on XML and HTTP
Description :
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C.

Name : rest
Version : 0.7.92
Release : 1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:14 PM EDT
Group : System Environment/Libraries
Size : 179546
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:17 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : rest-0.7.92-1.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:22:15 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : A library for access to RESTful web services
Description :
This library was designed to make it easier to access web services that claim to be "RESTful". A RESTful service should have urls that represent remote objects, which methods can then be called on. The majority of services don't actually adhere to this strict definition. Instead, their RESTful end point usually has an API that is just simpler to use compared to other types of APIs they may support (XML-RPC, for instance). It is this kind of API that this library is attempting to support.

Name : libsane-hpaio
Version : 3.13.7
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:35:55 PM EDT
Group : System Environment/Daemons
Size : 157334
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:15:58 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hplip-3.13.7-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:41:36 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hplip.sourceforge.net/>
Summary : SANE driver for scanners in HP's multi-function devices
Description :
SANE driver for scanners in HP's multi-function devices (from HPOJ).

Name : fftw-libs-double
Version : 3.3.3
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:53 PM EDT
Group : Development/Libraries
Size : 2487345
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:19:53 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fftw-3.3.3-8.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:55:07 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.fftw.org>
Summary : FFTW library, double precision
Description :
This package contains the FFTW library compiled in double precision.

Name : wodim
Version : 1.1.11
Release : 22.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:29 PM EDT
Group : Applications/Archiving
Size : 899865
License : GPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 01:43:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cdrkit-1.1.11-22.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:32:01 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cdrkit.org/>
Summary : A command line CD/DVD recording program
Description :
Wodim is an application for creating audio and data CDs. Wodim works with many different brands of CD recorders, fully supports multi-sessions and provides human-readable error messages.

Name : libXrender
Version : 0.9.8
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:44 PM EDT
Group : System Environment/Libraries
Size : 42875
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:59 PM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : libXrender-0.9.8-2.1.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:14:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXrender runtime library
Description :
X.Org X11 libXrender runtime library

Name : yelp-libs
Epoch : 1
Version : 3.8.1
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:21 PM EDT
Group : Development/Libraries
Size : 261744
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:43 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : yelp-3.8.1-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:35:41 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Yelp>
Summary : Libraries for yelp
Description :
This package contains libraries used by the yelp help browser.

Name : xorg-x11-xauth
Epoch : 1
Version : 1.0.7
Release : 6.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:56 PM EDT
Group : User Interface/X
Size : 47834
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-xauth-1.0.7-6.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:08:02 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 X authority utilities
Description :
xauth is used to edit and display the authorization information

used in connecting to an X server.

Name : perl-libwww-perl
Version : 6.05
Release : 2.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:31:31 PM EDT
Group : Development/Libraries
Size : 498456
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:20:03 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-libwww-perl-6.05-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:19:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/libwww-perl/>
Summary : A Perl interface to the World-Wide Web
Description :
The libwww-perl collection is a set of Perl modules which provides a
simple and
consistent application programming interface to the World-Wide Web. The
main
focus of the library is to provide classes and functions that allow you
to
write WWW clients. The library also contain modules that are of more
general
use and even classes that help you implement simple HTTP servers.

Name : libXv
Version : 1.0.9
Release : 2.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:45 PM EDT
Group : System Environment/Libraries
Size : 26375
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:48 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXv-1.0.9-2.1.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:02:04 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXv runtime library
Description :
X.Org X11 libXv runtime library

Name : libvirt-daemon-driver-interface
Version : 1.2.8

Release : 16.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:24 PM EDT
Group : Development/Libraries
Size : 107440
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libvirt-1.2.8-16.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:04:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libvirt.org/>
Summary : Interface driver plugin for the libvirtd daemon
Description :
The interface driver plugin for the libvirtd daemon, providing
an implementation of the network interface APIs using the
netcf library

Name : NetworkManager-adsl
Epoch : 1
Version : 1.0.0
Release : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:01 PM EDT
Group : System Environment/Base
Size : 28480
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:28 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:19:16 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org/projects/NetworkManager/>
Summary : ADSL device plugin for NetworkManager
Description :
This package contains NetworkManager support for ADSL devices.

Name : libXevie
Version : 1.0.3
Release : 7.1.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:58 PM EDT
Group : System Environment/Libraries
Size : 27168
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:01 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libXevie-1.0.3-7.1.el7.src.rpm

Build Date : Mon 09 Jun 2014 02:45:52 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X Event Interceptor Library
Description :
X Event Interceptor Library.

Name : systemtap-client
Version : 2.6
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:34 PM EDT
Group : Development/System
Size : 11229642
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:53 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : systemtap-2.6-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:01:20 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceware.org/systemtap/>
Summary : Programmable system-wide instrumentation system - client
Description :
This package contains/requires the components needed to develop
systemtap scripts, and compile them using a local systemtap-devel
or a remote systemtap-server installation, then run them using a
local or remote systemtap-runtime. It includes script samples and
documentation, and a copy of the tapset library for reference.

Name : libsss_idmap
Version : 1.12.2
Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:46 PM EDT
Group : Development/Libraries
Size : 66566
License : LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : FreeIPA Idmap library
Description :

Utility library to convert SIDs to Unix uids and gids

Name : libreswan
Version : 3.12
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:26 PM EDT
Group : System Environment/Daemons
Size : 3499962
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 04:12:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreswan-3.12-5.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:39:37 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://www.libreswan.org/>
Summary : IPsec implementation with IKEv1 and IKEv2 keying protocols
Description :
Libreswan is a free implementation of IPsec & IKE for Linux. IPsec is the Internet Protocol Security and uses strong cryptography to provide both authentication and encryption services. These services allow you to build secure tunnels through untrusted networks. Everything passing through the untrusted net is encrypted by the ipsec gateway machine and decrypted by the gateway at the other end of the tunnel. The resulting tunnel is a virtual private network or VPN.

This package contains the daemons and userland tools for setting up Libreswan. To build KLIPS, see the kmod-libreswan.spec file.

Libreswan also supports IKEv2 (RFC4309) and Secure Labeling

Libreswan is based on Openswan-2.6.38 which in turn is based on FreeS/WAN-2.04

Name : gstreamer-plugins-good
Version : 0.10.31
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:02 PM EDT
Group : Applications/Multimedia
Size : 5258969
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gstreamer-plugins-good-0.10.31-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:03:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://gstreamer.freedesktop.org/>

Summary : GStreamer plug-ins with good code and licensing
Description :
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

GStreamer Good Plug-ins is a collection of well-supported plug-ins of good quality and under the LGPL license.

Name : libgee
Version : 0.10.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:59 PM EDT
Group : System Environment/Libraries
Size : 851432
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:57 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libgee-0.10.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:55:23 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Libgee>
Summary : GObject collection library
Description :
libgee is a collection library providing GObject-based interfaces and classes for commonly used data structures.

- * Traversable
 - o Iterable
 - + Collection
 - List
 - * BidirList
 - Set
 - * SortedSet
 - o BidirSortedSet
 - MultiSet
 - Queue
 - * Deque
 - + Map
 - SortedMap
 - * BidirSortedMap
 - o Iterator
 - + BidirIterator
 - BidirListIterator
 - + ListIterator

- BidirListIterator
* MultiMap

The ArrayList, ArrauQueue, ConcurrentLinkedList, ConcurrentSet, HashSet, HashMap, HashMultiSet, HashMultiMap, LinkedList, PriorityQueue, TreeSet, TreeMap, TreeMultiSet, and TreeMultiMap classes provide a reasonable sample implementation of those interfaces. In addition, a set of abstract classes are provided to ease the implementation of new collections.

Around that, the API provide means to retrieve read-only views, efficient sort algorithms, simple, bi-directional or index-based mutable iterators depending on the collection type.

Libgee is written in Vala and can be used like any GObject-based C library. It's planned to provide bindings for further languages.

Name : spice-server
Version : 0.12.4
Release : 9.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:36 PM EDT
Group : System Environment/Libraries
Size : 1233907
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:19 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : spice-0.12.4-9.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:52:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.spice-space.org/>
Summary : Implements the server side of the SPICE protocol
Description :
The Simple Protocol for Independent Computing Environments (SPICE) is a remote display system built for virtual environments which allows you to view a computing 'desktop' environment not only on the machine where it is running, but from anywhere on the Internet and from a wide variety of machine architectures.

This package contains the run-time libraries for any application that wishes to be a SPICE server.

Name : libv4l
Version : 0.9.5
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:48 PM EDT
Group : System Environment/Libraries
Size : 573633
License : LGPLv2+ and GPLv2

Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:41 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : v4l-utils-0.9.5-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:01:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://hansdegoede.livejournal.com/3636.html>
Summary : Collection of video4linux support libraries
Description :
libv4l is a collection of libraries which adds a thin abstraction layer
on
top of video4linux2 devices. The purpose of this (thin) layer is to make
it
easy for application writers to support a wide variety of devices without
having to write separate code for different devices in the same class.
libv4l
consists of 3 different libraries: libv4lconvert, libv4l1 and libv4l2.

libv4lconvert offers functions to convert from any (known) pixel-format
to V4l2_PIX_FMT_BGR24 or V4l2_PIX_FMT_YUV420.

libv4l1 offers the (deprecated) v4l1 API on top of v4l2 devices,
independent
of the drivers for those devices supporting v4l1 compatibility (which
many
v4l2 drivers do not).

libv4l2 offers the v4l2 API on top of v4l2 devices, while adding for the
application transparent libv4lconvert conversion where necessary.

Name : xorg-x11-drv-void
Version : 1.4.0
Release : 23.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:27 PM EDT
Group : User Interface/X Hardware Support
Size : 15406
License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-void-1.4.0-23.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:03:15 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : Xorg X11 void input driver
Description :
X.Org X11 void input driver.

Name : vinagre

Version : 3.8.2
Release : 12.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:06 PM EDT
Group : Applications/System
Size : 3173146
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:52 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : vinagre-3.8.2-12.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:00:34 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://projects.gnome.org/vinagre/>
Summary : VNC client for GNOME
Description :
Vinagre is a VNC client for the GNOME desktop.

With Vinagre you can have several connections open simultaneously,
bookmark
your servers thanks to the Favorites support, store the passwords in the
GNOME keyring, and browse the network to look for VNC servers.

Apart from the VNC protocol, vinagre supports Spice and RDP.

Name : libmspub
Version : 0.0.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:01 PM EDT
Group : System Environment/Libraries
Size : 618792
License : GPLv2+ or LGPLv2+ or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 11:00:05 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmspub-0.0.6-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:24:07 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/libmspub>
Summary : A library providing ability to interpret and import
Microsoft Publisher files
Description :
Libmspub is library providing ability to interpret and import Microsoft
Publisher content into various applications. You can find it being used
in libreoffice.

Name : libspectre
Version : 0.2.7
Release : 4.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:41 PM EDT
Group : System Environment/Libraries
Size : 90404
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:18:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libspectre-0.2.7-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:05:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libspectre.freedesktop.org>
Summary : A library for rendering PostScript(TM) documents
Description :
libspectre is a small library for rendering PostScript(TM) documents.
It provides a convenient easy to use API for handling and rendering
PostScript documents.

Name : libmpc
Version : 1.0.1
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:50 PM EDT
Group : Development/Tools
Size : 113833
License : LGPLv3+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:41 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libmpc-1.0.1-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 03:44:58 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.multiprecision.org/>
Summary : C library for multiple precision complex arithmetic
Description :

MPC is a C library for the arithmetic of complex numbers with
arbitrarily high precision and correct rounding of the result. It is
built upon and follows the same principles as Mpfr.

Name : mesa-libGLU
Version : 9.0.0
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:28 PM EDT
Group : Unspecified
Size : 524464
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 11:46:36 PM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : mesa-libGLU-9.0.0-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:20:11 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://mesa3d.org/>
Summary : Mesa libGLU library
Description :
Mesa implementation of the standard GLU OpenGL utility API.

Name : gnome-screenshot
Version : 3.8.3
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:11 PM EDT
Group : Applications/System
Size : 671636
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 09:39:07 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-screenshot-3.8.3-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:26:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnome.org>
Summary : A screenshot utility for GNOME
Description :
gnome-screenshot lets you take pictures of your screen.

Name : dyninst
Version : 8.2.0
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:04 PM EDT
Group : Development/Libraries
Size : 9013880
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : dyninst-8.2.0-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:10:41 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.dyninst.org>
Summary : An API for Run-time Code Generation
Description :

Dyninst is an Application Program Interface (API) to permit the insertion of

code into a running program. The API also permits changing or removing subroutine calls from the application program. Run-time code changes are useful to support a variety of applications including debugging, performance monitoring, and to support composing applications out of existing packages.

The goal of this API is to provide a machine independent interface to permit the creation of tools and applications that use run-time code patching.

Name : autogen-libopts
Version : 5.18
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:42 PM EDT
Group : System Environment/Libraries
Size : 145381
License : LGPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 08:44:16 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : autogen-5.18-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:19:30 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/autogen/>
Summary : Automated option processing library based on autogen
Description :
Libopts is very powerful command line option parser consisting of a set of AutoGen templates and a run time library that nearly eliminates the hassle of parsing and documenting command line options.

Name : libwpg
Version : 0.2.2
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:52 PM EDT
Group : System Environment/Libraries
Size : 283545
License : LGPLv2+ or MPLv2.0
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:02 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libwpg-0.2.2-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 03:02:59 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://libwpg.sourceforge.net/>
Summary : Library for reading WordPerfect Graphics images
Description :

Libwpng project is a library and to work with graphics in WPG (WordPerfect Graphics) format. WPG is the format used among others in Corel software, such as WordPerfect and Presentations.

Name : glx-utils
Version : 8.1.0
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:54 PM EDT
Group : Development/Libraries
Size : 101230
License : MIT
Signature : RSA/SHA256, Thu 03 Jul 2014 09:35:44 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mesa-demos-8.1.0-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:03:40 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.mesa3d.org>
Summary : GLX utilities
Description :
The glx-utils package provides the glxinfo and glxgears utilities.

Name : mousetweaks
Version : 3.8.0
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:15 PM EDT
Group : User Interface/Desktops
Size : 483374
License : GPLv3 and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:25 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mousetweaks-3.8.0-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:58:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://live.gnome.org/Mousetweaks/Home>
Summary : Mouse accessibility support for the GNOME desktop
Description :
The Mousetweaks package provides mouse accessibility enhancements for the GNOME desktop, such as performing various clicks without using any hardware button. The options can be accessed through the Accessibility tab of the Mouse Preferences of GNOME Control Center or through command-line.

Name : mtools
Version : 4.0.18
Release : 5.el7
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:30:07 PM EDT
Group : Applications/System
Size : 332721
License : GPLv3+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:23 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mtools-4.0.18-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:54:12 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://mtools.linux.lu/>
Summary : Programs for accessing MS-DOS disks without mounting the
disks
Description :
Mtools is a collection of utilities for accessing MS-DOS files.
Mtools allow you to read, write and move around MS-DOS filesystem
files (normally on MS-DOS floppy disks). Mtools supports Windows95
style long file names, OS/2 XDF disks, and 2m disks

Mtools should be installed if you need to use MS-DOS disks

Name : linuxconsoletools
Version : 1.4.5
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:45 PM EDT
Group : Applications/System
Size : 155295
License : GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:46 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linuxconsoletools-1.4.5-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:40:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/linuxconsole/>
Summary : Tools for connecting joysticks & legacy devices to the
kernel's input subsystem
Description :
This package contains utilities for testing and configuring joysticks,
connecting legacy devices to the kernel's input subsystem (providing
support
for serial mice, touchscreens etc.), and test the input event layer.

Name : libraw1394
Version : 2.1.0
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:54 PM EDT
Group : System Environment/Libraries

Size : 145921
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:08:21 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libraw1394-2.1.0-2.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:15:44 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.dennedy.org/libraw1394/>
Summary : Library providing low-level IEEE-1394 access
Description :
The libraw1394 library provides direct access to the IEEE-1394 bus. Support for both the obsolete ieee1394 interface and the new firewire interface are included, with run-time detection of the active stack.

Name : abrt-tui
Version : 2.1.11
Release : 19.el7.centos.0.3
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:55 PM EDT
Group : User Interface/Desktops
Size : 24559
License : GPLv2+
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:51 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : abrt's command line interface
Description :
This package contains a simple command line client for processing abrt reports in command line environment.

Name : mlocate
Version : 0.26
Release : 5.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:17 PM EDT
Group : Applications/System
Size : 387492
License : GPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:48:03 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : mlocate-0.26-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 05:42:50 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/mlocate/>
Summary : An utility for finding files by name
Description :
mlocate is a locate/updatedb implementation. It keeps a database of all existing files and allows you to lookup files by name.

The 'm' stands for "merging": updatedb reuses the existing database to avoid rereading most of the file system, which makes updatedb faster and does not trash the system caches as much as traditional locate implementations.

Name : wqy-zenhei-fonts
Version : 0.9.46
Release : 11.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:30:11 PM EDT
Group : User Interface/X
Size : 17156598
License : GPLv2 with exceptions
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : wqy-zenhei-fonts-0.9.46-11.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:06:00 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://wenq.org/enindex.cgi>
Summary : WenQuanYi Zen Hei CJK Font
Description :

WenQuanYi Zen Hei is a Hei-Ti style (sans-serif type) Chinese outline font. It is designed for general purpose text formatting and on-screen display of Chinese characters and symbols from many other languages. The embolden strokes of the font glyphs produces enhanced screen contrast, making it easier to read recognize. The embedded bitmap glyphs further enhance on-screen performance, which can be enabled with the provided configuration files. WenQuanYi Zen Hei provides a rather complete coverage to Chinese Hanzi glyphs, including both simplified and traditional forms. The total glyph number in this font is over 35,000, including over 21,000 Chinese Hanzi. This font has full coverage to GBK(CP936) charset, CJK Unified Ideographs, as well as the code-points needed for zh_cn, zh_sg, zh_tw, zh_hk, zh_mo, ja (Japanese) and ko (Korean) locales for fontconfig. Starting from version 0.8, this font package has contained two font families, i.e. the proportionally-spaced Zen Hei, and a mono-spaced face named "WenQuanYi Zen Hei Mono".

Name : device-mapper-libs
Epoch : 7

Version : 1.02.93
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:46 PM EDT
Group : System Environment/Libraries
Size : 300216
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lvm2-2.02.115-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:51:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper shared library
Description :
This package contains the device-mapper shared library, libdevmapper.

Name : nettle
Version : 2.7.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:56 PM EDT
Group : Development/Libraries
Size : 764914
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:20 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nettle-2.7.1-4.el7.src.rpm
Build Date : Thu 05 Mar 2015 11:10:21 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.lysator.liu.se/~nisse/nettle/>
Summary : A low-level cryptographic library
Description :
Nettle is a cryptographic library that is designed to fit easily in more or less any context: In crypto toolkits for object-oriented languages (C++, Python, Pike, ...), in applications like LSH or GNUPG, or even in kernel space.

Name : realmd
Version : 0.14.6
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:33:57 PM EDT
Group : Unspecified
Size : 799187
License : LGPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:45 AM EDT, Key ID
24c6a8a7f4a80eb5

Source RPM : realmd-0.14.6-6.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:37:53 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cgit.freedesktop.org/realmd/realmd/>
Summary : Kerberos realm enrollment service
Description :
realmd is a DBus system service which manages discovery and enrollment in realms and domains like Active Directory or IPA. The control center uses realmd as the back end to 'join' a domain simply and automatically configure things correctly.

Name : postfix
Epoch : 2
Version : 2.10.1
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:20 PM EDT
Group : System Environment/Daemons
Size : 12773475
License : IBM and GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:15 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : postfix-2.10.1-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:39:36 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.postfix.org>
Summary : Postfix Mail Transport Agent
Description :
Postfix is a Mail Transport Agent (MTA), supporting LDAP, SMTP AUTH (SASL), TLS

Name : glibc-devel
Version : 2.17
Release : 78.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:13 PM EDT
Group : Development/Libraries
Size : 1064023
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:23 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : glibc-2.17-78.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:50:19 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gnu.org/software/glibc/>
Summary : Object files for development using standard C libraries.
Description :
The glibc-devel package contains the object files necessary for developing programs which use the standard C libraries (which are used by nearly all programs). If you are developing programs which will use the standard C libraries, your system needs to have these standard object files available in order to create the executables.

Install glibc-devel if you are going to develop programs which will use the standard C libraries.

Name : systemd-sysv
Version : 208
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:49 PM EDT
Group : Unspecified
Size : 3979
License : LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:49 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : systemd-208-20.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:48:58 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/systemd>
Summary : SysV tools for systemd
Description :
SysV compatibility tools for systemd

Name : libusb
Epoch : 1
Version : 0.1.4
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:28:59 PM EDT
Group : System Environment/Libraries
Size : 23936
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:52 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libusb-0.1.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:34:22 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/libusb/>

Summary : A library which allows userspace access to USB devices
Description :
This package provides a way for applications to access USB devices.
Legacy libusb-0.1 is no longer supported by upstream, therefore content
of this
package was replaced by libusb-compat. It provides compatibility layer
allowing
applications written for libusb-0.1 to work with libusb-1.0.

Name : fprintd
Version : 0.5.0
Release : 4.0.el7_0
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:01 PM EDT
Group : System Environment/Daemons
Size : 310872
License : GPLv2+
Signature : RSA/SHA256, Sat 05 Jul 2014 11:22:21 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fprintd-0.5.0-4.0.el7_0.src.rpm
Build Date : Tue 24 Jun 2014 07:15:32 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/fprint/fprintd>
Summary : D-Bus service for Fingerprint reader access
Description :
D-Bus service to access fingerprint readers.

Name : rng-tools
Version : 5
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:23 PM EDT
Group : System Environment/Base
Size : 69473
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rng-tools-5-2.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:24:41 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sourceforge.net/projects/gkernel/>
Summary : Random number generator related utilities
Description :
Hardware random number generation tools.

Name : marisa
Version : 0.2.4
Release : 3.el7

Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:15 PM EDT
Group : Unspecified
Size : 254006
License : BSD or LGPL
Signature : RSA/SHA256, Thu 03 Jul 2014 11:38:52 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : marisa-0.2.4-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:19:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://code.google.com/p/marisa-trie/>
Summary : Static and spece-efficient trie data structure library
Description :
Matching Algorithm with Recursively Implemented StorAge (MARISA) is a
static and space-efficient trie data structure. And libmarisa is a C++
library to provide an implementation of MARISA. Also, the package of
libmarisa contains a set of command line tools for building and
operating a MARISA-based dictionary.

A MARISA-based dictionary supports not only lookup but also reverse
lookup, common prefix search and predictive search.

Name : sssd-common
Version : 1.12.2
Release : 58.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:52 PM EDT
Group : Applications/System
Size : 3021720
License : GPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sssd-1.12.2-58.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/sss/>
Summary : Common files for the SSSD
Description :
Common files for the SSSD. The common package includes all the files
needed
to run a particular back end, however, the back ends are packaged in
separate
subpackages such as sssd-ldap.

Name : libXfont
Version : 1.4.7
Release : 2.el7_0
Architecture: x86_64

Install Date: Wed 05 Apr 2017 03:29:00 PM EDT
Group : System Environment/Libraries
Size : 315844
License : MIT
Signature : RSA/SHA256, Tue 18 Nov 2014 10:07:51 AM EST, Key ID 24c6a8a7f4a80eb5
Source RPM : libXfont-1.4.7-2.el7_0.src.rpm
Build Date : Tue 18 Nov 2014 09:35:40 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 libXfont runtime library
Description :
X.Org X11 libXfont runtime library

Name : hypervkvpd
Version : 0
Release : 0.25.20141008git.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:03 PM EDT
Group : System Environment/Daemons
Size : 31390
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:18 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:02:32 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.kernel.org>
Summary : HyperV key value pair (KVP) daemon
Description :
Hypervkvpd is an implementation of HyperV key value pair (KVP) functionality for Linux. The daemon first registers with the kernel driver. After this is done it collects information requested by Windows Host about the Linux Guest. It also supports IP injection functionality on the Guest.

Name : httpd
Version : 2.4.6
Release : 31.el7.centos
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:26 PM EDT
Group : System Environment/Daemons
Size : 9810046
License : ASL 2.0
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:03 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : httpd-2.4.6-31.el7.centos.src.rpm
Build Date : Thu 12 Mar 2015 11:09:17 AM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://httpd.apache.org/>
Summary : Apache HTTP Server
Description :
The Apache HTTP Server is a powerful, efficient, and extensible web server.

Name : kernel-tools-libs
Version : 3.10.0
Release : 229.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:18 PM EDT
Group : Development/System
Size : 18640
License : GPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:16 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : kernel-3.10.0-229.el7.src.rpm
Build Date : Fri 06 Mar 2015 07:20:57 AM EST
Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL : <http://www.kernel.org/>
Summary : Libraries for the kernels-tools
Description :
This package contains the libraries built from the tools/ directory from the kernel source.

Name : device-mapper-event-libs
Epoch : 7
Version : 1.02.93
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:54 PM EDT
Group : System Environment/Libraries
Size : 28000
License : LGPLv2
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:33 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : lvm2-2.02.115-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:51:49 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://sources.redhat.com/lvm2>
Summary : Device-mapper event daemon shared library
Description :
This package contains the device-mapper event daemon shared library, libdevmapper-event.

Name : libnl

Version : 1.1.4
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:03 PM EDT
Group : Development/Libraries
Size : 373662
License : LGPLv2
Signature : RSA/SHA256, Thu 03 Jul 2014 11:02:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libnl-1.1.4-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:58:17 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.infradead.org/~tgr/libnl/>
Summary : Convenience library for kernel netlink sockets
Description :
This package contains a convenience library to simplify
using the Linux kernel's netlink sockets interface for
network manipulation

Name : gssproxy
Version : 0.3.0
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:05 PM EDT
Group : System Environment/Libraries
Size : 197084
License : MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gssproxy-0.3.0-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 07:31:30 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://fedorahosted.org/gss-proxy>
Summary : GSSAPI Proxy
Description :
A proxy for GSSAPI credential handling

Name : selinux-policy-targeted
Version : 3.13.1
Release : 23.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:31 PM EDT
Group : System Environment/Base
Size : 10550832
License : GPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : selinux-policy-3.13.1-23.el7.src.rpm

Build Date : Fri 06 Mar 2015 12:56:38 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://oss.tresys.com/repos/refpolicy/>
Summary : SELinux targeted base policy
Description :
SELinux Reference policy targeted base module.

Name : gzip
Version : 1.5
Release : 7.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:20 PM EDT
Group : Applications/File
Size : 249996
License : GPLv3+ and GFDL
Signature : RSA/SHA256, Thu 03 Jul 2014 09:53:29 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gzip-1.5-7.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:59:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gzip.org/>
Summary : The GNU data compression program
Description :
The gzip package contains the popular GNU gzip data compression
program. Gzipped files have a .gz extension.

Gzip should be installed on your system, because it is a
very commonly used data compression program.

Name : spice-glib
Version : 0.22
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:31:56 PM EDT
Group : Development/Libraries
Size : 1241229
License : LGPLv2+
Signature : RSA/SHA256, Fri 20 Mar 2015 07:11:34 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : spice-gtk-0.22-2.el7.src.rpm
Build Date : Fri 20 Mar 2015 07:01:34 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://spice-space.org/page/Spice-Gtk>
Summary : A GObject for communicating with Spice servers
Description :

spice-client-glib-2.0 is a SPICE client library for GLib2.

Name : openjpeg-libs
Version : 1.5.1
Release : 10.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:05 PM EDT
Group : Unspecified
Size : 174213
License : BSD
Signature : RSA/SHA256, Thu 11 Sep 2014 07:17:26 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : openjpeg-1.5.1-10.el7.src.rpm
Build Date : Thu 11 Sep 2014 06:52:33 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://code.google.com/p/openjpeg/>
Summary : JPEG 2000 codec runtime library
Description :
The openjpeg-libs package contains runtime libraries for applications that use OpenJPEG.

Name : cryptsetup-python
Version : 1.6.6
Release : 3.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:08 PM EDT
Group : System Environment/Libraries
Size : 58985
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:35 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : cryptsetup-1.6.6-3.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:50:13 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cryptsetup.googlecode.com/>
Summary : Python bindings for libcryptsetup
Description :
This package provides Python bindings for libcryptsetup, a library for setting up disk encryption using dm-crypt kernel module.

Name : xorg-x11-apps
Version : 7.7
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:34 PM EDT
Group : User Interface/X
Size : 787017

License : MIT
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:13 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : xorg-x11-apps-7.7-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:10:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.x.org>
Summary : X.Org X11 applications
Description :
A collection of common X Window System applications.

Name : systemd-libs
Version : 208
Release : 20.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:23 PM EDT
Group : Unspecified
Size : 341656
License : LGPLv2+ and MIT
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:46 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : systemd-208-20.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:48:58 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/wiki/Software/systemd>
Summary : systemd libraries
Description :
Libraries for systemd and udev, as well as the systemd PAM module.

Name : iputils
Version : 20121221
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:20 PM EDT
Group : System Environment/Daemons
Size : 368571
License : BSD and GPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 10:08:45 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : iputils-20121221-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:41:11 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.skbuff.net/iputils>
Summary : Network monitoring tools including ping
Description :

The iputils package contains basic utilities for monitoring a network, including ping. The ping command sends a series of ICMP protocol ECHO_REQUEST packets to a specified network host to discover whether the target machine is alive and receiving network traffic.

Name : pciutils-libs
Version : 3.2.1
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:07 PM EDT
Group : System Environment/Libraries
Size : 72459
License : GPLv2+
Signature : RSA/SHA256, Fri 04 Jul 2014 12:13:09 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : pciutils-3.2.1-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:52:49 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>
Summary : Linux PCI library
Description :
This package contains a library for inspecting and setting devices connected to the PCI bus.

Name : glusterfs
Version : 3.6.0.29
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:34:10 PM EDT
Group : System Environment/Base
Size : 5182560
License : GPLv2 or LGPLv3+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:36 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : glusterfs-3.6.0.29-2.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:47:02 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.gluster.org/docs/index.php/GlusterFS>
Summary : Cluster File System
Description :
GlusterFS is a clustered file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package includes the glusterfs binary, the glusterfsd daemon and the gluster command line, libglusterfs and glusterfs translator modules common to both GlusterFS server and client framework.

Name : tcpdump
Epoch : 14
Version : 4.5.1
Release : 2.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:36:42 PM EDT
Group : Applications/Internet
Size : 953418
License : BSD with advertising
Signature : RSA/SHA256, Fri 04 Jul 2014 01:10:57 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : tcpdump-4.5.1-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:04:59 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.tcpdump.org>
Summary : A network traffic monitoring tool
Description :
Tcpdump is a command-line tool for monitoring network traffic. Tcpdump can capture and display the packet headers on a particular network interface or on all interfaces. Tcpdump can display all of the packet headers, or just the ones that match particular criteria.

Install tcpdump if you need a program to monitor network traffic.

Name : libutempter
Version : 1.1.6
Release : 4.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:27 PM EDT
Group : System Environment/Libraries
Size : 49749
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:25 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libutempter-1.1.6-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:03:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <ftp://ftp.altlinux.org/pub/people/ldv/utempter>
Summary : A privileged helper for utmp/wtmp updates
Description :
This library provides interface for terminal emulators such as screen and xterm to record user sessions to utmp and wtmp files.

Name : dracut
Version : 033
Release : 240.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:22 PM EDT
Group : System Environment/Base
Size : 859747
License : GPLv2+ and LGPLv2+
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:20 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : dracut-033-240.el7.src.rpm
Build Date : Thu 05 Mar 2015 05:58:43 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://dracut.wiki.kernel.org/>
Summary : Initramfs generator using udev
Description :
dracut contains tools to create a bootable initramfs for 2.6 Linux kernels.
Unlike existing implementations, dracut does hard-code as little as possible into the initramfs. dracut contains various modules which are driven by the event-based udev. Having root on MD, DM, LVM2, LUKS is supported as well as NFS, iSCSI, NBD, FCoE with the dracut-network package.

Name : libshout
Version : 2.2.2
Release : 11.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:09 PM EDT
Group : System Environment/Libraries
Size : 101783
License : LGPLv2+
Signature : RSA/SHA256, Thu 03 Jul 2014 11:17:16 PM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : libshout-2.2.2-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:54:44 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.icecast.org/>
Summary : Icecast source streaming library
Description :
libshout is a library for communicating with and sending data to an icecast server. It handles the socket connection, the timing of the data, and prevents most bad data from getting to the icecast server.

Name : perl-Exception-Class
Version : 1.37

Release : 3.el7
Architecture: noarch
Install Date: Wed 05 Apr 2017 03:36:44 PM EDT
Group : Development/Libraries
Size : 70869
License : GPL+ or Artistic
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:34 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-Exception-Class-1.37-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 11:51:35 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://search.cpan.org/dist/Exception-Class/>
Summary : Module that allows you to declare real exception classes in
Perl
Description :
Exception::Class allows you to declare exception hierarchies in your
modules in a "Java-esque" manner.

Name : libreport-python
Version : 2.1.11
Release : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:30:33 PM EDT
Group : System Environment/Libraries
Size : 96272
License : GPLv2+
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:39 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <https://fedorahosted.org/abrt/>
Summary : Python bindings for report-libs
Description :
Python bindings for report-libs.

Name : cairo
Version : 1.12.14
Release : 6.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:32:23 PM EDT
Group : System Environment/Libraries
Size : 1777281
License : LGPLv2 or MPLv1.1
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : cairo-1.12.14-6.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:38:48 PM EDT

Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://cairographics.org>
Summary : A 2D graphics library
Description :
Cairo is a 2D graphics library designed to provide high-quality display and print output. Currently supported output targets include the X Window System, OpenGL (via glitz), in-memory image buffers, and image files (PDF, PostScript, and SVG).

Cairo is designed to produce consistent output on all output media while taking advantage of display hardware acceleration when available (e.g. through the X Render Extension or OpenGL).

Name : startup-notification
Version : 0.12
Release : 8.el7
Architecture: x86_64
Install Date: Wed 05 Apr 2017 03:29:11 PM EDT
Group : System Environment/Libraries
Size : 92724
License : LGPLv2
Signature : RSA/SHA256, Fri 04 Jul 2014 01:05:30 AM EDT, Key ID 24c6a8a7f4a80eb5
Source RPM : startup-notification-0.12-8.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:43:22 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager : CentOS BuildSystem <<http://bugs.centos.org>>
Vendor : CentOS
URL : <http://www.freedesktop.org/software/startup-notification/>
Summary : Library for tracking application startup
Description :
This package contains libstartup-notification which implements a startup notification protocol. Using this protocol a desktop environment can track the launch of an application and provide feedback such as a busy cursor, among other features.