

Back-Up Tool for restored document

Supplementary Guide

Preface

Thank you for selecting Back-Up Tool for restored document.

This guide contains information on using the CD-ROM. To get the most out of the product features and to use them effectively, please read this guide before using the product.

Overview of Back-Up Tool for restored document

■ Main Contents

The Back-Up Tool for restored document is a software for backing up Mailbox documents of multi-function devices. The features of this tool are as follows:

- ① Backing up local disk data of device
- ② Restoring backup data to device
- ③ Restoring backup data to other devices

■ Operating Environment

OS environment: Microsoft® Windows® 2000

(SP3, SP4)

Microsoft® Windows® XP (SP1, SP2)

Microsoft® Windows® Vista

(Business, Ultimate)*

Machine type: PC/AT-compatible

CPU: Pentium III 450MHz and above

(x86-compatible)

Disk space: 40MB

Display: SVGA (800×600)

(Recommended: 1024×768 and above)

Peripherals: CD-ROM drive, network interface

Software: Microsoft Internet Explorer 5.5 SP2

and above

* 64-bit operating environment is not supported.

■ Device Configuration

To use this tool, you must configure your device as follows:


- activate SNMP (UDP) port
- activate SOAP port
- activate WebDAV port
- register the IP address of the computer using this tool

Refer to the manual of your device for details on configuring your device.

Installation of Back-Up Tool for restored document

■ Installing


1. Start Windows at your personal computer, and insert the CD-ROM into the CD-ROM drive. The following screen will be automatically displayed, and the installation process will begin. If the screen is not displayed automatically, look for the folder [1041] in the root directory of the CD-ROM, and double-click the file, "Setup.exe" inside it.



2. Carry out the installation by following the message of the displayed screens.

■ Activating

1. From the [Start] button, select [Programs] > [Xerox] > [Back-Up Tool for restored document] > [Back-Up Tool for restored document].
2. On the displayed [Enter Password for Back-Up Tool for restored document] dialog box, enter the password. (The default value is "x-admin".)
The following screen will be displayed after the Back-Up Tool for restored document is activated.



3. For details on operating the tool, refer to the online Help.

■ Uninstalling

Select [Remove] for [Xerox Back-Up Tool for restored document] from the [Add/Remove Programs].

NOTE: The contents of the CD-ROM in this guide is correct as of January 2009, with the design and specifications subject to change without prior notice.

Maintenance & Operation Contact

For enquiries on maintenance and operation of this product, refer to the contact written in the card or the label pasted on the device.

Trademarks

"Microsoft", "Windows", "Windows Vista" and "Internet Explorer" are registered trademarks of Microsoft Corporation in the United States and other countries.

Other product names and company names are the registered trademarks or trademarks of their respective owners.

Permission has been obtained from Microsoft Corporation for use of software screen shots.

"XEROX" are registered trademarks of Xerox Corporation in the United States or Fuji Xerox Co., Ltd.

896E99790
DE No.: XB3014EN0-1
January 2009 (Edition 1)