Xerox Production Print Services

Guide to job ticket features

THE DOCUMENT COMPANY



701P40015 Version 3.7 March, 2003 Xerox Corporation Global Knowledge and Language Services 800 Phillips Road Building 845-17S Webster, New York 14580 USA

© 2003

Copyright by Xerox Corporation. All rights reserved

Copyright protection claimed includes all forms and matters of copyrighted material and information now allowed by statutory or judicial law hereinafter granted including without limitation, material generated from the software programs that are displayed on the screen such as styles, templates, icons, screen displays, looks, and so on.

Printed in the U.S.A., U.K., and France.

XEROX®, XEROX Europe®, and XEROX Canada Limited®, The Document Company, the stylized X, and all names identifying numbers used in connection with Xerox products mentioned in this publication are trademarks of XEROX CORPORATION. All non-Xerox brands and product names are trademarks or registered trademarks of their respective companies. Other company trademarks are also acknowledged.

This product includes software developed by the Apache Software Foundation (http://www.apache.org/)." SWOP® is a registered trademark of SWOP, Inc.

While the information in this Guide is correct at the time of this publication, Xerox reserves the right at any time to change the information without notice. Changes are made periodically to this document. Changes and technical updates will be added in subsequent editions.

Table of Contents

<u>1.</u>	Introduction		1-1
		About this guide	1-1
		Contents	1-1
		Conventions	1-1
		Related documentation	1-2
		Customer Support	1-2
2.	Job ticket featu	ures by printer	2-1

i

1. Introduction

This guide provides detailed information about the job ticket features that are available for each printer supported by the Xerox Production Print Services software.

About this guide

Before you perform any procedures in this guide, become familiar with its contents and conventions.

Contents

This document contains printer job ticket features used by various common client software.

Conventions

This guide includes the following conventions:

- Angle brackets: Variable information that is displayed on your window or that can be entered as part of a command line is enclosed within angle brackets. Examples include "Unable to copy <filename>;" "set -p <printer>."
- Square brackets: Square brackets are used for the following:
 - Names of menu options that you select; for example, [Printer Default]
 - Names of buttons that you select; for example, [OK] and [Cancel]
 - Names of text boxes, list boxes, and fields; for example, "the [From] text box," "the [Directories] list box," "the [Color Source] field"
- Italics: Document and diskette names are shown in italics; for example, Xerox Production Print Services Distribution Disc for Windows and Macintosh.

- Bold: Boldface type is used for the following:
 - Directory paths; for example, "Browse to the Win_nt40/ Xeroxdrv directory."
 - Text that you enter; for example, "Enter purple or XDS."
 - Calling attention to text that is particularly important; for example, "Select [Stop] on the user interface window. Do not press the red stop button on the controller."
 - Introductory words or phrases that begin items in a list; for example,

[Hold job]: The document is held at the printer...

[Cancel job]: The document is not printed...

 Note: Notes are hints that help you perform a task or understand the text. Notes are presented in italics, in separate paragraphs. Example:

NOTE: •

You cannot submit a job unless the printer is connected to your workstation.

Related documentation

Further information on the specific Xerox printer and the print server or controller that is part of your printing system may be obtained by referring to the documentation that was delivered with the elements of the system.

Customer Support

To place a customer service call, dial the direct TTY number for assistance. The number is 800-735-2988.

2. Job ticket features by printer

This chapter identifies the supported job ticket features that may be specified when using the Xerox Production Print Services, XPPS, software according to the Xerox printer model or type. Refer to the following tables to determine which job ticket features and options are supported for your selected printer.

NOTE:

Due to the growing number of supported printers, not all supported printers may be listed in this document. All feature information provided here should be used as a guideline. For a complete listing of features for your connected printer, refer to the specifications that are provided with your printer or contact your Customer Support Representative.

NOTE:

Not all elements of the XPPS software may provide the ability to program all supported features for the selected printer. If a feature is indicated as being supported on a printer but is not available at the point of submission, the feature can be programmed at the printer.

Table 2-1. Job ticket features for DocuTech 135

Job ticket features	DocuTech 135
PostScript level supported	Levels 1 and 2
	PostScript level 3 is supported with NSPlus Server Series 4.0 / 4.0i only.
Job type	Standard
	Signature
Copies	1 to 9999
Page range	1 to 9999
Rotation	None
	• 90
	• 180
	• 270

Table 2-1. Job ticket features for DocuTech 135 (Continued)

Job ticket features	DocuTech 135	
Sides imaged	1-sided	
	2-sided	
	Head-to-toe	
Image shift:		
X1	-17.0 to 17.0 in. / -432 to 432 mm	
Y1	-14.3 to 14.3 in. / -363 to 363 mm	
X2	Not available	
Y2	Not available	
Options	Independent	
Paper size	• 8.5 x 11.0 in. (US Letter)	
	• 8.5 x 14.0 in. (US Legal)	
	• 17.0 x 11.0 in.	
	• 9.0 x 11.0 in.	
	• 8.5 x 13.0 in.	
	• 223 x 297 mm	
	• 210 x 297 mm (A4)	
	• 420 x 297 mm (A3)	
	Custom	
Paper type	Standard	
	Transparency	
	Precut tab	
	Full cut tab	
	Custom	
Paper color	White	
	• Pink	
	Yellow	
	Blue	
	Green	
	Clear	
	Custom	
Drilled	Available	
Weight	Not available	
Collation	Collated	
	Uncollated	

Table 2-1. Job ticket features for DocuTech 135 (Continued)

Job ticket features	DocuTech 135	
Finishing	No finishing	
	Portrait staple	
	Landscape staple	
	Dual long edge staple	
	Bound	
	Slip sheets	
	Booklet maker	
Covers	Available	
Exception pages	Available	
Page inserts	Available	
Chapter starts	Available	
Destination	Print	
	 Save. Job is saved as a DocuTech print- ready file. 	
	Print and Save	
PDL type	Not available	
Reprint	Not available.	
	Saved jobs can be sent to the printer through normal submission methods.	
Color printing	Not available	
Anti-aliasing	Not available	
Resolution	Not available	

Table 2-2. Job ticket features for DocuTech 6100/6115/6135/6155/6180, DocuPrint 100/115/135/155/180 EPS, DocuTech 65/75/90, and DocuPrint 65/75/90

	DocuTech 61xx	DocuTech 65/75/90
Job ticket features	DocuPrint 100/115/135/155/180 EPS	DocuPrint 65/75/90
PostScript level supported	For DocuSP 1.3x and lower: Levels 1 and 2 only	Levels 1, 2, and 3
	• For DocuSP 1.4x and above: Levels 1, 2, and 3	
Job type	Not available.	Not available.
Signature jobs may be created prior to printing or may be programmed at the DocuSP controller. Refer to the Layout feature later in this table.		Signature jobs may be created prior to printing or may be programmed at the DocuSP controller. Refer to the Layout feature later in this table.
Copies	1 to 65500	1 to 65500

Table 2-2. Job ticket features for DocuTech 6100/6115/6135/6155/6180, DocuPrint 100/115/135/155/180 EPS, DocuTech 65/75/90, and DocuPrint 65/75/90 (Continued)

	DocuTech 61xx	DocuTech 65/75/90
Job ticket features	DocuPrint 100/115/135/155/180 EPS	DocuPrint 65/75/90
Page range	1 to 99999	1 to 99999
Rotation	Printer Default	Printer Default
	None	None
	180	180
Sides imaged	Printer Default	Printer Default
	• 1-Sided	• 1-Sided
	• 2-Sided	• 2-Sided
	Head-to-Toe	Head-to-Toe
Image shift:		
X1	-17.0 to 6.7 in. / -432 to 170 mm	-18.0 to 18.0 in. / -457 to 457 mm
Y1	-17.0 to 6.7 in. / -432 to 170 mm	-12.0 to 12.0 in. / -305 to 305 mm
X2	-14.6 to 14.6 in. / -372 to 372 mm)	-18.0 to 18.0 in. / -457 to 457 mm
Y2	-14.6 to 14.6 in. / -372 to 372 mm	-12.0 to 12.0 in. / -305 to 305 mm
Options	Printer Default	Printer Default
	Independent	Independent
	Mirror X, Y, Both	Mirror X, Y, Both
	Mirror X, Tandem Y	Mirror X, Tandem Y
	Mirror Y, Tandem X	Mirror Y, Tandem X
	Tandem X, Y, Both	Tandem X, Y, Both

Table 2-2. Job ticket features for DocuTech 6100/6115/6135/6155/6180, DocuPrint 100/115/135/155/180 EPS, DocuTech 65/75/90, and DocuPrint 65/75/90 (Continued)

	DocuTech 61xx	DocuTech 65/75/90	
Job ticket features	DocuPrint 100/115/135/155/180 EPS	DocuPrint 65/75/90	
Paper size	Printer Default	Printer Default	
	• US Letter (8.5 x 11 in.)	• US Letter (8.5 x 11 in.)	
	• US Legal (8.5 x 14 in.)	• US Legal (8.5 x 14 in.)	
	• 9.0 x 11.0 in.	• 9.0 x 11.0 in.	
	• 17.0 x 11.0 in.	• 17.0 x 11.0 in.	
	• A4 (210 x 297 mm)	• A4 (210 x 297 mm)	
	• 8.5 x 13.0 in.	• 8.5 x 13.0 in.	
	• 223 x 297 mm	• 223 x 297 mm	
	• A3 (420 x 297 mm)	• A3 (420 x 297 mm)	
	• ISO-B4 (250 x 353 mm)	• ISO-B4 (250 x 353 mm)	
	• JIS B4 (257 x 364 mm)	• JIS B4 (257 x 364 mm)	
	Custom:	Custom:	
	Width: 7-18.27 in. / 178-464 mm	Width: 7-18.27 in. / 178-464 mm	
	Height: 10-14.33 in. / 254-364 mm	Height: 10-14.33 in. / 254-364 mm	
Paper type	Printer Default	Printer Default	
	Standard	Standard	
	Transparency	Transparency	
	Precut Tab	Precut Tab	
	Fullcut Tab	Fullcut Tab	
	Preprinted	Preprinted	
	Custom	Custom	
Paper color	Printer Default	Printer Default	
	White	White	
	Pink	Pink	
	Yellow	Yellow	
	Blue	Blue	
	Green	Green	
	Buff	Buff	
	Goldenrod	Goldenrod	
	Clear	Clear	
	Custom	Custom	
	Red	Red	

Table 2-2. Job ticket features for DocuTech 6100/6115/6135/6155/6180, DocuPrint 100/115/135/155/180 EPS, DocuTech 65/75/90, and DocuPrint 65/75/90 (Continued)

	DocuTech 61xx	DocuTech 65/75/90
Job ticket features DocuPrint 100/115/135/155/180 EPS		DocuPrint 65/75/90
Drilled	Printer Default	Printer Default
	Not Drilled	Not Drilled
	• Drilled	• Drilled
Weight	60-200 g/m ² / 16-110 pound	75-200 g/m ² / 16-110 pound
Collation	Printer Default	Printer Default
	Collated	Collated
	Uncollated	Uncollated
Finishing	For DocuTech 61xx:	Printer Default
	Printer Default	No finishing
	No finishing	Staple top left
	Staple Top left	Staple bottom left
	Staple Bottom left	Staple Top right
	Staple Top right	Staple Dual left
	Staple Dual left	Staple Dual top
	Staple Dual right	Staple Dual right
	Bind left	Slip Sheets
	Bind right	
	Slip Sheets	
	For DocuPrint 2000 Series EPS:	
	Printer Default	
	No finishing	
Covers	Front and Back Same	Front and Back Same
	Front and Back Different	Front and Back Different
	Front Only	Front Only
	Back Only	Back Only
Exception pages	Stock	Stock
	Sides Imaged	Sides Imaged
	Image Shift	Image Shift
Page inserts	Allows multiple inserts after each page of the job.	Allows multiple inserts after each page of the job.
Chapter starts	Not available	Not available

Table 2-2. Job ticket features for DocuTech 6100/6115/6135/6155/6180, DocuPrint 100/115/135/155/180 EPS, DocuTech 65/75/90, and DocuPrint 65/75/90 (Continued)

	DocuTech 61xx	DocuTech 65/75/90
Job ticket features	DocuPrint 100/115/135/155/180 EPS	DocuPrint 65/75/90
Disposition	• Print	• Print
	Save on Server. Job is saved as TIFF files.	Save on Server. Job is saved as TIFF files.
PDL type	Printer Default	Printer Default
(Document Type)	PostScript	PostScript
	• PDF	• PDF
	ASCII Text	ASCII Text
	TIFF	• TIFF
	• PCL	• PCL
Reprint	Available	Available
Layout Available at the printer only.		Available at the printer only.
Color printing Not available		Not available

Table 2-3. Job ticket features for DocuColor 2045, 2060, 6060 and DocuColor iGen3

Job ticket features	DocuColor 2045/2060/6060	DocuColor iGen3
PostScript level supported	Levels 1, 2, and 3	Levels 1, 2, and 3
Job type	Not available.	Not available.
	Signature jobs may be created prior to printing or may be programmed at the DocuSP controller. Refer to the Layout feature later in this table.	Signature jobs may be created prior to printing or may be programmed at the DocuSP controller. Refer to the Layout feature later in this table.
Copies	1 to 65500	1 to 65500
Page range	1 to 99999	1 to 99999
Rotation	Printer Default	Printer Default
	None	None
	180	180
Sides imaged	Printer Default	Printer Default
	• 1-Sided	1-Sided
	• 2-Sided	2-Sided
	Head-to-Toe	Head-to-Toe
Image shift:	•	
X1	-19.2 to 19.2 in. / -488 to 488 mm	-19.2 to 19.2 in. / -488 to 488 mm
Y1	-12.6 to 12.6 in. / -320 to 320 mm	-12.6 to 12.6 in. / -320 to 320 mm

Table 2-3. Job ticket features for DocuColor 2045, 2060, 6060 and DocuColor iGen3 (Continued)

Job ticket features	DocuColor 2045/2060/6060	DocuColor iGen3
X2	-19.2 to 19.2 in. / -488 to 488 mm	-19.2 to 19.2 in. / -488 to 488 mm
Y2	-12.6 to 12.6 in. / -320 to 320 mm	-12.6 to 12.6 in. / -320 to 320 mm
Options	Printer Default	Printer Default
	Independent	Mirror X, Y, both
	Mirror X, Y, both	Mirror X, Tandem Y
	Mirror X, Tandem Y	Mirror Y, Tandem X
	Mirror Y, Tandem X	Tandem X, Y, both
	Tandem X, Y, both	
Paper size	Printer Default	Printer Default
	• US Letter (8.5 x 11 in.)	• US Letter (8.5 x 11 in.)
	• US Legal (8.5 x 14 in.)	• US Legal (8.5 x 14 in.)
	• 9.0 x 11.0 in.	• 9.0 x 11.0 in.
	• 17.0 x 11.0 in.	• 17.0 x 11.0 in.
	• A4 (210 x 297 mm)	• A4 (210 x 297 mm)
	• 8.5 x 13.0 in.	• 8.5 x 13.0 in.
	• 223 x 297 mm	• 223 x 297 mm
	• A3 (420 x 297 mm)	• A3 (420 x 297 mm)
	• ISO B4 (250 x 353 mm)	• ISO B4 (250 x 353 mm)
	• JIS B4 (257 x 364 mm)	• JIS B4 (257 x 364 mm)
	Custom:	Custom:
	Width: 7.17–18.27 in. / 182– 464 mm	Width: 5.5–18 in. / 140–457 mm
	Height: 7.17–12.6 in. / 182–320 mm	Height: 4.1–12 in. / 105–305 mm
Paper type	Printer Default	Printer Default
	Standard	Standard
	Transparency	Transparency
	Fullcut Tab	Fullcut Tab
	Preprinted	Preprinted
	Custom	Custom
		• Precut
Stock Grain	Grain Long	Grain Long
	Grain Short	Grain Short
	Printer Default	Printer Default

Table 2-3. Job ticket features for DocuColor 2045, 2060, 6060 and DocuColor iGen3 (Continued)

Job ticket features	DocuColor 2045/2060/6060	DocuColor iGen3
Stock Finishing	Printer Default	Printer Default
	Smooth	Smooth
	Regular	Regular
	Rough	Rough
Paper color	Printer Default	Printer Default
	White	White
	• Pink	• Pink
	• Yellow	Yellow
	• Blue	• Blue
	• Green	• Green
	• Buff	Buff
	Goldenrod	Goldenrod
	• Clear	Clear
	• Custom	Custom
	• Red	• Red
Drilled	Printer Default	Printer Default
	Not Drilled	Not Drilled
	Drilled	Drilled
Weight	2045/2060: 64-280 g/m ²	64-280 g/m ²
	6060: 64-300 g/m ²	
Collation	Printer Default	Printer Default
	Collated	Collated
	Uncollated	Uncollated
Finishing	No finishing	No finishing
	Staple Top Left	Binding
	Staple Bottom Left	Printer Default
	Staple Top Right	Custom
	Staple Dual Left	
	Staple Dual Right	
	Bind Left	
	Bind Right	
	• Custom (6060 only)	
	Slip Sheets	

Table 2-3. Job ticket features for DocuColor 2045, 2060, 6060 and DocuColor iGen3 (Continued)

Job ticket features	DocuColor 2045/2060/6060	DocuColor iGen3	
Covers	Available	Available	
Exception pages	Available	Available	
		Maximum 250	
Page inserts	Available	Available	
Chapter starts	Not available	Not available	
Disposition	• Print	Print	
	Save on Server. Job is saved as TIFF files.	 Save on Server. Job is saved as TIFF files. 	
	Print and Save on Server	Print and Save on Server	
PDL type	Printer Default	Printer Default	
(Document Type)	PostScript	PostScript	
	• PDF	• PDF	
	ASCII Text	ASCII Text	
	• TIFF	• TIFF	
	• PCL	• PCL	
Reprint	Available	Available	
Layout	Available at the printer only	Available at the printer only	
Color printing	Full color printing available	Full color printing available	

Table 2-4. Job ticket features for DocuPrint 4050/4090, 4850/4890, and 92C NPS

		DocuPrint 4850 NPS
Job ticket features	DocuPrint 4050 NPS	DocuPrint 4890 NPS
	DocuPrint 4090 NPS	DocuPrint 92C NPS
PostScript level supported	Levels 1 and 2 only	Levels 1 and 2 only
Job type	Not available.	Not available.
	Signature jobs must be created prior to printing.	Signature jobs must be created prior to printing.
Copies	1 to 1,000,000	1 to 1,000,000
Page range	1 to 9999	1 to 9999
Rotation	Not available	Not available

Table 2-4. Job ticket features for DocuPrint 4050/4090, 4850/4890, and 92C NPS (Continued)

		DocuPrint 4850 NPS	
Job ticket	DocuPrint 4050 NPS	DocuPrint 4890 NPS	
features	DocuPrint 4090 NPS	DocuPrint 92C NPS	
Sides imaged	1-sided	1-sided	
	2-sided	• 2-sided	
	Head-to-toe	Head-to-toe	
	Printer default	Printer default	
Image shift:			
X1	-18.3 to 18.3 in. / -464 to 464 mm	-18.3 to 18.3 in. / -464 to 464 mm	
Y1	-14 to 14 in. / -356 to 356 mm	-14 to 14 in. / -356 to 356 mm	
X2	-18.3 to 18.3 in. / -464 to 464 mm	-18.3 to 18.3 in. / -464 to 464 mm	
Y2	-14 to 14 in. / -356 to 356 mm	-14 to 14 in. / -356 to 356 mm	
Options	Independent	Independent	
	Mirror X, Y, both	Mirror X, Y, both	
	Mirror X, Tandem Y	Mirror X, Tandem Y	
	Mirror Y, Tandem X	Mirror Y, Tandem X	
	Tandem X, Y, both	Tandem X, Y, both	
	Printer default	Printer default	
Paper size	• 8.5 x 11 in. (US Letter)	• 8.5 x 11 in. (US Letter)	
	• 8.5 x 14 in. (US Legal)	• 8.5 x 14 in. (US Legal)	
	• 210 x 297 mm (A4)	• 210 x 297 mm (A4)	
	Custom:	Custom:	
	Width: 8.27-8.5 in. / 210-216 mm	Width: 8.27–8.5 in. / 210–216 mm	
	Height: 11-14 in. / 279-356 mm	Height: 11-14 in. / 279-356 mm	
	Printer default	Printer default	
Paper type	Standard	Standard	
	Transparency	Transparency	
	Custom	• Custom	
	Printer default	Printer default	

Table 2-4. Job ticket features for DocuPrint 4050/4090, 4850/4890, and 92C NPS (Continued)

		DocuPrint 4850 NPS
Job ticket	DocuPrint 4050 NPS	DocuPrint 4890 NPS
features	DocuPrint 4090 NPS	DocuPrint 92C NPS
Paper color	White	White
	• Pink	• Pink
	Yellow	• Yellow
	Blue	• Blue
	Green	• Green
	Buff	• Buff
	Goldenrod	Goldenrod
	Clear	• Clear
	Custom	• Custom
	Printer default	Printer default
Drilled	Available	Available
Weight	80-200 gsm	75-200 gsm
Collation	Collated	Collated
	Uncollated	Uncollated
	Printer default	Printer default
Finishing	No finishing	No finishing
	Portrait staple	Portrait staple
	Printer default	Printer default
Covers	Not available	Not available
Exception pages	Available	Available
Page inserts	Not available	Not available
Chapter starts	Not available	Not available
Destination	Print	Print
PDL type	Printer default	Printer default
	PostScript	PostScript
	• PDF	• PDF
	• PCL	• PCL
	• ASCII	• ASCII
Reprint	Not available	Not available
Color printing	Not available	Highlight color available
Anti-aliasing	Not available	Not available

Table 2-4. Job ticket features for DocuPrint 4050/4090, 4850/4890, and 92C NPS (Continued)

		DocuPrint 4850 NPS
Job ticket	DocuPrint 4050 NPS	DocuPrint 4890 NPS
features	DocuPrint 4090 NPS	DocuPrint 92C NPS
Resolution	Not available	Not available

Table 2-5. Job Ticket features for DocuPrint 96/4635/180 NPS/IPS and DocuPrint 100/115/135/155 NPS/IPS*

Job ticket features	DocuPrint NPS/IPS
PostScript level supported	Levels 1 and 2 only
Job type	Not available.
	Signature jobs must be created prior to printing.
Copies	1 to 1,000,000
Page range	1 to 1,000,000
Rotation	Not available
Sides imaged	1-sided
	2-sided
	Head-to-toe
	Printer default
Image shift:	
X1	-18.3 to 18.3 in. / -464 to 464 mm
X2	-14 to 14 in. / -356 to 356 mm
Y1	-18.3 to 18.3 in. / -464 to 464 mm
Y2	-14 to 14 in. / -356 to 356 mm
Options	Independent
	Mirror X, Y, both
	Mirror X, Tandem Y
	Mirror Y, Tandem X
	Tandem X, Y, both

Table 2-5. Job Ticket features for DocuPrint 96/4635/180 NPS/IPS and DocuPrint 100/115/135/155 NPS/IPS*

Job ticket features	DocuPrint NPS/IPS	
Paper size	• 8.5 x 11 in. (US Letter)	
	• 8.5 x 14 in. (US Legal)	
	• 17.0 x 11.0 in.	
	• 210 x 297 mm (A4)	
	• 420 x 297 mm (A3)	
	Custom:	
	Width: 7-18.27 in. / 178-464 mm	
	Height: 10-14.33 in. / 254-364 mm	
	Printer default	
Paper type	Standard	
	Transparency	
	Precut tab	
	Full cut tab	
	Custom	
	Printer default	
Paper color	White	
	• Pink	
	• Yellow	
	• Blue	
	• Green	
	• Buff	
	Goldenrod	
	• Clear	
	Custom	
	Printer default	
Drilled	Available	
Weight	60-200 gsm	
Collation	Collated	
	Uncollated	
	Printer default	
*These models are available only as NPS/IPS Extensions for the DP 2000 Series EPS		

Table 2-5. Job Ticket features for DocuPrint 96/4635/180 NPS/IPS and DocuPrint 100/115/135/155 NPS/IPS*

Job ticket features	DocuPrint NPS/IPS
Finishing	No finishing
	Portrait staple
	Printer default
Covers	Not available
Exception pages	Available
Page inserts	Not available
Chapter starts	Not available
Destination	Print
PDL type	Printer default
	PostScript
	• PDF
	• PCL
	• ASCII
Reprint	Not available
Color printing	Not available
Anti-aliasing	Not available
Resolution	Not available
*These models are available only as NPS/IPS Extensions for the DP 2000 Series EPS	

Table 2-6. Job ticket features for DocuPrint 350, 500, 700, 1000, 900 Plus, and 1300 Plus

Job ticket features	DocuPrint 350, 500, 700, and 1000 DocuPrint 900 Plus and 1300 Plus
PostScript level supported	 For DocuSP 1.3x and lower: Levels 1 and 2 only For DocuSP 1.4x and higher: Levels 1, 2, and 3
Job type	Not available
Copies	1 to 9999
Page range	1 to 9999
Rotation	Not available*
	<u> </u>

^{*} These features may be available for programming in the job ticket, but they are not supported by the printer.

Table 2-6. Job ticket features for DocuPrint 350, 500, 700, 1000, 900 Plus, and 1300 Plus (Continued)

Job ticket features	DocuPrint 350, 500, 700, and 1000 DocuPrint 900 Plus and 1300 Plus
Sides imaged	Not available*
Image shift:	
X1	Not available
Y1	Not available
X2	Not available
Y2	Not available
Options	Not available*
Paper size	 8.5 x 11 in. (US Letter) 8.5 x 14 in. (US Legal) 17.0 x 11.0 in. 9.0 x 11.0 in. 8.5 x 13.0 in. 223 x 297 mm 210 x 297 mm (A4) 420 x 297 mm (A3) 250 x 353 mm (ISO B4) 257 x 364 mm (JIS B4) Custom: Width: 8–18 in. / 203–457 mm Height: 7–14 in. / 178–356 mm Printer default
Paper type	Not available*
Paper color	Not available*
Drilled	Not available*
Weight	Not available*
Collation	Not available*
Finishing	None Custom
Covers	Not available*
Exception pages	Not available*
Page inserts	Not available*
Chapter starts	Not available

^{*} These features may be available for programming in the job ticket, but they are not supported by the printer.

Table 2-6. Job ticket features for DocuPrint 350, 500, 700, 1000, 900 Plus, and 1300 Plus (Continued)

Job ticket features	DocuPrint 350, 500, 700, and 1000 DocuPrint 900 Plus and 1300 Plus
Destination	Must be Save. Location must be /var/spool/cf
PDL type	 Printer default PostScript PDF PCL ASCII TIFF
Reprint	Not available*
Color printing	Not available
Anti-aliasing	Not available
Resolution	Not available

^{*} These features may be available for programming in the job ticket, but they are not supported by the printer.