

Name : gstreamer1-plugins-base  
Version : 1.0.7  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:34 PM EDT  
Group : Unspecified  
Size : 3935875  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gstreamer1-plugins-base-1.0.7-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:45:25 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework base plugins  
Description :  
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : libpinyin-data  
Version : 0.9.93  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:25 PM EDT  
Group : Unspecified  
Size : 32716610  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpinyin-0.9.93-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:47:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/libpinyin/libpinyin>  
Summary : Data files for libpinyin  
Description :  
The libpinyin-data package contains data files.

Name : python-blivet  
Version : 0.61.0.26  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:01 PM EDT

Group : System Environment/Libraries  
Size : 2956590  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-blivet-0.61.0.26-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:11:03 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/blivet>  
Summary : A python module for system storage configuration  
Description :  
The python-blivet package is a python module for examining and modifying storage configuration.  
Name : xorg-x11-xinit  
Version : 1.3.2  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:41 PM EDT  
Group : User Interface/X  
Size : 104790  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-xinit-1.3.2-14.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:07:52 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 X Window System xinit startup scripts  
Description :  
X.Org X11 X Window System xinit startup scripts  
Name : ntsysv  
Version : 1.3.61  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:39 PM EDT  
Group : System Environment/Base  
Size : 37604  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:58:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : chkconfig-1.3.61-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:53:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A tool to set the stop/start of system services in a runlevel

Description :

Ntsysv provides a simple interface for setting which system services are started or stopped in various runlevels (instead of directly manipulating the numerous symbolic links in /etc/rc.d). Unless you specify a runlevel or runlevels on the command line (see the man page), ntsysv configures the current runlevel (5 if you're using X).

Name : xkeyboard-config  
Version : 2.9  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:34 PM EDT  
Group : User Interface/X  
Size : 5046316  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:46:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xkeyboard-config-2.9-4.el7.src.rpm  
Build Date : Wed 11 Jun 2014 05:57:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/XKeyboardConfig>  
Summary : X Keyboard Extension configuration data  
Description :

This package contains configuration data used by the X Keyboard Extension (XKB), which allows selection of keyboard layouts when using a graphical interface.

Name : gstreamer-plugins-base  
Version : 0.10.36  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:39 PM EDT  
Group : Applications/Multimedia  
Size : 4374739  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gstreamer-plugins-base-0.10.36-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:16:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework base plug-ins  
Description :

GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new

plug-ins.

This package contains a set of well-maintained base plug-ins.

Name : libiscsi  
Version : 1.9.0  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:28 PM EDT  
Group : System Environment/Libraries  
Size : 159938  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:54:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libiscsi-1.9.0-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:41:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/sahlberg/libiscsi>  
Summary : iSCSI client library  
Description :  
libiscsi is a library for attaching to iSCSI resources across a network.

Name : pygpgme  
Version : 0.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:10 PM EDT  
Group : Development/Languages  
Size : 197501  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pygpgme-0.3-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:30:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cheeseshop.python.org/pypi/pygpgme>  
Summary : Python module for working with OpenPGP messages  
Description :  
PyGPGME is a Python module that lets you sign, verify, encrypt and decrypt files using the OpenPGP format. It is built on top of GNU Privacy Guard and the GPGME library.

Name : libxml2-python  
Version : 2.9.1  
Release : 5.el7\_0.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:51 PM EDT  
Group : Development/Libraries

Size : 1503050  
License : MIT  
Signature : RSA/SHA256, Tue 21 Oct 2014 01:16:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxml2-2.9.1-5.el7\_0.1.src.rpm  
Build Date : Tue 21 Oct 2014 12:27:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlsoft.org/>  
Summary : Python bindings for the libxml2 library  
Description :  
The libxml2-python package contains a module that permits applications written in the Python programming language to use the interface supplied by the libxml2 library to manipulate XML files.

This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified.

Name : nautilus-sendto  
Epoch : 1  
Version : 3.8.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:46 PM EDT  
Group : User Interface/Desktops  
Size : 494540  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nautilus-sendto-3.8.0-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:26:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.gnome.org/pub/gnome/sources/nautilus-sendto>  
Summary : Nautilus context menu for sending files  
Description :  
The nautilus-sendto package provides a Nautilus context menu for sending files via other desktop applications. These functions are implemented as plugins, so nautilus-sendto can be extended with additional features.

Name : langtable-data  
Version : 0.0.13  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:36 PM EDT  
Group : Development/Tools  
Size : 574961  
License : GPLv3+ and MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 10:33:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : langtable-0.0.13-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:16:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mike-fabian/langtable>  
Summary : Data files for langtable  
Description :  
This package contains the data files for langtable.  
Name : abrt-addon-xorg  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:47 PM EDT  
Group : System Environment/Libraries  
Size : 17627  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's Xorg addon  
Description :  
This package contains plugin for collecting Xorg crash information from  
Xorg  
log.  
Name : libcdio-paranoia  
Version : 10.2+0.90  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:31 PM EDT  
Group : System Environment/Libraries  
Size : 156247  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcdio-paranoia-10.2+0.90-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:20:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libcdio/>  
Summary : CD paranoia on top of libcdio  
Description :  
This CDDA reader distribution ('libcdio-cdparanoia') reads audio from the

CDROM directly as data, with no analog step between, and writes the data to a file or pipe as .wav, .aifc or as raw 16 bit linear PCM.

Split off from libcdio to allow more flexible licensing and to be compatible with cdparanoia-III-10.2's license. And also, libcdio is just too large.

Name : teamd  
Version : 1.15  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:17 PM EDT  
Group : System Environment/Daemons  
Size : 273386  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libteam-1.15-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:44:40 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libteam.org>  
Summary : Team network device control daemon  
Description :

The teamd package contains team network device control daemon.

Name : plymouth-core-libs  
Version : 0.8.9  
Release : 0.13.20140113.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:00 PM EDT  
Group : Development/Libraries  
Size : 226864  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:05 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>  
Summary : Plymouth core libraries  
Description :

This package contains the libply and libply-splash-core libraries used by Plymouth.

Name : compat-libtiff3  
Version : 3.9.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:55 PM EDT  
Group : System Environment/Libraries  
Size : 430816

License : libtiff  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:59 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : compat-libtiff3-3.9.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:17:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.remotesensing.org/libtiff/>  
Summary : Compatibility package for libtiff 3  
Description :  
The libtiff3 package provides libtiff 3, an older version of libtiff  
library for manipulating TIFF (Tagged Image File Format)  
image format files. This version should be used only if you are unable  
to use the current version of libtiff.

Name : bind-license  
Epoch : 32  
Version : 9.9.4  
Release : 18.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:45 PM EDT  
Group : Applications/System  
Size : 26019  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bind-9.9.4-18.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:10:04 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.isc.org/products/BIND/>  
Summary : License of the BIND DNS suite  
Description :  
Contains license of the BIND DNS suite.

Name : clutter  
Version : 1.14.4  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:52 PM EDT  
Group : Development/Libraries  
Size : 4394292  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:23 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : clutter-1.14.4-12.el7.src.rpm  
Build Date : Tue 10 Mar 2015 05:49:02 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org/>



Summary : Open Source software library for creating rich graphical user interfaces

Description :

Clutter is an open source software library for creating fast, visually rich graphical user interfaces. The most obvious example of potential usage is in media center type applications.

We hope however it can be used for a lot more.

Name : ncurses

Version : 5.9

Release : 13.20130511.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:57:35 PM EDT

Group : System Environment/Base

Size : 439274

License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:12 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : ncurses-5.9-13.20130511.el7.src.rpm

Build Date : Tue 10 Jun 2014 01:03:19 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://invisible-island.net/ncurses/ncurses.html>

Summary : Ncurses support utilities

Description :

The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains support utilities, including a terminfo compiler tic, a decompiler infocmp, clear, tput, tset, and a termcap conversion tool captinfo.

Name : upower

Version : 0.9.20

Release : 7.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:06:24 PM EDT

Group : System Environment/Libraries

Size : 357394

License : GPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:21 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : upower-0.9.20-7.el7.src.rpm

Build Date : Tue 10 Jun 2014 04:26:06 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://upower.freedesktop.org/>

Summary : Power Management Service

Description :

UPower (formerly DeviceKit-power) provides a daemon, API and command

line tools for managing power devices attached to the system.

Name : raptor2  
Version : 2.0.9  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:05 PM EDT  
Group : Unspecified  
Size : 592881  
License : GPLv2+ or LGPLv2+ or ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : raptor2-2.0.9-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:18:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://librdf.org/raptor/>  
Summary : RDF Parser Toolkit for Redland  
Description :  
Raptor is the RDF Parser Toolkit for Redland that provides a set of standalone RDF parsers, generating triples from RDF/XML or N-Triples.

Name : lohit-oriya-fonts  
Version : 2.5.4.1  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:03 PM EDT  
Group : User Interface/X  
Size : 105062  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-oriya-fonts-2.5.4.1-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:26:02 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Odia Font  
Description :  
This package provides a free Odia truetype/opentype font.

Name : thai-scalable-fonts-common  
Version : 0.5.0  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:46 PM EDT  
Group : User Interface/X  
Size : 13727  
License : GPLv2+ and Bitstream Vera  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:32:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : thai-scalable-fonts-0.5.0-7.el7.src.rpm

Build Date : Tue 10 Jun 2014 03:03:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.thai.net/projects/thaifonts-scalable>  
Summary : Common files of thai-scalable-fonts  
Description :

fonts-tlwg provides a collection of free scalable Thai fonts.

This package consists of files used by other thai-scalable-fonts packages.

Name : vte3  
Version : 0.34.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:57 PM EDT  
Group : User Interface/X  
Size : 994702  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:21 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : vte3-0.34.6-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:11:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A terminal emulator  
Description :

VTE is a terminal emulator widget for use with GTK+.

Name : harfbuzz-icu  
Version : 0.9.20  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:39 PM EDT  
Group : Unspecified  
Size : 11304  
License : MIT  
Signature : RSA/SHA256, Wed 26 Nov 2014 06:41:44 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : harfbuzz-0.9.20-4.el7.src.rpm  
Build Date : Wed 26 Nov 2014 06:13:44 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/wiki/Software/HarfBuzz>  
Summary : Harfbuzz ICU support library  
Description :

This package contains Harfbuzz ICU support library.

Name : libkcc  
Version : 0.3.1

```

Release      : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:06:34 PM EDT
Group        : System Environment/Libraries
Size         : 731151
License      : GPLv3+
Signature    : RSA/SHA256, Mon 15 Dec 2014 07:58:03 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM   : libkkc-0.3.1-5.el7.src.rpm
Build Date   : Mon 15 Dec 2014 07:48:52 AM EST
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : https://bitbucket.org/libkkc
Summary      : Japanese Kana Kanji conversion library
Description  :
libkkc provides a converter from Kana-string to
Kana-Kanji-mixed-string. It was named after kkc.el in GNU Emacs, a
simple Kana Kanji converter, while libkkc tries to convert sentences
in a bit more complex way using N-gram language models.
Name         : libreport-plugin-reportuploader
Version      : 2.1.11
Release      : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:00:08 PM EDT
Group        : System Environment/Libraries
Size         : 87659
License      : GPLv2+
Signature    : RSA/SHA256, Wed 25 Mar 2015 02:35:29 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date   : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : https://fedorahosted.org/abrt/
Summary      : libreport's reportuploader plugin
Description  :
Plugin to report bugs into anonymous FTP site associated with ticketing
system.
Name         : paktype-naskh-basic-fonts
Version      : 4.1
Release      : 3.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:11:15 PM EDT
Group        : User Interface/X
Size         : 629053
License      : GPLv2 with exceptions
Signature    : RSA/SHA256, Fri 04 Jul 2014 12:11:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : paktype-naskh-basic-fonts-4.1-3.el7.src.rpm
Build Date   : Tue 10 Jun 2014 01:04:05 AM EDT

```

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://sourceforge.net/projects/paktype/>  
Summary : Fonts for Arabic, Farsi, Urdu and Sindhi from PakType  
Description :  
The paktype-naskh-basic-fonts package contains fonts for the display of \ Arabic, Farsi, Urdu and Sindhi from PakType by Lateef Sagar.

Name : perl-srpm-macros  
Version : 1  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:54 PM EDT  
Group : Development/Libraries  
Size : 794  
License : GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-srpm-macros-1-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:44:51 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : RPM macros for building Perl source package from source repository  
Description :  
These RPM macros are used for building Perl source packages from source repositories. They influence build-requires set into the source package.

Name : spice-gtk3  
Version : 0.22  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:03 PM EDT  
Group : Development/Libraries  
Size : 110520  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 20 Mar 2015 07:11:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : spice-gtk-0.22-2.el7.src.rpm  
Build Date : Fri 20 Mar 2015 07:01:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://spice-space.org/page/Spice-Gtk>  
Summary : A GTK3 widget for SPICE clients  
Description :  
spice-client-glib-3.0 is a SPICE client library for Gtk3.

Name : slang  
Version : 2.2.4  
Release : 11.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:57:42 PM EDT  
Group : System Environment/Libraries  
Size : 1881912  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : slang-2.2.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:12:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.jedsoft.org/slang/>  
Summary : The shared library for the S-Lang extension language  
Description :  
S-Lang is an interpreted language and a programming library. The S-Lang language was designed so that it can be easily embedded into a program to provide the program with a powerful extension language. The S-Lang library, provided in this package, provides the S-Lang extension language. S-Lang's syntax resembles C, which makes it easy to recode S-Lang procedures in C if you need to.

Name : linux-firmware  
Version : 20140911  
Release : 0.1.git365e80c.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:48 PM EDT  
Group : System Environment/Kernel  
Size : 43966460  
License : GPL+ and GPLv2+ and MIT and Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:43 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware files used by the Linux kernel  
Description :  
Kernel-firmware includes firmware files required for some devices to operate.

Name : yum-metadata-parser  
Version : 1.1.4  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:12 PM EDT  
Group : Development/Libraries  
Size : 58789  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:04 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : yum-metadata-parser-1.1.4-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:39:48 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.duke.edu/projects/yum/>  
Summary : A fast metadata parser for yum  
Description :  
Fast metadata parser for yum implemented in C.  
Name : nhn-nanum-gothic-fonts  
Version : 3.020  
Release : 9.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:27 PM EDT  
Group : User Interface/X  
Size : 12803865  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:21 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nhn-nanum-fonts-3.020-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:48:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hangeul.naver.com/share.nhn>  
Summary : Nanum fonts Gothic font faces  
Description :

Nanum fonts are collection of commonly-used Myeongjo and Gothic Korean font families, designed by Sandoll Communication and Fontrix. The publisher is NHN Corporation.

This package consists of the Nanum fonts Gothic font faces.

Name : glibc  
Version : 2.17  
Release : 78.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:02 PM EDT  
Group : System Environment/Libraries  
Size : 13970105  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glibc-2.17-78.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:50:19 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/glibc/>  
Summary : The GNU libc libraries  
Description :

The glibc package contains standard libraries which are used by multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

```
Name       : libnetfilter_conntrack
Version    : 1.0.4
Release    : 2.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:44 PM EDT
Group      : System Environment/Libraries
Size       : 139246
License    : GPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:01:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libnetfilter_conntrack-1.0.4-2.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:21:07 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://netfilter.org
Summary    : Netfilter conntrack userspace library
Description :
libnetfilter_conntrack is a userspace library providing a programming
interface (API) to the in-kernel connection tracking state table.
Name       : lldpad
Version    : 0.9.46
Release    : 10.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:07:07 PM EDT
Group      : System Environment/Daemons
Size       : 643955
License    : GPLv2
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:15:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : lldpad-0.9.46-10.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:48:27 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://open-lldp.org/
Summary    : Intel LLDP Agent
Description :
This package contains the Linux user space daemon and configuration tool
for
Intel LLDP Agent with Enhanced Ethernet support for the Data Center.
Name       : color-filesystem
Version    : 1
Release    : 13.el7
Architecture: noarch
```



Install Date: Fri 26 Aug 2016 01:00:17 PM EDT  
Group : System Environment/Base  
Size : 151  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : color-filesystem-1-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:01:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Color filesystem layout  
Description :  
This package provides some directories that are required/used to store  
color.  
Name : vlgothic-fonts  
Version : 20130607  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:43 PM EDT  
Group : User Interface/X  
Size : 4134475  
License : mplus and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:54 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vlgothic-fonts-20130607-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:55:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dicey.org/vlgothic>  
Summary : Japanese TrueType font  
Description :

VLGothic provides Japanese TrueType fonts from the Vine Linux project.  
Most of the glyphs are taken from the M+ and Sazanami Gothic fonts,  
but some have also been improved by the project.

This package provides the monospace VLGothic font.

Name : zlib  
Version : 1.2.7  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:09 PM EDT  
Group : System Environment/Libraries  
Size : 185678  
License : zlib and Boost  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:54:02 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : zlib-1.2.7-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:40:55 PM EDT  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.zlib.net/
Summary     : The compression and decompression library
Description :
Zlib is a general-purpose, patent-free, lossless data compression
library which is used by many different programs.
Name        : usbmuxd
Version     : 1.0.8
Release     : 11.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:03:15 PM EDT
Group       : Applications/System
Size        : 190371
License     : GPLv3+ or GPLv2+ and LGPLv2+
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:38:48 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : usbmuxd-1.0.8-11.el7.src.rpm
Build Date  : Tue 10 Jun 2014 01:14:49 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.libimobiledevice.org/
Summary     : Daemon for communicating with Apple's iOS devices
Description :
usbmuxd is a daemon used for communicating with Apple's iPod Touch,
iPhone,
iPad and Apple TV devices. It allows multiple services on the device to
be
accessed simultaneously.
Name        : cdparanoia
Version     : 10.2
Release     : 17.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:49 PM EDT
Group       : Applications/Multimedia
Size        : 127427
License     : GPLv2 and LGPLv2
Signature   : RSA/SHA256, Thu 03 Jul 2014 08:56:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : cdparanoia-10.2-17.el7.src.rpm
Build Date  : Tue 10 Jun 2014 01:14:59 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.xiph.org/paranoia/index.html
Summary     : Compact Disc Digital Audio (CDDA) extraction tool (or
ripper)
Description :
Cdparanoia (Paranoia III) reads digital audio directly from a CD, then
writes the data to a file or pipe in WAV, AIFF or raw 16 bit linear

```

PCM format. Cdparanoia doesn't contain any extra features (like the ones included in the cdda2wav sampling utility). Instead, cdparanoia's strength

lies in its ability to handle a variety of hardware, including inexpensive

drives prone to misalignment, frame jitter and loss of streaming during atomic reads. Cdparanoia is also good at reading and repairing data from damaged CDs.

Name : mobile-broadband-provider-info

Version : 1.20120614

Release : 4.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 01:07:12 PM EDT

Group : System Environment/Base

Size : 264119

License : Public Domain

Signature : RSA/SHA256, Thu 03 Jul 2014 11:48:05 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : mobile-broadband-provider-info-1.20120614-4.el7.src.rpm

Build Date : Mon 09 Jun 2014 09:10:31 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL :

<http://live.gnome.org/NetworkManager/MobileBroadband/ServiceProviders>

Summary : Mobile broadband provider database

Description :

The mobile-broadband-provider-info package contains listings of mobile broadband (3G) providers and associated network and plan information.

Name : bind-libs-lite

Epoch : 32

Version : 9.9.4

Release : 18.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:00:20 PM EDT

Group : Applications/System

Size : 1773488

License : ISC

Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:27 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : bind-9.9.4-18.el7.src.rpm

Build Date : Thu 05 Mar 2015 05:10:04 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.isc.org/products/BIND/>

Summary : Libraries for working with the DNS protocol

Description :

Contains lite version of BIND suite libraries which are used by various programs to work with DNS protocol.

Name : cscope

Version : 15.8

Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:11:53 PM EDT  
Group : Development/Tools  
Size : 939416  
License : BSD and GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:03:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cscope-15.8-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:25:38 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cscope.sourceforge.net>  
Summary : C source code tree search and browse tool  
Description :  
cscope is a mature, ncurses based, C source code tree browsing tool. It  
allows users to search large source code bases for variables, functions,  
macros, etc, as well as perform general regex and plain text searches.  
Results are returned in lists, from which the user can select individual  
matches for use in file editing.

Name : libjpeg-turbo  
Version : 1.2.90  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:12 PM EDT  
Group : System Environment/Libraries  
Size : 350387  
License : IJG  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:55:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libjpeg-turbo-1.2.90-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:48:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libjpeg-turbo>  
Summary : A MMX/SSE2 accelerated library for manipulating JPEG image  
files  
Description :  
The libjpeg-turbo package contains a library of functions for  
manipulating  
JPEG images.

Name : grub2-tools  
Epoch : 1  
Version : 2.02  
Release : 0.16.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:20 PM EDT  
Group : System Environment/Base  
Size : 20896193  
License : GPLv3+

Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:53 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grub2-2.02-0.16.el7.centos.src.rpm  
Build Date : Thu 26 Mar 2015 04:28:33 AM EDT  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
URL : <http://www.gnu.org/software/grub/>  
Summary : Support tools for GRUB.  
Description :  
The GGrand Unified Bootloader (GRUB) is a highly configurable and  
customizable  
bootloader with modular architecture. It support rich varietyof kernel  
formats,  
file systems, computer architectures and hardware devices. This  
subpackage  
provides tools for support of all platforms.  
Name : perl-podlators  
Version : 2.5.1  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:51 PM EDT  
Group : Development/Libraries  
Size : 287679  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-podlators-2.5.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:56:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/podlators/>  
Summary : Format POD source into various output formats  
Description :  
This package contains Pod::Man and Pod::Text modules which convert POD  
input  
to \*roff source output, suitable for man pages, or plain text. It also  
includes several sub-classes of Pod::Text for formatted output to  
terminals  
with various capabilities.  
Name : gdm  
Epoch : 1  
Version : 3.8.4  
Release : 32.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:21 PM EDT  
Group : User Interface/X  
Size : 4589590  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gdm-3.8.4-32.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:41:33 PM EST

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/gdm>  
Summary : The GNOME Display Manager  
Description :  
GDM provides the graphical login screen, shown shortly after boot up, log out, and when user-switching.  
Name : redland  
Version : 1.0.16  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:24 PM EDT  
Group : System Environment/Libraries  
Size : 492008  
License : LGPLv2+ or ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:48:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : redland-1.0.16-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:26:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://librdf.org/>  
Summary : RDF Application Framework  
Description :  
Redland is a library that provides a high-level interface for RDF (Resource Description Framework) implemented in an object-based API. It is modular and supports different RDF/XML parsers, storage mechanisms and other elements. Redland is designed for applications developers to provide RDF support in their applications as well as for RDF developers to experiment with the technology.  
Name : doxygen  
Epoch : 1  
Version : 1.8.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:06 PM EDT  
Group : Unspecified  
Size : 15389684  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:09:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : doxygen-1.8.5-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:35:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.stack.nl/~dimitri/doxygen/index.html>  
Summary : A documentation system for C/C++  
Description :

Doxygen can generate an online class browser (in HTML) and/or a reference manual (in LaTeX) from a set of documented source files. The documentation is extracted directly from the sources. Doxygen can also be configured to extract the code structure from undocumented source files.

Name : libICE  
Version : 1.0.8  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:14 PM EDT  
Group : System Environment/Libraries  
Size : 145897  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:52:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libICE-1.0.8-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:47:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 ICE runtime library  
Description :  
The X.Org X11 ICE (Inter-Client Exchange) runtime library.

Name : libwnck3  
Version : 3.4.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:28 PM EDT  
Group : System Environment/Libraries  
Size : 2067324  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:27:41 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwnck3-3.4.5-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:51:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/libwnck/>  
Summary : Window Navigator Construction Kit  
Description :

libwnck (pronounced "libwink") is used to implement pagers, tasklists, and other such things. It allows applications to monitor information about open windows, workspaces, their names/icons, and so forth.

Name : perl-threads  
Version : 1.87  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:53 PM EDT  
Group : Development/Libraries  
Size : 98615

License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:24 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-threads-1.87-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:22:14 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/threads/>  
Summary : Perl interpreter-based threads  
Description :  
Since Perl 5.8, thread programming has been available using a model  
called  
interpreter threads which provides a new Perl interpreter for each  
thread,  
and, by default, results in no data or state information being shared  
between threads.

(Prior to Perl 5.8, 5005threads was available through the "Thread.pm"  
API.

This threading model has been deprecated, and was removed as of Perl  
5.10.0.)

Name : nautilus  
Version : 3.8.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:26 PM EDT  
Group : User Interface/Desktops  
Size : 14061514  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:39 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nautilus-3.8.2-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:10:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/nautilus/>  
Summary : File manager for GNOME  
Description :  
Nautilus is the file manager and graphical shell for the GNOME desktop  
that makes it easy to manage your files and the rest of your system.  
It allows to browse directories on local and remote filesystems, preview  
files and launch applications associated with them.  
It is also responsible for handling the icons on the GNOME desktop.

Name : libquadmath-devel  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:28 PM EDT  
Group : Development/Libraries  
Size : 18459



```

License      : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with
exceptions and LGPLv2+ and BSD
Signature    : RSA/SHA256, Sat 14 Mar 2015 04:07:13 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : gcc-4.8.3-9.el7.src.rpm
Build Date   : Thu 05 Mar 2015 02:59:34 PM EST
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://gcc.gnu.org
Summary      : GCC __float128 support
Description  :
This package contains headers for building Fortran programs using
REAL*16 and programs using __float128 math.
Name         : ctags
Version      : 5.8
Release      : 13.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:12:10 PM EDT
Group        : Development/Tools
Size         : 359724
License      : GPLv2+ and LGPLv2+ and Public Domain
Signature    : RSA/SHA256, Thu 03 Jul 2014 09:03:03 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : ctags-5.8-13.el7.src.rpm
Build Date   : Mon 09 Jun 2014 05:59:47 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://ctags.sourceforge.net/
Summary      : A C programming language indexing and/or cross-reference
tool
Description  :
Ctags generates an index (or tag) file of C language objects found in
C source and header files. The index makes it easy for text editors or
other utilities to locate the indexed items. Ctags can also generate a
cross reference file which lists information about the various objects
found in a set of C language files in human readable form. Exuberant
Ctags improves on ctags because it can find all types of C language tags,
including macro definitions, enumerated values (values inside enum{...}),
function and method definitions, enum/struct/union tags, external
function prototypes, typedef names and variable declarations. Exuberant
Ctags is far less likely to be fooled by code containing #if preprocessor
conditional constructs than ctags. Exuberant ctags supports output of
Emacs style TAGS files and can be used to print out a list of selected
objects found in source files.

Install ctags if you are going to use your system for C programming.
Name         : cyrus-sasl-lib
Version      : 2.1.26
Release      : 17.el7
Architecture: x86_64

```

Install Date: Fri 26 Aug 2016 12:56:17 PM EDT  
Group : System Environment/Libraries  
Size : 396831  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : Shared libraries needed by applications which use Cyrus  
SASL  
Description :  
The cyrus-sasl-lib package contains shared libraries which are needed by  
applications which use the Cyrus SASL library.  
Name : caribou-gtk3-module  
Version : 0.4.11  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:32 PM EDT  
Group : Unspecified  
Size : 37048  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : caribou-0.4.11-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:50:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Caribou>  
Summary : Gtk3 module for caribou  
Description :  
This package contains caribou module for gtk3 applications.  
Name : perl-File-Path  
Version : 2.09  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:55 PM EDT  
Group : Development/Libraries  
Size : 50067  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-File-Path-2.09-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:48:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://search.cpan.org/dist/File-Path/>  
 Summary : Create or remove directory trees  
 Description :  
 This module provides a convenient way to create directories of arbitrary depth and to delete an entire directory subtree from the file system.  
 Name : gnome-shell-extension-window-list  
 Version : 3.8.4  
 Release : 12.el7  
 Architecture: noarch  
 Install Date: Fri 26 Aug 2016 01:07:38 PM EDT  
 Group : User Interface/Desktops  
 Size : 49941  
 License : GPLv2+  
 Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
 Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm  
 Build Date : Thu 05 Mar 2015 06:53:59 PM EST  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL : <http://live.gnome.org/GnomeShell/Extensions>  
 Summary : Display a window list at the bottom of the screen in GNOME Shell  
 Description :  
 This GNOME Shell extension displays a window list at the bottom of the screen.  
 Name : iwl1000-firmware  
 Epoch : 1  
 Version : 39.31.5.1  
 Release : 36.el7  
 Architecture: noarch  
 Install Date: Fri 26 Aug 2016 01:12:22 PM EDT  
 Group : System Environment/Kernel  
 Size : 754501  
 License : Redistributable, no modification permitted  
 Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
 Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
 Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
 Summary : Firmware for Intel® PRO/Wireless 1000 B/G/N network adaptors  
 Description :  
 This package contains the firmware required by the iwlagn driver for Linux to support the iwl1000 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.  
 Name : lcms2

Version : 2.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:20 PM EDT  
Group : Unspecified  
Size : 430639  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:34:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lcms2-2.5-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:30:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.littlecms.com/>  
Summary : Color Management Engine  
Description :  
LittleCMS intends to be a small-footprint, speed optimized color  
management  
engine in open source form. LCMS2 is the current version of LCMS, and can  
be  
parallel installed with the original (deprecated) lcms.  
Name : java-1.7.0-openjdk  
Epoch : 1  
Version : 1.7.0.75  
Release : 2.5.4.2.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:39 PM EDT  
Group : Development/Languages  
Size : 505045  
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with  
exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain  
and W3C  
Signature : RSA/SHA256, Wed 21 Jan 2015 01:17:49 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : java-1.7.0-openjdk-1.7.0.75-2.5.4.2.el7\_0.src.rpm  
Build Date : Wed 21 Jan 2015 01:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://openjdk.java.net/>  
Summary : OpenJDK Runtime Environment  
Description :  
The OpenJDK runtime environment.  
Name : perl  
Epoch : 4  
Version : 5.16.3  
Release : 285.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:59 PM EDT  
Group : Development/Languages  
Size : 23549038

License : (GPL+ or Artistic) and (GPLv2+ or Artistic) and Copyright  
Only and MIT and Public Domain and UCD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:27:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-285.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Practical Extraction and Report Language  
Description :  
Perl is a high-level programming language with roots in C, sed, awk and  
shell  
scripting. Perl is good at handling processes and files, and is  
especially  
good at handling text. Perl's hallmarks are practicality and efficiency.  
While it is used to do a lot of different things, Perl's most common  
applications are system administration utilities and web programming. A  
large  
proportion of the CGI scripts on the web are written in Perl. You need  
the  
perl package installed on your system so that your system can handle Perl  
scripts.

Install this package if you want to program in Perl or enable your system  
to  
handle Perl scripts.

Name : abrt-desktop  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:42 PM EDT  
Group : User Interface/Desktops  
Size : 0  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Virtual package to make easy default installation on  
desktop environments  
Description :  
Virtual package to install all necessary packages for usage from desktop  
environment.  
Name : sos  
Version : 3.2  
Release : 15.el7.centos

Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:35 PM EDT  
Group : Applications/System  
Size : 1018050  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sos-3.2-15.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 04:08:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://github.com/sosreport/sos>  
Summary : A set of tools to gather troubleshooting information from a  
system

Description :

Sos is a set of tools that gathers information about system hardware and configuration. The information can then be used for diagnostic purposes and debugging. Sos is commonly used to help support technicians and developers.

Name : iwl105-firmware  
Version : 18.168.6.1  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:29 PM EDT  
Group : System Environment/Kernel  
Size : 771605  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:39 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 105 Series

Adapters

Description :

This package contains the firmware required by the iwlagn driver for Linux to support the iwl105 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : libtevent  
Version : 0.9.21  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:24 PM EDT  
Group : System Environment/Daemons  
Size : 58048  
License : LGPLv3+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtevent-0.9.21-3.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:16:32 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tevent.samba.org/>  
Summary : The tevent library  
Description :  
Tevent is an event system based on the talloc memory management library.  
Tevent has support for many event types, including timers, signals, and  
the classic file descriptor events.  
Tevent also provide helpers to deal with asynchronous code providing the  
tevent\_req (Tevent Request) functions.

Name : xerces-j2  
Version : 2.11.0  
Release : 17.el7\_0  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:45 PM EDT  
Group : Development/Libraries  
Size : 1368144  
License : ASL 2.0  
Signature : RSA/SHA256, Tue 30 Sep 2014 06:49:24 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xerces-j2-2.11.0-17.el7\_0.src.rpm  
Build Date : Tue 30 Sep 2014 05:35:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xerces.apache.org/xerces2-j/>  
Summary : Java XML parser  
Description :  
Welcome to the future! Xerces2 is the next generation of high  
performance,  
fully compliant XML parsers in the Apache Xerces family. This new version  
of  
Xerces introduces the Xerces Native Interface (XNI), a complete framework  
for  
building parser components and configurations that is extremely modular  
and  
easy to program.

The Apache Xerces2 parser is the reference implementation of XNI but  
other  
parser components, configurations, and parsers can be written using the  
Xerces  
Native Interface. For complete design and implementation documents, refer  
to  
the XNI Manual.

Xerces2 is a fully conforming XML Schema processor. For more information,

refer to the XML Schema page.

Xerces2 also provides a complete implementation of the Document Object Model

Level 3 Core and Load/Save W3C Recommendations and provides a complete implementation of the XML Inclusions (XInclude) W3C Recommendation. It also

provides support for OASIS XML Catalogs v1.1.

Xerces2 is able to parse documents written according to the XML 1.1 Recommendation, except that it does not yet provide an option to enable normalization checking as described in section 2.13 of this specification. It

also handles name spaces according to the XML Namespaces 1.1 Recommendation,

and will correctly serialize XML 1.1 documents if the DOM level 3 load/save

APIs are in use.

Name : perl-Error

Epoch : 1

Version : 0.17020

Release : 2.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 12:58:02 PM EDT

Group : Development/Libraries

Size : 50015

License : (GPL+ or Artistic) and MIT

Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:32 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : perl-Error-0.17020-2.el7.src.rpm

Build Date : Mon 09 Jun 2014 04:19:49 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://search.cpan.org/dist/Error/>

Summary : Error/exception handling in an OO-ish way

Description :

The Error package provides two interfaces. Firstly Error provides a procedural interface to exception handling. Secondly Error is a base class

for errors/exceptions that can either be thrown, for subsequent catch, or can simply be recorded.

Name : evince-nautilus

Version : 3.8.3

Release : 8.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:07:52 PM EDT

Group : User Interface/Desktops

Size : 19848

License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse

Signature : RSA/SHA256, Thu 03 Jul 2014 09:14:27 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : evince-3.8.3-8.el7.src.rpm



Build Date : Tue 10 Jun 2014 01:58:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/evince/>  
Summary : Evince extension for nautilus  
Description :  
This package contains the evince extension for the nautilus file manger.  
It adds an additional tab called "Document" to the file properties  
dialog.

Name : fros  
Version : 1.0  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:38 PM EDT  
Group : Applications/System  
Size : 44161  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:15 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fros-1.0-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:30:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mozeq/fros>  
Summary : Universal screencasting frontend with pluggable support for  
various backends  
Description :  
Universal screencasting frontend with pluggable support for various  
backends.  
The goal is to provide an unified access to as many screencasting  
backends as  
possible while still keeping the same user interface so the user  
experience  
while across various desktops and screencasting programs is seamless.

Name : iwl7260-firmware  
Version : 22.0.7.0  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:32 PM EDT  
Group : System Environment/Kernel  
Size : 2124321  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:02 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Dual Band Wireless-AC 7260 Series Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : lua  
Version : 5.1.4  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:27 PM EDT  
Group : Development/Languages  
Size : 640207  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lua-5.1.4-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:46:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.lua.org/>  
Summary : Powerful light-weight programming language  
Description :  
Lua is a powerful light-weight programming language designed for extending applications. Lua is also frequently used as a general-purpose, stand-alone language. Lua is free software. Lua combines simple procedural syntax with powerful data description constructs based on associative arrays and extensible semantics. Lua is dynamically typed, interpreted from bytecodes, and has automatic memory management with garbage collection, making it ideal for configuration, scripting, and rapid prototyping.

Name : apache-commons-dbc  
Version : 1.4  
Release : 17.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:48 PM EDT  
Group : Unspecified  
Size : 198321  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : apache-commons-dbc-1.4-17.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:27:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/dbcp/>  
Summary : Apache Commons DataBase Pooling Package  
Description :

Many Apache projects support interaction with a relational database. Creating a new connection for each user can be time consuming (often requiring multiple seconds of clock time), in order to perform a database transaction that might take milliseconds. Opening a connection per user can be unfeasible in a publicly-hosted Internet application where the number of simultaneous users can be very large. Accordingly, developers often wish to share a "pool" of open connections between all of the application's current users. The number of users actually performing a request at any given time is usually a very small percentage of the total number of active users, and during request processing is the only time that a database connection is required. The application itself logs into the DBMS, and handles any user account issues internally.

Name : perl-Class-Data-Inheritable  
Version : 0.08  
Release : 14.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:05 PM EDT  
Group : Development/Libraries  
Size : 7362  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Class-Data-Inheritable-0.08-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:15:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Class-Data-Inheritable/>  
Summary : Inheritable, overridable class data  
Description :

Class::Data::Inheritable is for creating accessor/mutators to class data. That is, if you want to store something about your class as a whole (instead of about a single object). This data is then inherited by your sub-classes and can be overridden.

Name : ibus-rawcode  
Version : 1.3.2  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:00 PM EDT  
Group : System Environment/Libraries  
Size : 41236  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ibus-rawcode-1.3.2-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:46:33 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/ibus-rawcode/>  
Summary : The Rawcode engine for IBus input platform  
Description :  
The Rawcode engine for IBus platform.  
Name : pykickstart  
Version : 1.99.43.17  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:41 PM EDT  
Group : System Environment/Libraries  
Size : 1701354  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pykickstart-1.99.43.17-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:56 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/pykickstart>  
Summary : A python library for manipulating kickstart files  
Description :  
The pykickstart package is a python library for manipulating kickstart files.  
Name : libXext  
Version : 1.3.2  
Release : 2.1.el7  
Architecture: i686  
Install Date: Fri 26 Aug 2016 01:12:38 PM EDT  
Group : System Environment/Libraries  
Size : 85754  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXext-1.3.2-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 10:34:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXext runtime library  
Description :  
X.Org X11 libXext runtime library  
Name : pkgconfig  
Epoch : 1  
Version : 0.27.1  
Release : 4.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:56:29 PM EDT  
Group : Development/Tools  
Size : 105522  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pkgconfig-0.27.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:05:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pkgconfig.freedesktop.org>  
Summary : A tool for determining compilation options  
Description :  
The pkgconfig tool determines compilation options. For each required  
library, it reads the configuration file and outputs the necessary  
compiler and linker flags.  
Name : paps-libs  
Version : 0.6.8  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:52 PM EDT  
Group : Development/Libraries  
Size : 40967  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : paps-0.6.8-28.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:45:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://paps.sourceforge.net/>  
Summary : Libraries for paps  
Description :  
paps is a PostScript converter from plain text file using Pango.

This package contains the library for paps.

Name : perl-TimeDate  
Epoch : 1  
Version : 2.30  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:15 PM EDT  
Group : Development/Libraries  
Size : 100194  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-TimeDate-2.30-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:42:27 PM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/TimeDate/>  
Summary : A Perl module for time and date manipulation  
Description :  
This module includes a number of smaller modules suited for manipulation of time and date strings with Perl. In particular, the Date::Format and Date::Parse modules can display and read times and dates in various formats, providing a more reliable interface to textual representations of points in time.

Name : gedit  
Epoch : 2  
Version : 3.8.3  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:06 PM EDT  
Group : Applications/Editors  
Size : 15176189  
License : GPLv2+ and CC-BY-SA  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:28:02 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gedit-3.8.3-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:58:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/gedit/>  
Summary : Text editor for the GNOME desktop  
Description :  
gedit is a small, but powerful text editor designed specifically for the GNOME desktop. It has most standard text editor functions and fully supports international text in Unicode. Advanced features include syntax highlighting and automatic indentation of source code, printing and editing of multiple documents in one window.

gedit is extensible through a plugin system, which currently includes support for spell checking, comparing files, viewing CVS ChangeLogs, and adjusting indentation levels. Further plugins can be found in the gedit-plugins package.

Name : java-1.8.0-openjdk  
Epoch : 1  
Version : 1.8.0.31  
Release : 2.b13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:50 PM EDT  
Group : Development/Languages  
Size : 512712  
License : ASL 1.1 and ASL 2.0 and GPLv2 and GPLv2 with exceptions and LGPLv2 and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C

Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : java-1.8.0-openjdk-1.8.0.31-2.b13.el7.src.rpm  
Build Date : Wed 11 Mar 2015 07:52:34 AM EDT  
Build Host : sclbuild  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://openjdk.java.net/>  
Summary : OpenJDK Runtime Environment  
Description :  
The OpenJDK runtime environment.  
Name : xpi-xeroxutils  
Version : 2.0  
Release : 0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:41:16 PM EDT  
Group : Applications/System  
Size : 1162364  
License : Xerox  
Signature : (none)  
Source RPM : xpi-xeroxutils-2.0-0.src.rpm  
Build Date : Tue 01 Mar 2016 06:07:17 PM EST  
Build Host : chicory  
Relocations : (not relocatable)  
Packager : Joel Lissade <[joel.lissade@usa.xerox.com](mailto:joel.lissade@usa.xerox.com)>  
Vendor : Xerox Corp.  
Summary : XPI linux Xerox binary utilities  
Description :  
Xerox X86 binary utilities that provides the capability to perform  
NameLookup  
calls, determining boardtype and board configuration. These utilities is  
required by modules that are linked with the MCT Runtime.  
Name : libsecret  
Version : 0.15  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:33 PM EDT  
Group : Unspecified  
Size : 435666  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libsecret-0.15-3.el7.src.rpm  
Build Date : Tue 17 Jun 2014 01:05:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/Libsecret>  
Summary : Library for storing and retrieving passwords and other  
secrets  
Description :

libsecret is a library for storing and retrieving passwords and other secrets.

It communicates with the "Secret Service" using DBus. gnome-keyring and KSecretService are both implementations of a Secret Service.

Name : lvm2-libs  
Epoch : 7  
Version : 2.02.115  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:56 PM EDT  
Group : System Environment/Libraries  
Size : 2307576  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.115-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:51:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Shared libraries for lvm2  
Description :

This package contains shared lvm2 libraries for applications.

Name : perl-HTTP-Message  
Version : 6.06  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:18 PM EDT  
Group : Development/Libraries  
Size : 162045  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Message-6.06-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:31:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Message/>  
Summary : HTTP style message  
Description :

The HTTP-Message distribution contains classes useful for representing the

messages passed in HTTP style communication. These are classes representing

requests, responses and the headers contained within them.

Name : eog  
Version : 3.8.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:34 PM EDT



Group : User Interface/Desktops  
Size : 8366213  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:13:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : eog-3.8.2-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:38:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/eog/>  
Summary : Eye of GNOME image viewer  
Description :  
The Eye of GNOME image viewer (eog) is the official image viewer for the GNOME desktop. It can view single image files in a variety of formats, as well as large image collections.

eog is extensible through a plugin system.

Name : newt-python  
Version : 0.52.15  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:55 PM EDT  
Group : Development/Libraries  
Size : 116916  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : newt-0.52.15-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:48:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/newt/>  
Summary : Python bindings for newt  
Description :  
The newt-python package contains the Python bindings for the newt library providing a python API for creating text mode interfaces.

Name : libsigc++20  
Version : 2.3.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:36 PM EDT  
Group : System Environment/Libraries  
Size : 177401  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:17:24 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsigc++20-2.3.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:29:44 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libsigc.sourceforge.net/>  
Summary : Typesafe signal framework for C++  
Description :  
This library implements a full callback system for use in widget  
libraries,  
abstract interfaces, and general programming. Originally part of the Gtk-  
-  
widget set, libsigc++20 is now a separate library to provide for more  
general  
use. It is the most complete library of its kind with the ability to  
connect  
an abstract callback to a class method, function, or function object. It  
contains adaptor classes for connection of dissimilar callbacks and has  
an  
ease of use unmatched by other C++ callback libraries.

Package GTK-- (gtkmm), which is a C++ binding to the GTK+ library,  
starting with version 1.1.2, uses libsigc++20.

Name : subversion-libs  
Version : 1.7.14  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:00 PM EDT  
Group : Development/Tools  
Size : 2615471  
License : ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:06:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : subversion-1.7.14-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:27:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://subversion.apache.org/>  
Summary : Libraries for Subversion Version Control system  
Description :  
The subversion-libs package includes the essential shared libraries  
used by the Subversion version control tools.

Name : perl-IO-Socket-IP  
Version : 0.21  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:21 PM EDT  
Group : Development/Libraries  
Size : 85785  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-IO-Socket-IP-0.21-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:34:21 PM EDT  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/IO-Socket-IP/
Summary     : Drop-in replacement for IO::Socket::INET supporting both
IPv4 and IPv6
Description :
This module provides a protocol-independent way to use IPv4 and IPv6
sockets, as a drop-in replacement for IO::Socket::INET. Most constructor
arguments and methods are provided in a backward-compatible way.
Name        : usermode
Version     : 1.111
Release     : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:01:01 PM EDT
Group       : Applications/System
Size        : 838723
License     : GPLv2+
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:39:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : usermode-1.111-5.el7.src.rpm
Build Date  : Mon 09 Jun 2014 05:54:18 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://fedorahosted.org/usermode/
Summary     : Tools for certain user account management tasks
Description :
The usermode package contains the userhelper program, which can be
used to allow configured programs to be run with superuser privileges
by ordinary users.
Name        : speex
Version     : 1.2
Release     : 0.19.rc1.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:39 PM EDT
Group       : System Environment/Libraries
Size        : 186852
License     : BSD
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:03:40 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : speex-1.2-0.19.rc1.el7.src.rpm
Build Date  : Tue 10 Jun 2014 01:53:45 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.speex.org/
Summary     : A voice compression format (codec)
Description :
Speex is a patent-free compression format designed especially for
speech. It is specialized for voice communications at low bit-rates in
the 2-45 kbps range. Possible applications include Voice over IP

```

(VoIP), Internet audio streaming, audio books, and archiving of speech data (e.g. voice mail).

Name : totem-pl-parser  
Version : 3.4.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:06 PM EDT  
Group : System Environment/Libraries  
Size : 673004  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:36:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : totem-pl-parser-3.4.5-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:19:56 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/totem/>  
Summary : Totem Playlist Parser library  
Description :  
A library to parse and save playlists, as used in music and movie players.

Name : perl-Devel-StackTrace  
Epoch : 1  
Version : 1.30  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:24 PM EDT  
Group : Development/Libraries  
Size : 41166  
License : Artistic 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:05 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Devel-StackTrace-1.30-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:37:56 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Devel-StackTrace/>  
Summary : Perl module implementing stack trace and stack trace frame objects  
Description :  
The Devel::StackTrace module contains two classes, Devel::StackTrace and Devel::StackTraceFrame. The goal of this object is to encapsulate the information that can found through using the caller() function, as well as providing a simple interface to this data.

The Devel::StackTrace object contains a set of Devel::StackTraceFrame objects, one for each level of the stack. The frames contain all the data available from caller() as of Perl 5.6.0.

Name : libatasmart  
Version : 0.19

Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:05 PM EDT  
Group : System Environment/Libraries  
Size : 108259  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libatasmart-0.19-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:47:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libatasmart.git;a=summary>  
Summary : ATA S.M.A.R.T. Disk Health Monitoring Library  
Description :  
A small and lightweight parser library for ATA S.M.A.R.T. hard disk health monitoring.  
Name : libXrandr  
Version : 1.4.1  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:41 PM EDT  
Group : System Environment/Libraries  
Size : 44436  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:52 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXrandr-1.4.1-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:57:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXrandr runtime library  
Description :  
X.Org X11 libXrandr runtime library  
Name : webkitgtk3  
Version : 2.0.4  
Release : 6.el7\_0.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:18 PM EDT  
Group : Development/Libraries  
Size : 46174932  
License : LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:34:06 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : webkitgtk3-2.0.4-6.el7\_0.1.src.rpm  
Build Date : Tue 24 Jun 2014 11:26:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.webkitgtk.org/>  
Summary : GTK+ Web content engine library  
Description :  
WebKitGTK+ is the port of the portable web rendering engine WebKit to the GTK+ platform.

This package contains WebKitGTK+ for GTK+ 3.

Name : liborcus  
Version : 0.5.1  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:29 PM EDT  
Group : System Environment/Libraries  
Size : 789894  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:04:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : liborcus-0.5.1-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:20:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gitorious.org/orcus>  
Summary : Standalone file import filter library for spreadsheet documents  
Description :  
liborcus is a standalone file import filter library for spreadsheet documents. Currently under development are ODS, XLSX and CSV import filters.

Name : libreoffice-langpack-en  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:53 PM EDT  
Group : Applications/Productivity  
Size : 0  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : English language pack for LibreOffice  
Description :  
Provides additional English translations and resources for LibreOffice.

```

Name       : perl-XML-SAX
Version    : 0.99
Release    : 9.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:01:08 PM EDT
Group      : Development/Libraries
Size       : 128286
License    : GPL+ or Artistic
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:26:28 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-XML-SAX-0.99-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 04:18:20 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://search.cpan.org/dist/XML-SAX/
Summary    : SAX parser access API for Perl
Description :
XML::SAX consists of several framework classes for using and building
Perl SAX2 XML parsers, filters, and drivers. It is designed around the
need to be able to "plug in" different SAX parsers to an application
without requiring programmer intervention. Those of you familiar with
the DBI will be right at home. Some of the designs come from the Java
JAXP specification (SAX part), only without the javanness.
Name       : libxkbfile
Version    : 1.0.8
Release    : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:43 PM EDT
Group      : System Environment/Libraries
Size       : 177410
License    : MIT
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:30:54 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libxkbfile-1.0.8-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:56:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.x.org
Summary    : X.Org X11 libxkbfile runtime library
Description :
X.Org X11 libxkbfile runtime library
Name       : libvirt-daemon-driver-nwfilter
Version    : 1.2.8
Release    : 16.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:04:25 PM EDT
Group      : Development/Libraries
Size       : 165688
License    : LGPLv2+

```

Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Nwfilter driver plugin for the libvirtd daemon  
Description :  
The nwfilter driver plugin for the libvirtd daemon, providing  
an implementation of the firewall APIs using the ebtables,  
iptables and ip6tables capabilities  
Name : libdmx  
Version : 1.1.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:32 PM EDT  
Group : System Environment/Libraries  
Size : 20858  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdmx-1.1.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:00:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 DMX runtime library  
Description :  
The X.Org X11 DMX (Distributed Multihead X) runtime library.  
Name : NetworkManager-tui  
Epoch : 1  
Version : 1.0.0  
Release : 14.git20150121.b4ea599c.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:57 PM EDT  
Group : System Environment/Base  
Size : 264028  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:58 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:19:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : NetworkManager curses-based UI  
Description :



This adds a curses-based "TUI" (Text User Interface) to NetworkManager, to allow performing some of the operations supported by nm-connection-editor and nm-applet in a non-graphical environment.

Name : freerdp-libs  
Version : 1.0.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:14 PM EDT  
Group : Applications/Communications  
Size : 716603  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:24:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : freerdp-1.0.2-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:43:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freerdp.com/>  
Summary : Core libraries implementing the RDP protocol  
Description :  
libfreerdp-core can be embedded in applications.

libfreerdp-channels and libfreerdp-kbd might be convenient to use in X applications together with libfreerdp-core.

libfreerdp-core can be extended with plugins handling RDP channels.

Name : libtasn1  
Version : 3.8  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:46 PM EDT  
Group : System Environment/Libraries  
Size : 423170  
License : GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:06 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libtasn1-3.8-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:42:28 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libtasn1/>  
Summary : The ASN.1 library used in GNUTLS  
Description :

A library that provides Abstract Syntax Notation One (ASN.1, as specified by the X.680 ITU-T recommendation) parsing and structures management, and Distinguished Encoding Rules (DER, as per X.690) encoding and decoding functions.

Name : libstoragemgmt  
Version : 1.1.0  
Release : 2.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:28 PM EDT  
Group : System Environment/Libraries  
Size : 482821  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libstoragemgmt-1.1.0-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:48:36 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libstoragemgmt/>  
Summary : Storage array management library  
Description :  
The libStorageMgmt library will provide a vendor agnostic open source  
storage  
application programming interface (API) that will allow management of  
storage  
arrays. The library includes a command line interface for interactive  
use and  
scripting (command lsmcli). The library also has a daemon that is used  
for  
executing plug-ins in a separate process (lsmd).  
Name : libipa\_hbac  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:35 PM EDT  
Group : Development/Libraries  
Size : 54174  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : FreeIPA HBAC Evaluator library  
Description :  
Utility library to validate FreeIPA HBAC rules for authorization requests  
Name : subversion  
Version : 1.7.14  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:01 PM EDT  
Group : Development/Tools  
Size : 4844375  
License : ASL 2.0

Signature : RSA/SHA256, Fri 04 Jul 2014 01:06:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : subversion-1.7.14-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:27:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://subversion.apache.org/>  
Summary : A Modern Concurrent Version Control System  
Description :  
Subversion is a concurrent version control system which enables one  
or more users to collaborate in developing and maintaining a  
hierarchy of files and directories while keeping a history of all  
changes. Subversion only stores the differences between versions,  
instead of every complete file. Subversion is intended to be a  
compelling replacement for CVS.

Name : libwvstreams  
Version : 4.6.1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:18 PM EDT  
Group : System Environment/Libraries  
Size : 2288470  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libwvstreams-4.6.1-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:40:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://code.google.com/p/wvstreams/>  
Summary : WvStreams is a network programming library written in C++  
Description :  
WvStreams aims to be an efficient, secure, and easy-to-use library for  
doing network applications development.

Name : diffutils  
Version : 3.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:49 PM EDT  
Group : Applications/Text  
Size : 1065157  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : diffutils-3.3-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:07:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://www.gnu.org/software/diffutils/diffutils.html>  
Summary : A GNU collection of diff utilities  
Description :  
Diffutils includes four utilities: diff, cmp, diff3 and sdiff. Diff compares two files and shows the differences, line by line. The cmp command shows the offset and line numbers where two files differ, or cmp can show the characters that differ between the two files. The diff3 command shows the differences between three files. Diff3 can be used when two people have made independent changes to a common original; diff3 can produce a merged file that contains both sets of changes and warnings about conflicts. The sdiff command can be used to merge two files interactively.

Install diffutils if you need to compare text files.

Name : xorg-x11-drv-qxl  
Version : 0.1.1  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:32 PM EDT  
Group : User Interface/X Hardware Support  
Size : 183417  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:58 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-qxl-0.1.1-12.el7.src.rpm  
Build Date : Wed 11 Mar 2015 12:39:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 qxl video driver  
Description :  
X.Org X11 qxl video driver.  
Name : gdisk  
Version : 0.8.6  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:38 PM EDT  
Group : System Environment/Base  
Size : 666709  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gdisk-0.8.6-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:38:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rodsbooks.com/gdisk/>  
Summary : An fdisk-like partitioning tool for GPT disks  
Description :  
An fdisk-like partitioning tool for GPT disks. GPT fdisk features a

command-line interface, fairly direct manipulation of partition table structures, recovery tools to help you deal with corrupt partition tables, and the ability to convert MBR disks to GPT format.

Name : libgsf  
Version : 1.14.26  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:26 PM EDT  
Group : System Environment/Libraries  
Size : 553329  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:49:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgsf-1.14.26-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:33:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/libgsf/>  
Summary : GNOME Structured File library  
Description :  
A library for reading and writing structured files (e.g. MS OLE and Zip)

Name : atkmm  
Version : 2.22.7  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:52 PM EDT  
Group : System Environment/Libraries  
Size : 342358  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:40:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : atkmm-2.22.7-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:41:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for the ATK library  
Description :

atkmm provides a C++ interface for the ATK library. Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : xorg-x11-drv-evdev  
Version : 2.8.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:35 PM EDT  
Group : User Interface/X Hardware Support  
Size : 66191  
License : MIT

Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:24 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : xorg-x11-drv-evdev-2.8.2-5.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:29:27 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.x.org>

Summary : Xorg X11 evdev input driver

Description :

X.Org X11 evdev input driver.

Name : libdwarf

Version : 20130207

Release : 4.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:58:42 PM EDT

Group : Development/Libraries

Size : 291679

License : LGPLv2

Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:52 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libdwarf-20130207-4.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:19:18 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://reality.sgiweb.org/davea/dwarf.html>

Summary : Library to access the DWARF Debugging file format

Description :

Library to access the DWARF debugging file format which supports  
source level debugging of a number of procedural languages, such as C,  
C++,  
and Fortran. Please see <http://www.dwarfstd.org> for DWARF specification.

Name : xdg-user-dirs-gtk

Version : 0.10

Release : 4.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:09:17 PM EDT

Group : User Interface/Desktops

Size : 193797

License : GPL+

Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:51 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : xdg-user-dirs-gtk-0.10-4.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:43:16 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>

Summary : Gnome integration of special directories

Description :

Contains some integration of xdg-user-dirs with the gnome desktop, including creating default bookmarks and detecting locale changes.

Name : sbc  
Version : 1.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:30 PM EDT  
Group : Unspecified  
Size : 220820  
License : GPLv2 and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:55:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sbc-1.0-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:11:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bluez.org>  
Summary : Sub Band Codec used by bluetooth A2DP  
Description :  
SBC (Sub Band Codec) is a low-complexity audio codec used in the Advanced Audio Distribution Profile (A2DP) bluetooth standard but can be used standalone. It uses 4 or 8 subbands, an adaptive bit allocation algorithm in combination with an adaptive block PCM quantizers.

Name : flac-libs  
Version : 1.3.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:55 PM EDT  
Group : System Environment/Libraries  
Size : 471147  
License : BSD and GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:21:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : flac-1.3.0-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:31:14 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/flac/>  
Summary : Libraries for the Free Lossless Audio Codec  
Description :  
FLAC stands for Free Lossless Audio Codec. Grossly oversimplified, FLAC is similar to Ogg Vorbis, but lossless. The FLAC project consists of the stream format, reference encoders and decoders in library form, flac, a command-line program to encode and decode FLAC files, metaflac, a command-line metadata editor for FLAC files and input plugins for various music players.

This package contains the FLAC libraries.

Name : libreoffice-writer  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:06 PM EDT  
Group : Applications/Productivity  
Size : 16602424  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : LibreOffice Word Processor Application  
Description :

The LibreOffice Word Processor application.

Name : libchewing  
Version : 0.3.4  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:47 PM EDT  
Group : System Environment/Libraries  
Size : 5109263  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:39:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libchewing-0.3.4-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:42:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://chewing.csie.net/>  
Summary : Intelligent phonetic input method library for Traditional Chinese  
Description :  
libchewing is an intelligent phonetic input method library for Chinese.

It provides the core algorithm and logic that can be used by various input methods. The Chewing input method is a smart bopomofo phonetics input method that is useful for inputting Mandarin Chinese.

Name : gtk3-immodule-xim  
Version : 3.8.8  
Release : 10.el7  
Architecture: x86\_64



Install Date: Fri 26 Aug 2016 01:09:25 PM EDT  
Group : System Environment/Libraries  
Size : 33104  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtk3-3.8.8-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:34:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : XIM support for GTK+  
Description :  
The gtk3-immodule-xim package contains XIM support for GTK+ 3.  
Name : bridge-utils  
Version : 1.5  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:34 PM EDT  
Group : System Environment/Base  
Size : 57254  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bridge-utils-1.5-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:04:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://www.linuxfoundation.org/collaborate/workgroups/networking/bridge>  
Summary : Utilities for configuring the linux ethernet bridge  
Description :  
This package contains utilities for configuring the linux ethernet  
bridge. The linux ethernet bridge can be used for connecting multiple  
ethernet devices together. The connecting is fully transparent: hosts  
connected to one ethernet device see hosts connected to the other  
ethernet devices directly.

Install bridge-utils if you want to use the linux ethernet bridge.

Name : gdbm  
Version : 1.10  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:57 PM EDT  
Group : System Environment/Libraries  
Size : 184322  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gdbm-1.10-8.el7.src.rpm

Build Date : Mon 09 Jun 2014 05:39:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/gdbm/>  
Summary : A GNU set of database routines which use extensible hashing  
Description :  
Gdbm is a GNU database indexing library, including routines which use extensible hashing. Gdbm works in a similar way to standard UNIX dbm routines. Gdbm is useful for developers who write C applications and need access to a simple and efficient database or who are building C applications which will use such a database.

If you're a C developer and your programs need access to simple database routines, you should install gdbm. You'll also need to install gdbm-devel.

Name : PackageKit-device-rebind  
Version : 0.8.9  
Release : 11.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:09 PM EDT  
Group : Development/Libraries  
Size : 16823  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:43 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm  
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Device rebind functionality for PackageKit  
Description :  
The device rebind functionality offer the ability to re-initialize devices after firmware has been installed by PackageKit. This removes the need for the user to restart the computer or remove and re-insert the device.

Name : checkpolicy  
Version : 2.1.12  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:51 PM EDT  
Group : Development/System  
Size : 1071743  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : checkpolicy-2.1.12-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:46:46 PM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : SELinux policy compiler  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

This package contains checkpolicy, the SELinux policy compiler.  
Only required for building policies.

Name : spice-vdagent  
Version : 0.14.0  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:29 PM EDT  
Group : Applications/System  
Size : 143252  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : spice-vdagent-0.14.0-9.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:37:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://spice-space.org/>  
Summary : Agent for Spice guests  
Description :  
Spice agent for Linux guests offering the following features:

Features:

- \* Client mouse mode (no need to grab mouse by client, no mouse lag) this is handled by the daemon by feeding mouse events into the kernel via uinput. This will only work if the active X-session is running a spice-vdagent process so that its resolution can be determined.
- \* Automatic adjustment of the X-session resolution to the client resolution
- \* Support of copy and paste (text and images) between the active X-session and the client

Name : cryptsetup-libs  
Version : 1.6.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:37 PM EDT  
Group : System Environment/Libraries

Size : 707034  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cryptsetup-1.6.6-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:50:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cryptsetup.googlecode.com/>  
Summary : Cryptsetup shared library  
Description :  
This package contains the cryptsetup shared library, libcryptsetup.  
Name : libodfgen  
Version : 0.0.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:00 PM EDT  
Group : System Environment/Libraries  
Size : 488610  
License : LGPLv2+ or MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:06:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libodfgen-0.0.4-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:33:38 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libwpd/>  
Summary : An ODF generator library  
Description :  
libodfgen is a library for generating ODF (text and vector drawing formats only). It is directly pluggable into input filters based on libwpd/libwpg. It is used in libreoffice, for example.  
Name : oddjob-mkhomedir  
Version : 0.31.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:13 PM EDT  
Group : System Environment/Daemons  
Size : 60900  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : oddjob-0.31.5-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:33:03 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.fedorahosted.org/oddjob>

Summary : An oddjob helper which creates and populates home directories  
Description :  
This package contains the oddjob helper which can be used by the pam\_oddjob\_mkhomedir module to create a home directory for a user at login-time.  
Name : glibc-headers  
Version : 2.17  
Release : 78.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:57 PM EDT  
Group : Development/Libraries  
Size : 2331947  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glibc-2.17-78.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:50:19 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/glibc/>  
Summary : Header files for development using standard C libraries.  
Description :  
The glibc-headers package contains the header files necessary for developing programs which use the standard C libraries (which are used by nearly all programs). If you are developing programs which will use the standard C libraries, your system needs to have these standard header files available in order to create the executables.

Install glibc-headers if you are going to develop programs which will use the standard C libraries.

Name : portreserve  
Version : 0.0.5  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:38 PM EDT  
Group : System Environment/Daemons  
Size : 39589  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : portreserve-0.0.5-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:57:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/portreserve/>  
Summary : TCP port reservation utility  
Description :  
The portreserve program aims to help services with well-known ports that

lie in the portmap range. It prevents portmap from a real service's port by occupying it itself, until the real service tells it to release the port (generally in the init script).

Name : abrt  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:43 PM EDT  
Group : Applications/System  
Size : 2335762  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:11 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Automatic bug detection and reporting tool

Description :

abrt is a tool to help users to detect defects in applications and to create a bug report with all information needed by maintainer to fix it.

It uses plugin system to extend its functionality.

Name : bzip2  
Version : 1.0.6  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:03 PM EDT  
Group : Applications/File  
Size : 87887  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:54:47 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : bzip2-1.0.6-12.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:04:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bzip.org/>  
Summary : A file compression utility

Description :

Bzip2 is a freely available, patent-free, high quality data compressor. Bzip2 compresses files to within 10 to 15 percent of the capabilities of the best techniques available. However, bzip2 has the added benefit of being approximately two times faster at compression and six times faster at decompression than those techniques. Bzip2 is not the fastest compression utility, but it does strike a balance between speed and compression capability.

Install bzip2 if you need a compression utility.

Name : cups-pk-helper  
Version : 0.2.4  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:20 PM EDT  
Group : System Environment/Base  
Size : 280241  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:04:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cups-pk-helper-0.2.4-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:35:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vuntz.net/download/cups-pk-helper/>  
Summary : A helper that makes system-config-printer use PolicyKit  
Description :

cups-pk-helper is an application which makes cups configuration interfaces available under control of PolicyKit.

Name : libconfig  
Version : 1.4.9  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:01 PM EDT  
Group : System Environment/Libraries  
Size : 195179  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:40:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libconfig-1.4.9-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:18:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.hyperrealm.com/libconfig/>  
Summary : C/C++ configuration file library  
Description :

Libconfig is a simple library for manipulating structured configuration files. This file format is more compact and more readable than XML. And unlike XML, it is type-aware, so it is not necessary to do string parsing in application code.

Name : rsh-server  
Version : 0.17  
Release : 76.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:47 PM EDT  
Group : System Environment/Daemons  
Size : 75091  
License : BSD  
Signature : RSA/SHA256, Thu 23 Oct 2014 08:01:07 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : rsh-0.17-76.el7.src.rpm  
Build Date : Thu 23 Oct 2014 07:17:56 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.uk.linux.org/pub/linux/Networking/netkit>  
Summary : Servers for remote access commands (rsh, rlogin, rcp)  
Description :  
The rsh-server package contains a set of programs which allow users to run commands on remote machines, login to other machines and copy files between machines (rsh, rlogin and rcp). All three of these commands use rhosts style authentication. This package contains the servers needed for all of these services. It also contains a server for rexec, an alternate method of executing remote commands. All of these servers are run by systemd and configured using systemd units and PAM.

The rsh-server package should be installed to enable remote access from other machines

Name : dbus-x11  
Epoch : 1  
Version : 1.6.12  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:49 PM EDT  
Group : Development/Libraries  
Size : 35649  
License : GPLv2+ or AFL  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dbus-1.6.12-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:03:08 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : X11-requiring add-ons for D-BUS  
Description :  
D-BUS contains some tools that require Xlib to be installed, those are in this separate package so server systems need not install X.

Name : xorg-x11-font-utils  
Epoch : 1  
Version : 7.5  
Release : 18.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:06 PM EDT  
Group : User Interface/X  
Size : 326869  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:12 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-font-utils-7.5-18.1.el7.src.rpm



Build Date : Tue 10 Jun 2014 12:10:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 font utilities  
Description :  
X.Org X11 font utilities required for font installation, conversion,  
and generation.  
Name : alsa-utils  
Version : 1.0.28  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:25 PM EDT  
Group : Applications/Multimedia  
Size : 1978119  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : alsa-utils-1.0.28-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:24:18 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : Advanced Linux Sound Architecture (ALSA) utilities  
Description :  
This package contains command line utilities for the Advanced Linux Sound  
Architecture (ALSA).  
Name : libdnf  
Version : 1.12  
Release : 13.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:06 PM EDT  
Group : Unspecified  
Size : 70416  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:08 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdnf-1.12-13.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:58:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/libdnf/>  
Summary : Simple portable interface to lowlevel networking routines  
Description :  
libdnf provides a simplified, portable interface to several  
low-level networking routines, including network address  
manipulation, kernel arp(4) cache and route(4) table lookup and  
manipulation, network firewalling (IP filter, ipfw, ipchains,

pf, ...), network interface lookup and manipulation, raw IP packet and Ethernet frame, and data transmission.

Name : systemtap  
Version : 2.6  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:56 PM EDT  
Group : Development/System  
Size : 45253  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemtap-2.6-8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:01:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceware.org/systemtap/>  
Summary : Programmable system-wide instrumentation system  
Description :  
SystemTap is an instrumentation system for systems running Linux. Developers can write instrumentation scripts to collect data on the operation of the system. The base systemtap package contains/requires the components needed to locally develop and execute systemtap scripts.

Name : parted  
Version : 3.1  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:54 PM EDT  
Group : Applications/System  
Size : 2331525  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:26:37 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : parted-3.1-20.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:56:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/parted>  
Summary : The GNU disk partition manipulation program  
Description :

The GNU Parted program allows you to create, destroy, resize, move, and copy hard disk partitions. Parted can be used for creating space for new operating systems, reorganizing disk usage, and copying data to new hard disks.

Name : gsm  
Version : 1.0.13  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:09 PM EDT

Group : System Environment/Libraries  
Size : 56172  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:46:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gsm-1.0.13-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:29:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.quut.com/gsm/>  
Summary : Shared libraries for GSM speech compressor  
Description :  
Contains runtime shared libraries for libgsm, an implementation of the European GSM 06.10 provisional standard for full-rate speech transcoding, prI-ETS 300 036, which uses RPE/LTP (residual pulse excitation/long term prediction) coding at 13 kbit/s.

GSM 06.10 compresses frames of 162 13-bit samples (8 kHz sampling rate, i.e. a frame rate of 50 Hz) into 260 bits; for compatibility with typical UNIX applications, our implementation turns frames of 160 16-bit linear samples into 33-byte frames (1650 Bytes/s). The quality of the algorithm is good enough for reliable speaker recognition; even music often survives transcoding in recognizable form (given the bandwidth limitations of 8 kHz sampling rate).

The interfaces offered are a front end modelled after compress(1), and a library API. Compression and decompression run faster than realtime on most SPARCstations. The implementation has been verified against the ETSI standard test patterns.

Name : libvirt-daemon-driver-network  
Version : 1.2.8  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:29 PM EDT  
Group : Development/Libraries  
Size : 451800  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:09 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Network driver plugin for the libvirtd daemon  
Description :  
The network driver plugin for the libvirtd daemon, providing an implementation of the virtual network APIs using the Linux bridge capabilities.  
Name : curl

Version : 7.29.0  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:10 PM EDT  
Group : Applications/Internet  
Size : 535105  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:04:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : curl-7.29.0-19.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:19:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://curl.haxx.se/>  
Summary : A utility for getting files from remote servers (FTP, HTTP,  
and others)  
Description :  
curl is a command line tool for transferring data with URL syntax,  
supporting  
FTP, FTPS, HTTP, HTTPS, SCP, SFTP, TFTP, TELNET, DICT, LDAP, LDAPS, FILE,  
IMAP,  
SMTP, POP3 and RTSP. curl supports SSL certificates, HTTP POST, HTTP  
PUT, FTP  
uploading, HTTP form based upload, proxies, cookies, user+password  
authentication (Basic, Digest, NTLM, Negotiate, kerberos...), file  
transfer  
resume, proxy tunneling and a busload of other useful tricks.  
Name : adcli  
Version : 0.7.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:07 PM EDT  
Group : Unspecified  
Size : 281049  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : adcli-0.7.5-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:49:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cgit.freedesktop.org/realmd/adcli>  
Summary : Active Directory enrollment  
Description :  
adcli is a library and tool for joining an Active Directory domain using  
standard LDAP and Kerberos calls.  
Name : at-spi2-core  
Version : 2.8.0  
Release : 6.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:01:58 PM EDT  
Group : System Environment/Libraries  
Size : 496061  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:41:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : at-spi2-core-2.8.0-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:42:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.linuxfoundation.org/en/AT-SPI\\_on\\_D-Bus](http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus)  
Summary : Protocol definitions and daemon for D-Bus at-spi  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

This version of at-spi is a major break from previous versions. It has been completely rewritten to use D-Bus rather than ORBIT / CORBA for its transport protocol.

Name : fuse-libs  
Version : 2.9.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:12 PM EDT  
Group : System Environment/Libraries  
Size : 293066  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fuse-2.9.2-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:34:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fuse.sf.net>  
Summary : File System in Userspace (FUSE) libraries  
Description :  
Devel With FUSE it is possible to implement a fully functional filesystem in a userspace program. This package contains the FUSE libraries.  
Name : ntpdate  
Version : 4.2.6p5  
Release : 19.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:37 PM EDT  
Group : Applications/System  
Size : 123918  
License : (MIT and BSD and BSD with advertising) and GPLv2

Signature : RSA/SHA256, Fri 19 Dec 2014 09:55:09 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ntp-4.2.6p5-19.el7.centos.src.rpm  
Build Date : Fri 19 Dec 2014 09:38:17 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ntp.org>  
Summary : Utility to set the date and time via NTP  
Description :  
ntpdate is a program for retrieving the date and time from  
NTP servers.  
Name : libpwquality  
Version : 1.2.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:14 PM EDT  
Group : System Environment/Base  
Size : 332381  
License : BSD or GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:07:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libpwquality-1.2.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:44:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libpwquality.fedorahosted.org/>  
Summary : A library for password generation and password quality  
checking  
Description :  
This is a library for password quality checks and generation  
of random passwords that pass the checks.  
This library uses the cracklib and cracklib dictionaries  
to perform some of the checks.  
Name : motif  
Version : 2.3.4  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:13 PM EDT  
Group : System Environment/Libraries  
Size : 4173051  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : motif-2.3.4-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:56:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.motifzone.net/>

Summary : Run-time libraries and programs  
Description :  
This is the Motif 2.3.4 run-time environment. It includes the Motif shared libraries, needed to run applications which are dynamically linked against Motif and the Motif Window Manager mwm.

Name : initscripts  
Version : 9.49.24  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:20 PM EDT  
Group : System Environment/Base  
Size : 1491527  
License : GPLv2 and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : initscripts-9.49.24-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:05:14 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/releases/i/n/initscripts/>  
Summary : The inittab file and the /etc/init.d scripts  
Description :  
The initscripts package contains basic system scripts used during a boot of the system. It also contains scripts which activate and deactivate most network interfaces.

Name : hostname  
Version : 3.13  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:15 PM EDT  
Group : System Environment/Base  
Size : 19449  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hostname-3.13-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:48:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://packages.qa.debian.org/h/hostname.html>  
Summary : Utility to set/show the host name or domain name  
Description :  
This package provides commands which can be used to display the system's DNS name, and to display or set its hostname or NIS domain name.

Name : glusterfs-api  
Version : 3.6.0.29  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:43 PM EDT  
Group : System Environment/Daemons

Size : 157932  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:37 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.6.0.29-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:47:02 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : Clustered file-system api library  
Description :  
GlusterFS is a clustered file-system capable of scaling to several  
petabytes. It aggregates various storage bricks over Infiniband RDMA  
or TCP/IP interconnect into one large parallel network file  
system. GlusterFS is one of the most sophisticated file systems in  
terms of features and extensibility. It borrows a powerful concept  
called Translators from GNU Hurd kernel. Much of the code in GlusterFS  
is in user space and easily manageable.

This package provides the glusterfs libgfapi library.

Name : libuser  
Version : 0.60  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:21 PM EDT  
Group : System Environment/Base  
Size : 1953856  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:15 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libuser-0.60-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:56:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/libuser/>  
Summary : A user and group account administration library  
Description :  
The libuser library implements a standardized interface for manipulating  
and administering user and group accounts. The library uses pluggable  
back-ends to interface to its data sources.

Sample applications modeled after those included with the shadow password  
suite are included.

Name : openssl098e  
Version : 0.9.8e  
Release : 29.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:25 PM EDT  
Group : System Environment/Libraries  
Size : 2400883



License : OpenSSL  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:29:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openssl098e-0.9.8e-29.el7.centos.2.src.rpm  
Build Date : Tue 24 Jun 2014 07:13:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssl.org/>  
Summary : A compatibility version of a general cryptography and TLS  
library  
Description :  
The OpenSSL toolkit provides support for secure communications between  
machines. OpenSSL includes a certificate management tool and shared  
libraries which provide various cryptographic algorithms and  
protocols. This version of OpenSSL package is provided for compatibility  
with the previous CentOS Linux release.

Name : plymouth-scripts  
Version : 0.8.9  
Release : 0.13.20140113.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:24 PM EDT  
Group : Applications/System  
Size : 22120  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>  
Summary : Plymouth related scripts  
Description :  
This package contains scripts that help integrate Plymouth with  
the system.

Name : p11-kit-trust  
Version : 0.20.7  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:18 PM EDT  
Group : Unspecified  
Size : 432712  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : p11-kit-0.20.7-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:47:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

```

Vendor      : CentOS
URL         : http://p11-glue.freedesktop.org/p11-kit.html
Summary     : System trust module from p11-kit
Description :
The p11-kit-trust package contains a system trust PKCS#11 module which
contains certificate anchors and black lists.
Name        : libgdither
Version     : 0.6
Release     : 8.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:05:52 PM EDT
Group       : System Environment/Libraries
Size        : 41506
License     : GPLv2+
Signature   : RSA/SHA256, Thu 03 Jul 2014 10:46:49 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libgdither-0.6-8.el7.src.rpm
Build Date  : Mon 09 Jun 2014 09:05:43 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://plugin.org.uk/libgdither/README
Summary     : Library for applying dithering to PCM audio sources
Description :
Libgdither is a GPL'd library library for performing audio dithering on
PCM samples. The dithering process should be carried out before reducing
the bit width of PCM audio data (eg. float to 16 bit int conversions) to
preserve audio quality.
Name        : satyr
Version     : 0.13
Release     : 8.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:59:30 PM EDT
Group       : System Environment/Libraries
Size        : 2292829
License     : GPLv2+
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:34:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : satyr-0.13-8.el7.src.rpm
Build Date  : Fri 06 Mar 2015 12:29:20 AM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://github.com/abrt/satyr
Summary     : Tools to create anonymous, machine-friendly problem reports
Description :
Satyr is a library that can be used to create and process microreports.
Microreports consist of structured data suitable to be analyzed in a
fully
automated manner, though they do not necessarily contain sufficient
information

```

to fix the underlying problem. The reports are designed not to contain any potentially sensitive data to eliminate the need for review before submission.

Included is a tool that can create microreports and perform some basic operations on them.

Name : perl-XML-Writer-String  
Version : 0.1  
Release : 14.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:31 PM EDT  
Group : Development/Libraries/Perl  
Size : 6975  
License : Artistic-1.0 or GPL-1.0+  
Signature : DSA/SHA1, Fri 02 Nov 2012 01:02:44 AM EDT, Key ID dcca98dddcef338c  
Source RPM : perl-XML-Writer-String-0.1-14.1.src.rpm  
Build Date : Fri 02 Nov 2012 01:02:38 AM EDT  
Build Host : build21  
Relocations : (not relocatable)  
Vendor : obs://build.opensuse.org/devel:languages:perl  
URL : <http://search.cpan.org/perl/doc/XML::Writer::String>  
Summary : Capture output from XML::Writer  
Description :  
This module implements a bare-bones class specifically for the purpose of capturing data from the XML::Writer module. XML::Writer expects an IO::Handle object and writes XML data to the specified object (or STDOUT) via its print() method. This module simulates such an object for the specific purpose of providing the required print() method.

It is recommended that \$writer->end() is called prior to calling \$s->value() to check for well-formedness.

Author:

-----

Simon Oliver <[simon.oliver@umist.ac.uk](mailto:simon.oliver@umist.ac.uk)>  
Name : pango  
Version : 1.34.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:28 PM EDT  
Group : System Environment/Libraries  
Size : 789393  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pango-1.34.1-5.el7.src.rpm  
Build Date : Tue 17 Jun 2014 01:28:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.pango.org>  
Summary : System for layout and rendering of internationalized text  
Description :  
Pango is a library for laying out and rendering of text, with an emphasis on internationalization. Pango can be used anywhere that text layout is needed, though most of the work on Pango so far has been done in the context of the GTK+ widget toolkit. Pango forms the core of text and font handling for GTK+.

Pango is designed to be modular; the core Pango layout engine can be used with different font backends.

The integration of Pango with Cairo provides a complete solution with high quality text handling and graphics rendering.

Name : fuse  
Version : 2.9.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:21 PM EDT  
Group : System Environment/Base  
Size : 223978  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fuse-2.9.2-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:34:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fuse.sf.net>  
Summary : File System in Userspace (FUSE) utilities  
Description :  
With FUSE it is possible to implement a fully functional filesystem in a userspace program. This package contains the FUSE userspace tools to mount a FUSE filesystem.

Name : abrt-libs  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:34 PM EDT  
Group : System Environment/Libraries  
Size : 49328  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Libraries for abrt  
Description :  
Libraries for abrt.  
Name : control-center-filesystem  
Epoch : 1  
Version : 3.8.6  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:55:32 PM EDT  
Group : Unspecified  
Size : 0  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:56 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : control-center-3.8.6-18.el7.src.rpm  
Build Date : Tue 10 Mar 2015 06:03:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : GNOME Control Center directories  
Description :  
The GNOME control-center provides a number of extension points  
for applications. This package contains directories where applications  
can install configuration files that are picked up by the control-center  
utilities.  
Name : perl-Net-Telnet  
Version : 3.03  
Release : 19.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:37 PM EDT  
Group : Development/Libraries  
Size : 157913  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Net-Telnet-3.03-19.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:52:56 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Net-Telnet/>  
Summary : Net-Telnet Perl module  
Description :  
Net::Telnet allows you to make client connections to a TCP port and do  
network I/O, especially to a port using the TELNET protocol. Simple I/O  
methods such as print, get, and getline are provided. More sophisticated  
interactive features are provided because connecting to a TELNET port

ultimately means communicating with a program designed for human interaction. These interactive features include the ability to specify a time-out and to wait for patterns to appear in the input stream, such as the prompt from a shell.

Name : pangomm  
Version : 2.34.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:37 PM EDT  
Group : System Environment/Libraries  
Size : 238468  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:58 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pangomm-2.34.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:10:48 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for Pango  
Description :

pangomm provides a C++ interface to the Pango library. Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : rpm-build-libs  
Version : 4.11.1  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:04 PM EDT  
Group : Development/Libraries  
Size : 166680  
License : GPLv2+ and LGPLv2+ with exceptions  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:09 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.1-25.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:27:41 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm.org/>  
Summary : Libraries for building and signing RPM packages  
Description :

This package contains the RPM shared libraries for building and signing packages.

Name : acl  
Version : 2.2.51  
Release : 12.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:27 PM EDT  
Group : System Environment/Base  
Size : 201066  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : acl-2.2.51-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:43:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Access control list utilities  
Description :  
This package contains the getfacl and setfacl utilities needed for  
manipulating access control lists.  
Name : gcc  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:48 PM EDT  
Group : Development/Languages  
Size : 39010208  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with  
exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:59 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : Various compilers (C, C++, Objective-C, Java, ...)  
Description :  
The gcc package contains the GNU Compiler Collection version 4.8.  
You'll need this package in order to compile C code.  
Name : setup  
Version : 2.8.71  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:34 PM EDT  
Group : System Environment/Base  
Size : 696377  
License : Public Domain  
Signature : RSA/SHA256, Wed 29 Oct 2014 05:52:39 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : setup-2.8.71-5.el7.src.rpm  
Build Date : Wed 29 Oct 2014 05:47:01 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/setup/>  
Summary : A set of system configuration and setup files  
Description :  
The setup package contains a set of important system configuration and setup files, such as passwd, group, and profile.  
Name : rcs  
Version : 5.9.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:44 PM EDT  
Group : Development/Tools  
Size : 624710  
License : GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rcs-5.9.0-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:27:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/rcs/>  
Summary : Revision Control System (RCS) file version management tools  
Description :  
The Revision Control System (RCS) is a system for managing multiple versions of files. RCS automates the storage, retrieval, logging, identification and merging of file revisions. RCS is useful for text files that are revised frequently (for example, programs, documentation, graphics, papers and form letters).

The rcs package should be installed if you need a system for managing different versions of files.

Name : libgxps  
Version : 0.2.2  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:42 PM EDT  
Group : System Environment/Libraries  
Size : 183192  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:51:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgxps-0.2.2-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:36:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/libgxps>  
Summary : GObject based library for handling and rendering XPS documents  
Description :



libgxps is a GObject based library for handling and rendering XPS documents.

Name : python-meh  
Version : 0.25.2  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:13 PM EDT  
Group : System Environment/Libraries  
Size : 243963  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-meh-0.25.2-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:13:34 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>  
Summary : A python library for handling exceptions  
Description :  
The python-meh package is a python library for handling, saving, and reporting exceptions.

Name : mozjs17  
Version : 17.0.0  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:30 PM EDT  
Group : Development/Languages  
Size : 4061613  
License : GPLv2+ or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mozjs17-17.0.0-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:25:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/js/>  
Summary : JavaScript interpreter and libraries  
Description :  
JavaScript is the Netscape-developed object scripting language used in millions of web pages and server applications worldwide. Netscape's JavaScript is a superset of the ECMA-262 Edition 3 (ECMAScript) standard scripting language, with only mild differences from the published standard.

Name : libXft  
Version : 2.3.1  
Release : 5.1.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:59:54 PM EDT  
Group : System Environment/Libraries  
Size : 124658  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXft-2.3.1-5.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:27:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXft runtime library  
Description :  
X.Org X11 libXft runtime library  
Name : tzdata-java  
Version : 2015a  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:37 PM EDT  
Group : System Environment/Base  
Size : 261571  
License : Public Domain  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tzdata-2015a-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:56:55 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.iana.org/time-zones>  
Summary : Timezone data for Java  
Description :  
This package contains timezone information for use by Java runtimes.  
Name : tftp  
Version : 5.2  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:51 PM EDT  
Group : Applications/Internet  
Size : 49278  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:32:53 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tftp-5.2-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:44:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/pub/software/network/tftp/>  
Summary : The client for the Trivial File Transfer Protocol (TFTP)

Description :

The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp package provides the user interface for TFTP, which allows users to transfer files to and from a remote machine. This program and TFTP provide very little security, and should not be enabled unless it is expressly needed.

Name : colord-libs  
Version : 1.0.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:50 PM EDT  
Group : Unspecified  
Size : 480036  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:49 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : colord-1.0.4-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:08:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/colord/>  
Summary : Color daemon library  
Description :

colord is a low level system activated daemon that maps color devices to color profiles in the system context.

Name : vim-common  
Epoch : 2  
Version : 7.4.160  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:21 PM EDT  
Group : Applications/Editors  
Size : 22146000  
License : Vim  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:09 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : vim-7.4.160-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : The common files needed by any version of the VIM editor  
Description :

VIM (VISual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-common package contains files which every VIM binary will need in order to run.

If you are installing vim-enhanced or vim-X11, you'll also need to install the vim-common package.

Name : libtar  
Version : 1.2.11  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:34 PM EDT  
Group : System Environment/Libraries  
Size : 74926  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libtar-1.2.11-28.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:32:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.feep.net/libtar/>  
Summary : Tar file manipulation API  
Description :  
libtar is a C library for manipulating tar archives. It supports both the strict POSIX tar format and many of the commonly-used GNU extensions.

Name : gdb  
Version : 7.6.1  
Release : 64.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:02 PM EDT  
Group : Development/Debuggers  
Size : 7018737  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ and GPLv2+ with exceptions and GPL+ and LGPLv2+ and BSD and Public Domain  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gdb-7.6.1-64.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:44:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gnu.org/software/gdb/>  
Summary : A GNU source-level debugger for C, C++, Fortran, Go and other languages  
Description :  
GDB, the GNU debugger, allows you to debug programs written in C, C++, Java, and other languages, by executing them in a controlled fashion and printing their data.

Name : libX11-common  
Version : 1.6.0  
Release : 2.1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:46 PM EDT  
Group : System Environment/Libraries

Size : 1684529  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:52 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libX11-1.6.0-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 10:28:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Common data for libX11  
Description :  
libX11 common data  
Name : libpng12  
Version : 1.2.50  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:11:00 PM EDT  
Group : System Environment/Libraries  
Size : 667253  
License : zlib  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libpng12-1.2.50-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:49:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libpng.org/pub/png/>  
Summary : Old version of libpng, needed to run old binaries  
Description :  
The libpng12 package provides libpng 1.2, an older version of the libpng  
library for manipulating PNG (Portable Network Graphics) image format  
files.  
This version should be used only if you are unable to use the current  
version of libpng.  
Name : libreport-gtk  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:55 PM EDT  
Group : User Interface/Desktops  
Size : 214356  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <https://fedorahosted.org/abrt/>  
 Summary : GTK front-end for libreport  
 Description :  
 Applications for reporting bugs using libreport backend  
 Name : skkdic  
 Version : 20130104  
 Release : 6.T1435.el7  
 Architecture: noarch  
 Install Date: Fri 26 Aug 2016 01:06:29 PM EDT  
 Group : System Environment/Libraries  
 Size : 25208432  
 License : GPLv2+  
 Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:12 AM EDT, Key ID  
 24c6a8a7f4a80eb5  
 Source RPM : skkdic-20130104-6.T1435.el7.src.rpm  
 Build Date : Tue 10 Jun 2014 05:09:31 AM EDT  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL : <http://openlab.ring.gr.jp/skk/skk/dic/>  
 Summary : Dictionaries for SKK (Simple Kana-Kanji conversion program)  
 Description :  
 This package includes the SKK dictionaries, including the large  
 dictionary  
 SKK-JISYO.L and pubdic+ dictionary.  
 Name : dosfstools  
 Version : 3.0.20  
 Release : 9.el7  
 Architecture: x86\_64  
 Install Date: Fri 26 Aug 2016 12:57:38 PM EDT  
 Group : Applications/System  
 Size : 248432  
 License : GPLv3+  
 Signature : RSA/SHA256, Thu 03 Jul 2014 09:09:32 PM EDT, Key ID  
 24c6a8a7f4a80eb5  
 Source RPM : dosfstools-3.0.20-9.el7.src.rpm  
 Build Date : Tue 10 Jun 2014 01:53:49 AM EDT  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL : <http://www.daniel-baumann.ch/software/dosfstools/>  
 Summary : Utilities for making and checking MS-DOS FAT filesystems on  
 Linux  
 Description :  
 The dosfstools package includes the mkdosfs and dosfsck utilities,  
 which respectively make and check MS-DOS FAT filesystems on hard  
 drives or on floppies.  
 Name : libreport-centos  
 Version : 2.1.11  
 Release : 21.el7.centos.0.4  
 Architecture: x86\_64  
 Install Date: Fri 26 Aug 2016 01:00:06 PM EDT

Group : System Environment/Libraries  
Size : 35946  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's CentOS Bug Tracker workflow  
Description :  
Workflows to report issues into the CentOS Bug Tracker.  
Name : libwacom-data  
Version : 0.8  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:49 PM EDT  
Group : System Environment/Libraries  
Size : 208623  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwacom-0.8-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 10:17:24 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linuxwacom.sourceforge.net>  
Summary : Tablet Information Client Library Library Data Files  
Description :  
Tablet information client library library data files.  
Name : madan-fonts  
Version : 2.000  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:10 PM EDT  
Group : User Interface/X  
Size : 251512  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : madan-fonts-2.000-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:10:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://madanpuraskar.org/>  
Summary : Font for Nepali language  
Description :

This package provides the Madan font for Nepali made by the Madan Puraskar Pustakalaya project.

Name : colord-gtk  
Version : 0.1.25  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:01 PM EDT  
Group : Unspecified  
Size : 41904  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : colord-gtk-0.1.25-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:46:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/colord/>  
Summary : GTK support library for colord  
Description :  
colord-gtk is a support library for colord and provides additional functionality that requires GTK+.

Name : gnome-desktop3  
Version : 3.8.4  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:38 PM EDT  
Group : System Environment/Libraries  
Size : 2684336  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-desktop3-3.8.4-4.el7.src.rpm  
Build Date : Tue 17 Jun 2014 12:57:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Shared code among gnome-panel, gnome-session, nautilus, etc  
Description :

The gnome-desktop package contains an internal library (libgnomedesktop) used to implement some portions of the GNOME desktop, and also some data files and other shared components of the GNOME user environment.

Name : opus  
Version : 1.0.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:40 PM EDT  
Group : System Environment/Libraries  
Size : 1257756



License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:08:40 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : opus-1.0.2-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:30:48 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.opus-codec.org/>  
Summary : An audio codec for use in low-delay speech and audio communication  
Description :  
The Opus codec is designed for interactive speech and audio transmission over the Internet. It is designed by the IETF Codec Working Group and incorporates technology from Skype's SILK codec and Xiph.Org's CELT codec.

Name : audit-libs-python  
Version : 2.4.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:10 PM EDT  
Group : Development/Libraries  
Size : 301639  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : audit-2.4.1-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:59:11 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : Python bindings for libaudit  
Description :  
The audit-libs-python package contains the bindings so that libaudit and libauparse can be used by python.

Name : ipxe-roms-qemu  
Version : 20130517  
Release : 6.gitc4bce43.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:55 PM EDT  
Group : Development/Tools  
Size : 1329260  
License : GPLv2 and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ipxe-20130517-6.gitc4bce43.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:11:37 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://ipxe.org/>  
Summary : Network boot loader roms supported by QEMU, .rom format  
Description :  
iPXE is an open source network bootloader. It provides a direct replacement for proprietary PXE ROMs, with many extra features such as DNS, HTTP, iSCSI, etc.

This package contains the iPXE ROMs for devices emulated by QEMU, in .rom format.

Name : gnu-free-mono-fonts  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:21 PM EDT  
Group : User Interface/X  
Size : 1586590  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : GNU FreeFont Monospaced Font  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont monospaced font.

Name : git  
Version : 1.8.3.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:07 PM EDT  
Group : Development/Tools  
Size : 22920720

License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:32:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : git-1.8.3.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:40:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git-scm.com/>  
Summary : Fast Version Control System  
Description :  
Git is a fast, scalable, distributed revision control system with an unusually rich command set that provides both high-level operations and full access to internals.

The git rpm installs the core tools with minimal dependencies. To install all git packages, including tools for integrating with other SCMs, install the git-all meta-package.

Name : bluez  
Version : 4.101  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:05 PM EDT  
Group : Applications/System  
Size : 2046309  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:49:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bluez-4.101-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:39:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bluez.org/>  
Summary : Bluetooth utilities  
Description :  
Utilities for use in Bluetooth applications:

- hcitool
- hciattach
- hciconfig
- bluetoothd
- l2ping
- start scripts (Red Hat)
- pcmcia configuration files

The BLUETOOTH trademarks are owned by Bluetooth SIG, Inc., U.S.A.

Name : libical  
Version : 0.48  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:43 PM EDT  
Group : System Environment/Libraries

Size : 590473  
License : LGPLv2 or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:52:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libical-0.48-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:45:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freeassociation.sourceforge.net/>  
Summary : Reference implementation of the iCalendar data type and serialization format  
Description :  
Reference implementation of the iCalendar data type and serialization format  
used in dozens of calendaring and scheduling products.  
Name : e2fsprogs  
Version : 1.42.9  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:14 PM EDT  
Group : System Environment/Base  
Size : 2555495  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:09:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Utilities for managing ext2, ext3, and ext4 filesystems  
Description :  
The e2fsprogs package contains a number of utilities for creating, checking, modifying, and correcting any inconsistencies in second, third and fourth extended (ext2/ext3/ext4) filesystems. E2fsprogs contains e2fsck (used to repair filesystem inconsistencies after an unclean shutdown), mke2fs (used to initialize a partition to contain an empty ext2 filesystem), debugfs (used to examine the internal structure of a filesystem, to manually repair a corrupted filesystem, or to create test cases for e2fsck), tune2fs (used to modify filesystem parameters), and most of the other core ext2fs filesystem utilities.

You should install the e2fsprogs package if you need to manage the performance of an ext2, ext3, or ext4 filesystem.

Name : bash  
Version : 4.2.46  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:07 PM EDT

Group : System Environment/Shells  
Size : 3663626  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bash-4.2.46-12.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:09:15 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/bash>  
Summary : The GNU Bourne Again shell  
Description :  
The GNU Bourne Again shell (Bash) is a shell or command language interpreter that is compatible with the Bourne shell (sh). Bash incorporates useful features from the Korn shell (ksh) and the C shell (csh). Most sh scripts can be run by bash without modification.

Name : strace  
Version : 4.8  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:11:39 PM EDT  
Group : Development/Debuggers  
Size : 973191  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:05:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : strace-4.8-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:19:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/strace/>  
Summary : Tracks and displays system calls associated with a running process  
Description :  
The strace program intercepts and records the system calls called and received by a running process. Strace can print a record of each system call, its arguments and its return value. Strace is useful for diagnosing problems and debugging, as well as for instructional purposes.

Install strace if you need a tool to track the system calls made and received by a process.

Name : systemd-python  
Version : 208  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:12 PM EDT  
Group : Unspecified  
Size : 176627  
License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : systemd-208-20.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:48:58 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : Python Bindings for systemd  
Description :  
This package contains python binds for systemd APIs  
Name : anaconda-core  
Version : 19.31.123  
Release : 1.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:09 PM EDT  
Group : Applications/System  
Size : 7094337  
License : GPLv2+  
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:18 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm  
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Core of the Anaconda installer  
Description :  
The anaconda-core package contains the program which was used to install  
your  
system.  
Name : libteam  
Version : 1.15  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:47 PM EDT  
Group : System Environment/Libraries  
Size : 96500  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:20 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libteam-1.15-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:44:40 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libteam.org>  
Summary : Library for controlling team network device  
Description :  
This package contains a library which is a user-space

counterpart for team network driver. It provides an API to control team network devices.

Name : libevent  
Version : 2.0.21  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:18 PM EDT  
Group : System Environment/Libraries  
Size : 742760  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:22 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libevent-2.0.21-4.el7.src.rpm  
Build Date : Fri 13 Jun 2014 06:39:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/levent/>  
Summary : Abstract asynchronous event notification library

Description :

The libevent API provides a mechanism to execute a callback function when a specific event occurs on a file descriptor or after a timeout has been reached. libevent is meant to replace the asynchronous event loop found in event driven network servers. An application just needs to call `event_dispatch()` and can then add or remove events dynamically without having to change the event loop.

Name : freetype  
Version : 2.4.11  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:10 PM EDT  
Group : System Environment/Libraries  
Size : 894523  
License : (FTL or GPLv2+) and BSD and MIT and Public Domain and zlib with acknowledgement  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:24:49 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : freetype-2.4.11-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:10:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freetype.org>  
Summary : A free and portable font rendering engine

Description :

The FreeType engine is a free and portable font rendering engine, developed to provide advanced font support for a variety of platforms and environments. FreeType is a library which can open and manages font files as well as efficiently load, hint and render individual glyphs. FreeType is not a font server or a complete text-rendering library.

Name : scl-utils

Version : 20130529  
Release : 9.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:11:51 PM EDT  
Group : Applications/File  
Size : 25037  
License : GPLv2+  
Signature : RSA/SHA256, Wed 29 Oct 2014 05:52:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : scl-utils-20130529-9.el7\_0.src.rpm  
Build Date : Wed 29 Oct 2014 05:46:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/released/scl-utils/>  
Summary : Utilities for alternative packaging  
Description :  
Run-time utility for alternative packaging.  
Name : cryptsetup  
Version : 1.6.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:17 PM EDT  
Group : Applications/System  
Size : 262638  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cryptsetup-1.6.6-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:50:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cryptsetup.googlecode.com/>  
Summary : A utility for setting up encrypted disks  
Description :  
The cryptsetup package contains a utility for setting up  
disk encryption using dm-crypt kernel module.  
Name : mutter  
Version : 3.8.4  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:15 PM EDT  
Group : User Interface/Desktops  
Size : 6380357  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:18 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mutter-3.8.4-16.el7.src.rpm  
Build Date : Tue 10 Mar 2015 06:35:51 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Window and compositing manager based on Clutter  
Description :  
Mutter is a window and compositing manager that displays and manages your desktop via OpenGL. Mutter combines a sophisticated display engine using the Clutter toolkit with solid window-management logic inherited from the Metacity window manager.

While Mutter can be used stand-alone, it is primarily intended to be used as the display core of a larger system such as gnome-shell or Moblin. For this reason, Mutter is very extensible via plugins, which are used both to add fancy visual effects and to rework the window management behaviors to meet the needs of the environment.

Name : libgfortran  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:50 PM EDT  
Group : System Environment/Libraries  
Size : 1186104  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : Fortran runtime

Description :  
This package contains Fortran shared library which is needed to run Fortran dynamically linked programs.

Name : cdrdao  
Version : 1.2.3  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:22 PM EDT  
Group : Applications/Multimedia  
Size : 1169304  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cdrdao-1.2.3-20.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:12:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrdao.sourceforge.net/>  
Summary : Writes audio CD-Rs in disk-at-once (DAO) mode

Description :

Cdrdao records audio CD-Rs in disk-at-once (DAO) mode, based on a textual description of the CD contents. Recording in DAO mode writes the complete disc (lead-in, one or more tracks, and lead-out) in a single step. DAO allows full control over the length and the contents of pre-gaps, the pause areas between tracks.

Name : libuuid  
Version : 2.23.2  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:12 PM EDT  
Group : Development/Libraries  
Size : 20246  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : util-linux-2.23.2-21.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:59:03 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://en.wikipedia.org/wiki/Util-linux>  
Summary : Universally unique ID library  
Description :  
This is the universally unique ID library, part of util-linux.

The libuuid library generates and parses 128-bit universally unique id's (UUID's). A UUID is an identifier that is unique across both space and time, with respect to the space of all UUIDs. A UUID can be used for multiple purposes, from tagging objects with an extremely short lifetime, to reliably identifying very persistent objects across a network.

See also the "uuid" package, which is a separate implementation.

Name : gnu-free-serif-fonts  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:01 PM EDT  
Group : User Interface/X  
Size : 6146428  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : GNU FreeFont Serif Font  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont serif font.

Name : adwaita-gtk3-theme  
Version : 3.8.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:27 PM EDT  
Group : User Interface/Desktops  
Size : 1131727  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.gnome.org/browse/gnome-themes-standard>  
Summary : Adwaita gtk3 theme  
Description :  
The adwaita-gtk3-theme package contains a gtk3 theme for rendering widgets with a GNOME look and feel.

Name : ibus-setup  
Version : 1.5.3  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:07:22 PM EDT  
Group : System Environment/Libraries  
Size : 200989  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ibus-1.5.3-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 08:00:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/ibus/>  
Summary : IBus setup utility  
Description :  
This is a setup utility for IBus.  
Name : perl-Pod-Usage  
Version : 1.63  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:52 PM EDT  
Group : Development/Libraries  
Size : 44671  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Usage-1.63-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:56:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Usage/>  
Summary : Print a usage message from embedded POD documentation  
Description :  
pod2usage will print a usage message for the invoking script (using its  
embedded POD documentation) and then exit the script with the desired  
exit  
status. The usage message printed may have any one of three levels of  
"verboseness": If the verbose level is 0, then only a synopsis is  
printed.  
If the verbose level is 1, then the synopsis is printed along with a  
description (if present) of the command line options and arguments. If  
the  
verbose level is 2, then the entire manual page is printed.  
Name : selinux-policy  
Version : 3.13.1  
Release : 23.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:25 PM EDT  
Group : System Environment/Base  
Size : 176  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : selinux-policy-3.13.1-23.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:56:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/repos/refpolicy/>  
Summary : SELinux policy configuration  
Description :

SELinux Reference Policy - modular.

Based off of reference policy: Checked out revision 2.20091117

Name : sed  
Version : 4.2.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:16 PM EDT  
Group : Applications/Text  
Size : 601208  
License : GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:58:02 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : sed-4.2.2-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:01:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sed.sourceforge.net/>  
Summary : A GNU stream text editor

Description :

The sed (Stream EDitor) editor is a stream or batch (non-interactive) editor. Sed takes text as input, performs an operation or set of operations on the text and outputs the modified text. The operations that sed performs (substitutions, deletions, insertions, etc.) can be specified in a script file or from the command line.

Name : lrzsz  
Version : 0.12.20  
Release : 36.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:09 PM EDT  
Group : Applications/Communications  
Size : 184846  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:32 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : lrzsz-0.12.20-36.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:29:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ohse.de/uwe/software/lrzsz.html>  
Summary : The lrz and lsz modem communications programs

Description :

Lrzsz (consisting of lrz and lsz) is a cosmetically modified zmodem/ymodem/xmodem package built from the public-domain version of the rzzsz package. Lrzsz was created to provide a working GNU copylefted Zmodem solution for Linux systems.

Name : tigervnc-server-minimal  
Version : 1.2.80  
Release : 0.30.20130314svn5065.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:31 PM EDT

Group : User Interface/X  
Size : 2476092  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tigervnc-1.2.80-0.30.20130314svn5065.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:15:08 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tigervnc.com>  
Summary : A minimal installation of TigerVNC server  
Description :  
The VNC system allows you to access the same desktop from a wide variety of platforms. This package contains minimal installation of TigerVNC server, allowing others to access the desktop on your machine.

Name : nm-connection-editor  
Version : 1.0.0  
Release : 2.git20150122.76569a46.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:32 PM EDT  
Group : Applications/System  
Size : 5742495  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : network-manager-applet-1.0.0-2.git20150122.76569a46.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:19:35 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : A network connection configuration editor for NetworkManager  
Description :  
This package contains a network configuration editor and Bluetooth modem utility for use with NetworkManager.

Name : perl-Filter  
Version : 1.49  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:54 PM EDT  
Group : Development/Libraries  
Size : 148475  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Filter-1.49-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:45:54 PM EDT  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/Filter/
Summary     : Perl source filters
Description :
Source filters alter the program text of a module before Perl sees it,
much as
a C preprocessor alters the source text of a C program before the
compiler
sees it.
Name        : libreport-plugin-rhtsupport
Version     : 2.1.11
Release     : 21.el7.centos.0.4
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:00:29 PM EDT
Group       : System Environment/Libraries
Size        : 86642
License     : GPLv2+
Signature   : RSA/SHA256, Wed 25 Mar 2015 02:35:33 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libreport-2.1.11-21.el7.centos.0.4.src.rpm
Build Date  : Wed 25 Mar 2015 02:32:46 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://fedorahosted.org/abrt/
Summary     : libreport's RHTSupport plugin
Description :
Plugin to report bugs into RH support system.
Name        : elfutils-libelf
Version     : 0.160
Release     : 1.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:18 PM EDT
Group       : Development/Tools
Size        : 974246
License     : GPLv2+ or LGPLv3+
Signature   : RSA/SHA256, Sat 14 Mar 2015 03:46:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : elfutils-0.160-1.el7.src.rpm
Build Date  : Thu 05 Mar 2015 06:32:59 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://fedorahosted.org/elfutils/
Summary     : Library to read and write ELF files
Description :
The elfutils-libelf package provides a DSO which allows reading and
writing ELF files on a high level. Third party programs depend on
this package to read internals of ELF files. The programs of the
elfutils package use it also to generate new ELF files.

```

Name : gnome-backgrounds  
Version : 3.8.1  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:20 PM EDT  
Group : Applications/Multimedia  
Size : 9852590  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-backgrounds-3.8.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:22:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Desktop backgrounds packaged with the GNOME desktop  
Description :  
The gnome-backgrounds package contains images and tiles to use for your desktop background which are packaged with the GNOME desktop.

Name : libglade2  
Version : 2.6.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:34 PM EDT  
Group : System Environment/Libraries  
Size : 158886  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:47:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libglade2-2.6.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:08:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : The libglade library for loading user interfaces  
Description :  
Libglade is a small library that allows a program to load its user interface from an XML description at runtime. Libglade uses the XML file format used by the GLADE user interface builder GLADE, so libglade acts as an alternative to GLADE's code generation approach. Libglade also provides a simple interface for connecting handlers to the various signals in the interface (on platforms where the gmodule library works correctly, it is possible to connect all the handlers with a single function call). Once the interface has been instantiated, libglade gives no overhead, so other than the short initial interface loading time, there is no performance tradeoff.

Name : ibus-table  
Version : 1.5.0  
Release : 5.el7



```

Architecture: noarch
Install Date: Fri 26 Aug 2016 01:07:39 PM EDT
Group       : System Environment/Libraries
Size        : 831140
License     : LGPLv2+
Signature   : RSA/SHA256, Thu 03 Jul 2014 10:04:23 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : ibus-table-1.5.0-5.el7.src.rpm
Build Date  : Tue 10 Jun 2014 12:35:21 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://code.google.com/p/ibus/
Summary     : The Table engine for IBus platform
Description :
The Table engine for IBus platform.
Name        : perl-constant
Version     : 1.27
Release     : 2.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:57:56 PM EDT
Group       : Development/Libraries
Size        : 26364
License     : GPL+ or Artistic
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:15:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : perl-constant-1.27-2.el7.src.rpm
Build Date  : Mon 09 Jun 2014 10:51:22 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/constant/
Summary     : Perl pragma to declare constants
Description :
This pragma allows you to declare constants at compile-time:

```

```
use constant PI => 4 * atan2(1, 1);
```

When you declare a constant such as "PI" using the method shown above, each machine your script runs upon can have as many digits of accuracy as it can use. Also, your program will be easier to read, more likely to be maintained (and maintained correctly), and far less likely to send a space probe to the wrong planet because nobody noticed the one equation in which you wrote 3.14195.

When a constant is used in an expression, Perl replaces it with its value at compile time, and may then optimize the expression further. In particular, any code in an "if (CONSTANT)" block will be optimized away if the constant is false.

```

Name        : python-backports-ssl_match_hostname
Version     : 3.4.0.2
Release     : 4.el7

```

Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:33 PM EDT  
Group : Unspecified  
Size : 14193  
License : Python  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-backports-ssl\_match\_hostname-3.4.0.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:59:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [https://bitbucket.org/brandon/backports.ssl\\_match\\_hostname](https://bitbucket.org/brandon/backports.ssl_match_hostname)  
Summary : The ssl.match\_hostname() function from Python 3  
Description :  
The Secure Sockets layer is only actually secure if you check the  
hostname in  
the certificate returned by the server to which you are connecting, and  
verify  
that it matches to hostname that you are trying to reach.

But the matching logic, defined in RFC2818, can be a bit tricky to  
implement on  
your own. So the ssl package in the Standard Library of Python 3.2 now  
includes  
a match\_hostname() function for performing this check instead of  
requiring  
every application to implement the check separately.

This backport brings match\_hostname() to users of earlier versions of  
Python.

The actual code inside comes verbatim from Python 3.2.

Name : libcap-ng  
Version : 0.7.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:21 PM EDT  
Group : System Environment/Libraries  
Size : 46278  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcap-ng-0.7.3-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:58:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/libcap-ng>  
Summary : An alternate posix capabilities library  
Description :  
Libcap-ng is a library that makes using posix capabilities easier  
Name : iwl100-firmware

Version : 39.31.5.1  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:25 PM EDT  
Group : System Environment/Kernel  
Size : 419497  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 100 Series  
Adapters

Description :  
This package contains the firmware required by the iwlagn driver  
for Linux to support the iwl100 hardware. Usage of the firmware  
is subject to the terms and conditions contained inside the provided  
LICENSE file. Please read it carefully.

Name : geronimo-jms  
Version : 1.1.1  
Release : 19.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:43 PM EDT  
Group : Development/Libraries  
Size : 43760  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:00 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : geronimo-jms-1.1.1-19.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:26:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://geronimo.apache.org/>  
Summary : J2EE JMS v1.1 API  
Description :

The Java Message Service (JMS) API is a messaging standard that allows  
application components based on the Java 2 Platform, Enterprise Edition  
(J2EE) to create, send, receive, and read messages. It enables  
distributed

communication that is loosely coupled, reliable, and asynchronous.

Name : gnome-classic-session  
Version : 3.8.4  
Release : 12.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:07:46 PM EDT  
Group : User Interface/Desktops

Size : 69941  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:53:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeShell/Extensions>  
Summary : GNOME "classic" mode session  
Description :  
This package contains the required components for the GNOME Shell "classic" mode, which aims to provide a GNOME 2-like user interface.

Name : perl-LWP-MediaTypes  
Version : 6.02  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:01 PM EDT  
Group : Development/Libraries  
Size : 62858  
License : (GPL+ or Artistic) and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:20:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-LWP-MediaTypes-6.02-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:45:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/LWP-MediaTypes/>  
Summary : Guess media type for a file or a URL  
Description :  
This module provides functions for handling media (also known as MIME) types and encodings. The mapping from file extensions to media types is defined by the media.types file. If the ~/.media.types file exists it is used instead. For backwards compatibility we will also look for ~/.mime.types.

Name : libuser-python  
Version : 0.60  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:37 PM EDT  
Group : Development/Libraries  
Size : 67815  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libuser-0.60-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:56:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/libuser/>  
Summary : Python bindings for the libuser library  
Description :  
The libuser-python package contains the Python bindings for the libuser library, which provides a Python API for manipulating and administering user and group accounts.  
Name : libattr  
Version : 2.4.46  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:25 PM EDT  
Group : System Environment/Libraries  
Size : 19888  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : attr-2.4.46-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:33:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Dynamic library for extended attribute support  
Description :  
This package contains the libattr.so dynamic library which contains the extended attribute system calls and library functions.  
Name : iwl6000g2b-firmware  
Version : 17.168.5.2  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:31 PM EDT  
Group : System Environment/Kernel  
Size : 1221597  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 6030 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.  
Name : avalon-framework

Epoch : 0  
Version : 4.3  
Release : 10.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:47 PM EDT  
Group : Development/Libraries  
Size : 108319  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:45:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avalon-framework-4.3-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:33:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avalon.apache.org/framework/>  
Summary : Java components interfaces  
Description :  
The Avalon framework consists of interfaces that define relationships between commonly used application components, best-of-practice pattern enforcements, and several lightweight convenience implementations of the generic components.  
What that means is that we define the central interface Component. We also define the relationship (contract) a component has with peers, ancestors and children.  
Name : nautilus-open-terminal  
Version : 0.20  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:54 PM EDT  
Group : User Interface/Desktops  
Size : 299838  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nautilus-open-terminal-0.20-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 11:34:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/nautilus-open-terminal/>  
Summary : Nautilus extension for an open terminal shortcut  
Description :  
The nautilus-open-terminal extension provides a right-click "Open Terminal" option for nautilus users who prefer that option.  
Name : perl-Image-Xbm  
Version : 1.08  
Release : 21.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:05 PM EDT  
Group : Development/Libraries  
Size : 34801

License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Image-Xbm-1.08-21.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:29:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Image-Xbm/>  
Summary : Load, create, manipulate and save xbm image files in Perl  
Description :  
This class module provides basic load, manipulate and save functionality for the xbm file format. It inherits from Image::Base which provides additional manipulation functionality.  
Name : python-inotify  
Version : 0.9.4  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:39 PM EDT  
Group : Development/Libraries  
Size : 262646  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-inotify-0.9.4-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:46:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/seb-m/pyinotify>  
Summary : Monitor filesystem events with Python under Linux  
Description :  
This is a Python module for watching filesystems changes. pyinotify can be used for various kind of fs monitoring. pyinotify relies on a recent Linux Kernel feature (merged in kernel 2.6.13) called inotify. inotify is an event-driven notifier, its notifications are exported from kernel space to user space.  
Name : libbluray  
Version : 0.2.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:28 PM EDT  
Group : System Environment/Libraries  
Size : 460889  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:37:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libbluray-0.2.3-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:06:58 PM EDT  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.videolan.org/developers/libbluray.html
Summary     : Library to access Blu-Ray disks for video playback
Description :
This package is aiming to provide a full portable free open source bluray
library, which can be plugged into popular media players to allow full
bluray
navigation and playback on Linux. It will eventually be compatible with
all
current titles, and will be easily portable and embeddable in standard
players
such as mplayer and vlc.
Name        : libXau
Version     : 1.0.8
Release     : 2.1.el7
Architecture: i686
Install Date: Fri 26 Aug 2016 01:12:35 PM EDT
Group       : System Environment/Libraries
Size        : 50641
License     : MIT
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:29:00 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libXau-1.0.8-2.1.el7.src.rpm
Build Date  : Tue 10 Jun 2014 10:28:57 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.x.org
Summary     : Sample Authorization Protocol for X
Description :
This is a very simple mechanism for providing individual access to an X
Window
System display. It uses existing core protocol and library hooks for
specifying
authorization data in the connection setup block to restrict use of the
display
to only those clients that show that they know a server-specific key
called a "magic cookie".
Name        : plymouth-plugin-label
Version     : 0.8.9
Release     : 0.13.20140113.el7.centos
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:03:51 PM EDT
Group       : System Environment/Base
Size        : 15688
License     : GPLv2+
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:29:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm
Build Date  : Mon 09 Mar 2015 03:44:03 PM EDT
Build Host  : worker1.bsys.centos.org

```



```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.freedesktop.org/wiki/Software/Plymouth
Summary     : Plymouth label plugin
Description :
This package contains the label control plugin for
Plymouth. It provides the ability to render text on
graphical boot splashes using pango and cairo.
Name        : system-config-printer
Version     : 1.4.1
Release     : 19.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:08:01 PM EDT
Group       : System Environment/Base
Size        : 1337897
License     : GPLv2+
Signature   : RSA/SHA256, Mon 03 Nov 2014 09:07:46 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM  : system-config-printer-1.4.1-19.el7.src.rpm
Build Date  : Mon 03 Nov 2014 08:49:36 AM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://cyberelk.net/tim/software/system-config-printer/
Summary     : A printer administration tool
Description :
system-config-printer is a graphical user interface that allows
the user to configure a CUPS print server.
Name        : perl-Business-ISBN
Version     : 2.06
Release     : 2.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:13 PM EDT
Group       : Development/Libraries
Size        : 39822
License     : GPL+ or Artistic
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:15:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : perl-Business-ISBN-2.06-2.el7.src.rpm
Build Date  : Tue 10 Jun 2014 02:24:55 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/Business-ISBN/
Summary     : Perl module to work with International Standard Book
Numbers
Description :
This modules handles International Standard Book Numbers, including
ISBN-10 and ISBN-13.
Name        : python-lxml
Version     : 3.2.1

```

Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:43 PM EDT  
Group : Development/Libraries  
Size : 2722705  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:58 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-lxml-3.2.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://lxml.de>  
Summary : ElementTree-like Python bindings for libxml2 and libxslt  
Description :  
lxml provides a Python binding to the libxslt and libxml2 libraries.  
It follows the ElementTree API as much as possible in order to provide  
a more Pythonic interface to libxml2 and libxslt than the default  
bindings. In particular, lxml deals with Python Unicode strings  
rather than encoded UTF-8 and handles memory management automatically,  
unlike the default bindings.

Name : atk  
Version : 2.8.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:31 PM EDT  
Group : System Environment/Libraries  
Size : 1131714  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:40:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : atk-2.8.0-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:05:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://developer.gnome.org/platform-overview/stable/atk>  
Summary : Interfaces for accessibility support  
Description :  
The ATK library provides a set of interfaces for adding accessibility  
support to applications and graphical user interface toolkits. By  
supporting the ATK interfaces, an application or toolkit can be used  
with tools such as screen readers, magnifiers, and alternative input  
devices.

Name : MCRInstaller  
Version : 1.0.4  
Release : 1  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:31:27 PM EDT  
Group : Application/Xerox  
Size : 348394915

License : See v717/MCR\_license.txt  
Signature : (none)  
Source RPM : MCRInstaller-1.0.4-1.src.rpm  
Build Date : Mon 20 May 2013 01:27:28 PM EDT  
Build Host : XPI  
Relocations : (not relocatable)  
Packager : Xerox Corporation  
Summary : Matlab Install Tool  
Description :  
Matlab Install tool  
Name : alsa-plugins-pulseaudio  
Version : 1.0.27  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:11 PM EDT  
Group : System Environment/Libraries  
Size : 106356  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:35:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : alsa-plugins-1.0.27-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:57:34 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : Alsa to PulseAudio backend  
Description :  
This plugin allows any program that uses the ALSA API to access a  
PulseAudio  
sound daemon. In other words, native ALSA applications can play and  
record  
sound across a network. There are two plugins in the suite, one for PCM  
and  
one for mixer control.  
Name : perl-Digest-MD5  
Version : 2.52  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:17 PM EDT  
Group : Development/Libraries  
Size : 55715  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Digest-MD5-2.52-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:45:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Digest-MD5/>  
Summary : Perl interface to the MD5 algorithm

Description :

The Digest::MD5 module allows you to use the RSA Data Security Inc. MD5 Message Digest algorithm from within Perl programs. The algorithm takes as

input a message of arbitrary length and produces as output a 128-bit "fingerprint" or "message digest" of the input.

Name : tagsoup

Epoch : 0

Version : 1.2.1

Release : 8.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 01:00:53 PM EDT

Group : Text Processing/Markup/XML

Size : 143828

License : ASL 2.0 and (GPLv2+ or AFL)

Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:13 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : tagsoup-1.2.1-8.el7.src.rpm

Build Date : Fri 06 Mar 2015 12:48:19 AM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://home.ccil.org/~cowan/XML/tagsoup/>

Summary : A SAX-compliant HTML parser written in Java

Description :

TagSoup is a SAX-compliant parser written in Java that, instead of parsing well-formed or valid XML, parses HTML as it is found in the wild: nasty

and brutish, though quite often far from short. TagSoup is designed for people

who have to process this stuff using some semblance of a rational application

design. By providing a SAX interface, it allows standard XML tools to be applied to even the worst HTML.

Name : gsettings-desktop-schemas

Version : 3.8.2

Release : 3.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:56:34 PM EDT

Group : System Environment/Libraries

Size : 2864176

License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:46:26 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gsettings-desktop-schemas-3.8.2-3.el7.src.rpm

Build Date : Mon 09 Jun 2014 03:38:09 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : [http://bugzilla.gnome.org/enter\\_bug.cgi?product=gsettings-desktop-schemas](http://bugzilla.gnome.org/enter_bug.cgi?product=gsettings-desktop-schemas)

Summary : A collection of GSettings schemas

Description :

gsettings-desktop-schemas contains a collection of GSettings schemas for settings shared by various components of a desktop.

Name : dracut-network  
Version : 033  
Release : 240.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:59 PM EDT  
Group : System Environment/Base  
Size : 125495  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dracut-033-240.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:58:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://dracut.wiki.kernel.org/>  
Summary : dracut modules to build a dracut initramfs with network support

Description :

This package requires everything which is needed to build a generic all purpose initramfs with network support with dracut.

Name : gnome-color-manager  
Version : 3.8.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:37 PM EDT  
Group : Applications/System  
Size : 3982693  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-color-manager-3.8.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:21:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/gnome-color-manager/>  
Summary : Color management tools for GNOME

Description :

gnome-color-manager is a session framework that makes it easy to manage, install

and generate color profiles in the GNOME desktop.

Name : perl-AppConfig  
Version : 1.66  
Release : 20.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:20 PM EDT  
Group : Development/Libraries  
Size : 228292

License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:44 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-AppConfig-1.66-20.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:09:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/AppConfig/>  
Summary : Perl module for reading configuration files  
Description :  
AppConfig has a powerful but easy to use module for parsing  
configuration files. It also has a simple and efficient module for  
parsing command line arguments. For fully-featured command line  
parsing, a module is provided for interfacing AppConfig to Johan  
Vromans' extensive Getopt::Long module. Johan will continue to  
develop the functionality of this package and its features will  
automatically become available through AppConfig.

Name : gd  
Version : 2.0.35  
Release : 26.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:56 PM EDT  
Group : System Environment/Libraries  
Size : 554528  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gd-2.0.35-26.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:02:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.libgd.org/Main\\_Page](http://www.libgd.org/Main_Page)  
Summary : A graphics library for quick creation of PNG or JPEG images  
Description :  
The gd graphics library allows your code to quickly draw images  
complete with lines, arcs, text, multiple colors, cut and paste from  
other images, and flood fills, and to write out the result as a PNG or  
JPEG file. This is particularly useful in Web applications, where PNG  
and JPEG are two of the formats accepted for inline images by most  
browsers. Note that gd is not a paint program.

Name : libtool-ltdl  
Version : 2.4.2  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:37 PM EDT  
Group : System Environment/Libraries  
Size : 67790  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:50 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libtool-2.4.2-20.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:10:05 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libtool/>  
Summary : Runtime libraries for GNU Libtool Dynamic Module Loader  
Description :  
The libtool-ltdl package contains the GNU Libtool Dynamic Module Loader,  
a  
library that provides a consistent, portable interface which simplifies  
the  
process of using dynamic modules.

These runtime libraries are needed by programs that link directly to the  
system-installed ltdl libraries; they are not needed by software built  
using  
the rest of the GNU Autotools (including GNU Autoconf and GNU Automake).

Name : libsoup  
Version : 2.46.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:03 PM EDT  
Group : Development/Libraries  
Size : 1210815  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:12:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libsoup-2.46.0-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:38:47 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/LibSoup>  
Summary : Soup, an HTTP library implementation  
Description :  
Libsoup is an HTTP library implementation in C. It was originally part  
of a SOAP (Simple Object Access Protocol) implementation called Soup, but  
the SOAP and non-SOAP parts have now been split into separate packages.

libsoup uses the Glib main loop and is designed to work well with GTK  
applications. This enables GNOME applications to access HTTP servers  
on the network in a completely asynchronous fashion, very similar to  
the Gtk+ programming model (a synchronous operation mode is also  
supported for those who want it).

Name : unoconv  
Version : 0.6  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:08:45 PM EDT  
Group : System Environment/Base  
Size : 200880

License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:14 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : unoconv-0.6-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:11:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dag.wieers.com/home-made/unoconv/>  
Summary : Tool to convert between any document format supported by  
LibreOffice  
Description :  
unoconv converts between any document format that LibreOffice  
understands.  
It uses LibreOffice's UNO bindings for non-interactive conversion of  
documents.

Supported document formats include Open Document Format (.odf), MS Word  
(.doc),  
MS Office Open/MS OOXML (.xml), Portable Document Format (.pdf), HTML,  
XHTML,  
RTF, Docbook (.xml), and more.

Name : perl-XML-Writer  
Version : 0.623  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:23 PM EDT  
Group : Development/Libraries  
Size : 65816  
License : CC0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:42 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-Writer-0.623-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:22:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-Writer/>  
Summary : A simple Perl module for writing XML documents  
Description :  
XML::Writer is a simple Perl module for writing XML documents: it  
takes care of constructing markup and escaping data correctly, and by  
default, it also performs a significant amount of well-formedness  
checking on the output, to make certain (for example) that start and  
end tags match, that there is exactly one document element, and that  
there are not duplicate attribute names.  
Name : avahi-autoipd  
Version : 0.6.31  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:03 PM EDT  
Group : Unspecified



Size : 41704  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:03:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Link-local IPv4 address automatic configuration daemon  
(IPv4LL)  
Description :  
avahi-autoipd implements IPv4LL, "Dynamic Configuration of IPv4  
Link-Local Addresses" (IETF RFC3927), a protocol for automatic IP  
address  
configuration from the link-local 169.254.0.0/16 range without the need  
for a  
central server. It is primarily intended to be used in ad-hoc networks  
which  
lack a DHCP server.  
Name : libX11  
Version : 1.6.0  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:40 PM EDT  
Group : System Environment/Libraries  
Size : 1325728  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:50 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libX11-1.6.0-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:25:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Core X11 protocol client library  
Description :  
Core X11 protocol client library.  
Name : NetworkManager-wifi  
Epoch : 1  
Version : 1.0.0  
Release : 14.git20150121.b4ea599c.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:13 PM EDT  
Group : System Environment/Base  
Size : 113112  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:59 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm

Build Date : Thu 05 Mar 2015 11:19:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Wifi plugin for NetworkManager  
Description :  
This package contains NetworkManager support for Wifi and OLPC devices.

Name : ModemManager  
Version : 1.1.0  
Release : 6.git20130913.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:51 PM EDT  
Group : System Environment/Base  
Size : 2264699  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:48:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ModemManager-1.1.0-6.git20130913.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:45:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Mobile broadband modem management service  
Description :  
The ModemManager service manages WWAN modems and provides a consistent API for interacting with these devices to client applications.

Name : xorg-x11-server-common  
Version : 1.15.0  
Release : 32.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:26 PM EDT  
Group : User Interface/X  
Size : 134471  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-server-1.15.0-32.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:12:30 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg server common files  
Description :  
Common files shared among all X servers.

Name : libquvi  
Version : 0.4.1  
Release : 5.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:06 PM EDT  
Group : Applications/Internet  
Size : 83353  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:08:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libquvi-0.4.1-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:13:25 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://quvi.sourceforge.net/>  
Summary : A cross-platform library for parsing flash media stream  
Description :  
Libquvi is a cross-platform library for parsing flash media stream  
URLs with C API.  
Name : libXcomposite  
Version : 0.4.4  
Release : 4.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:42 PM EDT  
Group : System Environment/Libraries  
Size : 35184  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXcomposite-0.4.4-4.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:04:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Composite Extension library  
Description :  
X Composite Extension library  
Name : cyrus-sasl  
Version : 2.1.26  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:22 PM EDT  
Group : System Environment/Libraries  
Size : 144267  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:04:49 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : The Cyrus SASL library  
Description :  
The cyrus-sasl package contains the Cyrus implementation of SASL. SASL is the Simple Authentication and Security Layer, a method for adding authentication support to connection-based protocols.

Name : tftp-server  
Version : 5.2  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:54 PM EDT  
Group : System Environment/Daemons  
Size : 65505  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:32:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tftp-5.2-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:44:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/pub/software/network/tftp/>  
Summary : The server for the Trivial File Transfer Protocol (TFTP)  
Description :  
The Trivial File Transfer Protocol (TFTP) is normally used only for booting diskless workstations. The tftp-server package provides the server for TFTP, which allows users to transfer files to and from a remote machine. TFTP provides very little security, and should not be enabled unless it is expressly needed. The TFTP server is run from /etc/xinetd.d/tftp, and is disabled by default.

Name : libXvMC  
Version : 1.0.8  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:31 PM EDT  
Group : System Environment/Libraries  
Size : 36955  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXvMC-1.0.8-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:55:05 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXvMC runtime library  
Description :  
X.Org X11 libXvMC runtime library

Name : perl-Image-Info  
Version : 1.33  
Release : 3.el7

```

Architecture: noarch
Install Date: Fri 26 Aug 2016 01:01:10 PM EDT
Group       : Development/Libraries
Size        : 159128
License     : GPL+ or Artistic
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:19:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : perl-Image-Info-1.33-3.el7.src.rpm
Build Date  : Mon 09 Jun 2014 09:22:24 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/Image-Info/
Summary     : Image meta information extraction module for Perl
Description :
This Perl extension allows you to extract meta information from
various types of image files.
Name        : xz
Version     : 5.1.2
Release     : 9alpha.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:44 PM EDT
Group       : Applications/File
Size        : 688465
License     : LGPLv2+
Signature   : RSA/SHA256, Wed 01 Oct 2014 08:35:42 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : xz-5.1.2-9alpha.el7.src.rpm
Build Date  : Tue 30 Sep 2014 01:51:42 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://tukaani.org/xz/
Summary     : LZMA compression utilities
Description :
XZ Utils are an attempt to make LZMA compression easy to use on free (as
in
freedom) operating systems. This is achieved by providing tools and
libraries
which are similar to use than the equivalents of the most popular
existing
compression algorithms.

```

```

LZMA is a general purpose compression algorithm designed by Igor Pavlov
as
part of 7-Zip. It provides high compression ratio while keeping the
decompression speed fast.
Name        : libvirt-gobject
Version     : 0.1.7
Release     : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:04:26 PM EDT

```

Group : Development/Libraries  
Size : 209876  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-glib-0.1.7-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:15:43 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : libvirt object APIs for managing virtualization hosts  
Description :  
This package provides APIs for managing virtualization host  
objects  
Name : avahi-gobject  
Version : 0.6.31  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:34 PM EDT  
Group : Unspecified  
Size : 49656  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:35 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:03:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : GObject wrapper library for Avahi  
Description :  
This library contains a GObject wrapper for the Avahi API  
Name : bind-libs  
Epoch : 32  
Version : 9.9.4  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:16 PM EDT  
Group : Applications/System  
Size : 2643504  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:23 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : bind-9.9.4-18.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:10:04 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.isc.org/products/BIND/>

Summary : Libraries used by the BIND DNS packages  
Description :  
Contains heavyweight version of BIND suite libraries used by both named  
DNS  
server and utilities in bind-utils package.

Name : libXmu  
Version : 1.1.1  
Release : 5.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:47 PM EDT  
Group : System Environment/Libraries  
Size : 167784  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:29 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXmu-1.1.1-5.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:10:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXmu/libXmu runtime libraries  
Description :  
X.Org X11 libXmu/libXmu runtime libraries

Name : xorg-x11-drv-vesa  
Version : 2.3.2  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:31 PM EDT  
Group : User Interface/X Hardware Support  
Size : 29872  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-vesa-2.3.2-14.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:37:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 vesa video driver  
Description :  
X.Org X11 vesa video driver.

Name : plymouth-system-theme  
Version : 0.8.9  
Release : 0.13.20140113.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:03 PM EDT  
Group : System Environment/Base  
Size : 0  
License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:24 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>  
Summary : Plymouth default theme  
Description :

This metapackage tracks the current distribution default theme.

Name : vim-minimal  
Epoch : 2  
Version : 7.4.160  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:37 PM EDT  
Group : Applications/Editors  
Size : 917608  
License : Vim

Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:17 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : vim-7.4.160-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : A minimal version of the VIM editor  
Description :

VIM (VIsual editor iMproved) is an updated and improved version of the vi editor. Vi was the first real screen-based editor for UNIX, and is still very popular. VIM improves on vi by adding new features: multiple windows, multi-level undo, block highlighting and more. The vim-minimal package includes a minimal version of VIM, which is installed into /bin/vi for use when only the root partition is present. NOTE: The online help is only available when the vim-common package is installed.

Name : gdk-pixbuf2  
Version : 2.28.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:20 PM EDT  
Group : System Environment/Libraries  
Size : 2779347  
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:42 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gdk-pixbuf2-2.28.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:44:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)



Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gt.org>  
Summary : An image loading library  
Description :  
gdk-pixbuf is an image loading library that can be extended by loadable modules for new image formats. It is used by toolkits such as GTK+ or clutter.  
Name : libaio  
Version : 0.3.109  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:50 PM EDT  
Group : System Environment/Libraries  
Size : 39182  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libaio-0.3.109-12.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:48:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Linux-native asynchronous I/O access library  
Description :  
The Linux-native asynchronous I/O facility ("async I/O", or "aio") has a richer API and capability set than the simple POSIX async I/O facility. This library, libaio, provides the Linux-native API for async I/O. The POSIX async I/O facility requires this library in order to provide kernel-accelerated async I/O capabilities, as do applications which require the Linux-native async I/O API.  
Name : xorg-x11-drv-v4l  
Version : 0.2.0  
Release : 35.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:33 PM EDT  
Group : User Interface/X Hardware Support  
Size : 24969  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-v4l-0.2.0-35.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:05:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 v4l video driver  
Description :  
X.Org X11 v4l video driver.  
Name : wvdial  
Version : 1.61

```

Release      : 9.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:09:13 PM EDT
Group        : System Environment/Daemons
Size         : 270384
License      : LGPLv2+
Signature    : RSA/SHA256, Fri 04 Jul 2014 01:44:31 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : wvdial-1.61-9.el7.src.rpm
Build Date   : Mon 09 Jun 2014 09:01:51 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://alumnit.ca/wiki/?WvDial
Summary      : A heuristic autodialer for PPP connections
Description  :
WvDial automatically locates and configures modems and can log into
almost any ISP's server without special configuration. You need to
input the username, password, and phone number, and then WvDial will
negotiate the PPP connection using any mechanism needed.
Name         : libfreehand
Version      : 0.0.0
Release      : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:58:41 PM EDT
Group        : System Environment/Libraries
Size         : 181959
License      : MPLv2.0
Signature    : RSA/SHA256, Sat 14 Mar 2015 04:01:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : libfreehand-0.0.0-3.el7.src.rpm
Build Date   : Thu 05 Mar 2015 10:19:12 PM EST
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          :
http://wiki.documentfoundation.org/DLP/Libraries/libfreehand
Summary      : A library for import of Macromedia/Adobe FreeHand documents
Description  :
libfreehand is library providing ability to interpret and import
Macromedia/Adobe FreeHand documents into various applications.
Name         : c-ares
Version      : 1.10.0
Release      : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:01:28 PM EDT
Group        : System Environment/Libraries
Size         : 182385
License      : MIT
Signature    : RSA/SHA256, Thu 03 Jul 2014 08:55:48 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : c-ares-1.10.0-3.el7.src.rpm

```

Build Date : Tue 10 Jun 2014 03:00:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://c-ares.haxx.se/>  
Summary : A library that performs asynchronous DNS operations  
Description :  
c-ares is a C library that performs DNS requests and name resolves asynchronously. c-ares is a fork of the library named 'ares', written by Greg Hudson at MIT.  
Name : telepathy-glib  
Version : 0.20.4  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:53 PM EDT  
Group : System Environment/Libraries  
Size : 2725634  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : telepathy-glib-0.20.4-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:43:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://telepathy.freedesktop.org/wiki/FrontPage>  
Summary : GLib bindings for Telepathy  
Description :  
Telepathy-glib is the glib bindings for the telepathy unified framework for all forms of real time conversations, including instant messaging, IRC, voice calls and video calls.  
Name : libreoffice-draw  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:03 PM EDT  
Group : Applications/Productivity  
Size : 2340145  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>

Summary : LibreOffice Drawing Application  
Description :  
The LibreOffice Drawing Application.  
Name : gnome-dictionary  
Version : 3.8.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:20 PM EDT  
Group : Applications/Text  
Size : 2564059  
License : GPLv3+ and LGPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:00 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gnome-dictionary-3.8.0-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:34:43 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>

Summary : A dictionary application for GNOME  
Description :  
gnome-dictionary lets you look up words in dictionary sources.

Name : bc  
Version : 1.06.95  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:46 PM EDT  
Group : Applications/Engineering  
Size : 219830  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:47:28 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : bc-1.06.95-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:51:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/bc/>  
Summary : GNU's bc (a numeric processing language) and dc (a  
calculator)

Description :  
The bc package includes bc and dc. Bc is an arbitrary precision  
numeric processing arithmetic language. Dc is an interactive  
arbitrary precision stack based calculator, which can be used as a  
text mode calculator.

Install the bc package if you need its number handling capabilities or  
if you would like to use its text mode calculator.

Name : libhangul  
Version : 0.1.0  
Release : 8.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:01:32 PM EDT  
Group : System Environment/Libraries  
Size : 6649295  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:51:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libhangul-0.1.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:58:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://code.google.com/p/libhangul/>  
Summary : Hangul input library  
Description :  
libhangul provides common features for Hangul input method programs.

Name : kmod-libs  
Version : 14  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:56 PM EDT  
Group : System Environment/Libraries  
Size : 91520  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kmod-14-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:10:09 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://git.kernel.org/?p=utils/kernel/kmod/kmod.git;a=summary>  
Summary : Libraries to handle kernel module loading and unloading  
Description :  
The kmod-libs package provides runtime libraries for any application that wishes to load or unload Linux kernel modules from the running system.

Name : sssd-krb5  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:08 PM EDT  
Group : Applications/System  
Size : 76389  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:44 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://fedorahosted.org/sssd/>  
Summary : The Kerberos authentication back end for the SSSD  
Description :  
Provides the Kerberos back end that the SSSD can utilize to authenticate against a Kerberos server.  
Name : kpatch  
Version : 0.1.10  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:09:26 PM EDT  
Group : System Environment/Kernel  
Size : 11046  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kpatch-0.1.10-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:11:05 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/dynup/kpatch>  
Summary : Dynamic kernel patch manager  
Description :  
kpatch is a dynamic kernel patch module manager. It allows the user to manage a collection of binary kernel patch modules which can be used to dynamically patch the kernel without rebooting.  
Name : qpdf-libs  
Version : 5.0.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:49 PM EDT  
Group : System Environment/Libraries  
Size : 924514  
License : Artistic 2.0 and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:44:10 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : qpdf-5.0.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:47:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://qpdf.sourceforge.net/>  
Summary : QPDF library for transforming PDF files  
Description :  
QPDF is a C++ library that inspects and manipulates the structure of PDF files. It can encrypt and linearize files, expose the internals of a PDF file, and do many other operations useful to PDF developers.  
Name : libndp  
Version : 1.2

Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:35 PM EDT  
Group : System Environment/Libraries  
Size : 71387  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:01:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libndp-1.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libndp.org/>  
Summary : Library for Neighbor Discovery Protocol  
Description :  
This package contains a library which provides a wrapper  
for IPv6 Neighbor Discovery Protocol. It also provides a tool  
named ndptool for sending and receiving NDP messages.  
Name : giflib  
Version : 4.1.6  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:58 PM EDT  
Group : System Environment/Libraries  
Size : 90124  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:30:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : giflib-4.1.6-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:51:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sourceforge.net/projects/giflib/>  
Summary : Library for manipulating GIF format image files  
Description :  
The giflib package contains a shared library of functions for loading and  
saving GIF format image files. It is API and ABI compatible with  
libungif,  
the library which supported uncompressed GIFs while the Unisys LZW patent  
was in effect.  
Name : abrt-dbus  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:11 PM EDT  
Group : Applications/System  
Size : 123215  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:27 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : ABRT DBus service  
Description :  
ABRT DBus service which provides org.freedesktop.problems API on dbus and uses PolicyKit to authorize to access the problem data.

Name : PackageKit-gstreamer-plugin  
Version : 0.8.9  
Release : 11.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:31 PM EDT  
Group : Development/Libraries  
Size : 15848  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:56 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm  
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Install GStreamer codecs using PackageKit  
Description :  
The PackageKit GStreamer plugin allows any Gstreamer application to install codecs from configured repositories using PackageKit.

Name : google-crosextra-caladea-fonts  
Version : 1.002  
Release : 0.4.20130214.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:55 PM EDT  
Group : User Interface/X  
Size : 242423  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:59 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : google-crosextra-caladea-fonts-1.002-0.4.20130214.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:27:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/chromium/issues/detail?id=168879>  
Summary : Serif font metric-compatible with Cambria font  
Description :  
Caladea is metric-compatible with Cambria font. This font is a serif



typeface family based on Lato.

Name : libgudev1  
Version : 208  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:40 PM EDT  
Group : Unspecified  
Size : 47176  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemd-208-20.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:48:58 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : Libraries for adding libudev support to applications that use glib

Description :

This package contains the libraries that make it easier to use libudev functionality from applications that use glib.

Name : exempi  
Version : 2.2.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:01 PM EDT  
Group : System Environment/Libraries  
Size : 1204560  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:15:34 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : exempi-2.2.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:56:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libopenraw.freedesktop.org/wiki/Exempi>  
Summary : Library for easy parsing of XMP metadata

Description :

Exempi provides a library for easy parsing of XMP metadata. It is a port of

Adobe XMP SDK to work on UNIX and to be build with GNU automake.

It includes XMPCore and XMPFiles.

Name : libzapojit  
Version : 0.0.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:17 PM EDT  
Group : Unspecified  
Size : 111401  
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libzapojit-0.0.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:26:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Zapojit>  
Summary : GLib/GObject wrapper for the SkyDrive and Hotmail REST APIs  
Description :

GLib/GObject wrapper for the SkyDrive and Hotmail REST APIs. It supports  
SkyDrive file and folder objects, and the following SkyDrive operations:

- Deleting a file, folder or photo.
- Listing the contents of a folder.
- Reading the properties of a file, folder or photo.
- Uploading files and photos.

Name : smartmontools  
Epoch : 1  
Version : 6.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:39 PM EDT  
Group : System Environment/Base  
Size : 1502746  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:41 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : smartmontools-6.2-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:30:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://smartmontools.sourceforge.net/>  
Summary : Tools for monitoring SMART capable hard disks  
Description :

The smartmontools package contains two utility programs (smartctl  
and smartd) to control and monitor storage systems using the Self-  
Monitoring, Analysis and Reporting Technology System (SMART) built  
into most modern ATA and SCSI hard disks. In many cases, these  
utilities will provide advanced warning of disk degradation and  
failure.

Name : libmodman  
Version : 2.0.1  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:59 PM EDT  
Group : System Environment/Libraries  
Size : 58871  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libmodman-2.0.1-8.el7.src.rpm

Build Date : Tue 10 Jun 2014 03:30:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/libmodman/>  
Summary : A simple library for managing C++ modules (plug-ins)  
Description :  
libmodman is a simple library for managing C++ modules (plug-ins).  
Name : GConf2  
Version : 3.2.6  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:45 PM EDT  
Group : System Environment/Base  
Size : 6605084  
License : LGPLv2+ and GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:26:50 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : GConf2-3.2.6-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:48:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/gconf/>  
Summary : A process-transparent configuration system  
Description :  
GConf is a process-transparent configuration database API used to  
store user preferences. It has pluggable backends and features to  
support workgroup administration.  
Name : libquadmath  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:04 PM EDT  
Group : System Environment/Libraries  
Size : 282779  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with  
exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:10 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : GCC \_\_float128 shared support library  
Description :  
This package contains GCC shared support library which is needed  
for \_\_float128 math support and for Fortran REAL\*16 support.  
Name : chrony

Version : 1.29.1  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:23 PM EDT  
Group : System Environment/Daemons  
Size : 567017  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : chrony-1.29.1-1.el7.centos.src.rpm  
Build Date : Wed 18 Jun 2014 05:18:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://chrony.tuxfamily.org>  
Summary : An NTP client/server  
Description :  
A client/server for the Network Time Protocol, this program keeps your computer's clock accurate. It was specially designed to support systems with intermittent internet connections, but it also works well in permanently connected environments. It can use also hardware reference clocks, system real-time clock or manual input as time references.

Name : microcode\_ctl  
Epoch : 2  
Version : 2.1  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:51 PM EDT  
Group : System Environment/Base  
Size : 660999  
License : GPLv2+ and Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : microcode\_ctl-2.1-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:54:37 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://fedorahosted.org/microcode\\_ctl](http://fedorahosted.org/microcode_ctl)  
Summary : Tool to transform and deploy CPU microcode update for x86.  
Description :  
The microcode\_ctl utility is a companion to the microcode driver written by Tigran Aivazian <[tigran@aivazian.fsnet.co.uk](mailto:tigran@aivazian.fsnet.co.uk)>.

The microcode update is volatile and needs to be uploaded on each system boot i.e. it doesn't reflash your cpu permanently, reboot and it reverts back to the old microcode.

Name : sg3\_utils-libs  
Version : 1.37  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:05 PM EDT

Group : System Environment/Libraries  
Size : 184527  
License : GPLv2+ and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:25 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sg3\_utils-1.37-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:13:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://sg.danny.cz/sg/sg3\\_utils.html](http://sg.danny.cz/sg/sg3_utils.html)  
Summary : Shared library for sg3\_utils  
Description :  
This package contains the shared library for sg3\_utils.  
Name : libpciaccess  
Version : 0.13.1  
Release : 4.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:51 PM EDT  
Group : System Environment/Libraries  
Size : 44287  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libpciaccess-0.13.1-4.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:23:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gitweb.freedesktop.org/?p=xorg/lib/libpciaccess.git>  
Summary : PCI access library  
Description :  
libpciaccess is a library for portable PCI access routines across  
multiple  
operating systems.  
Name : mesa-libglapi  
Version : 10.2.7  
Release : 5.20140910.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:07 PM EDT  
Group : System Environment/Libraries  
Size : 173920  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:04 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:24:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>

Summary : Mesa shared glapi  
Description :  
Mesa shared glapi  
Name : hplip-libs  
Version : 3.13.7  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:28 PM EDT  
Group : System Environment/Libraries  
Size : 370584  
License : GPLv2+ and MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:54 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hplip-3.13.7-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:41:36 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hplip.sourceforge.net/>  
Summary : HPLIP libraries  
Description :  
Libraries needed by HPLIP.  
Name : setuptool  
Version : 1.19.11  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:59 PM EDT  
Group : Applications/System  
Size : 149266  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : setuptool-1.19.11-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=setuptool.git>  
Summary : A text mode system configuration tool  
Description :  
Setuptool is a user-friendly text mode menu utility which allows you  
to access all of the text mode configuration programs included in the  
operating system distribution.  
Name : krb5-libs  
Version : 1.12.2  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:08 PM EDT  
Group : System Environment/Libraries  
Size : 2267302  
License : MIT

Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:44 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : krb5-1.12.2-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:25:02 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://web.mit.edu/kerberos/www/>  
Summary : The shared libraries used by Kerberos 5  
Description :  
Kerberos is a network authentication system. The krb5-libs package  
contains the shared libraries needed by Kerberos 5. If you are using  
Kerberos, you need to install this package.  
Name : pyparted  
Epoch : 1  
Version : 3.9  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:56 PM EDT  
Group : System Environment/Libraries  
Size : 684347  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pyparted-3.9-11.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:10:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/pyparted>  
Summary : Python module for GNU parted  
Description :  
Python module for the parted library. It is used for manipulating  
partition tables.  
Name : pulseaudio-libs-glib2  
Version : 3.0  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:10 PM EDT  
Group : Unspecified  
Size : 19856  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:16 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pulseaudio-3.0-30.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : GLIB 2.x bindings for PulseAudio clients

Description :

This package contains bindings to integrate the PulseAudio client library with

a GLIB 2.x based application.

Name : alsa-tools-firmware

Version : 1.0.27

Release : 4.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:05:34 PM EDT

Group : Applications/System

Size : 86339

License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 08:35:25 PM EDT, Key ID

24c6a8a7f4a80eb5

Source RPM : alsa-tools-1.0.27-4.el7.src.rpm

Build Date : Tue 10 Jun 2014 03:38:00 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.alsa-project.org/>

Summary : ALSA tools for uploading firmware to some soundcards

Description :

This package contains tools for flashing firmware into certain sound cards.

The following tools are available:

\* hdsploder - for RME Hammerfall DSP cards

\* mixartloader - for Digigram miXart soundcards

\* vxloader - for Digigram VX soundcards

\* usx2yloader - second phase firmware loader for Tascam USX2Y USB

soundcards

Name : libtool

Version : 2.4.2

Release : 20.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:10:09 PM EDT

Group : Development/Tools

Size : 2323764

License : GPLv2+ and LGPLv2+ and GFDL

Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:46 PM EDT, Key ID

24c6a8a7f4a80eb5

Source RPM : libtool-2.4.2-20.el7.src.rpm

Build Date : Mon 09 Jun 2014 08:10:05 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.gnu.org/software/libtool/>

Summary : The GNU Portable Library Tool

Description :

GNU Libtool is a set of shell scripts which automatically configure UNIX and



UNIX-like systems to generically build shared libraries. Libtool provides a consistent, portable interface which simplifies the process of using shared libraries.

If you are developing programs which will use shared libraries, but do not use the rest of the GNU Autotools (such as GNU Autoconf and GNU Automake), you should install the libtool package.

The libtool package also includes all files needed to integrate the GNU Portable Library Tool (libtool) and the GNU Libtool Dynamic Module Loader (ltdl) into a package built using the GNU Autotools (including GNU Autoconf and GNU Automake).

Name : nss-tools  
Version : 3.16.2.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:13 PM EDT  
Group : System Environment/Base  
Size : 1902142  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:45 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-3.16.2.3-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:48:15 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Tools for the Network Security Services  
Description :  
Network Security Services (NSS) is a set of libraries designed to support cross-platform development of security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards.

Install the nss-tools package if you need command-line tools to manipulate the NSS certificate and key database.

Name : cronie  
Version : 1.4.11  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:59 PM EDT  
Group : System Environment/Base  
Size : 216204  
License : MIT and BSD and ISC and GPLv2+  
Signature : RSA/SHA256, Wed 30 Jul 2014 01:14:20 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : cronie-1.4.11-13.el7.src.rpm  
Build Date : Wed 30 Jul 2014 11:18:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/cronie>  
Summary : Cron daemon for executing programs at set times  
Description :  
Cronie contains the standard UNIX daemon crond that runs specified programs at scheduled times and related tools. It is a fork of the original vixie-cron and has security and configuration enhancements like the ability to use pam and SELinux.

Name : libusal  
Version : 1.1.11  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:13 PM EDT  
Group : Development/Libraries  
Size : 463934  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:44 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : cdrkit-1.1.11-22.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:32:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrkit.org/>  
Summary : Library to communicate with SCSI devices  
Description :  
The libusal package contains C libraries that allows applications to communicate with SCSI devices and is well suitable for writing CD-R media.

Name : rsyslog  
Version : 7.4.7  
Release : 7.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:41 PM EDT  
Group : System Environment/Daemons  
Size : 2033615  
License : (GPLv3+ and ASL 2.0)  
Signature : RSA/SHA256, Mon 13 Oct 2014 03:41:08 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : rsyslog-7.4.7-7.el7\_0.src.rpm  
Build Date : Mon 13 Oct 2014 03:07:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://www.rsyslog.com/>  
Summary : Enhanced system logging and kernel message trapping daemon  
Description :  
Rsyslog is an enhanced, multi-threaded syslog daemon. It supports MySQL, syslog/TCP, RFC 3195, permitted sender lists, filtering on any message part, and fine grain output format control. It is compatible with stock syslogd and can be used as a drop-in replacement. Rsyslog is simple to set up, with advanced features suitable for enterprise-class, encryption-protected syslog relay chains.

Name : blktrace  
Version : 1.0.5  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:19 PM EDT  
Group : Development/System  
Size : 304236  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:49:13 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : blktrace-1.0.5-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:30:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://brick.kernel.dk/snaps>  
Summary : Utilities for performing block layer IO tracing in the linux kernel  
Description :  
blktrace is a block layer IO tracing mechanism which provides detailed information about request queue operations to user space. This package includes both blktrace, a utility which gathers event traces from the kernel; and blkparse, a utility which formats trace data collected by blktrace.

You should install the blktrace package if you need to gather detailed information about IO patterns.

Name : pam  
Version : 1.1.8  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:19 PM EDT  
Group : System Environment/Base  
Size : 2619582  
License : BSD and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:26:05 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pam-1.1.8-12.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:55:35 PM EST  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linux-pam.org/>  
Summary : An extensible library which provides authentication for applications  
Description :  
PAM (Pluggable Authentication Modules) is a system security tool that allows system administrators to set authentication policy without having to recompile programs that handle authentication.  
Name : gnutls  
Version : 3.3.8  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:23 PM EDT  
Group : System Environment/Libraries  
Size : 2057128  
License : GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:52:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnutls-3.3.8-12.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:33:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnutls.org/>  
Summary : A TLS protocol implementation  
Description :  
GnuTLS is a secure communications library implementing the SSL, TLS and DTLS protocols and technologies around them. It provides a simple C language application programming interface (API) to access the secure communications protocols as well as APIs to parse and write X.509, PKCS #12, OpenPGP and other required structures.  
Name : libiec61883  
Version : 1.2.0  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:16 PM EDT  
Group : System Environment/Libraries  
Size : 83601  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libiec61883-1.2.0-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:34:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://ieee1394.wiki.kernel.org/index.php/Libraries#libiec61883>

Summary : Streaming library for IEEE1394  
Description :  
The libiec61883 library provides an higher level API for streaming DV, MPEG-2 and audio over IEEE1394. Based on the libraw1394 isochronous functionality, this library acts as a filter that accepts DV-frames, MPEG-2 frames or audio samples from the application and breaks these down to isochronous packets, which are transmitted using libraw1394.

Name : lpsolve  
Version : 5.5.2.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:48 PM EDT  
Group : System Environment/Libraries  
Size : 1272068  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lpsolve-5.5.2.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:01:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/lpsolve>  
Summary : A Mixed Integer Linear Programming (MILP) solver  
Description :  
Mixed Integer Linear Programming (MILP) solver lpsolve solves pure linear, (mixed) integer/binary, semi-continuous and special ordered sets (SOS) models.

Name : kernel-tools  
Version : 3.10.0  
Release : 229.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:27 PM EDT  
Group : Development/System  
Size : 227132  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-229.el7.src.rpm  
Build Date : Fri 06 Mar 2015 07:20:57 AM EST  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
URL : <http://www.kernel.org/>  
Summary : Assortment of tools for the Linux kernel  
Description :  
This package contains the tools/ directory from the kernel source and the supporting documentation.

Name : python-libs  
Version : 2.7.5  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:29 PM EDT

Group : Applications/System  
Size : 24556302  
License : Python  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-2.7.5-16.el7.src.rpm  
Build Date : Tue 17 Jun 2014 02:43:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.python.org/>  
Summary : Runtime libraries for Python  
Description :  
This package contains runtime libraries for use by Python:  
- the libpython dynamic library, for use by applications that embed Python as  
a scripting language, and by the main "python" executable  
- the Python standard library  
Name : abrt-addon-pstoreoops  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:25 PM EDT  
Group : System Environment/Libraries  
Size : 14454  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's pstore oops addon  
Description :  
This package contains plugin for collecting kernel oopses from pstore storage.  
Name : libXxf86misc  
Version : 1.0.3  
Release : 7.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:19 PM EDT  
Group : System Environment/Libraries  
Size : 29684  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXxf86misc-1.0.3-7.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:14:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86misc runtime library  
Description :  
X.Org X11 libXxf86misc runtime library  
Name : libpipeline  
Version : 1.2.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:56 PM EDT  
Group : Development/Libraries  
Size : 142521  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libpipeline-1.2.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:46:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libpipeline.nongnu.org/>  
Summary : A pipeline manipulation library  
Description :  
libpipeline is a C library for setting up and running pipelines of  
processes, without needing to involve shell command-line parsing which is  
often error-prone and insecure. This alleviates programmers of the need  
to  
laboriously construct pipelines using lower-level primitives such as  
fork(2)  
and execve(2).  
Name : perl-Archive-Zip  
Version : 1.30  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:33 PM EDT  
Group : Development/Libraries  
Size : 307552  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:52 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Archive-Zip-1.30-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:49:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Archive-Zip/>  
Summary : Perl library for accessing Zip archives  
Description :  
The Archive::Zip module allows a Perl program to create, manipulate,  
read, and write Zip archive files.  
Zip archives can be created, or you can read from existing zip files.

Once created, they can be written to files, streams, or strings. Members can be added, removed, extracted, replaced, rearranged, and enumerated. They can also be renamed or have their dates, comments, or other attributes queried or modified. Their data can be compressed or uncompressed as needed. Members can be created from members in existing Zip files, or from existing directories, files, or strings.

Name : libarchive  
Version : 3.1.2  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:33 PM EDT  
Group : System Environment/Libraries  
Size : 741171  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libarchive-3.1.2-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:41:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libarchive.org/>  
Summary : A library for handling streaming archive formats  
Description :  
Libarchive is a programming library that can create and read several different streaming archive formats, including most popular tar variants, several cpio formats, and both BSD and GNU ar variants. It can also write shar archives and read ISO9660 CDRom images and ZIP archives.

Name : libgtop2  
Version : 2.28.4  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:21 PM EDT  
Group : System Environment/Libraries  
Size : 425870  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgtop2-2.28.4-7.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:22:15 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/libgtop/2.28>  
Summary : LibGTop library (version 2)  
Description :  
LibGTop is a library for portably obtaining information about processes, such as their PID, memory usage, etc.

Name : fontpackages-filesystem



Version : 1.44  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:32 PM EDT  
Group : Development/System  
Size : 0  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:22:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fontpackages-1.44-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:34:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/fontpackages>  
Summary : Directories used by font packages  
Description :  
This package contains the basic directory layout used by font packages,  
including the correct permissions for the directories.

Name : librsvg2  
Version : 2.39.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:35 PM EDT  
Group : System Environment/Libraries  
Size : 296207  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:15:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : librsvg2-2.39.0-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:07:08 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : An SVG library based on cairo  
Description :  
An SVG library based on cairo.

Name : xmlrpc-c-client  
Version : 1.32.5  
Release : 1905.svn2451.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:40 PM EDT  
Group : System Environment/Libraries  
Size : 53400  
License : BSD and MIT and GPL+ and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xmlrpc-c-1.32.5-1905.svn2451.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:03:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://xmlrpc-c.sourceforge.net/>  
Summary : C client libraries for xmlrpc-c  
Description :  
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C clients.

Name : imsettings-libs  
Version : 1.6.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:25 PM EDT  
Group : Development/Libraries  
Size : 532479  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : imsettings-1.6.3-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:52:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://tagoh.bitbucket.org/imsettings/>  
Summary : Libraries for imsettings  
Description :  
IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.

This package contains the shared library for imsettings.

Name : gnu-free-fonts-common  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:33 PM EDT  
Group : User Interface/X  
Size : 502617  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : Common files for freefont (documentation...)  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package consists of files used by other gnu-free-fonts packages.

Name : kmod  
Version : 14  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:44 PM EDT  
Group : System Environment/Kernel  
Size : 154579  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kmod-14-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:10:09 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://git.kernel.org/?p=utils/kernel/kmod/kmod.git;a=summary>  
Summary : Linux kernel module management utilities  
Description :  
The kmod package provides various programs needed for automatic loading and unloading of modules under 2.6, 3.x, and later kernels, as well as other module management programs. Device drivers and filesystems are two examples of loaded and unloaded modules.

Name : centos-release  
Version : 7  
Release : 1.1503.el7.centos.2.8  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:55:34 PM EDT  
Group : System Environment/Base  
Size : 34409  
License : GPLv2  
Signature : RSA/SHA256, Tue 31 Mar 2015 06:28:11 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : centos-release-7-1.1503.el7.centos.2.8.src.rpm  
Build Date : Tue 31 Mar 2015 06:27:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : CentOS Linux release file  
Description :  
CentOS Linux release files  
Name : librbd1  
Epoch : 1  
Version : 0.80.7  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:50 PM EDT  
Group : System Environment/Libraries  
Size : 1022866  
License : LGPL-2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ceph-common-0.80.7-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:27:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ceph.com/>  
Summary : RADOS block device client library  
Description :  
RBD is a block device striped across multiple distributed objects in  
RADOS, a reliable, autonomic distributed object storage cluster  
developed as part of the Ceph distributed storage system. This is a  
shared library allowing applications to manage these block devices.  
Name : zip  
Version : 3.0  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:29 PM EDT  
Group : Applications/Archiving  
Size : 815037  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:58 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : zip-3.0-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:37:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.info-zip.org/Zip.html>  
Summary : A file compression and packaging utility compatible with  
PKZIP  
Description :  
The zip program is a compression and file packaging utility. Zip is

analogous to a combination of the UNIX tar and compress commands and is compatible with PKZIP (a compression and file packaging utility for MS-DOS systems).

Install the zip package if you need to compress files using the zip program.

Name : m17n-db  
Version : 1.6.4  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:36 PM EDT  
Group : System Environment/Libraries  
Size : 752491  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:35 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : m17n-db-1.6.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:26:01 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nongnu.org/m17n>  
Summary : Multilingualization datafiles for m17n-lib  
Description :  
This package contains multilingualization (m17n) datafiles for m17n-lib which describe input maps, encoding maps, OpenType font data and font layout text rendering for languages.

Name : pygobject2  
Version : 2.28.6  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:52 PM EDT  
Group : Development/Languages  
Size : 890111  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pygobject2-2.28.6-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:30:58 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pygtk.org/>  
Summary : Python 2 bindings for GObject  
Description :  
The pygobject2 package provides a convenient wrapper for the GObject library for use in Python programs.

Name : make  
Epoch : 1  
Version : 3.82  
Release : 21.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:30 PM EDT  
Group : Development/Tools  
Size : 1160644  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : make-3.82-21.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:28:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/make/>  
Summary : A GNU tool which simplifies the build process for users  
Description :  
A GNU tool for controlling the generation of executables and other  
non-source files of a program from the program's source files. Make  
allows users to build and install packages without any significant  
knowledge about the details of the build process. The details about  
how the program should be built are provided for make in the program's  
makefile.  
Name : mozilla-filessystem  
Version : 1.9  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:55:37 PM EDT  
Group : Applications/Internet  
Size : 0  
License : MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:27 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mozilla-filessystem-1.9-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:37:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Mozilla filesystem layout  
Description :  
This package provides some directories required by packages which use  
Mozilla technologies such as NPAPI plugins or toolkit extensions.  
Name : gnome-icon-theme  
Version : 3.8.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:59:59 PM EDT  
Group : User Interface/Desktops  
Size : 10187814  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-icon-theme-3.8.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:58:50 PM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : GNOME icon theme  
Description :  
This package contains the default icon theme used by the GNOME desktop.  
Name : iso-codes  
Version : 3.46  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:33 PM EDT  
Group : System Environment/Base  
Size : 14504447  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:09:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iso-codes-3.46-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:55:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://alioth.debian.org/projects/pkg-isocodes/>  
Summary : ISO code lists and translations  
Description :  
This package provides the ISO 639 Language code list, the ISO 4217  
Currency code list, the ISO 3166 Territory code list, and ISO 3166-2  
sub-territory lists, and all their translations in gettext format.  
Name : emacs-filesystem  
Epoch : 1  
Version : 24.3  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:39 PM EDT  
Group : Applications/Editors  
Size : 0  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:12:59 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : emacs-24.3-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:20:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/emacs/>  
Summary : Emacs filesystem layout  
Description :  
This package provides some directories which are required by other  
packages that add functionality to Emacs.  
Name : python-decorator  
Version : 3.4.0  
Release : 3.el7

```

Architecture: noarch
Install Date: Fri 26 Aug 2016 01:00:01 PM EDT
Group       : Development/Languages
Size        : 72291
License     : BSD
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:38:41 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : python-decorator-3.4.0-3.el7.src.rpm
Build Date  : Mon 09 Jun 2014 07:46:01 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://pypi.python.org/pypi/decorator/
Summary     : Module to simplify usage of decorators
Description :
The aim of the decorator module is to simplify the usage of decorators
for
the average programmer, and to popularize decorators usage giving
examples
of useful decorators, such as memoize, tracing, redirecting_stdout,
locked,
etc. The core of this module is a decorator factory called decorator.
Name        : liberation-sans-fonts
Epoch      : 1
Version     : 1.07.2
Release     : 14.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:57:34 PM EDT
Group       : User Interface/X
Size        : 575111
License     : Liberation
Signature   : RSA/SHA256, Thu 03 Jul 2014 10:44:51 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : liberation-fonts-1.07.2-14.el7.src.rpm
Build Date  : Mon 09 Jun 2014 05:51:01 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://fedorahosted.org/liberation-fonts/
Summary     : Sans-serif fonts to replace commonly used Microsoft Arial
Description :

```

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Sans-serif TrueType fonts that replaced commonly used Microsoft Arial.

```

Name        : autocorr-en
Epoch      : 1
Version     : 4.2.6.3

```



Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:45 PM EDT  
Group : Applications/Text  
Size : 460050  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:37:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : English auto-correction rules  
Description :  
Rules for auto-correcting common English typing errors.

Name : openssl  
Epoch : 1  
Version : 1.0.1e  
Release : 42.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:04 PM EDT  
Group : System Environment/Libraries  
Size : 1611138  
License : OpenSSL  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:52 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : openssl-1.0.1e-42.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:50:20 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssl.org/>  
Summary : Utilities from the general purpose cryptography library with TLS implementation  
Description :  
The OpenSSL toolkit provides support for secure communications between machines. OpenSSL includes a certificate management tool and shared libraries which provide various cryptographic algorithms and protocols.

Name : mesa-private-llvm  
Version : 3.5.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:37 PM EDT  
Group : System Environment/Libraries  
Size : 20726737  
License : NCSA

Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-private-llvm-3.5.0-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:12:36 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://llvm.org/>  
Summary : llvm engine for Mesa  
Description :  
This package contains the LLVM-based runtime support for Mesa. It is not  
a  
fully-featured build of LLVM, and use by any package other than Mesa is  
not  
supported.

Name : smc-fonts-common  
Version : 6.0  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:46 PM EDT  
Group : Unspecified  
Size : 1736  
License : GPLv3+ with exceptions and GPLv2+ with exceptions and  
GPLv2+ and GPLv2 and GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : smc-fonts-6.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:40:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://savannah.nongnu.org/projects/smc>  
Summary : Common files for smc-fonts  
Description :

The SMC Fonts package contains fonts for the display of  
traditional and new Malayalam Script.

Name : dhcp-common  
Epoch : 12  
Version : 4.2.5  
Release : 36.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:06 PM EDT  
Group : System Environment/Base  
Size : 245529  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm  
Build Date : Thu 05 Mar 2015 05:43:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Common files used by ISC dhcp client and server  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

This package provides common files used by dhcp and dhclient package.

Name : graphite2  
Version : 1.2.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:38 PM EDT  
Group : Development/Tools  
Size : 174648  
License : (LGPLv2+ or GPLv2+ or MPL) and (Netscape or GPLv2+ or LGPLv2+)  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : graphite2-1.2.2-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:00:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/silgraphite/>  
Summary : Font rendering capabilities for complex non-Roman writing systems  
Description :  
Graphite2 is a project within SIL's Non-Roman Script Initiative and Language Software Development groups to provide rendering capabilities for complex non-Roman writing systems. Graphite can be used to create "smart fonts" capable of displaying writing systems with various complex behaviors. With respect to the Text Encoding Model, Graphite handles the "Rendering" aspect of writing system implementation.  
Name : tigervnc-license  
Version : 1.2.80  
Release : 0.30.20130314svn5065.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:48 PM EDT  
Group : User Interface/X  
Size : 18000  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tigervnc-1.2.80-0.30.20130314svn5065.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:15:08 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tigervnc.com>  
Summary : License of TigerVNC suite  
Description :  
This package contains license of the TigerVNC suite  
Name : systemtap-devel  
Version : 2.6  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:07 PM EDT  
Group : Development/System  
Size : 5978989  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:56 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : systemtap-2.6-8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:01:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceware.org/systemtap/>  
Summary : Programmable system-wide instrumentation system -  
development headers, tools  
Description :  
This package contains the components needed to compile a systemtap  
script from source form into executable (.ko) forms. It may be  
installed on a self-contained developer workstation (along with the  
systemtap-client and systemtap-runtime packages), or on a dedicated  
remote server (alongside the systemtap-server package). It includes  
a copy of the standard tapset library and the runtime library C files.  
Name : libdv  
Version : 1.0.0  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:39 PM EDT  
Group : System Environment/Libraries  
Size : 180217  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdv-1.0.0-17.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:50:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libdv.sourceforge.net/>  
Summary : Software decoder for DV format video  
Description :

The Quasar DV codec (libdv) is a software codec for DV video, the encoding format used by most digital camcorders, typically those that support the IEEE 1394 (a.k.a. FireWire or i.Link) interface. libdv was developed according to the official standards for DV video: IEC 61834 and SMPTE 314M.

Name : compat-db-headers  
Version : 4.7.25  
Release : 28.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:50 PM EDT  
Group : System Environment/Libraries  
Size : 151410  
License : BSD  
Signature : RSA/SHA256, Thu 11 Sep 2014 02:01:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-db-4.7.25-28.el7.src.rpm  
Build Date : Thu 11 Sep 2014 01:42:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : The Berkeley DB database compatibility headers  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications.  
This package contains Berkeley DB library headers used for compatibility.

Name : libreport-cli  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:10 PM EDT  
Group : User Interface/Desktops  
Size : 29804  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:51 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's command line interface  
Description :

This package contains simple command line tool for working with problem dump reports

Name : libnfnetworklink  
Version : 1.0.1  
Release : 4.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:57:41 PM EDT  
Group : System Environment/Libraries  
Size : 47123  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:01:58 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libnfnetlink-1.0.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:21:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://netfilter.org>  
Summary : Netfilter netlink userspace library  
Description :  
libnfnetlink is a userspace library that provides some low-level  
nfnetlink handling functions. It is used as a foundation for other,  
netfilter  
subsystem specific libraries such as libnfnetlink\_conntrack,  
libnfnetlink\_log  
and libnfnetlink\_queue.  
Name : gettext-common-devel  
Version : 0.18.2.1  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:55 PM EDT  
Group : Development/Tools  
Size : 355120  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:20 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gettext-0.18.2.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 06:37:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/gettext/>  
Summary : Common development files for gettext  
Description :  
This package contains common architecture independent gettext development  
files.  
Name : pyliblzma  
Version : 0.5.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:11 PM EDT  
Group : Unspecified  
Size : 190112  
License : LGPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:37:13 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pyliblzma-0.5.3-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:20:49 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://launchpad.net/pyliblzma>  
Summary : Python bindings for lzma  
Description :  
PylibLZMA provides a python interface for the liblzma library to read and write data that has been compressed or can be decompressed by Lasse Collin's lzma utils.

Name : hyphen  
Version : 2.8.6  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:42 PM EDT  
Group : System Environment/Libraries  
Size : 48141  
License : GPLv2 or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:01:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyphen-2.8.6-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:10:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hunspell.sf.net>  
Summary : A text hyphenation library  
Description :  
Hyphen is a library for high quality hyphenation and justification.

Name : glibc-common  
Version : 2.17  
Release : 78.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:00 PM EDT  
Group : System Environment/Base  
Size : 120268929  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glibc-2.17-78.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:50:19 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/glibc/>  
Summary : Common binaries and locale data for glibc  
Description :  
The glibc-common package includes common binaries for the GNU libc libraries, as well as national language (locale) support.

Name : xorg-x11-fonts-Type1  
Version : 7.5  
Release : 9.el7

Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:12 PM EDT  
Group : User Interface/X  
Size : 883992  
License : MIT and Lucida and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Type1 fonts provided by the X Window System  
Description :  
A collection of Type1 fonts which are part of the core X Window System  
distribution.  
Name : libhbaapi  
Version : 2.2.9  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:43 PM EDT  
Group : System Environment/Libraries  
Size : 50534  
License : SNIA  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:11 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libhbaapi-2.2.9-6.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:22:18 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://open-fcoe.org/>  
Summary : SNIA HBAAPI library  
Description :  
The SNIA HBA API library. C-level project to manage  
Fibre Channel Host Bus Adapters.  
Name : ncurses-libs  
Version : 5.9  
Release : 13.20130511.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:06 PM EDT  
Group : System Environment/Libraries  
Size : 1027944  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:03:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>



Vendor : CentOS  
URL : <http://invisible-island.net/ncurses/ncurses.html>  
Summary : Ncurses libraries  
Description :  
The curses library routines are a terminal-independent method of updating character screens with reasonable optimization. The ncurses (new curses) library is a freely distributable replacement for the discontinued 4.4 BSD classic curses library.

This package contains the ncurses libraries.

Name : automake  
Version : 1.13.4  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:16 PM EDT  
Group : Development/Tools  
Size : 1731909  
License : GPLv2+ and GFDL and Public Domain and MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:44:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : automake-1.13.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:18:51 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/automake/>  
Summary : A GNU tool for automatically creating Makefiles  
Description :  
Automake is a tool for automatically generating `Makefile.in' files compliant with the GNU Coding Standards.

You should install Automake if you are developing software and would like to use its ability to automatically generate GNU standard Makefiles.

Name : iproute  
Version : 3.10.0  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:45 PM EDT  
Group : Applications/System  
Size : 1229304  
License : GPLv2+ and Public Domain  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:08 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : iproute-3.10.0-21.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:07:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://kernel.org/pub/linux/utils/net/iproute2/>  
Summary : Advanced IP routing and network device configuration tools  
Description :

The iproute package contains networking utilities (ip and rtmon, for example) which are designed to use the advanced networking capabilities of the Linux

2.4.x and 2.6.x kernel.

Name : libsepol  
Version : 2.1.9  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:08 PM EDT  
Group : System Environment/Libraries  
Size : 288320  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:52 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libsepol-2.1.9-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:47:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.selinuxproject.org>  
Summary : SELinux binary policy manipulation library

Description :

Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libsepol provides an API for the manipulation of SELinux binary policies. It is used by checkpolicy (the policy compiler) and similar tools, as well

as by programs like load\_policy that need to perform specific transformations

on binary policies such as customizing policy boolean settings.

Name : deltarpm  
Version : 3.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:17 PM EDT  
Group : System Environment/Base  
Size : 214487  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:11 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : deltarpm-3.6-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:59:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gitorious.org/deltarpm/deltarpm>  
Summary : Create deltas between rpms  
Description :  
A deltarpm contains the difference between an old and a new version of a rpm, which makes it possible to recreate the new rpm from the deltarpm and the old one. You don't have to have a copy of the old rpm, deltarpms can also work with installed rpms.

Name : fuseiso  
Version : 20070708  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:48 PM EDT  
Group : System Environment/Base  
Size : 58848  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fuseiso-20070708-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:45:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/fuseiso/>  
Summary : FUSE support for ISO filesystem images  
Description :  
Mount ISO filesystem images as a non-root user. Currently supports plain ISO9660 Level 1 and 2, Rock Ridge, Joliet, zisofs. Supported image types: ISO, BIN (single track only), NRG, MDF, IMG (CCD).

Name : dbus-libs  
Epoch : 1  
Version : 1.6.12  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:10 PM EDT  
Group : Development/Libraries  
Size : 304536  
License : GPLv2+ or AFL  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dbus-1.6.12-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:03:08 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : Libraries for accessing D-BUS  
Description :  
This package contains lowlevel libraries for accessing D-BUS.

Name : openssh

Version : 6.6.1p1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:20 PM EDT  
Group : Applications/Internet  
Size : 1445938  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openssh-6.6.1p1-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:44:06 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssh.com/portable.html>  
Summary : An open source implementation of SSH protocol versions 1  
and 2  
Description :  
SSH (Secure SHell) is a program for logging into and executing  
commands on a remote machine. SSH is intended to replace rlogin and  
rsh, and to provide secure encrypted communications between two  
untrusted hosts over an insecure network. X11 connections and  
arbitrary TCP/IP ports can also be forwarded over the secure channel.

OpenSSH is OpenBSD's version of the last free version of SSH, bringing  
it up to date in terms of security and features.

This package includes the core files necessary for both the OpenSSH  
client and server. To make this package useful, you should also  
install openssh-clients, openssh-server, or both.

Name : obexd  
Epoch : 1  
Version : 0.46  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:49 PM EDT  
Group : System Environment/Daemons  
Size : 195733  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:59:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : obexd-0.46-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:12:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bluez.org/>  
Summary : D-Bus service for Obex Client access  
Description :  
obexd contains obex-client, a D-Bus service to allow sending files  
using the Obex Push protocol, common on mobile phones and  
other Bluetooth-equipped devices.

Name : nspr  
Version : 4.10.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:11 PM EDT  
Group : System Environment/Libraries  
Size : 287608  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:14 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nspr-4.10.6-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:16:00 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/nspr/>  
Summary : Netscape Portable Runtime  
Description :  
NSPR provides platform independence for non-GUI operating system facilities. These facilities include threads, thread synchronization, normal file and network I/O, interval timing and calendar time, basic memory management (malloc and free) and shared library linking.

Name : python-deltarpm  
Version : 3.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:21 PM EDT  
Group : System Environment/Base  
Size : 47234  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:43 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : deltarpm-3.6-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:59:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gitorious.org/deltarpm/deltarpm>  
Summary : Python bindings for deltarpm  
Description :  
This package contains python bindings for deltarpm.

Name : perl-parent  
Epoch : 1  
Version : 0.225  
Release : 244.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:50 PM EDT  
Group : Development/Libraries  
Size : 8141  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:55 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : perl-parent-0.225-244.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:15:20 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/parent/>  
Summary : Establish an ISA relationship with base classes at compile time  
Description :  
Allows you to both load one or more modules, while setting up inheritance from those modules at the same time. Mostly similar in effect to:

```
package Baz;
```

```
BEGIN {  
    require Foo;  
    require Bar;  
  
    push @ISA, qw(Foo Bar);  
}
```

Name : chkconfig  
Version : 1.3.61  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:12 PM EDT  
Group : System Environment/Base  
Size : 742308  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:39 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : chkconfig-1.3.61-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:53:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A system tool for maintaining the /etc/rc\*.d hierarchy  
Description :  
Chkconfig is a basic system utility. It updates and queries runlevel information for system services. Chkconfig manipulates the numerous symbolic links in /etc/rc.d, to relieve system administrators of some of the drudgery of manually editing the symbolic links.

Name : libreport-rhel-anaconda-bugzilla  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:23 PM EDT  
Group : Applications/File  
Size : 6138  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm

Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Default configuration for reporting anaconda bugs to Red Hat Bugzilla  
Description :  
Default configuration for reporting Anaconda problems to Red Hat Bugzilla used  
to easily configure the reporting process for Red Hat systems. Just install  
this package and you're done.  
Name : perl-Pod-Escapes  
Epoch : 1  
Version : 1.04  
Release : 285.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:51 PM EDT  
Group : Development/Libraries  
Size : 21091  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:31 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-285.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Perl module for resolving POD escape sequences  
Description :  
This module provides things that are useful in decoding Pod E<...> sequences.  
Presumably, it should be used only by Pod parsers and/or formatters.  
Name : bzip2-libs  
Version : 1.0.6  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:14 PM EDT  
Group : System Environment/Libraries  
Size : 70093  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:54:55 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bzip2-1.0.6-12.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:04:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bzip.org/>

Summary : Libraries for applications using bzip2  
Description :

Libraries for applications using the bzip2 compression format.

Name : gnome-icon-theme-legacy  
Version : 3.8.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:25 PM EDT  
Group : User Interface/Desktops  
Size : 0  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:15 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-icon-theme-3.8.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:58:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Old names for icons in gnome-icon-theme  
Description :

This package contains symlinks to make the icons in gnome-icon-theme available under old names.

Name : perl-Exporter  
Version : 5.68  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:53 PM EDT  
Group : Development/Libraries  
Size : 56612  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Exporter-5.68-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:09:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Exporter/>  
Summary : Implements default import method for modules  
Description :

The Exporter module implements an import method which allows a module to export functions and variables to its users' name spaces. Many modules use

Exporter rather than implementing their own import method because Exporter

provides a highly flexible interface, with an implementation optimized for the common case.

Name : libSM  
Version : 1.2.1  
Release : 7.el7



```

Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:15 PM EDT
Group        : System Environment/Libraries
Size         : 79008
License      : MIT
Signature    : RSA/SHA256, Thu 03 Jul 2014 11:17:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : libSM-1.2.1-7.el7.src.rpm
Build Date   : Mon 09 Jun 2014 07:50:47 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.x.org
Summary      : X.Org X11 SM runtime library
Description  :
The X.Org X11 SM (Session Management) runtime library.
Name         : python-slip-dbus
Version      : 0.4.0
Release      : 2.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:00:27 PM EDT
Group        : System Environment/Libraries
Size         : 76437
License      : GPLv2+
Signature    : RSA/SHA256, Fri 04 Jul 2014 12:41:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : python-slip-0.4.0-2.el7.src.rpm
Build Date   : Mon 09 Jun 2014 09:57:01 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://fedorahosted.org/python-slip
Summary      : Convenience functions for dbus services
Description  :
The Simple Library for Python packages contain miscellaneous code for
convenience, extension and workaround purposes.

```

This package provides `slip.dbus.service.Object`, which is a `dbus.service.Object` derivative that ends itself after a certain time without being used and/or if

there are no clients anymore on the message bus, as well as convenience functions and decorators for integrating a dbus service with PolicyKit.

```

Name         : perl-Carp
Version      : 1.26
Release      : 244.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:57:53 PM EDT
Group        : Development/Libraries
Size         : 28276
License      : GPL+ or Artistic

```

Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:11 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Carp-1.26-244.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:12:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Carp/>  
Summary : Alternative warn and die for modules  
Description :  
The Carp routines are useful in your own modules because they act like  
die() or warn(), but with a message which is more likely to be useful to  
a  
user of your module. In the case of cluck, confess, and longmess that  
context is a summary of every call in the call-stack. For a shorter  
message  
you can use carp or croak which report the error as being from where your  
module was called. There is no guarantee that that is where the error  
was,  
but it is a good educated guess.

Name : expat  
Version : 2.1.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:17 PM EDT  
Group : System Environment/Libraries  
Size : 208275  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:16:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : expat-2.1.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:48:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libexpat.org/>  
Summary : An XML parser library  
Description :  
This is expat, the C library for parsing XML, written by James Clark.  
Expat  
is a stream oriented XML parser. This means that you register handlers  
with  
the parser prior to starting the parse. These handlers are called when  
the  
parser discovers the associated structures in the document being parsed.  
A  
start tag is an example of the kind of structures for which you may  
register handlers.

Name : libreport-plugin-ureport  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:00:29 PM EDT  
Group : System Environment/Libraries  
Size : 50870  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:36 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's micro report plugin  
Description :  
Uploads micro-report to abrt server  
Name : perl-macros  
Epoch : 4  
Version : 5.16.3  
Release : 285.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:55 PM EDT  
Group : Development/Languages  
Size : 5134  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-285.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Macros for rpmbuild  
Description :  
Macros for rpmbuild are needed during build of srpm in koji. This  
sub-package must be installed into buildroot, so it will be needed  
by perl. Perl is needed because of git.  
Name : avahi-libs  
Version : 0.6.31  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:18 PM EDT  
Group : Unspecified  
Size : 123776  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:41 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:03:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Libraries for avahi run-time use  
Description :  
The avahi-libs package contains the libraries needed to run programs that use avahi.  
Name : cups-client  
Epoch : 1  
Version : 1.6.3  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:31 PM EDT  
Group : System Environment/Daemons  
Size : 170300  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:40 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cups-1.6.3-17.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:52:05 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cups.org/>  
Summary : CUPS printing system - client programs  
Description :  
CUPS printing system provides a portable printing layer for UNIX® operating systems. This package contains command-line client programs.  
Name : perl-Time-HiRes  
Epoch : 4  
Version : 1.9725  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:55 PM EDT  
Group : Development/Libraries  
Size : 94069  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Time-HiRes-1.9725-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:57:24 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Time-HiRes/>  
Summary : High resolution alarm, sleep, gettimeofday, interval timers  
Description :  
The Time::HiRes module implements a Perl interface to the usleep, nanosleep, ualarm, gettimeofday, and setitimer/getitimer system calls, in other words, high resolution time and timers.

```

Name       : libgpg-error
Version    : 1.12
Release    : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:19 PM EDT
Group      : System Environment/Libraries
Size       : 350865
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 10:49:22 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libgpg-error-1.12-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:46:48 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : ftp://ftp.gnupg.org/gcrypt/libgpg-error/
Summary    : Library for error values used by GnuPG components
Description :
This is a library that defines common error values for all GnuPG
components. Among these are GPG, GPGSM, GPGME, GPG-Agent, libgcrypt,
pinentry, SmartCard Daemon and possibly more in the future.
Name       : python-backports
Version    : 1.0
Release    : 8.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:00:33 PM EDT
Group      : Unspecified
Size       : 638
License    : Public Domain
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:30:55 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : python-backports-1.0-8.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:10:25 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://pypi.python.org/pypi/backports
Summary    : Namespace for backported Python features
Description :
The backports namespace is a namespace reserved for features backported
from
the Python standard library to older versions of Python 2.

Packages that exist in the backports namespace in Fedora should not
provide
their own backports/__init__.py, but instead require this package.

Backports to earlier versions of Python 3, if they exist, do not need
this
package because of changes made in Python 3.3 in PEP 420
(http://www.python.org/dev/peps/pep-0420/).
Name       : perl-Getopt-Long

```

Version : 2.40  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:56 PM EDT  
Group : Development/Libraries  
Size : 134846  
License : GPLv2+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Getopt-Long-2.40-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:11:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Getopt-Long/>  
Summary : Extended processing of command line options  
Description :  
The Getopt::Long module implements an extended getopt function called  
GetOptions(). It parses the command line from @ARGV, recognizing and  
removing  
specified options and their possible values. It adheres to the POSIX  
syntax  
for command line options, with GNU extensions. In general, this means  
that  
options have long names instead of single letters, and are introduced  
with  
a double dash "--". Support for bundling of command line options, as was  
the  
case with the more traditional single-letter approach, is provided but  
not  
enabled by default.

Name : tcp\_wrappers-libs  
Version : 7.6  
Release : 77.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:20 PM EDT  
Group : System Environment/Libraries  
Size : 134602  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tcp\_wrappers-7.6-77.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:41:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.porcupine.org/pub/security/index.html>  
Summary : Libraries for tcp\_wrappers  
Description :  
tcp\_wrappers-libs contains the libraries of the tcp\_wrappers package.

Name : python-pyudev  
Version : 0.15

Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:34 PM EDT  
Group : Development/Languages  
Size : 238322  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-pyudev-0.15-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:34:58 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/pyudev>  
Summary : A libudev binding  
Description :

pyudev is a LGPL licensed, pure Python binding for libudev, the device and hardware management and information library for Linux. It supports almost all libudev functionality, you can enumerate devices, query device properties and attributes or monitor devices, including asynchronous monitoring with threads, or within the event loops of Qt, Glib or wxPython.

The binding supports CPython\_2 (2.6 or newer) and 3 (3.1 or newer), and PyPy\_1.5 or newer. It is tested against udev 151 or newer, earlier versions of udev as found on dated Linux systems may work, but are not officially supported.

Name : perl-Compress-Raw-Zlib  
Epoch : 1  
Version : 2.061  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:00 PM EDT  
Group : Development/Libraries  
Size : 139803  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Compress-Raw-Zlib-2.061-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:12:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Compress-Raw-Zlib/>  
Summary : Low-level interface to the zlib compression library  
Description :  
The Compress::Raw::Zlib module provides a Perl interface to the zlib compression library, which is used by IO::Compress::Zlib.  
Name : libwpd  
Version : 0.9.9

```

Release      : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:22 PM EDT
Group        : System Environment/Libraries
Size         : 1013200
License      : LGPLv2+ or MPLv2.0
Signature    : RSA/SHA256, Thu 03 Jul 2014 11:27:50 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : libwpd-0.9.9-3.el7.src.rpm
Build Date   : Mon 09 Jun 2014 11:42:10 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://libwpd.sf.net/
Summary      : Library for reading and converting WordPerfect documents
Description  :
Library that handles Word Perfect documents.
Name         : python-configobj
Version      : 4.7.2
Release      : 7.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:00:37 PM EDT
Group        : System Environment/Libraries
Size         : 611855
License      : BSD
Signature    : RSA/SHA256, Fri 04 Jul 2014 12:38:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : python-configobj-4.7.2-7.el7.src.rpm
Build Date   : Tue 10 Jun 2014 02:57:08 AM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.voidspace.org.uk/python/configobj.html
Summary      : Config file reading, writing, and validation
Description  :
ConfigObj is a simple but powerful config file reader and writer: an ini
file
round tripper. Its main feature is that it is very easy to use, with a
straightforward programmer's interface and a simple syntax for config
files.
It has lots of other features though:
    * Nested sections (subsections), to any level
    * List values
    * Multiple line values
    * String interpolation (substitution)
    * Integrated with a powerful validation system
      o including automatic type checking/conversion
      o repeated sections
      o and allowing default values
    * All comments in the file are preserved
    * The order of keys/sections is preserved
    * No external dependencies

```



- \* Full Unicode support
- \* A powerful unrepr mode for storing basic datatypes

```

Name       : autoconf
Version    : 2.69
Release    : 11.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:02 PM EDT
Group      : Development/Tools
Size       : 2320371
License    : GPLv2+ and GFDL
Signature  : RSA/SHA256, Thu 03 Jul 2014 08:42:55 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : autoconf-2.69-11.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:52:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/autoconf/
Summary    : A GNU tool for automatically configuring source code
Description :
GNU's Autoconf is a tool for configuring source code and Makefiles.
Using Autoconf, programmers can create portable and configurable
packages, since the person building the package is allowed to
specify various configuration options.

```

You should install Autoconf if you are developing software and would like to create shell scripts that configure your source code packages. If you are installing Autoconf, you will also need to install the GNU m4 package.

Note that the Autoconf package is not required for the end-user who may be configuring software with an Autoconf-generated script; Autoconf is only required for the generation of the scripts, not their use.

```

Name       : gmp
Epoch     : 1
Version    : 6.0.0
Release    : 11.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:25 PM EDT
Group      : System Environment/Libraries
Size       : 652070
License    : LGPLv3+ or GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:50:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gmp-6.0.0-11.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:51:54 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://gmplib.org/
Summary    : A GNU arbitrary precision library

```

Description :

The gmp package contains GNU MP, a library for arbitrary precision arithmetic, signed integers operations, rational numbers and floating point numbers. GNU MP is designed for speed, for both small and very large operands. GNU MP is fast because it uses fullwords as the basic arithmetic type, it uses fast algorithms, it carefully optimizes assembly code for many CPUs' most common inner loops, and it generally emphasizes speed over simplicity/elegance in its operations.

Install the gmp package if you need a fast arbitrary precision library.

Name : python-nss  
Version : 0.16.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:38 PM EDT  
Group : Development/Languages  
Size : 924799  
License : MPLv2.0 or GPLv2+ or LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-nss-0.16.0-2.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:16:03 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.mozilla.org/pub/mozilla.org/security/python-nss>  
Summary : Python bindings for Network Security Services (NSS)  
Description :  
This package provides Python bindings for Network Security Services (NSS) and the Netscape Portable Runtime (NSPR).

NSS is a set of libraries supporting security-enabled client and server applications. Applications built with NSS can support SSL v2 and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509 v3 certificates, and other security standards. Specific NSS implementations have been FIPS-140 certified.

Name : perl-Encode-Locale  
Version : 1.03  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:03 PM EDT  
Group : Development/Libraries  
Size : 18685  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:29 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Encode-Locale-1.03-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:28:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://search.cpan.org/dist/Encode-Locale/>  
Summary : Determine the locale encoding  
Description :  
In many applications it's wise to let Perl use Unicode for the strings it processes. Most of the interfaces Perl has to the outside world is still byte based. Programs therefore needs to decode byte strings that enter the program from the outside and encode them again on the way out.

Name : keyutils-libs  
Version : 1.5.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:26 PM EDT  
Group : System Environment/Base  
Size : 42138  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : keyutils-1.5.8-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:17:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/~dhowells/keyutils/>  
Summary : Key utilities library  
Description :  
This package provides a wrapper library for the key management facility system calls.

Name : python-di  
Version : 0.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:39 PM EDT  
Group : Unspecified  
Size : 42665  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-di-0.3-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:24:43 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://fedorapeople.org/cgit/msivak/public\\_git/python-di.git/](http://fedorapeople.org/cgit/msivak/public_git/python-di.git/)  
Summary : Python library for dependency injection support  
Description :  
This python package provides a "di" module. The module contains a couple of decorators which try to implement the Dependency Injection (IoC) pattern without requiring the user to change local variables in his methods.

It is intended to be used in unit testing environments.

Name : perl-Pod-POM  
Version : 0.27  
Release : 10.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:05 PM EDT  
Group : Development/Libraries  
Size : 208947  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:42 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : perl-Pod-POM-0.27-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:38:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-POM/>  
Summary : Object-oriented interface to Perl POD documents  
Description :

This module implements a parser to convert Pod documents into a simple object model form known hereafter as the Pod Object Model. The object model is generated as a hierarchical tree of nodes, each of which represents a different element of the original document. The tree can be walked manually and the nodes examined, printed or otherwise manipulated. In addition, Pod::POM supports and provides view objects which can automatically traverse the tree, or section thereof, and generate an output representation in one form or another.

Name : libldb  
Version : 1.1.17  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:27 PM EDT  
Group : Development/Libraries  
Size : 337064  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:39 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libldb-1.1.17-2.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:44:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ldb.samba.org/>  
Summary : A schema-less, ldap like, API and database  
Description :

An extensible library that implements an LDAP like API to access remote LDAP servers, or use local tdb databases.

Name : python-pycurl  
Version : 7.19.0  
Release : 17.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:41 PM EDT  
Group : Development/Languages  
Size : 241481  
License : LGPLv2+ or MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-pycurl-7.19.0-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:56:03 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pycurl.sourceforge.net/>  
Summary : A Python interface to libcurl  
Description :  
PycURL is a Python interface to libcurl. PycURL can be used to fetch objects identified by a URL from a Python program, similar to the urllib Python module. PycURL is mature, very fast, and supports a lot of features.

Name : kernel-devel  
Version : 3.10.0  
Release : 229.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:12 PM EDT  
Group : System Environment/Kernel  
Size : 33536711  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-229.el7.src.rpm  
Build Date : Fri 06 Mar 2015 07:20:57 AM EST  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
URL : <http://www.kernel.org/>  
Summary : Development package for building kernel modules to match the kernel  
Description :  
This package provides kernel headers and makefiles sufficient to build modules against the kernel package.

Name : libbasicobjects  
Version : 0.1.1  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:28 PM EDT  
Group : Development/Libraries  
Size : 53934  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:31 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.4.0-24.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:54:43 PM EST  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://fedorahosted.org/sssd/
Summary     : Basic object types for C
Description :
Basic object types
Name        : python-configshell
Epoch      : 1
Version     : 1.1.fb14
Release     : 1.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:00:42 PM EDT
Group       : System Environment/Libraries
Size        : 261594
License     : ASL 2.0
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:31:02 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : python-configshell-1.1.fb14-1.el7.src.rpm
Build Date  : Fri 06 Mar 2015 12:10:53 AM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://fedorahosted.org/targetcli-fb/
Summary     : A framework to implement simple but nice CLIs
Description :
A framework to implement simple but nice configuration-oriented
command-line interfaces.
Name        : perl-URI
Version     : 1.60
Release     : 9.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:13 PM EDT
Group       : Development/Libraries
Size        : 193950
License     : GPL+ or Artistic
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:25:57 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : perl-URI-1.60-9.el7.src.rpm
Build Date  : Mon 09 Jun 2014 06:07:36 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/URI/
Summary     : A Perl module implementing URI parsing and manipulation
Description :
This module implements the URI class. Objects of this class represent
"Uniform Resource Identifier references" as specified in RFC 2396 (and
updated by RFC 2732).
Name        : shared-mime-info
Version     : 1.1
Release     : 7.el7

```

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:30 PM EDT  
Group : System Environment/Base  
Size : 4109283  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:42 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : shared-mime-info-1.1-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:14:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/Software/shared-mime-info>  
Summary : Shared MIME information database  
Description :  
This is the freedesktop.org shared MIME info database.

Many programs and desktops use the MIME system to represent the types of files. Frequently, it is necessary to work out the correct MIME type for a file. This is generally done by examining the file's name or contents, and looking up the correct MIME type in a database.

Name : java-1.8.0-openjdk-headless  
Epoch : 1  
Version : 1.8.0.31  
Release : 2.b13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:46 PM EDT  
Group : Development/Languages  
Size : 97453220  
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : java-1.8.0-openjdk-1.8.0.31-2.b13.el7.src.rpm  
Build Date : Wed 11 Mar 2015 07:52:34 AM EDT  
Build Host : sclbuild  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://openjdk.java.net/>  
Summary : OpenJDK Runtime Environment  
Description :  
The OpenJDK runtime environment without audio and video support.

Name : perl-File-Listing  
Version : 6.04  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:16 PM EDT  
Group : Development/Libraries  
Size : 17187  
License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-File-Listing-6.04-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:32:14 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/File-Listing/>  
Summary : Parse directory listing  
Description :

This module exports a single function called `parse_dir()`, which can be used

to parse directory listings.

Name : xerces-c  
Version : 3.1.2  
Release : 1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:39:14 PM EDT  
Group : Development/Libraries  
Size : 16275338  
License : Apache  
Signature : (none)  
Source RPM : xerces-c-3.1.2-1.src.rpm  
Build Date : Tue 21 Jul 2015 11:49:02 AM EDT  
Build Host : jlissade-f5nb9p1-v1  
Relocations : (not relocatable)  
Packager : Joel Lissade <[joel.lissade@usa.xerox.com](mailto:joel.lissade@usa.xerox.com)>  
Vendor : Xerox Corp.  
URL : <http://xml.apache.org/xerces-c/>  
Summary : Validating XML Parser  
Description :

Xerces-C is a validating XML parser written in a portable subset of C++. Xerces-C makes it easy to give your application the ability to read and write XML data. A shared library is provided for parsing, generating, manipulating, and validating XML documents. Xerces-C is faithful to the XML 1.0 recommendation and associated standards ( DOM 1.0, DOM 2.0, SAX 1.0, SAX 2.0, Namespaces).

Name : json-glib  
Version : 0.16.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:32 PM EDT  
Group : System Environment/Libraries  
Size : 400375  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:17:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : json-glib-0.16.0-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:45:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS



```

URL           : http://live.gnome.org/JsonGlib
Summary       : Library for JavaScript Object Notation format
Description   :
json-glib is a library providing serialization and deserialization
support
for the JavaScript Object Notation (JSON) format.
Name          : tomcat-jsp-2.2-api
Epoch        : 0
Version       : 7.0.54
Release       : 1.el7
Architecture  : noarch
Install Date  : Fri 26 Aug 2016 01:00:52 PM EDT
Group         : Development/Libraries
Size          : 92053
License       : ASL 2.0
Signature     : RSA/SHA256, Sat 14 Mar 2015 04:38:47 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : tomcat-7.0.54-1.el7.src.rpm
Build Date    : Fri 06 Mar 2015 12:54:31 AM EST
Build Host    : worker1.bsys.centos.org
Relocations   : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://tomcat.apache.org/
Summary       : Apache Tomcat JSP API implementation classes
Description   :
Apache Tomcat JSP API implementation classes.
Name          : perl-Compress-Raw-Bzip2
Version       : 2.061
Release       : 3.el7
Architecture  : x86_64
Install Date  : Fri 26 Aug 2016 12:58:17 PM EDT
Group         : Development/Libraries
Size          : 57986
License       : GPL+ or Artistic
Signature     : RSA/SHA256, Fri 04 Jul 2014 12:15:32 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : perl-Compress-Raw-Bzip2-2.061-3.el7.src.rpm
Build Date    : Mon 09 Jun 2014 03:51:47 PM EDT
Build Host    : worker1.bsys.centos.org
Relocations   : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://search.cpan.org/dist/Compress-Raw-Bzip2/
Summary       : Low-level interface to bzip2 compression library
Description   :
This module provides a Perl interface to the bzip2 compression library.
It is used by IO::Compress::Bzip2.
Name          : desktop-file-utils
Version       : 0.21
Release       : 4.el7
Architecture  : x86_64
Install Date  : Fri 26 Aug 2016 12:56:34 PM EDT
Group         : Development/Tools

```

Size : 211234  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : desktop-file-utils-0.21-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:26:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/desktop-file-utils>  
Summary : Utilities for manipulating .desktop files  
Description :  
.desktop files are used to describe an application for inclusion in  
GNOME or KDE menus. This package contains desktop-file-validate which  
checks whether a .desktop file complies with the specification at  
<http://www.freedesktop.org/standards/>, and desktop-file-install  
which installs a desktop file to the standard directory, optionally  
fixing it up in the process.

Name : pyxattr  
Version : 0.5.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:54 PM EDT  
Group : Development/Libraries  
Size : 63304  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:43:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pyxattr-0.5.1-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:24:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pyxattr.sourceforge.net/>  
Summary : Extended attributes library wrapper for Python  
Description :  
Python extension module wrapper for libattr. It allows to query, list,  
add and remove extended attributes from files and directories.

Name : perl-HTTP-Cookies  
Version : 6.01  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:19 PM EDT  
Group : Development/Libraries  
Size : 47180  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:59 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Cookies-6.01-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:01:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Cookies/>  
Summary : HTTP cookie jars  
Description :  
This class is for objects that represent a "cookie jar" -- that is, a database of all the HTTP cookies that a given LWP::UserAgent object knows about.

Name : libidn  
Version : 1.28  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:36 PM EDT  
Group : System Environment/Libraries  
Size : 630415  
License : LGPLv2+ and GPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libidn-1.28-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:56:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libidn/>  
Summary : Internationalized Domain Name support library  
Description :  
GNU Libidn is an implementation of the Stringprep, Punycode and IDNA specifications defined by the IETF Internationalized Domain Names (IDN) working group, used for internationalized domain names.

Name : python-sssdconfig  
Version : 1.12.2  
Release : 58.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:55 PM EDT  
Group : Applications/System  
Size : 223961  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:39 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : SSSD and IPA configuration file manipulation classes and functions  
Description :  
Provides python files for manipulation SSSD and IPA configuration files.

Name : perl-IO-Tty  
Version : 1.10

Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:20 PM EDT  
Group : Development/Libraries  
Size : 77614  
License : (GPL+ or Artistic) and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:37 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-IO-Tty-1.10-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:10:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-Tty/>  
Summary : Perl interface to pseudo tty's  
Description :  
IO::Tty and IO::Pty provide an interface to pseudo tty's.  
Name : libexif  
Version : 0.6.21  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:37 PM EDT  
Group : System Environment/Libraries  
Size : 1948807  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libexif-0.6.21-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libexif.sourceforge.net/>  
Summary : Library for extracting extra information from image files  
Description :  
Most digital cameras produce EXIF files, which are JPEG files with  
extra tags that contain information about the image. The EXIF library  
allows you to parse an EXIF file and read the data from those tags.  
Name : virt-what  
Version : 1.13  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:00 PM EDT  
Group : Unspecified  
Size : 40870  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : virt-what-1.13-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:55:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/~rjones/virt-what/>  
Summary : Detect if we are running in a virtual machine  
Description :  
virt-what is a shell script which can be used to detect if the program is running in a virtual machine.

The program prints out a list of "facts" about the virtual machine, derived from heuristics. One fact is printed per line.

If nothing is printed and the script exits with code 0 (no error), then it can mean either that the program is running on bare-metal or the program is running inside a type of virtual machine which we don't know about or can't detect.

Current types of virtualization detected:

- hyperv Microsoft Hyper-V
- kvm Linux Kernel Virtual Machine (KVM)
- openvz OpenVZ or Virtuozzo
- powervm\_lx86 IBM PowerVM Lx86 Linux/x86 emulator
- qemu QEMU (unaccelerated)
- uml User-Mode Linux (UML)
- virtage Hitachi Virtualization Manager (HVM) Virtage LPAR
- virtualbox VirtualBox
- virtualpc Microsoft VirtualPC
- vmware VMware
- xen Xen
- xen-dom0 Xen dom0 (privileged domain)
- xen-domU Xen domU (paravirtualized guest domain)
- xen-hvm Xen guest fully virtualized (HVM)

Name : perl-FCGI  
Epoch : 1  
Version : 0.74  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:22 PM EDT  
Group : Development/Libraries  
Size : 85623  
License : OML  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-FCGI-0.74-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:09:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/FCGI>  
Summary : FastCGI Perl bindings  
Description :  
FastCGI Perl bindings.  
Name : cpio

Version : 2.11  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:38 PM EDT  
Group : Applications/Archiving  
Size : 684422  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cpio-2.11-22.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:48:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/cpio/>  
Summary : A GNU archiving program  
Description :  
GNU cpio copies files into or out of a cpio or tar archive. Archives  
are files which contain a collection of other files plus information  
about them, such as their file name, owner, timestamps, and access  
permissions. The archive can be another file on the disk, a magnetic  
tape, or a pipe. GNU cpio supports the following archive formats:  
binary,  
old ASCII, new ASCII, crc, HPUX binary, HPUX old ASCII, old tar and  
POSIX.1  
tar. By default, cpio creates binary format archives, so that they are  
compatible with older cpio programs. When it is extracting files from  
archives, cpio automatically recognizes which kind of archive it is  
reading  
and can read archives created on machines with a different byte-order.

Install cpio if you need a program to manage file archives.

Name : btrfs-progs  
Version : 3.16.2  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:02 PM EDT  
Group : System Environment/Base  
Size : 2586899  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : btrfs-progs-3.16.2-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:12:44 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://btrfs.wiki.kernel.org/index.php/Main\\_Page](http://btrfs.wiki.kernel.org/index.php/Main_Page)  
Summary : Userspace programs for btrfs  
Description :  
The btrfs-progs package provides all the userspace programs needed to  
create,

check, modify and correct any inconsistencies in the btrfs filesystem.

Name : perl-HTML-Tagset  
Version : 3.20  
Release : 15.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:23 PM EDT  
Group : Development/Libraries  
Size : 19784  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:54 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-HTML-Tagset-3.20-15.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:40:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTML-Tagset/>  
Summary : HTML::Tagset - data tables useful in parsing HTML  
Description :  
This module contains several data tables useful in various kinds of  
HTML parsing operations, such as tag and entity names.

Name : libxcb  
Version : 1.9  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:39 PM EDT  
Group : System Environment/Libraries  
Size : 782008  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:19 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libxcb-1.9-5.el7.src.rpm  
Build Date : Tue 17 Jun 2014 01:11:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xcb.freedesktop.org/>  
Summary : A C binding to the X11 protocol  
Description :  
The X protocol C-language Binding (XCB) is a replacement for Xlib  
featuring a  
small footprint, latency hiding, direct access to the protocol, improved  
threading support, and extensibility.

Name : redhat-rpm-config  
Version : 9.1.0  
Release : 68.el7.centos  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:04 PM EDT  
Group : Development/System  
Size : 171065  
License : GPL+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:04 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : redhat-rpm-config-9.1.0-68.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 02:28:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/redhat-rpm-config>  
Summary : CentOS specific rpm configuration files  
Description :

CentOS specific rpm configuration files.

Name : libofa  
Version : 0.9.3  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:25 PM EDT  
Group : System Environment/Libraries  
Size : 159293  
License : GPLv2

Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:30 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libofa-0.9.3-24.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:41:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/musicip-libofa/>  
Summary : Open Fingerprint Architecture library  
Description :

Currently, MusicDNS and the Open Fingerprint Architecture are being used  
to:

- \* identify duplicate tracks, even when the metadata is different, MusicIP  
identifies the master recording.
- \* fix metadata
- \* find out more about tracks by connecting to MusicBrainz

Name : libXfixes  
Version : 5.0.1  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:41 PM EDT  
Group : System Environment/Libraries  
Size : 26895  
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:17 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libXfixes-5.0.1-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:38:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>



Summary : X Fixes library  
Description :  
X Fixes library.  
Name : libcmis  
Version : 0.4.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:06 PM EDT  
Group : System Environment/Libraries  
Size : 1588408  
License : GPLv2+ or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcmis-0.4.1-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:19:18 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libcmis/>  
Summary : A C++ client library for CM interfaces  
Description :  
LibCMIS is a C++ client library for working with CM (content management) interfaces. The primary supported interface (which gave the library its name) is CMIS, which allows applications to connect to any ECM behaving as a CMIS server (Alfresco or Nuxeo are examples of open source ones). Another supported interface is Google Drive.  
Name : cpp  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:28 PM EDT  
Group : Development/Languages  
Size : 15640651  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : The C Preprocessor  
Description :  
C++ is the GNU C-Compatible Compiler Preprocessor.  
C++ is a macro processor which is used automatically by the C compiler to transform your program before actual compilation. It is called a macro processor because it allows you to define macros, abbreviations for longer constructs.

The C preprocessor provides four separate functionalities: the inclusion of header files (files of declarations that can be substituted into your program); macro expansion (you can define macros, and the C preprocessor will replace the macros with their definitions throughout the program); conditional compilation (using special preprocessing directives, you can include or exclude parts of the program according to various conditions); and line control (if you use a program to combine or rearrange source files into an intermediate file which is then compiled, you can use line control to inform the compiler about where each source line originated).

You should install this package if you are a C programmer and you use macros.

Name : libXtst  
Version : 1.2.2  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:42 PM EDT  
Group : System Environment/Libraries  
Size : 29930  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:41 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXtst-1.2.2-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:03:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXtst runtime library  
Description :  
X.Org X11 libXtst runtime library

Name : perl-Net-HTTP  
Version : 6.06  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:07 PM EDT  
Group : Development/Libraries  
Size : 52165  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Net-HTTP-6.06-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:55:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Net-HTTP/>  
Summary : Low-level HTTP connection (client)  
Description :  
The Net::HTTP class is a low-level HTTP client. An instance of the Net::HTTP class represents a connection to an HTTP server. The HTTP

protocol is described in RFC 2616. The Net::HTTP class supports HTTP/1.0 and HTTP/1.1.

Name : lzop  
Version : 1.03  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:30 PM EDT  
Group : Applications/Archiving  
Size : 101494  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lzop-1.03-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:34:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.lzop.org/>  
Summary : Real-time file compressor  
Description :  
lzop is a compression utility which is designed to be a companion to gzip.  
It is based on the LZO data compression library and its main advantages over  
gzip are much higher compression and decompression speed at the cost of some  
compression ratio. The lzop compression utility was designed with the goals  
of reliability, speed, portability and with reasonable drop-in compatibility  
to gzip.

Name : libXcursor  
Version : 1.1.14  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:43 PM EDT  
Group : System Environment/Libraries  
Size : 46958  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXcursor-1.1.14-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:37:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Cursor management library  
Description :  
This is a simple library designed to help locate and load cursors.  
Cursors can be loaded from files or memory. A library of common cursors  
exists which map to the standard X cursor names. Cursors can exist in

several sizes and the library automatically picks the best size.

Name : perl-XML-Simple  
Version : 2.20  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:10 PM EDT  
Group : Development/Libraries  
Size : 160004  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:34 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-XML-Simple-2.20-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:37:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-Simple/>  
Summary : Easy API to maintain XML in Perl  
Description :  
The XML::Simple module provides a simple API layer on top of an underlying XML parsing module (either XML::Parser or one of the SAX2 parser modules).

Name : libXres  
Version : 1.0.7  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:32 PM EDT  
Group : System Environment/Libraries  
Size : 12652  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXres-1.0.7-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:38:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X-Resource extension client library  
Description :  
X-Resource is an extension that allows a client to query the X server about its usage of various resources.

Name : mpfr  
Version : 3.1.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:44 PM EDT  
Group : System Environment/Libraries  
Size : 554279  
License : LGPLv3+ and GPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:45 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : mpfr-3.1.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:11:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mpfr.org/>  
Summary : A C library for multiple-precision floating-point computations  
Description :  
The MPFR library is a C library for multiple-precision floating-point computations with "correct rounding". The MPFR is efficient and also has a well-defined semantics. It copies the good ideas from the ANSI/IEEE-754 standard for double-precision floating-point arithmetic (53-bit mantissa). MPFR is based on the GMP multiple-precision library.

Name : mokutil  
Version : 0.7  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:12 PM EDT  
Group : Unspecified  
Size : 42409  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:01 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : shim-0.7-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:16:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.codon.org.uk/~mjg59/shim/>  
Summary : Utilities for managing Secure Boot/MoK keys.  
Description :  
Utilities for managing the "Machine's Own Keys" list.

Name : libXxf86dga  
Version : 1.1.4  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:32 PM EDT  
Group : System Environment/Libraries  
Size : 30443  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:03 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libXxf86dga-1.1.4-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:23:20 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86dga runtime library  
Description :

X.Org X11 libXxf86dga runtime library

Name : lzo  
Version : 2.06  
Release : 6.el7\_0.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:45 PM EDT  
Group : System Environment/Libraries  
Size : 165352  
License : GPLv2+  
Signature : RSA/SHA256, Wed 09 Jul 2014 12:29:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lzo-2.06-6.el7\_0.2.src.rpm  
Build Date : Wed 09 Jul 2014 11:54:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oberhumer.com/opensource/lzo/>  
Summary : Data compression library with very fast (de)compression  
Description :  
LZO is a portable lossless data compression library written in ANSI C.  
It offers pretty fast compression and very fast decompression.  
Decompression requires no memory. In addition there are slower  
compression levels achieving a quite competitive compression ratio  
while still decompressing at this very high speed.

Name : cyrus-sasl-md5  
Version : 2.1.26  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:15 PM EDT  
Group : System Environment/Libraries  
Size : 82048  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:14 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : CRAM-MD5 and DIGEST-MD5 authentication support for Cyrus  
SASL

Description :  
The cyrus-sasl-md5 package contains the Cyrus SASL plugins which support  
CRAM-MD5 and DIGEST-MD5 authentication schemes.

Name : hesiod  
Version : 3.2.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:34 PM EDT  
Group : System Environment/Libraries  
Size : 42730

License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hesiod-3.2.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:22:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Shared libraries for querying the Hesiod naming service  
Description :  
Hesiod is a system which uses existing DNS functionality to provide  
access  
to databases of information that changes infrequently. It is often used  
to  
distribute information kept in the /etc/passwd, /etc/group, and  
/etc/printcap  
files, among others.

Name : yajl  
Version : 2.0.4  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:46 PM EDT  
Group : Development/Libraries  
Size : 116450  
License : ISC  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yajl-2.0.4-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:00:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://lloyd.github.com/yajl/>  
Summary : Yet Another JSON Library (YAJL)  
Description :  
Yet Another JSON Library. YAJL is a small event-driven  
(SAX-style) JSON parser written in ANSI C, and a small  
validating JSON generator.

Name : httpd-tools  
Version : 2.4.6  
Release : 31.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:17 PM EDT  
Group : System Environment/Daemons  
Size : 172172  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:10 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : httpd-2.4.6-31.el7.centos.src.rpm  
Build Date : Thu 12 Mar 2015 11:09:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

```

Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://httpd.apache.org/
Summary       : Tools for use with the Apache HTTP Server
Description   :
The httpd-tools package contains tools which can be used with
the Apache HTTP Server.
Name          : xorg-x11-xbitmaps
Version       : 1.1.1
Release       : 6.el7
Architecture  : noarch
Install Date  : Fri 26 Aug 2016 12:58:35 PM EDT
Group         : User Interface/X
Size          : 183590
License       : MIT
Signature     : RSA/SHA256, Fri 04 Jul 2014 01:50:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : xorg-x11-xbitmaps-1.1.1-6.el7.src.rpm
Build Date    : Tue 10 Jun 2014 01:09:44 AM EDT
Build Host    : worker1.bsys.centos.org
Relocations   : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://www.x.org
Summary       : X.Org X11 application bitmaps
Description   :
X.Org X11 application bitmaps
Name          : apr
Version       : 1.4.8
Release       : 3.el7
Architecture  : x86_64
Install Date  : Fri 26 Aug 2016 12:56:48 PM EDT
Group         : System Environment/Libraries
Size          : 226686
License       : ASL 2.0 and BSD with advertising and ISC and BSD
Signature     : RSA/SHA256, Thu 03 Jul 2014 08:39:16 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : apr-1.4.8-3.el7.src.rpm
Build Date    : Tue 10 Jun 2014 05:05:16 AM EDT
Build Host    : worker1.bsys.centos.org
Relocations   : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://apr.apache.org/
Summary       : Apache Portable Runtime library
Description   :
The mission of the Apache Portable Runtime (APR) is to provide a
free library of C data structures and routines, forming a system
portability layer to as many operating systems as possible,
including Unices, MS Win32, BeOS and OS/2.
Name          : libtiff
Version       : 4.0.3
Release       : 14.el7
Architecture  : x86_64

```



Install Date: Fri 26 Aug 2016 01:01:19 PM EDT  
Group : System Environment/Libraries  
Size : 490225  
License : libtiff  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:16 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtiff-4.0.3-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:45:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.remotesensing.org/libtiff/>  
Summary : Library of functions for manipulating TIFF format image  
files

Description :

The libtiff package contains a library of functions for manipulating  
TIFF (Tagged Image File Format) image format files. TIFF is a widely  
used file format for bitmapped images. TIFF files usually end in the  
.tif extension and they are often quite large.

The libtiff package should be installed if you need to manipulate TIFF  
format image files.

Name : attr  
Version : 2.4.46  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:37 PM EDT  
Group : System Environment/Base  
Size : 172722  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:41:57 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : attr-2.4.46-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:33:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Utilities for managing filesystem extended attributes

Description :

A set of tools for manipulating extended attributes on filesystem  
objects, in particular getfattr(1) and setfattr(1).

An attr(1) command is also provided which is largely compatible  
with the SGI IRIX tool of the same name.

Name : boost-system  
Version : 1.53.0  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:49 PM EDT  
Group : System Environment/Libraries  
Size : 32522  
License : Boost and MIT and Python

Signature : RSA/SHA256, Sat 14 Mar 2015 03:41:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : boost-1.53.0-23.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:28:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.boost.org>  
Summary : Run-Time component of boost system support library  
Description :

Run-Time component of Boost operating system support library, including  
the diagnostics support that will be part of the C++0x standard  
library.

Name : gutenprint  
Version : 5.2.9  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:24 PM EDT  
Group : System Environment/Base  
Size : 20988912  
License : GPLv2+  
Signature : RSA/SHA256, Tue 16 Sep 2014 08:17:17 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gutenprint-5.2.9-18.el7.src.rpm  
Build Date : Tue 16 Sep 2014 07:55:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gimp-print.sourceforge.net/>  
Summary : Printer Drivers Package

Description :  
Gutenprint is a package of high quality printer drivers for Linux, BSD,  
Solaris, IRIX, and other UNIX-alike operating systems.  
Gutenprint was formerly called Gimp-Print.

Name : libmwaw  
Version : 0.2.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:39 PM EDT  
Group : System Environment/Libraries  
Size : 4902808  
License : LGPLv2+ or MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:22 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libmwaw-0.2.0-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:32:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libmwaw/>

Summary : An import library for many old mac document formats  
Description :  
libmwaw contains import filters for many old mac documents, mostly text formats like ClarisWorks, MacWrite or MS Word for Mac, but it has a limited support for vector drawings and spreadsheets as well (limited in the sense that it treats them as text documents). Full list of supported formats is available at <https://sourceforge.net/p/libmwaw/wiki/Home/> .

Name : apr-util  
Version : 1.5.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:51 PM EDT  
Group : System Environment/Libraries  
Size : 198751  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:39:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : apr-util-1.5.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:31:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://apr.apache.org/>  
Summary : Apache Portable Runtime Utility library  
Description :

The mission of the Apache Portable Runtime (APR) is to provide a free library of C data structures and routines. This library contains additional utility interfaces for APR; including support for XML, LDAP, database interfaces, URI parsing and more.

Name : tcp\_wrappers  
Version : 7.6  
Release : 77.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:41 PM EDT  
Group : System Environment/Daemons  
Size : 202888  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tcp\_wrappers-7.6-77.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:41:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.porcupine.org/pub/security/index.html>  
Summary : A security tool which acts as a wrapper for TCP daemons  
Description :

The tcp\_wrappers package provides small daemon programs which can monitor and filter incoming requests for systat, finger, FTP, telnet, rlogin, rsh, exec, tftp, talk and other network services.

Install the tcp\_wrappers program if you need a security tool for

filtering incoming network services requests.

This version also supports IPv6.

Name : libXxf86vm  
Version : 1.1.3  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:52 PM EDT  
Group : System Environment/Libraries  
Size : 25664  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXxf86vm-1.1.3-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:17:44 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXxf86vm runtime library  
Description :  
X.Org X11 libXxf86vm runtime library  
Name : opencc  
Version : 0.4.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:29 PM EDT  
Group : System Environment/Libraries  
Size : 8931493  
License : ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:01:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : opencc-0.4.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:47:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/opencc/>  
Summary : Libraries for Simplified-Traditional Chinese Conversion  
Description :  
OpenCC is a library for converting characters and phrases between Traditional Chinese and Simplified Chinese.  
Name : libdb-utils  
Version : 5.3.21  
Release : 17.el7\_0.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:44 PM EDT  
Group : Applications/Databases  
Size : 298552  
License : BSD and LGPLv2 and Sleepycat  
Signature : RSA/SHA256, Wed 06 Aug 2014 02:32:53 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libdb-5.3.21-17.el7\_0.1.src.rpm  
Build Date : Wed 06 Aug 2014 02:11:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : Command line tools for managing Berkeley DB databases  
Description :

The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. DB supports C, C++, Java and Perl APIs.

Name : tar  
Epoch : 2  
Version : 1.26  
Release : 29.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:54 PM EDT  
Group : Applications/Archiving  
Size : 2837278  
License : GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:10:14 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : tar-1.26-29.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:23:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/tar/>  
Summary : A GNU file archiving program  
Description :

The GNU tar program saves many files together in one archive and can restore individual files (or all of the files) from that archive. Tar can also be used to add supplemental files to an archive and to update or list files in the archive. Tar includes multivolume support, automatic archive compression/decompression, the ability to perform remote archives, and the ability to perform incremental and full backups.

If you want to use tar for remote backups, you also need to install the rmt package on the remote box.

Name : libexttextcat  
Version : 3.4.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:31 PM EDT  
Group : System Environment/Libraries  
Size : 416542  
License : BSD

Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libexttextcat-3.4.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:42:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/libexttextcat>  
Summary : Text categorization library  
Description :  
libexttextcat is an N-Gram-Based Text Categorization library primarily  
intended for language guessing.

Name : isomd5sum  
Epoch : 1  
Version : 1.0.10  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:46 PM EDT  
Group : Applications/System  
Size : 54711  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:09:47 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : isomd5sum-1.0.10-4.el7.src.rpm  
Build Date : Fri 13 Jun 2014 06:33:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=isomd5sum.git;a=summary>  
Summary : Utilities for working with md5sum implanted in ISO images  
Description :  
The isomd5sum package contains utilities for implanting and verifying  
an md5sum implanted into an ISO9660 image.

Name : libplist  
Version : 1.10  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:56 PM EDT  
Group : System Environment/Libraries  
Size : 154547  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:02 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libplist-1.10-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:54:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libimobiledevice.org/>  
Summary : Library for manipulating Apple Binary and XML Property  
Lists

Description :  
libplist is a library for manipulating Apple Binary and XML Property Lists

Name : SDL  
Version : 1.2.15  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:33 PM EDT  
Group : System Environment/Libraries  
Size : 478394  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:57:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : SDL-1.2.15-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:32:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libsdl.org/>  
Summary : A cross-platform multimedia library

Description :  
Simple DirectMedia Layer (SDL) is a cross-platform multimedia library designed

to provide fast access to the graphics frame buffer and audio device.

Name : ttmkfdir  
Version : 3.0.9  
Release : 41.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:48 PM EDT  
Group : Applications/System  
Size : 105418  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ttmkfdir-3.0.9-41.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:22:16 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Utility to create fonts.scale files for truetype fonts

Description :  
ttmkfdir is a utility used to create fonts.scale files in TrueType font directories in order to prepare them for use by the font server.

Name : libdvdread  
Version : 4.2.0  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:57 PM EDT  
Group : System Environment/Libraries  
Size : 150343  
License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:44 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdvdread-4.2.0-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:22:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A library for reading DVD video discs based on Ogle code  
Description :  
libdvdread provides a simple foundation for reading DVD video disks.  
It provides the functionality that is required to access many DVDs.  
Name : pakchois  
Version : 0.4  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:35 PM EDT  
Group : System Environment/Libraries  
Size : 29489  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pakchois-0.4-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:25:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.manyfish.co.uk/pakchois/>  
Summary : A wrapper library for PKCS#11  
Description :  
pakchois is just another PKCS#11 wrapper library. pakchois aims to  
provide a thin wrapper over the PKCS#11 interface; offering a  
modern object-oriented C interface which does not hide any of the  
underlying interface, and avoids dependencies on any cryptography  
toolkit.  
Name : libselinux-utils  
Version : 2.2.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:50 PM EDT  
Group : Development/Libraries  
Size : 114102  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:33 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libselinux-2.2.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:13:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/git/selinux.git>  
Summary : SELinux libselinux utilies



Description :

The libselinux-utils package contains the utilities

Name : elfutils  
Version : 0.160  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:58 PM EDT  
Group : Development/Tools  
Size : 718329  
License : GPLv3+ and (GPLv2+ or LGPLv3+)  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : elfutils-0.160-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:32:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/elfutils/>  
Summary : A collection of utilities and DSOs to handle compiled objects

Description :

Elfutils is a collection of utilities, including stack (to show backtraces), nm (for listing symbols from object files), size (for listing the section sizes of an object or archive file), strip (for discarding symbols), readelf (to see the raw ELF file structures), and elflint (to check for well-formed ELF files).

Name : device-mapper  
Epoch : 7  
Version : 1.02.93  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:36 PM EDT  
Group : System Environment/Base  
Size : 193235  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.115-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:51:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/dm>  
Summary : Device mapper utility

Description :

This package contains the supporting userspace utility, dmsetup, for the kernel device-mapper.

Name : dejavu-sans-mono-fonts  
Version : 2.33  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:53 PM EDT

Group : User Interface/X  
Size : 1127679  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Monospace sans-serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif monospace font faces, in their unabridged version.

Name : libudisks2  
Version : 2.1.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:59 PM EDT  
Group : System Environment/Libraries  
Size : 533228  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : udisks2-2.1.2-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:58:49 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/udisks>  
Summary : Dynamic library to access the udisks daemon  
Description :

This package contains the dynamic library libudisks2, which provides access to the udisks daemon. This package is for the udisks 2.x series.

Name : dbus  
Epoch : 1  
Version : 1.6.12  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:40 PM EDT  
Group : System Environment/Libraries  
Size : 874699  
License : GPLv2+ or AFL

Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dbus-1.6.12-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:03:08 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/dbus/>  
Summary : D-BUS message bus  
Description :  
D-BUS is a system for sending messages between applications. It is  
used both for the system-wide message bus service, and as a  
per-user-login-session messaging facility.  
Name : dejavu-serif-fonts  
Version : 2.33  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:56 PM EDT  
Group : User Interface/X  
Size : 2693311  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Variable-width serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10.  
Its  
purpose is to provide a wider range of characters, while maintaining the  
original style, using an open collaborative development process.

This package consists of the DejaVu serif variable-width font faces, in  
their  
unabridged version.

Name : celt051  
Version : 0.5.1.3  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:01 PM EDT  
Group : System Environment/Libraries  
Size : 110321  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : celt051-0.5.1.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:32:38 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.celt-codec.org/>  
Summary : An audio codec for use in low-delay speech and audio communication  
Description :  
CELT (Constrained Energy Lapped Transform) is an ultra-low delay audio codec designed for realtime transmission of high quality speech and audio.  
This is meant to close the gap between traditional speech codecs (such as Speex) and traditional audio codecs (such as Vorbis).

The CELT bitstream format is not yet stable, this package is a special version of 0.5.1 that has the same bitstream format, but symbols and files renamed from 'celt\*' to 'celt051\*' so that it is parallel installable with

the normal celt for packages requiring this particular bitstream format.

Name : libcanberra  
Version : 0.30  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:42 PM EDT  
Group : System Environment/Libraries  
Size : 218912  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcanberra-0.30-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>  
Summary : Portable Sound Event Library  
Description :  
A small and lightweight implementation of the XDG Sound Theme Specification (<http://0pointer.de/public/sound-theme-spec.html>).  
Name : liberation-serif-fonts  
Epoch : 1  
Version : 1.07.2  
Release : 14.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:58 PM EDT  
Group : User Interface/X  
Size : 594661  
License : Liberation  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : liberation-fonts-1.07.2-14.el7.src.rpm

Build Date : Mon 09 Jun 2014 05:51:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/liberation-fonts/>  
Summary : Serif fonts to replace commonly used Microsoft Times New Roman  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Serif TrueType fonts that replaced commonly used Microsoft Times New \ Roman.

Name : usbredir  
Version : 0.6  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:03 PM EDT  
Group : System Environment/Libraries  
Size : 102313  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : usbredir-0.6-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:36:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://spice-space.org/page/UsbRedir>  
Summary : USB network redirection protocol libraries  
Description :  
The usbredir libraries allow USB devices to be used on remote and/or virtual hosts over TCP. The following libraries are provided:

usbredirparser:

A library containing the parser for the usbredir protocol

usbredirhost:

A library implementing the USB host side of a usbredir connection.  
All that an application wishing to implement a USB host needs to do is:  
\* Provide a libusb device handle for the device  
\* Provide write and read callbacks for the actual transport of usbredir data  
\* Monitor for usbredir and libusb read/write events and call their handlers

Name : ibus-libs  
Version : 1.5.3

```

Release      : 11.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:01:44 PM EDT
Group       : System Environment/Libraries
Size        : 678672
License     : LGPLv2+
Signature   : RSA/SHA256, Thu 03 Jul 2014 10:04:00 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : ibus-1.5.3-11.el7.src.rpm
Build Date  : Mon 09 Jun 2014 06:14:56 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://code.google.com/p/ibus/
Summary     : IBus libraries
Description :
This package contains the libraries for IBus
Name        : libproxy
Version     : 0.4.11
Release     : 6.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:59:00 PM EDT
Group       : System Environment/Libraries
Size        : 163998
License     : LGPLv2+
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:06:34 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libproxy-0.4.11-6.el7.src.rpm
Build Date  : Mon 09 Jun 2014 04:31:21 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://code.google.com/p/libproxy/
Summary     : A library handling all the details of proxy configuration
Description :
libproxy offers the following features:

```

- \* extremely small core footprint (< 35K)
- \* no external dependencies within libproxy core
 (libproxy plugins may have dependencies)
- \* only 3 functions in the stable external API
- \* dynamic adjustment to changing network topology
- \* a standard way of dealing with proxy settings across all scenarios
- \* a sublime sense of joy and accomplishment

```

Name        : e2fsprogs-libs
Version     : 1.42.9
Release     : 7.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:04 PM EDT
Group       : Development/Libraries
Size        : 363537
License     : GPLv2 and LGPLv2

```

Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:02 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:09:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Ext2/3/4 filesystem-specific shared libraries  
Description :  
E2fsprogs-libs contains libe2p and libext2fs, the libraries of the  
e2fsprogs package.

These libraries are used to directly access ext2/3/4 filesystems  
from userspace.

Name : sssd-krb5-common  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:48 PM EDT  
Group : Applications/System  
Size : 337931  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:47 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : SSSD helpers needed for Kerberos and GSSAPI authentication  
Description :  
Provides helper processes that the LDAP and Kerberos back ends can use  
for  
Kerberos user or host authentication.

Name : libstdc++-devel  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:02 PM EDT  
Group : Development/Libraries  
Size : 8434533  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with  
exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : Header files and libraries for C++ development  
Description :  
This is the GNU implementation of the standard C++ libraries. This package includes the header files and libraries needed for C++ development. This includes rewritten implementation of STL.

Name : libfontenc  
Version : 1.1.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:05 PM EDT  
Group : System Environment/Libraries  
Size : 50506  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libfontenc-1.1.1-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:41:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libfontenc runtime library  
Description :  
X.Org X11 libfontenc runtime library

Name : hwdata  
Version : 0.252  
Release : 7.5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:50 PM EDT  
Group : System Environment/Base  
Size : 10491816  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:11 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hwdata-0.252-7.5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:02:20 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/hwdata.git>  
Summary : Hardware identification and configuration data  
Description :  
hwdata contains various hardware identification and configuration data, such as the pci.ids and usb.ids databases.

Name : libpath\_utils  
Version : 0.2.1  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:06 PM EDT  
Group : Development/Libraries



Size : 58318  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:06:34 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.4.0-24.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:54:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : Filesystem Path Utilities  
Description :  
Utility functions to manipulate filesystem pathnames  
Name : psmisc  
Version : 22.20  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:07 PM EDT  
Group : Applications/System  
Size : 490672  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:34:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : psmisc-22.20-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:31:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/psmisc>  
Summary : Utilities for managing processes on your system  
Description :  
The psmisc package contains utilities for managing processes on your system: pstree, killall and fuser. The pstree command displays a tree structure of all of the running processes on your system. The killall command sends a specified signal (SIGTERM if nothing is specified) to processes identified by name. The fuser command identifies the PIDs of processes that are using specified files or filesystems.  
Name : xorg-x11-server-Xorg  
Version : 1.15.0  
Release : 32.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:53 PM EDT  
Group : User Interface/X  
Size : 3509136  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-server-1.15.0-32.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:12:30 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

```

Vendor      : CentOS
URL         : http://www.x.org
Summary     : Xorg X server
Description :
X.org X11 is an open source implementation of the X Window System. It
provides the basic low level functionality which full fledged
graphical user interfaces (GUIs) such as GNOME and KDE are designed
upon.
Name        : ustr
Version     : 1.0.4
Release     : 16.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:59:07 PM EDT
Group       : System Environment/Libraries
Size        : 285943
License     : MIT or LGPLv2+ or BSD
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:39:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : ustr-1.0.4-16.el7.src.rpm
Build Date  : Mon 09 Jun 2014 04:12:46 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.and.org/ustr/
Summary     : String library, very low memory overhead, simple to import
Description :
  Micro string library, very low overhead from plain strdup() (Ave. 44%
  for
  0-20B strings). Very easy to use in existing C code. At it's simplest you
  can
  just include a single header file into your .c and start using it.
  This package also distributes pre-built shared libraries.
Name        : snappy
Version     : 1.1.0
Release     : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:09 PM EDT
Group       : System Environment/Libraries
Size        : 119521
License     : BSD
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:02:19 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : snappy-1.1.0-3.el7.src.rpm
Build Date  : Tue 10 Jun 2014 03:40:34 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://code.google.com/p/snappy/
Summary     : Fast compression and decompression library
Description :
Snappy is a compression/decompression library. It does not aim for
maximum

```

compression, or compatibility with any other compression library; instead, it aims for very high speeds and reasonable compression. For instance, compared to the fastest mode of zlib, Snappy is an order of magnitude faster for most inputs, but the resulting compressed files are anywhere from 20% to 100% bigger.

Name : libcgrouper  
Version : 0.41  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:55 PM EDT  
Group : Development/Libraries  
Size : 133018  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcgrouper-0.41-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:13:26 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libcgrouper.sourceforge.net/>  
Summary : Library to control and monitor control groups  
Description :

Control groups infrastructure. The library helps manipulate, control, administrate and monitor control groups and the associated controllers.

Name : openssl-libs  
Epoch : 1  
Version : 1.0.1e  
Release : 42.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:09 PM EDT  
Group : System Environment/Libraries  
Size : 2679724  
License : OpenSSL  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : openssl-1.0.1e-42.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:50:20 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssl.org/>  
Summary : A general purpose cryptography library with TLS implementation

Description :  
OpenSSL is a toolkit for supporting cryptography. The openssl-libs package contains the libraries that are used by various applications which

support cryptographic algorithms and protocols.

Name : pulseaudio-libs

Version : 3.0  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:10 PM EDT  
Group : Unspecified  
Size : 3138458  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:08 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-3.0-30.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : Libraries for PulseAudio clients  
Description :  
This package contains the runtime libraries for any application that wishes to interface with a PulseAudio sound server.

Name : accountsservice-libs  
Version : 0.6.35  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:57 PM EDT  
Group : Development/Libraries  
Size : 299828  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : accountsservice-0.6.35-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:18:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://www.fedoraproject.org/wiki/Features/UserAccountDialog>  
Summary : Client-side library to talk to accountsservice  
Description :  
The accountsservice-libs package contains a library that can be used by applications that want to interact with the accountsservice daemon.

Name : cracklib  
Version : 2.9.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:11 PM EDT  
Group : System Environment/Libraries  
Size : 209610  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:11 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : cracklib-2.9.0-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:42:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/cracklib/>  
Summary : A password-checking library  
Description :  
CrackLib tests passwords to determine whether they match certain security-oriented characteristics, with the purpose of stopping users from choosing passwords that are easy to guess. CrackLib performs several tests on passwords: it tries to generate words from a username and gecost entry and checks those words against the password; it checks for simplistic patterns in passwords; and it checks for the password in a dictionary.

CrackLib is actually a library containing a particular C function which is used to check the password, as well as other C functions. CrackLib is not a replacement for a passwd program; it must be used in conjunction with an existing passwd program.

Install the cracklib package if you need a program to check users' passwords to see if they are at least minimally secure. If you install CrackLib, you will also want to install the cracklib-dicts package.

Name : bluez-libs  
Version : 4.101  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:12 PM EDT  
Group : System Environment/Libraries  
Size : 218899  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:49:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bluez-4.101-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:39:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.bluez.org/>  
Summary : Libraries for use in Bluetooth applications  
Description :  
Libraries for use in Bluetooth applications.  
Name : cronie-anacron  
Version : 1.4.11  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:58 PM EDT  
Group : System Environment/Base  
Size : 41587  
License : MIT and BSD and ISC and GPLv2+

Signature : RSA/SHA256, Wed 30 Jul 2014 01:14:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cronie-1.4.11-13.el7.src.rpm  
Build Date : Wed 30 Jul 2014 11:18:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/cronie>  
Summary : Utility for running regular jobs  
Description :  
Anacron is part of cronie that is used for running jobs with regular  
periodicity which do not have exact time of day of execution.

The default settings of anacron execute the daily, weekly, and monthly  
jobs, but anacron allows setting arbitrary periodicity of jobs.

Using anacron allows running the periodic jobs even if the system is  
often  
powered off and it also allows randomizing the time of the job execution  
for better utilization of resources shared among multiple systems.

Name : nss  
Version : 3.16.2.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:14 PM EDT  
Group : System Environment/Libraries  
Size : 2544424  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:21 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : nss-3.16.2.3-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:48:15 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services  
Description :  
Network Security Services (NSS) is a set of libraries designed to  
support cross-platform development of security-enabled client and  
server applications. Applications built with NSS can support SSL v2  
and v3, TLS, PKCS #5, PKCS #7, PKCS #11, PKCS #12, S/MIME, X.509  
v3 certificates, and other security standards.

Name : libieee1284  
Version : 0.2.11  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:13 PM EDT  
Group : System Environment/Libraries  
Size : 83389  
License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:57 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libieee1284-0.2.11-15.el7.src.rpm  
Build Date : Tue 17 Jun 2014 12:23:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/libieee1284/>  
Summary : A library for interfacing IEEE 1284-compatible devices  
Description :  
The libieee1284 library is for communicating with parallel port devices.  
Name : iscsi-initiator-utils  
Version : 6.2.0.873  
Release : 29.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:19 PM EDT  
Group : System Environment/Daemons  
Size : 2473835  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iscsi-initiator-utils-6.2.0.873-29.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:09:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.open-iscsi.org>  
Summary : iSCSI daemon and utility programs  
Description :  
The iscsi package provides the server daemon for the iSCSI protocol,  
as well as the utility programs used to manage it. iSCSI is a protocol  
for distributed disk access using SCSI commands sent over Internet  
Protocol networks.  
Name : rpm  
Version : 4.11.1  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:16 PM EDT  
Group : System Environment/Base  
Size : 2594638  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.1-25.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:27:41 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm.org/>  
Summary : The RPM package management system  
Description :

The RPM Package Manager (RPM) is a powerful command line driven package management system capable of installing, uninstalling, verifying, querying, and updating software packages. Each software package consists of an archive of files along with information about the package like its version, a description, etc.

Name : libvpx  
Version : 1.3.0  
Release : 5.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:15 PM EDT  
Group : System Environment/Libraries  
Size : 1368856  
License : BSD  
Signature : RSA/SHA256, Tue 26 Aug 2014 08:47:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvpx-1.3.0-5.el7\_0.src.rpm  
Build Date : Tue 26 Aug 2014 08:26:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.webmproject.org/tools/vp8-sdk/>  
Summary : VP8 Video Codec SDK  
Description :  
libvpx provides the VP8 SDK, which allows you to integrate your applications with the VP8 video codec, a high quality, royalty free, open source codec deployed on millions of computers and devices worldwide.

Name : trousers  
Version : 0.3.11.2  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:22 PM EDT  
Group : System Environment/Libraries  
Size : 826530  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:36:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : trousers-0.3.11.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:55:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://trousers.sourceforge.net>  
Summary : TCG's Software Stack v1.2  
Description :  
Trousers is an implementation of the Trusted Computing Group's Software Stack (TSS) specification. You can use Trousers to write applications that make use of your TPM hardware. TPM hardware can create, store and use RSA keys securely (without ever being exposed in memory), verify a platform's software



state using cryptographic hashes and more.

Name : openldap  
Version : 2.4.39  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:19 PM EDT  
Group : System Environment/Daemons  
Size : 1004518  
License : OpenLDAP  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:41 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openldap-2.4.39-6.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:36:42 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openldap.org/>  
Summary : LDAP support libraries  
Description :

OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. LDAP is a set of protocols for accessing directory services (usually phone book style information, but other information is possible) over the Internet, similar to the way DNS (Domain Name System) information is propagated over the Internet. The openldap package contains configuration files, libraries, and documentation for OpenLDAP.

Name : less  
Version : 458  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:16 PM EDT  
Group : Applications/Text  
Size : 215376  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : less-458-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:08:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.greenwoodsoftware.com/less/>  
Summary : A text file browser similar to more, but better  
Description :

The less utility is a text file browser that resembles more, but has more capabilities. Less allows you to move backwards in the file as well as forwards. Since less doesn't have to read the entire input file before it starts, less starts up more quickly than text editors (for example, vi).

You should install less because it is a basic utility for viewing text files, and you'll use it frequently.

Name : kpartx  
Version : 0.4.9  
Release : 77.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:24 PM EDT  
Group : System Environment/Base  
Size : 37747  
License : GPL+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : device-mapper-multipath-0.4.9-77.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:51:48 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://christophe.varoqui.free.fr/>  
Summary : Partition device manager for device-mapper devices  
Description :  
kpartx manages partition creation and removal for device-mapper devices.

Name : util-linux  
Version : 2.23.2  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:23 PM EDT  
Group : System Environment/Base  
Size : 7945942  
License : GPLv2 and GPLv2+ and LGPLv2+ and BSD with advertising and Public Domain  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:31 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : util-linux-2.23.2-21.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:59:03 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://en.wikipedia.org/wiki/Util-linux>  
Summary : A collection of basic system utilities  
Description :  
The util-linux package contains a large variety of low-level system utilities that are necessary for a Linux system to function. Among others, Util-linux contains the fdisk configuration tool and the login program.

Name : gnome-menus  
Version : 3.8.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:17 PM EDT  
Group : System Environment/Libraries  
Size : 613649  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:35 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-menus-3.8.1-4.el7.src.rpm  
Build Date : Tue 17 Jun 2014 12:56:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : A menu system for the GNOME project  
Description :  
gnome-menus is an implementation of the draft "Desktop Menu Specification" from freedesktop.org. This package also contains the GNOME menu layout configuration files, .directory files and assorted menu related utility programs, Python bindings, and a simple menu editor.

Name : at-spi2-atk  
Version : 2.8.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:25 PM EDT  
Group : System Environment/Libraries  
Size : 216369  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:41:26 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : at-spi2-atk-2.8.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:13:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.linuxfoundation.org/en/AT-SPI\\_on\\_D-Bus](http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus)  
Summary : A GTK+ module that bridges ATK to D-Bus at-spi  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

This version of at-spi is a major break from previous versions. It has been completely rewritten to use D-Bus rather than ORBIT / CORBA for its transport protocol.

This package includes a gtk-module that bridges ATK to the new D-Bus based at-spi.

Name : python  
Version : 2.7.5  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:29 PM EDT  
Group : Development/Languages  
Size : 80835  
License : Python  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:03 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : python-2.7.5-16.el7.src.rpm  
Build Date : Tue 17 Jun 2014 02:43:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.python.org/>  
Summary : An interpreted, interactive, object-oriented programming language  
Description :  
Python is an interpreted, interactive, object-oriented programming language often compared to Tcl, Perl, Scheme or Java. Python includes modules, classes, exceptions, very high level dynamic data types and dynamic typing. Python supports interfaces to many system calls and libraries, as well as to various windowing systems (X11, Motif, Tk, Mac and MFC).

Programmers can write new built-in modules for Python in C or C++. Python can be used as an extension language for applications that need a programmable interface.

Note that documentation for Python is provided in the python-docs package.

This package provides the "python" executable; most of the actual implementation is within the "python-libs" package.

Name : enchant  
Epoch : 1  
Version : 1.6.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:19 PM EDT  
Group : System Environment/Libraries  
Size : 130894  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:13:33 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : enchant-1.6.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:46:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.abisource.com/>  
Summary : An Enchanting Spell Checking Library  
Description :

A library that wraps other spell checking backends.

Name : mesa-libEGL  
Version : 10.2.7  
Release : 5.20140910.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:27 PM EDT  
Group : System Environment/Libraries  
Size : 155973

License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:24:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa libEGL runtime libraries  
Description :  
Mesa libEGL runtime libraries  
Name : libreport  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:31 PM EDT  
Group : System Environment/Libraries  
Size : 2217271  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Generic library for reporting various problems  
Description :  
Libraries providing API for reporting different problems in applications  
to different bug targets like Bugzilla, ftp, trac, etc...  
Name : xcb-util  
Version : 0.3.9  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:20 PM EDT  
Group : System Environment/Libraries  
Size : 25139  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xcb-util-0.3.9-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:29:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xcb.freedesktop.org>  
Summary : Convenience libraries sitting on top of libxcb  
Description :  
The xcb-util module provides a number of libraries which sit on top of

libxcb, the core X protocol library, and some of the extension libraries. These experimental libraries provide convenience functions and interfaces which make the raw X protocol more usable. Some of the libraries also provide client-side code which is not strictly part of the X protocol but which have traditionally been provided by Xlib.

Name : perl-Proc-ProcessTable  
Version : 0.45  
Release : 1.el6.rf  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:35 PM EDT  
Group : Applications/CPAN  
Size : 187806  
License : Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:46 AM EST, Key ID a20e52146b8d79e6

Source RPM : perl-Proc-ProcessTable-0.45-1.el6.rf.src.rpm  
Build Date : Thu 11 Nov 2010 12:32:30 AM EST  
Build Host : lisse.hasselt.wieers.com  
Relocations : (not relocatable)  
Packager : Dag Wieers <dag@wieers.com>  
Vendor : Dag Apt Repository, <http://dag.wieers.com/apt/>  
URL : <http://search.cpan.org/dist/Proc-ProcessTable/>  
Summary : Perl interface to the UNIX process table

Description :

This module is a first crack at providing a consistent interface to Unix (and maybe other multitasking OS's) process table information. The impetus for this came about with my frustration at having to parse the output of various systems' ps commands to check whether specific processes were running on different boxes at a larged mixed UNIX site. The output format of ps was different on each OS, and sometimes changed with each new release of an OS. Also, running a ps subprocess from within a perl or shell script and parsing the output was not a very efficient or aesthetic way to do things.

Name : dmraid-events  
Version : 1.0.0.rc16  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:59 PM EDT  
Group : System Environment/Base  
Size : 12436  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:13 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : dmraid-1.0.0.rc16-25.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:55:41 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/heinzm/sw/dmraid>  
Summary : dmevent\_tool (Device-mapper event tool) and DSO

Description :

Provides a dmeventd DSO and the dmevent\_tool to register devices with it

for device monitoring. All active RAID sets should be manually registered with `dmevent_tool`.

Name : perl-Filesys-DiskFree  
Version : 0.06  
Release : 1.2.el6.rf  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:38 PM EDT  
Group : Applications/CPAN  
Size : 16297  
License : Artistic/GPL  
Signature : DSA/SHA1, Thu 11 Nov 2010 01:29:39 AM EST, Key ID a20e52146b8d79e6  
Source RPM : perl-Filesys-DiskFree-0.06-1.2.el6.rf.src.rpm  
Build Date : Wed 10 Nov 2010 11:50:05 PM EST  
Build Host : lisse.hasselt.wieers.com  
Relocations : (not relocatable)  
Packager : Dries Verachtert <dries@ulyssis.org>  
Vendor : Dag Apt Repository, <http://dag.wieers.com/apt/>  
URL : <http://search.cpan.org/dist/Filesys-DiskFree/>  
Summary : Perform the Unix command `df` in a portable fashion  
Description :  
Filesys::DiskFree does about what the unix command `df(1)` does, listing the mounted disks, and the amount of free space used and available.

Name : gnupg2  
Version : 2.0.22  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:03 PM EDT  
Group : Applications/System  
Size : 6640098  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnupg2-2.0.22-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:20:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/>  
Summary : Utility for secure communication and data storage  
Description :  
GnuPG is GNU's tool for secure communication and data storage. It can be used to encrypt data and to create digital signatures. It includes an advanced key management facility and is compliant with the proposed OpenPGP Internet standard as described in RFC2440 and the S/MIME standard as described by several RFCs.

GnuPG 2.0 is a newer version of GnuPG with additional support for S/MIME. It has a different design philosophy that splits functionality up into several modules. The S/MIME and smartcard functionality is provided by the `gnupg2-smime` package.

Name : gstreamer1-plugins-bad-free  
Version : 1.0.7  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:38 PM EDT  
Group : Unspecified  
Size : 2553650  
License : LGPLv2+ and LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gstreamer1-plugins-bad-free-1.0.7-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:49:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework "bad" plugins  
Description :  
GStreamer is a streaming media framework, based on graphs of elements which operate on media data.

This package contains plug-ins that aren't tested well enough, or the code is not of good enough quality.

Name : xorg-x11-fonts-100dpi  
Version : 7.5  
Release : 9.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:42 PM EDT  
Group : User Interface/X  
Size : 3417961  
License : MIT and Lucida and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : A set of 100dpi resolution fonts for the X Window System.  
Description :

A set of 100 dpi fonts used by the X window system.

Name : setroubleshoot-server  
Version : 3.2.17  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:09 PM EDT  
Group : Applications/System  
Size : 1269150  
License : GPLv2+



Signature : RSA/SHA256, Wed 26 Nov 2014 06:42:37 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : setroubleshoot-3.2.17-3.el7.src.rpm  
Build Date : Wed 26 Nov 2014 06:14:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/setroubleshoot>  
Summary : SELinux troubleshoot server  
Description :  
Provides tools to help diagnose SELinux problems. When AVC messages  
are generated an alert can be generated that will give information  
about the problem and help track its resolution. Alerts can be configured  
to user preference. The same tools can be run on existing log files.

Name : pygobject3  
Version : 3.8.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:40 PM EDT  
Group : Development/Languages  
Size : 11224  
License : LGPLv2+ and MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pygobject3-3.8.2-6.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:12 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/PyGObject>  
Summary : Python 2 bindings for GObject Introspection  
Description :  
The pygobject3 package provides a convenient wrapper for the GObject  
library  
for use in Python programs.

Name : xvattr  
Version : 1.3  
Release : 27.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:45 PM EDT  
Group : Applications/System  
Size : 34657  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xvattr-1.3-27.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:30:51 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.dtek.chalmers.se/groups/dvd/>

Summary : Utility for getting and setting Xv attributes  
Description :  
This program is used for getting and setting Xv attributes such as  
XV\_BRIGHTNESS, XV\_CONTRAST, XV\_SATURATION, XV\_HUE, XV\_COLORKEY, ...  
Name : yum  
Version : 3.4.3  
Release : 125.el7.centos  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:12 PM EDT  
Group : System Environment/Base  
Size : 5746020  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yum-3.4.3-125.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 04:39:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://yum.baseurl.org/>  
Summary : RPM package installer/updater/manager  
Description :  
Yum is a utility that can check for and automatically download and  
install updated RPM packages. Dependencies are obtained and downloaded  
automatically, prompting the user for permission as necessary.  
Name : mesa-dri-drivers  
Version : 10.2.7  
Release : 5.20140910.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:46 PM EDT  
Group : User Interface/X Hardware Support  
Size : 35476279  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:24:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa-based DRI drivers  
Description :  
Mesa-based DRI drivers.  
Name : nfs4-acl-tools  
Version : 0.3.3  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:49 PM EDT  
Group : Applications/System  
Size : 111936  
License : BSD

Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:06 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nfs4-acl-tools-0.3.3-13.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:01:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>  
Summary : The nfs4 ACL tools  
Description :  
This package contains commandline and GUI ACL utilities for the Linux  
NFSv4 client.  
Name : createrepo  
Version : 0.9.9  
Release : 23.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:15 PM EDT  
Group : System Environment/Base  
Size : 304908  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : createrepo-0.9.9-23.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:56:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://createrepo.baseurl.org/>  
Summary : Creates a common metadata repository  
Description :  
This utility will generate a common metadata repository from a directory  
of rpm  
packages.  
Name : wpa\_supplicant  
Epoch : 1  
Version : 2.0  
Release : 13.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:48 PM EDT  
Group : System Environment/Base  
Size : 3191439  
License : BSD  
Signature : RSA/SHA256, Thu 04 Dec 2014 08:29:35 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : wpa\_supplicant-2.0-13.el7\_0.src.rpm  
Build Date : Thu 04 Dec 2014 08:18:43 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://w1.fi/wpa\\_supplicant/](http://w1.fi/wpa_supplicant/)  
Summary : WPA/WPA2/IEEE 802.1X Supplicant

Description :

wpa\_supplicant is a WPA Supplicant for Linux, BSD and Windows with support for WPA and WPA2 (IEEE 802.11i / RSN). Supplicant is the IEEE 802.1X/WPA component that is used in the client stations. It implements key negotiation with a WPA Authenticator and it controls the roaming and IEEE 802.11 authentication/association of the wlan driver.

Name : ftp  
Version : 0.17  
Release : 66.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:53 PM EDT  
Group : Applications/Internet  
Size : 98691  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ftp-0.17-66.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:01:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.linux.org.uk/pub/linux/Networking/netkit>  
Summary : The standard UNIX FTP (File Transfer Protocol) client  
Description :

The ftp package provides the standard UNIX command-line FTP (File Transfer Protocol) client. FTP is a widely used protocol for transferring files over the Internet and for archiving files.

If your system is on a network, you should install ftp in order to do file transfers.

Name : vim-filesystem  
Epoch : 2  
Version : 7.4.160  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:19 PM EDT  
Group : Applications/Editors  
Size : 0  
License : Vim  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : vim-7.4.160-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : VIM filesystem layout  
Description :

This package provides some directories which are required by other

packages that add vim files, p.e. additional syntax files or filetypes.

Name : gtk3  
Version : 3.8.8  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:51 PM EDT  
Group : System Environment/Libraries  
Size : 12967632  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gtk3-3.8.8-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:34:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X  
Description :  
GTK+ is a multi-platform toolkit for creating graphical user interfaces. Offering a complete set of widgets, GTK+ is suitable for projects ranging from small one-off tools to complete application suites.

This package contains version 3 of GTK+.

Name : nano  
Version : 2.3.1  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:57 PM EDT  
Group : Applications/Editors  
Size : 1715901  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:53:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nano-2.3.1-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:47:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nano-editor.org>  
Summary : A small text editor  
Description :  
GNU nano is a small and friendly text editor.

Name : kbd  
Version : 1.15.5  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:23 PM EDT  
Group : System Environment/Base  
Size : 1380325  
License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:37 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kbd-1.15.5-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:13:52 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>  
Summary : Tools for configuring the console (keyboard, virtual  
terminals, etc.)

Description :

The kbd package contains tools for managing a Linux  
system's console's behavior, including the keyboard, the screen  
fonts, the virtual terminals and font files.

Name : gcr  
Version : 3.8.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:54 PM EDT  
Group : Development/Libraries  
Size : 2421534  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:27:04 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gcr-3.8.2-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:59:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/CryptoGlue/>  
Summary : A library for bits of crypto UI and parsing

Description :

gcr is a library for displaying certificates, and crypto UI, accessing  
key stores. It also provides a viewer for crypto files on the GNOME  
desktop.

gck is a library for accessing PKCS#11 modules like smart cards.

Name : swig  
Version : 2.0.10  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:11:01 PM EDT  
Group : Development/Tools  
Size : 4927926  
License : GPLv3+ and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:07:46 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : swig-2.0.10-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:15:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://swig.sourceforge.net/>  
Summary : Connects C/C++/Objective C to some high-level programming languages  
Description :  
Simplified Wrapper and Interface Generator (SWIG) is a software development tool for connecting C, C++ and Objective C programs with a variety of high-level programming languages. SWIG is primarily used with Perl, Python and Tcl/Tk, but it has also been extended to Java, Eiffel and Guile. SWIG is normally used to create high-level interpreted programming environments, systems integration, and as a tool for building user interfaces  
Name : centos-bookmarks  
Version : 7  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:27 PM EDT  
Group : Applications/Internet  
Size : 1137  
License : GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : centos-bookmarks-7-1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:25:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.centos.org>  
Summary : CentOS Linux bookmarks  
Description :  
This package contains the default bookmarks for CentOS Linux  
Name : libpeas  
Version : 1.8.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:56 PM EDT  
Group : System Environment/Libraries  
Size : 400311  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libpeas-1.8.0-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:55:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.acc.umu.se/pub/GNOME/sources/libpeas/>  
Summary : Plug-ins implementation convenience library  
Description :  
libpeas is a convenience library making adding plug-ins support to GTK+ and glib-based applications.  
Name : lohit-bengali-fonts

Version : 2.5.3  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:06 PM EDT  
Group : User Interface/X  
Size : 156244  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-bengali-fonts-2.5.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:15:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Bengali font  
Description :  
This package provides a free Bengali truetype/opentype font.  
Name : PackageKit-yum  
Version : 0.8.9  
Release : 11.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:33 PM EDT  
Group : System Environment/Libraries  
Size : 313496  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:11:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm  
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : PackageKit YUM backend  
Description :  
A backend for PackageKit to enable yum functionality.  
Name : gnome-keyring  
Version : 3.8.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:00 PM EDT  
Group : System Environment/Libraries  
Size : 4349659  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-keyring-3.8.2-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:50:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>



Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Framework for managing passwords and other secrets  
Description :  
The gnome-keyring session daemon manages passwords and other types of secrets for the user, storing them encrypted with a main password. Applications can use the gnome-keyring library to integrate with the keyring.  
Name : paratype-pt-sans-fonts  
Version : 20101909  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:12 PM EDT  
Group : User Interface/X  
Size : 2417717  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:37 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : paratype-pt-sans-fonts-20101909-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:41:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.paratype.com/public/>  
Summary : A pan-Cyrillic typeface  
Description :

The PT Sans family was developed as part of the "Public Types of Russian Federation" project. This project aims at enabling the peoples of Russia to read and write their native languages, using free/libre fonts. It is dedicated to the 300-year anniversary of the Russian civil type invented by Peter the Great from 1708 to 1710, and was realized with financial support from the Russian Federal Agency for Press and Mass Communications.

The fonts include support for all 54 title<sup>1</sup> languages of the Russian Federation as well as more common Western, Central European and Cyrillic blocks making them unique and a very important tool for modern digital communications.

PT Sans is a grotesque font based on Russian type designs of the second part of the 20th century. However, it also includes very distinctive features of modern humanistic design, fulfilling present day aesthetic and functional requirements.

It was designed by Alexandra Korolkova, Olga Umpeleva and Vladimir Yefimov and released by ParaType.

<sup>1</sup> A "title" language is named after an ethnic group.

This package includes the four basic styles and two narrow styles for economic setting.

Name : gnome-themes-standard  
Version : 3.8.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:37 PM EDT  
Group : User Interface/Desktops  
Size : 5651080  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:11 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.gnome.org/browse/gnome-themes-standard>  
Summary : Standard themes for GNOME applications  
Description :  
The gnome-themes-standard package contains the standard theme for the GNOME desktop, which provides default appearance for cursors, desktop background, window borders and GTK+ applications.

Name : abrt-gui-libs  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:02 PM EDT  
Group : System Environment/Libraries  
Size : 19968  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:41 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Libraries for abrt-gui  
Description :  
Libraries for abrt-gui.

Name : lohita-assamese-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:18 PM EDT  
Group : User Interface/X

Size : 156057  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-assamese-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:02:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Assamese font  
Description :  
This package provides a free Assamese truetype/opentype font.  
Name : centos-indexhtml  
Version : 7  
Release : 9.el7.centos  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:43 PM EDT  
Group : Documentation  
Size : 92560  
License : Distributable  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : centos-indexhtml-7-9.el7.centos.src.rpm  
Build Date : Sun 29 Jun 2014 08:39:51 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Browser default start page for CentOS  
Description :  
The indexhtml package contains the welcome page shown by your Web browser,  
which you'll see after you've successfully installed CentOS Linux  
Name : libwacom  
Version : 0.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:04 PM EDT  
Group : System Environment/Libraries  
Size : 58963  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwacom-0.8-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:13:08 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linuxwacom.sourceforge.net>  
Summary : Tablet Information Client Library  
Description :

libwacom is a library that provides information about Wacom tablets and tools. This information can then be used by drivers or applications to tweak

the UI or general settings to match the physical tablet.

Name : lohit-nepali-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:23 PM EDT  
Group : User Interface/X  
Size : 85205  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-nepali-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:11:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Nepali font  
Description :

This package provides a free Nepali truetype/opentype font.

Name : pulseaudio  
Version : 3.0  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:04 PM EDT  
Group : Unspecified  
Size : 3131298  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-3.0-30.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : Improved Linux Sound Server  
Description :

PulseAudio is a sound server for Linux and other Unix like operating systems. It is intended to be an improved drop-in replacement for the Enlightened Sound Daemon (ESOUND).

Name : os-prober  
Version : 1.58  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:08 PM EDT  
Group : System Environment/Base  
Size : 98939  
License : GPLv2+ and GPL+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:09:23 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : os-prober-1.58-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:53:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://kitenet.net/~joey/code/os-prober/>  
Summary : Probes disks on the system for installed operating systems  
Description :  
This package detects other OSes available on a system and outputs the  
results  
in a generic machine-readable format. Support for new OSes and Linux  
distributions can be added easily.  
Name : sil-nuosu-fonts  
Version : 2.1.1  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:30 PM EDT  
Group : User Interface/X  
Size : 524316  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:00:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sil-nuosu-fonts-2.1.1-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:36:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://scripts.sil.org/SILYi\\_home](http://scripts.sil.org/SILYi_home)  
Summary : The Nuosu SIL Font  
Description :  
The Nuosu SIL Font is a single Unicode font for the standardized Yi  
script  
used by a large ethnic group in southwestern China.  
Until this version, the font was called SIL Yi.  
Name : xorg-x11-drv-nouveau  
Epoch : 1  
Version : 1.0.10  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:06 PM EDT  
Group : User Interface/X Hardware Support  
Size : 213619  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-nouveau-1.0.10-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:35:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 nouveau video driver for NVIDIA graphics chipsets  
Description :  
X.Org X11 nouveau video driver.  
Name : libgphoto2  
Version : 2.5.2  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:10 PM EDT  
Group : Development/Libraries  
Size : 4994987  
License : GPLv2+ and GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:49:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgphoto2-2.5.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:54:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gphoto.org/>  
Summary : Library for accessing digital cameras  
Description :  
libgphoto2 is a library that can be used by applications to access  
various digital cameras. libgphoto2 itself is not a GUI application,  
opposed to gphoto. There are GUI frontends for the gphoto2 library,  
however, such as gtkam for example.  
Name : overpass-fonts  
Version : 1.01  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:39 PM EDT  
Group : Unspecified  
Size : 231988  
License : OFL or ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:09:25 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : overpass-fonts-1.01-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:27:34 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/overpass-fonts/>  
Summary : Typeface based on the U.S. interstate highway road signage  
type system  
Description :  
Free & open source typeface based on the U.S. interstate highway road  
signage  
type system; it is sans-serif and suitable for both body and titling  
text.  
Name : anaconda-tui  
Version : 19.31.123

Release : 1.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:08 PM EDT  
Group : Applications/System  
Size : 385909  
License : GPLv2+  
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm  
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Textual user interface for the Anaconda installer  
Description :  
This package contains textual user interface for the Anaconda installer.  
Name : abrt-addon-python  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:12 PM EDT  
Group : System Environment/Libraries  
Size : 31198  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's addon for catching and analyzing Python exceptions  
Description :  
This package contains python hook and python analyzer plugin for handling  
uncaught exception in python programs.  
Name : wqy-microhei-fonts  
Version : 0.2.0  
Release : 0.12.beta.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:46 PM EDT  
Group : User Interface/X  
Size : 5244095  
License : ASL 2.0 or GPLv3 with exceptions  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:02 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : wqy-microhei-fonts-0.2.0-0.12.beta.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:06:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : [http://wenq.org/enindex.cgi?MicroHei\(en\)](http://wenq.org/enindex.cgi?MicroHei(en))  
Summary : Compact Chinese fonts derived from Droid  
Description :  
A new Sans Serif CJK font derived from Google's "Droid Sans Fallback" and covers the entire GBK code points (20932 Han glyphs).  
Name : qemu-kvm  
Epoch : 10  
Version : 1.5.3  
Release : 86.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:11 PM EDT  
Group : Development/Tools  
Size : 5842586  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm  
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : QEMU is a FAST! processor emulator  
Description :  
qemu-kvm is an open source virtualizer that provides hardware emulation for the KVM hypervisor. qemu-kvm acts as a virtual machine monitor together with the KVM kernel modules, and emulates the hardware for a full system such as a PC and its associated peripherals.

As qemu-kvm requires no host kernel patches to run, it is safe and easy to use.

Name : mdadm  
Version : 3.3.2  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:16 PM EDT  
Group : System Environment/Base  
Size : 942318  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:32 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mdadm-3.3.2-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:53:15 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org/pub/linux/utils/raid/mdadm/>



Summary : The mdadm program controls Linux md devices (software RAID arrays)

Description :  
The mdadm program is used to create, manage, and monitor Linux MD (software RAID) devices. As such, it provides similar functionality to the raidtools package. However, mdadm is a single program, and it can perform almost all functions without a configuration file, though a configuration file can be used to help with some common tasks.

Name : lohit-punjabi-fonts

Version : 2.5.3

Release : 2.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 01:11:51 PM EDT

Group : User Interface/X

Size : 40402

License : OFL

Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:18 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : lohit-punjabi-fonts-2.5.3-2.el7.src.rpm

Build Date : Mon 09 Jun 2014 08:05:55 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://fedorahosted.org/lohit/>

Summary : Free Punjabi font

Description :  
This package provides a free Punjabi truetype/opentype font.

Name : zenity

Version : 3.8.0

Release : 4.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:07:14 PM EDT

Group : Applications/System

Size : 5606539

License : LGPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:55 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : zenity-3.8.0-4.el7.src.rpm

Build Date : Mon 09 Jun 2014 10:07:20 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://directory.fsf.org/zenity.html>

Summary : Display dialog boxes from shell scripts

Description :  
Zenity lets you display Gtk+ dialog boxes from the command line and through shell scripts. It is similar to gdialog, but is intended to be saner. It comes from the same family as dialog, Xdialog, and cdialog.

Name : udisks2  
Version : 2.1.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:18 PM EDT  
Group : System Environment/Libraries  
Size : 1581689  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : udisks2-2.1.2-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:58:49 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/udisks>  
Summary : Disk Manager  
Description :  
udisks provides a daemon, D-Bus API and command line tools for managing disks and storage devices. This package is for the udisks 2.x series.

Name : jomolhari-fonts  
Version : 0.003  
Release : 17.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:56 PM EDT  
Group : User Interface/X  
Size : 2294896  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:49 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : jomolhari-fonts-0.003-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:56:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Jomolhari a Bhutanese style font for Tibetan and Dzongkha  
Description :  
Jomolhari is an TrueType OpenType Bhutanese style font for Dzongkha and Tibetan text. It is based on Bhutanese manuscript examples, supports the Unicode and the Chinese encoding for Tibetan.  
The font supports the standard combinations used in most texts.

Name : gdm-libs  
Epoch : 1  
Version : 3.8.4  
Release : 32.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:18 PM EDT  
Group : Development/Libraries  
Size : 37540  
License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:39 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gdm-3.8.4-32.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:41:33 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/gdm>  
Summary : Client-side library to talk to gdm  
Description :

The gdm-libs package contains libraries that can be used for writing custom greeters.

Name : gnome-keyring-pam  
Version : 3.8.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:22 PM EDT  
Group : Development/Libraries  
Size : 45624  
License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:11 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gnome-keyring-3.8.2-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:50:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Pam module for unlocking keyrings  
Description :

The gnome-keyring-pam package contains a pam module that can automatically unlock the "login" keyring when the user logs in.

Name : telnet  
Epoch : 1  
Version : 0.17  
Release : 59.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:03 PM EDT  
Group : Applications/Internet  
Size : 115772  
License : BSD

Signature : RSA/SHA256, Fri 04 Jul 2014 01:12:17 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : telnet-0.17-59.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:06:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :

<http://web.archive.org/web/20070819111735/www.hcs.harvard.edu/~dholland/computers/old-netkit.html>

Summary : The client program for the Telnet remote login protocol  
Description :  
Telnet is a popular protocol for logging into remote systems over the Internet. The package provides a command line Telnet client

Name : ibus-gtk2  
Version : 1.5.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:22 PM EDT  
Group : System Environment/Libraries  
Size : 33184  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:03:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ibus-1.5.3-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:14:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/ibus/>  
Summary : IBus im module for gtk2  
Description :

This package contains ibus im module for gtk2

Name : file-roller  
Version : 3.8.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:27 PM EDT  
Group : Applications/Archiving  
Size : 4369367  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : file-roller-3.8.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 11:36:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/file-roller/>  
Summary : Tool for viewing and creating archives  
Description :

File Roller is an application for creating and viewing archives files, such as tar or zip files.

Name : rfkill  
Version : 0.4  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:07 PM EDT  
Group : System Environment/Base  
Size : 13389  
License : ISC

Signature : RSA/SHA256, Fri 04 Jul 2014 12:49:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rfkill-0.4-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:43:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linuxwireless.org/en/users/Documentation/rfkill>  
Summary : A tool for enabling and disabling wireless devices  
Description :  
rfkill is a simple tool for accessing the Linux rfkill device interface,  
which is used to enable and disable wireless networking devices,  
typically  
WLAN, Bluetooth and mobile broadband.  
Name : gnome-shell-extension-common  
Version : 3.8.4  
Release : 12.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:07:25 PM EDT  
Group : User Interface/Desktops  
Size : 319906  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:53:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeShell/Extensions>  
Summary : Files common to GNOME Shell Extensions  
Description :  
GNOME Shell Extensions is a collection of extensions providing additional  
and  
optional functionality to GNOME Shell. Common files and directories  
needed by  
extensions are provided here.  
Name : gtkmm30  
Version : 3.8.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:29 PM EDT  
Group : System Environment/Libraries  
Size : 5527239  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:50:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtkmm30-3.8.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:09:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

```

Vendor      : CentOS
URL         : http://www.gtkmm.org/
Summary     : C++ interface for the GTK+ library
Description :
gtkmm is the official C++ interface for the popular GUI library GTK+.
Highlights include type safe callbacks, and a comprehensive set of
widgets that are easily extensible via inheritance.
Name        : compat-libf2c-34
Version     : 3.4.6
Release     : 32.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:12:09 PM EDT
Group       : System Environment/Libraries
Size        : 589675
License     : GPLv2+ and GPLv2+ with exceptions
Signature   : RSA/SHA256, Thu 03 Jul 2014 09:00:42 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : compat-gcc-34-3.4.6-32.el7.src.rpm
Build Date  : Tue 10 Jun 2014 12:29:11 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://gcc.gnu.org
Summary     : Fortran 77 compatibility runtime
Description :
This package contains Fortran 77 shared library which is needed to run
Fortran 77 dynamically linked programs built by g77 3.4.x
Name        : metacity
Version     : 2.34.13
Release     : 7.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:07:31 PM EDT
Group       : User Interface/Desktops
Size        : 6160548
License     : GPLv2+
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:47:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : metacity-2.34.13-7.el7.src.rpm
Build Date  : Tue 10 Jun 2014 02:43:00 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://download.gnome.org/sources/metacity/
Summary     : Unobtrusive window manager
Description :
Metacity is a window manager that integrates nicely with the GNOME
desktop.
It strives to be quiet, small, stable, get on with its job, and stay out
of
your attention.
Name        : pyatspi
Version     : 2.8.0

```

Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:32 PM EDT  
Group : Development/Languages  
Size : 394378  
License : LGPLv2 and GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:35:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pyatspi-2.8.0-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:39:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.linuxfoundation.org/en/AT-SPI\\_on\\_D-Bus](http://www.linuxfoundation.org/en/AT-SPI_on_D-Bus)  
Summary : Python bindings for at-spi  
Description :  
at-spi allows assistive technologies to access GTK-based applications. Essentially it exposes the internals of applications for automation, so tools such as screen readers, magnifiers, or even scripting interfaces can query and interact with GUI controls.

This package includes a python2 client library for at-spi.

Name : compat-libcap1  
Version : 1.10  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:10 PM EDT  
Group : System Environment/Libraries  
Size : 30162  
License : BSD-like and LGPL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-libcap1-1.10-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:40:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Library for getting and setting POSIX.1e capabilities  
Description :  
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6) draft 15 capabilities.

Name : gnome-shell-extension-alternate-tab  
Version : 3.8.4  
Release : 12.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:07:37 PM EDT  
Group : User Interface/Desktops  
Size : 9917  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:34 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm

Build Date : Thu 05 Mar 2015 06:53:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeShell/Extensions>  
Summary : Classic Alt+Tab behavior for GNOME Shell  
Description :  
This GNOME Shell extension changes Alt+Tab to be window-based instead of app-based.

Name : python-caribou  
Version : 0.4.11  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:33 PM EDT  
Group : Unspecified  
Size : 130814  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:20 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : caribou-0.4.11-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:26:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Caribou>  
Summary : Keyboard UI for caribou  
Description :  
This package contains caribou python GUI

Name : iwl6000g2a-firmware  
Version : 17.168.5.3  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:21 PM EDT  
Group : System Environment/Kernel  
Size : 1203349  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 6005 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.



```

Name       : gnome-shell-extension-apps-menu
Version    : 3.8.4
Release    : 12.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:07:39 PM EDT
Group      : User Interface/Desktops
Size       : 26657
License    : GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:51:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm
Build Date : Thu 05 Mar 2015 06:53:59 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://live.gnome.org/GnomeShell/Extensions
Summary    : Application menu for GNOME Shell
Description :
This GNOME Shell extension adds a GNOME 2.x style menu for applications.
Name       : pygtk2-libglade
Version    : 2.24.0
Release    : 9.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:03:35 PM EDT
Group      : Development/Languages
Size       : 24888
License    : LGPLv2+
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:36:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pygtk2-2.24.0-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 12:46:15 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.pygtk.org/
Summary    : A wrapper for the libglade library for use with PyGTK
Description :
This module contains a wrapper for the libglade library. Libglade allows
a program to construct its user interface from an XML description, which
allows the programmer to keep the UI and program logic separate.
Name       : words
Version    : 3.0
Release    : 22.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:12:23 PM EDT
Group      : System Environment/Libraries
Size       : 4959465
License    : Public Domain
Signature  : RSA/SHA256, Fri 04 Jul 2014 01:43:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : words-3.0-22.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:21:28 AM EDT

```

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://en.wikipedia.org/wiki/Moby\\_Project](http://en.wikipedia.org/wiki/Moby_Project)  
Summary : A dictionary of English words for the /usr/share/dict directory  
Description :  
The words file is a dictionary of English words for the /usr/share/dict directory. Some programs use this database of words to check spelling. Password checkers use it to look for bad passwords.

Name : imsettings-gsettings  
Version : 1.6.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:41 PM EDT  
Group : Applications/System  
Size : 494775  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : imsettings-1.6.3-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:52:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://tagoh.bitbucket.org/imsettings/>  
Summary : GSettings support on imsettings  
Description :  
IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.

This package contains a module to get this working on GNOME and Cinnamon which requires GSettings in their own XSETTINGS daemons.

Name : apache-commons-pool  
Version : 1.6  
Release : 9.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:41 PM EDT  
Group : Unspecified  
Size : 134559  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:38:36 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : apache-commons-pool-1.6-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:09:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

```

Vendor      : CentOS
URL         : http://commons.apache.org/pool/
Summary     : Apache Commons Pool Package
Description :
The goal of Pool package is it to create and maintain an object
(instance)
pooling package to be distributed under the ASF license. The package
should
support a variety of pool implementations, but encourage support of an
interface that makes these implementations interchangeable.
Name        : man-pages
Version     : 3.53
Release     : 5.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:12:28 PM EDT
Group       : Documentation
Size        : 4779631
License     : GPL+ and GPLv2+ and BSD and MIT and Copyright only and IEEE
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:37:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : man-pages-3.53-5.el7.src.rpm
Build Date  : Mon 09 Jun 2014 06:50:33 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.kernel.org/doc/man-pages/
Summary     : Man (manual) pages from the Linux Documentation Project
Description :
A large collection of man pages (documentation) from the Linux
Documentation Project (LDP).
Name        : ibus-table-chinese
Version     : 1.4.6
Release     : 3.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:07:46 PM EDT
Group       : System Environment/Libraries
Size        : 40823
License     : GPLv3+
Signature   : RSA/SHA256, Thu 03 Jul 2014 10:04:25 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : ibus-table-chinese-1.4.6-3.el7.src.rpm
Build Date  : Mon 09 Jun 2014 10:28:39 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://code.google.com/p/ibus/
Summary     : Chinese input tables for IBus
Description :
ibus-table-chinese is provides the infrastructure for Chinese input
methods.
Input tables themselves are in sub-packages.
Name        : xml-commons-resolver

```

Epoch : 0  
Version : 1.2  
Release : 15.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:44 PM EDT  
Group : Unspecified  
Size : 122713  
License : ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xml-commons-resolver-1.2-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:30:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xml.apache.org/commons/>  
Summary : Resolver subproject of xml-commons  
Description :  
Resolver subproject of xml-commons.  
Name : ivtv-firmware  
Epoch : 2  
Version : 20080701  
Release : 26.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:30 PM EDT  
Group : System Environment/Kernel  
Size : 857256  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:10:03 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ivtv-firmware-20080701-26.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:06:24 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dl.ivtvdriver.org/ivtv/firmware/>  
Summary : Firmware for the Hauppauge PVR 250/350/150/500/USB2 model  
series  
Description :  
This package contains the firmware for WinTV Hauppauge PVR  
250/350/150/500/USB2 cards.  
Name : log4j  
Epoch : 0  
Version : 1.2.17  
Release : 15.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:46 PM EDT  
Group : Unspecified  
Size : 517015  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:34:48 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : log4j-1.2.17-15.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:19:36 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://logging.apache.org/log4j>  
Summary : Java logging package  
Description :  
Log4j is a tool to help the programmer output log statements to a variety of output targets.

Name : iwl6000-firmware  
Version : 9.221.4.1  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:31 PM EDT  
Group : System Environment/Kernel  
Size : 536533  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:55 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Wireless WiFi Link 6000 AGN Adapter  
Description :  
This package contains the firmware required by the iwlagn driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : file-roller-nautilus  
Version : 3.8.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:53 PM EDT  
Group : User Interface/Desktops  
Size : 19608  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:28 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : file-roller-3.8.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 11:36:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/file-roller/>  
Summary : File Roller extension for nautilus  
Description :

This package contains the file-roller extension for the nautilus file manger.

It adds an item to the nautilus context menu that lets you compress files or directories.

Name : apache-commons-daemon  
Version : 1.0.13  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:47 PM EDT  
Group : Applications/System  
Size : 132394  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : apache-commons-daemon-1.0.13-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:16:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/daemon>  
Summary : Defines API to support an alternative invocation mechanism  
Description :

The scope of this package is to define an API in line with the current Java Platform APIs to support an alternative invocation mechanism which could be used instead of the public static void main(String[]) method. This specification covers the behavior and life cycle of what we define as Java daemons, or, in other words, non interactive Java applications.

Name : iwl135-firmware  
Version : 18.168.6.1  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:33 PM EDT  
Group : System Environment/Kernel  
Size : 783153  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:41 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 135 Series  
Adapters  
Description :

This package contains the firmware required by the iwlagn driver for Linux to support the iwl135 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided

LICENSE file. Please read it carefully.

Name : ibus-kkc  
Version : 1.5.18  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:59 PM EDT  
Group : System Environment/Libraries  
Size : 234349  
License : GPLv2+  
Signature : RSA/SHA256, Mon 15 Dec 2014 07:57:52 AM EST, Key ID  
24c6a8a7f4a80eb5

Source RPM : ibus-kkc-1.5.18-5.el7.src.rpm  
Build Date : Mon 15 Dec 2014 07:54:54 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://bitbucket.org/libkkc>  
Summary : Japanese Kana Kanji input method for ibus  
Description :

A Japanese Kana Kanji Input Method Engine for ibus.

Name : jline  
Version : 1.0  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:50 PM EDT  
Group : Development/Libraries  
Size : 73632  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:26 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : jline-1.0-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:41:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://jline.sourceforge.net/>  
Summary : Java library for reading and editing user input in console  
applications  
Description :

JLine is a java library for reading and editing user input in console  
applications. It features tab-completion, command history, password  
masking, configurable key-bindings, and pass-through handlers to use to  
chain to other console applications.

Name : libxcb  
Version : 1.9  
Release : 5.el7  
Architecture: i686  
Install Date: Fri 26 Aug 2016 01:12:36 PM EDT  
Group : System Environment/Libraries  
Size : 773184  
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libxcb-1.9-5.el7.src.rpm  
Build Date : Tue 17 Jun 2014 01:09:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xcb.freedesktop.org/>  
Summary : A C binding to the X11 protocol  
Description :  
The X protocol C-language Binding (XCB) is a replacement for Xlib  
featuring a  
small footprint, latency hiding, direct access to the protocol, improved  
threading support, and extensibility.

Name : ibus-libpinyin  
Version : 1.6.91  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:01 PM EDT  
Group : System Environment/Libraries  
Size : 2077736  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:03:55 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ibus-libpinyin-1.6.91-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 11:34:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/libpinyin/ibus-libpinyin>  
Summary : Intelligent Pinyin engine based on libpinyin for IBus  
Description :  
It includes a Chinese Pinyin input method and a Chinese ZhuYin (Bopomofo)  
input method based on libpinyin for IBus.

Name : plymouth-plugin-two-step  
Version : 0.8.9  
Release : 0.13.20140113.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:51 PM EDT  
Group : System Environment/Base  
Size : 37040  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>  
Summary : Plymouth "two-step" plugin



Description :

This package contains the "two-step" boot splash plugin for Plymouth. It features a two phased boot process that starts with a progressing animation synced to boot time and finishes with a short, fast one-shot animation.

Name : libXtst  
Version : 1.2.2  
Release : 2.1.el7  
Architecture: i686  
Install Date: Fri 26 Aug 2016 01:12:38 PM EDT  
Group : System Environment/Libraries  
Size : 29050  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXtst-1.2.2-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 10:41:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXtst runtime library

Description :

X.Org X11 libXtst runtime library

Name : setroubleshoot  
Version : 3.2.17  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:03 PM EDT  
Group : Applications/System  
Size : 236383  
License : GPLv2+  
Signature : RSA/SHA256, Wed 26 Nov 2014 06:42:32 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : setroubleshoot-3.2.17-3.el7.src.rpm  
Build Date : Wed 26 Nov 2014 06:14:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/setroubleshoot>  
Summary : Helps troubleshoot SELinux problems

Description :

setroubleshoot GUI. Application that allows you to view setroubleshoot-server messages.

Provides tools to help diagnose SELinux problems. When AVC messages are generated an alert can be generated that will give information about the problem and help track its resolution. Alerts can be configured to user preference. The same tools can be run on existing log files.

Name : xorg-x11-drivers  
Version : 7.7  
Release : 6.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:11 PM EDT  
Group : User Interface/X Hardware Support  
Size : 0  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:18 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drivers-7.7-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:09:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : X.Org X11 driver installation package  
Description :  
The purpose of this package is to require all of the individual X.Org  
driver rpms, to allow the OS installation software to install all drivers  
all at once, without having to track which individual drivers are present  
on each architecture. By installing this package, it forces all of the  
individual driver packages to be installed.  
Name : xorg-x11-glamor  
Version : 0.6.0  
Release : 2.20140918git347ef4f.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:56 PM EDT  
Group : System Environment/Libraries  
Size : 264149  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-glamor-0.6.0-2.20140918git347ef4f.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:07:32 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Glamor>  
Summary : X.org glamor library  
Description :  
glamor provides xorg-x11 acceleration using the OpenGL driver.  
Name : rdma  
Version : 7.1\_3.17  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:58 PM EDT  
Group : System Environment/Base  
Size : 42799  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:02 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rdma-7.1\_3.17-5.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:17:53 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Infiniband/iWARP Kernel Module Initializer  
Description :  
User space initialization scripts for the kernel InfiniBand/iWARP drivers  
Name : gnome-documents  
Version : 3.8.5  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:36 PM EDT  
Group : Unspecified  
Size : 1783471  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:09 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-documents-3.8.5-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:40:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/Design/Apps/Documents>  
Summary : A document manager application for GNOME  
Description :  
gnome-documents is a document manager application for GNOME,  
aiming to be a simple and elegant replacement for using Files to show  
the Documents directory.  
Name : kexec-tools  
Version : 2.0.7  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:00 PM EDT  
Group : Applications/System  
Size : 681735  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:20 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kexec-tools-2.0.7-19.el7.src.rpm  
Build Date : Mon 09 Mar 2015 03:02:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : The kexec/kdump userspace component.  
Description :  
kexec-tools provides /sbin/kexec binary that facilitates a new  
kernel to boot using the kernel's kexec feature either on a  
normal or a panic reboot. This package contains the /sbin/kexec  
binary and ancillary utilities that together form the userspace  
component of the kernel's kexec feature.  
Name : seahorse  
Version : 3.8.2  
Release : 3.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:08:41 PM EDT  
Group : User Interface/Desktops  
Size : 6664242  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:57:53 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : seahorse-3.8.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:09:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/seahorse/>  
Summary : A GNOME application for managing encryption keys  
Description :  
Seahorse is a graphical interface for managing and using encryption keys.  
It also integrates with nautilus, gedit and other places for encryption  
operations. It is a keyring manager.  
Name : gnutls-dane  
Version : 3.3.8  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:01 PM EDT  
Group : System Environment/Libraries  
Size : 36688  
License : GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:52:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnutls-3.3.8-12.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:33:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnutls.org/>  
Summary : A DANE protocol implementation for GnuTLS  
Description :  
GnuTLS is a secure communications library implementing the SSL, TLS and  
DTLS  
protocols and technologies around them. It provides a simple C language  
application programming interface (API) to access the secure  
communications  
protocols as well as APIs to parse and write X.509, PKCS #12, OpenPGP and  
other required structures.  
This package contains library that implements the DANE protocol for  
verifying  
TLS certificates through DNSSEC.  
Name : man-db  
Version : 2.6.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:45 PM EDT  
Group : System Environment/Base  
Size : 1874275

License : GPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : man-db-2.6.3-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:35:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nongnu.org/man-db/>  
Summary : Tools for searching and reading man pages  
Description :  
The man-db package includes five tools for browsing man-pages: man, whatis, apropos, manpath and lexgrog. man formats and displays manual pages. whatis searches the manual page names. apropos searches the manual page names and descriptions. manpath determines search path for manual pages. lexgrog directly reads header information in manual pages.

Name : gvfs  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:03 PM EDT  
Group : System Environment/Libraries  
Size : 6922291  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : Backends for the gio framework in GLib  
Description :  
The gvfs package provides backend implementations for the gio framework in GLib. It includes ftp, sftp, cifs.

Name : hyperv-daemons  
Version : 0  
Release : 0.25.20141008git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:47 PM EDT  
Group : System Environment/Daemons  
Size : 0  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:02:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : HyperV daemons suite  
Description :  
Suite of daemons that are needed when Linux guest is running on Windows Host with HyperV.  
Name : libgweather  
Version : 3.8.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:09 PM EDT  
Group : System Environment/Libraries  
Size : 92485352  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgweather-3.8.2-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:30:21 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : A library for weather information  
Description :  
libgweather is a library to access weather information from online services for numerous locations.  
Name : open-vm-tools-desktop  
Version : 9.4.0  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:50 PM EDT  
Group : System Environment/Libraries  
Size : 419328  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:12 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : open-vm-tools-9.4.0-6.el7.src.rpm  
Build Date : Thu 12 Mar 2015 11:06:36 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://open-vm-tools.sourceforge.net/>  
Summary : User experience components for Open Virtual Machine Tools  
Description :  
This package contains only the user-space programs and libraries of open-vm-tools that are essential for improved user experience of VMware virtual machines.  
Name : NetworkManager-wwan  
Epoch : 1  
Version : 1.0.0  
Release : 14.git20150121.b4ea599c.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:13 PM EDT  
Group : System Environment/Base  
Size : 95512  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:19:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Mobile broadband device plugin for NetworkManager  
Description :  
This package contains NetworkManager support for mobile broadband (WWAN) devices.

Name : abrt-console-notification  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:52 PM EDT  
Group : Applications/System  
Size : 1298  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : ABRT console notification script  
Description :  
A small script which prints a count of detected problems when someone logs in to the shell

Name : yelp  
Epoch : 1  
Version : 3.8.1  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:19 PM EDT  
Group : Applications/System  
Size : 2421399  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:35 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yelp-3.8.1-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:35:41 AM EDT  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://live.gnome.org/Yelp
Summary     : Help browser for the GNOME desktop
Description :
Yelp is the help browser for the GNOME desktop. It is designed
to help you browse all the documentation on your system in
one central tool, including traditional man pages, info pages and
documentation written in DocBook.
Name        : NetworkManager-libreswan
Version     : 0.9.8.0
Release     : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:08:54 PM EDT
Group       : System Environment/Base
Size        : 274122
License     : GPLv2+
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:56:46 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : NetworkManager-libreswan-0.9.8.0-5.el7.src.rpm
Build Date  : Mon 09 Jun 2014 04:18:57 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://ftp.gnome.org/pub/GNOME/sources/NetworkManager-
openswan/0.9/
Summary     : NetworkManager VPN plug-in for libreswan
Description :
This package contains software for integrating the libreswan VPN software
with NetworkManager and the GNOME desktop
Name        : libvirt-client
Version     : 1.2.8
Release     : 16.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:04:24 PM EDT
Group       : Development/Libraries
Size        : 24959776
License     : LGPLv2+
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:14:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libvirt-1.2.8-16.el7.src.rpm
Build Date  : Thu 05 Mar 2015 11:04:27 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://libvirt.org/
Summary     : Client side library and utilities of the libvirt library
Description :
Shared libraries and client binaries needed to access to the
virtualization capabilities of recent versions of Linux (and other OSes).
Name        : totem-mozplugin

```



Epoch : 1  
Version : 3.8.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:56 PM EDT  
Group : Applications/Internet  
Size : 639704  
License : GPLv2+ with exceptions  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:35:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : totem-3.8.2-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:32:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/totem/>  
Summary : Mozilla plugin for Totem  
Description :  
Totem is simple movie player for the GNOME desktop.  
The mozilla plugin for Totem allows it to be embedded into a web browser.  
Name : libvirt-daemon-driver-secret  
Version : 1.2.8  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:25 PM EDT  
Group : Development/Libraries  
Size : 86448  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:16 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Secret driver plugin for the libvirtd daemon  
Description :  
The secret driver plugin for the libvirtd daemon, providing  
an implementation of the secret key APIs.  
Name : gvfs-afp  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:57 PM EDT  
Group : System Environment/Libraries  
Size : 477131  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : AFP support for gvfs  
Description :  
This package provides support for reading and writing files on Mac OS X and original Mac OS network shares via Apple Filing Protocol to applications using gvfs.

Name : quota  
Epoch : 1  
Version : 4.01  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:27 PM EDT  
Group : System Environment/Base  
Size : 886987  
License : BSD and LGPLv2+ and GPLv2 and GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:34 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : quota-4.01-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:50:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/linuxquota/>  
Summary : System administration tools for monitoring users' disk usage  
Description :  
The quota package contains system administration tools for monitoring and limiting user and or group disk usage per file system.

Name : gvfs-afc  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:59 PM EDT  
Group : System Environment/Libraries  
Size : 268020  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : AFC support for gvfs  
Description :  
This package provides support for reading files on mobile devices including phones and music players to applications using gvfs.

Name : paps  
Version : 0.6.8  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:03 PM EDT  
Group : Applications/Publishing  
Size : 60031  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : paps-0.6.8-28.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:45:37 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://paps.sourceforge.net/>  
Summary : Plain Text to PostScript converter  
Description :  
paps is a PostScript converter from plain text file using Pango.

Name : xorg-x11-drv-dummy  
Version : 0.3.6  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:31 PM EDT  
Group : User Interface/X Hardware Support  
Size : 20408  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-dummy-0.3.6-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:41:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 dummy video driver  
Description :  
X.Org X11 dummy video driver.

Name : gnome-system-monitor  
Version : 3.8.2.1  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:07 PM EDT  
Group : Applications/System  
Size : 5911417  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:58 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-system-monitor-3.8.2.1-6.el7.src.rpm  
Build Date : Wed 11 Mar 2015 12:55:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : Process and resource monitor  
Description :  
gnome-system-monitor allows to graphically view and manipulate the running processes on your system. It also provides an overview of available resources such as CPU and memory.

Name : xorg-x11-drv-fbdev  
Version : 0.4.3  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:33 PM EDT  
Group : User Interface/X Hardware Support  
Size : 25710  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-fbdev-0.4.3-15.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:36:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 fbdev video driver  
Description :  
X.Org X11 fbdev video driver.

Name : firewall-config  
Version : 0.3.9  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:09:12 PM EDT  
Group : System Environment/Base  
Size : 797042  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : firewallld-0.3.9-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:35:57 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/firewalld>  
Summary : Firewall configuration application  
Description :  
The firewall configuration application provides an configuration interface for firewalld.

Name : xorg-x11-drv-intel  
Version : 2.99.916

Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:34 PM EDT  
Group : User Interface/X Hardware Support  
Size : 1937677  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-intel-2.99.916-5.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:09:49 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 Intel video driver  
Description :  
X.Org X11 Intel video driver.  
Name : gnome-terminal  
Version : 3.8.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:15 PM EDT  
Group : User Interface/Desktops  
Size : 5787569  
License : GPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-terminal-3.8.4-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:50:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/>  
Summary : Terminal emulator for GNOME  
Description :  
gnome-terminal is a terminal emulator for GNOME. It features the ability to use multiple terminals in a single window (tabs) and profiles support.  
Name : libreoffice-core  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:58 PM EDT  
Group : Applications/Productivity  
Size : 245718170  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm

Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : Core modules for LibreOffice  
Description :  
The shared core libraries and support files for LibreOffice.

Name : PackageKit-gtk3-module  
Version : 0.8.9  
Release : 11.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:19 PM EDT  
Group : Development/Libraries  
Size : 22571  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm  
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Install fonts automatically using PackageKit  
Description :  
The PackageKit GTK3+ module allows any Pango application to install fonts from configured repositories using PackageKit.

Name : libreoffice-pdfimport  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:04 PM EDT  
Group : Applications/Productivity  
Size : 647090  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : PDF Importer for LibreOffice Draw  
Description :  
The PDF Importer imports PDF into drawing documents to preserve layout and enable basic editing of PDF documents.

```

Name       : gucharmap
Version    : 3.8.2
Release    : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:09:23 PM EDT
Group      : Applications/System
Size       : 6959029
License    : GPLv3+ and GFDL and MIT
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:51:13 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gucharmap-3.8.2-3.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:51:32 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://live.gnome.org/Gucharmap
Summary     : Unicode character picker and font browser
Description :
This program allows you to browse through all the available Unicode
characters and categories for the installed fonts, and to examine their
detailed properties. It is an easy way to find the character you might
only know by its Unicode name or code point.
Name       : mesa-libxatracker
Version    : 10.2.7
Release    : 5.20140910.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:05:07 PM EDT
Group      : System Environment/Libraries
Size       : 705029
License    : MIT
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:17:24 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:24:20 AM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.mesa3d.org
Summary     : Mesa XA state tracker for vmware
Description :
Mesa XA state tracker for vmware
Name       : gtk2-immodule-xim
Version    : 2.24.22
Release    : 5.el7_0.1
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:09:26 PM EDT
Group      : System Environment/Libraries
Size       : 33112
License    : LGPLv2+
Signature  : RSA/SHA256, Mon 25 Aug 2014 08:08:47 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gtk2-2.24.22-5.el7_0.1.src.rpm

```

Build Date : Mon 25 Aug 2014 07:37:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : XIM support for GTK+  
Description :  
The gtk2-imodule-xim package contains XIM support for GTK+.

Name : sssd-ldap  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:09 PM EDT  
Group : Applications/System  
Size : 166252  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssdl>  
Summary : The LDAP back end of the SSSD  
Description :  
Provides the LDAP back end that the SSSD can utilize to fetch identity data from and authenticate against an LDAP server.

Name : sysstat  
Version : 10.1.5  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:28 PM EDT  
Group : Applications/System  
Size : 1101621  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sysstat-10.1.5-7.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:45:25 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sebastien.godard.pagesperso-orange.fr/>  
Summary : Collection of performance monitoring tools for Linux  
Description :  
The sysstat package contains sar, sadf, mpstat, iostat, pidstat, nfsiostat, cifsioestat and sa tools for Linux.  
The sar command collects and reports system activity information. This



information can be saved in a file in a binary format for future inspection. The statistics reported by sar concern I/O transfer rates, paging activity, process-related activities, interrupts, network activity, memory and swap space utilization, CPU utilization, kernel activities and TTY statistics, among others. Both UP and SMP machines are fully supported. The sadf command may be used to display data collected by sar in various formats (CSV, XML, etc.).

The iostat command reports CPU utilization and I/O statistics for disks. The mpstat command reports global and per-processor statistics. The pidstat command reports statistics for Linux tasks (processes). The nfsiostat command reports I/O statistics for network file systems. The cifsstat command reports I/O statistics for CIFS file systems.

Name : abrt-retrace-client  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:10 PM EDT  
Group : System Environment/Libraries  
Size : 104732  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:49 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's retrace client  
Description :  
This package contains the client application for Retrace server which is able to analyze C/C++ crashes remotely.

Name : usbutils  
Version : 007  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:30 PM EDT  
Group : Applications/System  
Size : 187281  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:39:03 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : usbutils-007-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:42:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linux-usb.org/>  
Summary : Linux USB utilities

Description :

This package contains utilities for inspecting devices connected to a USB bus.

Name : rpcbind  
Version : 0.2.0  
Release : 26.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:12 PM EDT  
Group : System Environment/Daemons  
Size : 98677  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rpcbind-0.2.0-26.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:25:02 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://nfsv4.bullopensource.org>  
Summary : Universal Addresses to RPC Program Number Mapper

Description :

The rpcbind utility is a server that converts RPC program numbers into universal addresses. It must be running on the host to be able to make RPC calls on a server on that machine.

Name : autofs  
Epoch : 1  
Version : 5.0.7  
Release : 48.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:33 PM EDT  
Group : System Environment/Daemons  
Size : 5284860  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : autofs-5.0.7-48.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:02:07 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A tool for automatically mounting and unmounting filesystems

Description :

autofs is a daemon which automatically mounts filesystems when you use them, and unmounts them later when you are not using them. This can include network filesystems, CD-ROMs, floppies, and so forth.

Name : gnome-online-accounts  
Version : 3.8.5  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:14 PM EDT  
Group : System Environment/Libraries

Size : 1905027  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-online-accounts-3.8.5-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:51:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/GnomeOnlineAccounts>  
Summary : Provide online accounts information  
Description :  
gnome-online-accounts provides interfaces so applications and libraries in GNOME can access the user's online accounts.  
Name : qemu-guest-agent  
Epoch : 10  
Version : 2.1.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:38 PM EDT  
Group : System Environment/Daemons  
Size : 422882  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : qemu-guest-agent-2.1.0-4.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:22:22 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : QEMU guest agent  
Description :  
qemu-kvm is an open source virtualizer that provides hardware emulation for the KVM hypervisor.

This package provides an agent to run inside guests, which communicates with the host over a virtio-serial channel named "org.qemu.guest\_agent.0"

This package does not need to be installed on the host OS.

Name : audit  
Version : 2.4.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:17 PM EDT  
Group : System Environment/Daemons  
Size : 637425  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : audit-2.4.1-5.el7.src.rpm

Build Date : Thu 05 Mar 2015 04:59:11 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : User space tools for 2.6 kernel auditing  
Description :  
The audit package contains the user space utilities for storing and searching the audit records generate by the audit subsystem in the Linux 2.6 kernel.

Name : openssh-server  
Version : 6.6.1p1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:45 PM EDT  
Group : System Environment/Daemons  
Size : 938319  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : openssh-6.6.1p1-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:44:06 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssh.com/portable.html>  
Summary : An open source SSH server daemon  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging into and executing commands on a remote machine. This package contains the secure shell daemon (sshd). The sshd daemon allows SSH clients to securely connect to your SSH server.

Name : libmbim  
Version : 1.5.0  
Release : 3.20130815git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:21 PM EDT  
Group : Unspecified  
Size : 214722  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:58:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libmbim-1.5.0-3.20130815git.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:03:24 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/libmbim>  
Summary : Support library for the Mobile Broadband Interface Model protocol  
Description :

This package contains the libraries that make it easier to use MBIM functionality from applications that use glib.

Name : at  
Version : 3.1.13  
Release : 17.el7\_0.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:49 PM EDT  
Group : System Environment/Daemons  
Size : 99179  
License : GPLv3+ and GPLv2+ and ISC and MIT and Public Domain  
Signature : RSA/SHA256, Tue 07 Oct 2014 08:59:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : at-3.1.13-17.el7\_0.1.src.rpm  
Build Date : Tue 07 Oct 2014 08:55:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.debian.org/debian/pool/main/a/at>  
Summary : Job spooling tools  
Description :  
At and batch read commands from standard input or from a specified file. At allows you to specify that a command will be run at a particular time. Batch will execute commands when the system load levels drop to a particular level. Both commands use user's shell.

You should install the at package if you need a utility for time-oriented job control. Note: If it is a recurring job that will need to be repeated at the same time every day/week, etc. you should use crontab instead.

Name : usb\_modeswitch  
Version : 1.2.7  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:24 PM EDT  
Group : Applications/System  
Size : 433498  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : usb\_modeswitch-1.2.7-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:23:14 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.draisberghof.de/usb\\_modeswitch/](http://www.draisberghof.de/usb_modeswitch/)  
Summary : USB Modeswitch gets mobile broadband cards in operational mode  
Description :  
USB Modeswitch brings up your datacard into operational mode. When plugged in they identify themselves as cdrom and present some non-Linux compatible

installation files. This tool deactivates this cdrom-devices and enables the real communication device. It supports most devices built and sold by Huawei, T-Mobile, Vodafone, Option, ZTE, Novatel.

Name : aic94xx-firmware  
Version : 30  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:09:54 PM EDT  
Group : System Environment/Kernel  
Size : 30752  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:34:22 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : aic94xx-firmware-30-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:57:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-30-1\\_tar\\_gz.htm](http://www.adaptec.com/en-US/speed/scsi/linux/aic94xx-seq-30-1_tar_gz.htm)  
Summary : Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for AIC94xx driver  
Description :  
Adaptec SAS 44300, 48300, 58300 Sequencer Firmware for Open-Source AIC94xx Driver.

Name : python-rtslib  
Version : 2.1.fb50  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:05:26 PM EDT  
Group : System Environment/Libraries  
Size : 281672  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-rtslib-2.1.fb50-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:16:17 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/targetcli-fb/>  
Summary : API for Linux kernel LIO SCSI target  
Description :  
API for generic Linux SCSI kernel target. Includes the 'target' service and targetctl tool for restoring configuration.

Name : perl-XML-DOM  
Version : 1.44  
Release : 19.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:09:58 PM EDT  
Group : Development/Libraries

Size : 283204  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:09 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-XML-DOM-1.44-19.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:53:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-DOM/>  
Summary : DOM extension to XML::Parser  
Description :  
This is a Perl extension to XML::Parser. It adds a new 'Style' to XML::Parser, called 'DOM', that allows XML::Parser to build an Object Oriented data structure with a DOM Level 1 compliant interface. For a description of the DOM (Document Object Model), see <<http://www.w3.org/DOM/>>.

Name : hypervfcopyd  
Version : 0  
Release : 0.25.20141008git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:28 PM EDT  
Group : System Environment/Daemons  
Size : 11404  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:02:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : HyperV FCOPY daemon  
Description :  
Hypervfcopyd is an implementation of file copy service functionality for Linux Guest running on HyperV. The daemon enables host to copy a file (over VMBUS) into the Linux Guest. The daemon first registers with the kernel driver. After this is done it waits for instructions from Windows Host.

Name : perl-Tk-Pod  
Version : 0.9939  
Release : 1  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:04 PM EDT  
Group : Applications/CPAN  
Size : 204585  
License : Artistic/GPL  
Signature : (none)  
Source RPM : perl-Tk-Pod-0.9939-1.src.rpm  
Build Date : Thu 15 Jul 2010 08:59:16 AM EDT  
Build Host : lorax

```

Relocations : (not relocatable)
Packager    : Jason Messmer <Jason.Messmer@xerox.com>
URL         : http://search.cpan.org/dist/Tk-Pod/
Summary     : Pod browser widget
Description :
Pod browser widget.
Name        : nfs-utils
Epoch      : 1
Version     : 1.3.0
Release     : 0.8.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:05:32 PM EDT
Group       : System Environment/Daemons
Size        : 1079082
License     : MIT and GPLv2 and GPLv2+ and BSD
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:20:05 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : nfs-utils-1.3.0-0.8.el7.src.rpm
Build Date  : Thu 05 Mar 2015 11:17:56 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://sourceforge.net/projects/nfs
Summary     : NFS utilities and supporting clients and daemons for the
kernel NFS server
Description :
The nfs-utils package provides a daemon for the kernel NFS server and
related tools, which provides a much higher level of performance than the
traditional Linux NFS server used by most users.

```

This package also contains the showmount program. Showmount queries the mount daemon on a remote host for information about the NFS (Network File System) server on the remote host. For example, showmount can display the clients which are mounted on that host.

This package also contains the mount.nfs and umount.nfs program.

```

Name        : vsftpd
Version     : 3.0.2
Release     : 9.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:10:08 PM EDT
Group       : System Environment/Daemons
Size        : 351462
License     : GPLv2 with exceptions
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:42:14 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : vsftpd-3.0.2-9.el7.src.rpm
Build Date  : Mon 09 Jun 2014 08:43:30 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS

```



URL : <https://security.appspot.com/vsftpd.html>  
Summary : Very Secure Ftp Daemon  
Description :  
vsftpd is a Very Secure FTP daemon. It was written completely from scratch.  
Name : alsa-firmware  
Version : 1.0.28  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:05:35 PM EDT  
Group : Applications/Multimedia  
Size : 9572469  
License : GPL+ and BSD and GPLv2+ and GPLv2 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : alsa-firmware-1.0.28-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:58:35 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : Firmware for several ALSA-supported sound cards  
Description :  
This package contains the firmware binaries for a number of sound cards. Some (but not all of these) require firmware loaders which are included in the alsa-tools-firmware package.  
Name : gnome-icon-theme-extras  
Version : 3.6.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:11 PM EDT  
Group : User Interface/Desktops  
Size : 875312  
License : CC-BY-SA  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-icon-theme-extras-3.6.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:46:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Additional GNOME icons  
Description :  
This package contains extra device and mime-type icons for use by the GNOME desktop.  
Name : device-mapper-multipath-libs  
Version : 0.4.9  
Release : 77.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:39 PM EDT  
Group : System Environment/Libraries

Size : 573457  
License : GPL+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : device-mapper-multipath-0.4.9-77.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:51:48 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://christophe.varoqui.free.fr/>  
Summary : The device-mapper-multipath modules and shared library  
Description :  
The device-mapper-multipath-libs provides the path checker and prioritizer modules. It also contains the multipath shared library, libmultipath.

Name : crash  
Version : 7.0.9  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:18 PM EDT  
Group : Development/Debuggers  
Size : 7408396  
License : GPLv3  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : crash-7.0.9-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:57:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/anderson>  
Summary : Kernel analysis utility for live systems, netdump, diskdump, kdump, LKCD or mcore dumpfiles  
Description :  
The core analysis suite is a self-contained tool that can be used to investigate either live systems, kernel core dumps created from the netdump, diskdump and kdump packages from Red Hat Linux, the mcore kernel patch offered by Mission Critical Linux, or the LKCD kernel patch.

Name : rsyslog-mmjsonparse  
Version : 7.4.7  
Release : 7.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:42 PM EDT  
Group : System Environment/Daemons  
Size : 15488  
License : (GPLv3+ and ASL 2.0)  
Signature : RSA/SHA256, Mon 13 Oct 2014 03:41:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rsyslog-7.4.7-7.el7\_0.src.rpm  
Build Date : Mon 13 Oct 2014 03:07:27 PM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rsyslog.com/>  
Summary : JSON enhanced logging support  
Description :  
This module provides the capability to recognize and parse JSON enhanced syslog messages.  
Name : sudo  
Version : 1.8.6p7  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:24 PM EDT  
Group : Applications/System  
Size : 2520314  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sudo-1.8.6p7-13.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:42:19 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.courtesan.com/sudo/>  
Summary : Allows restricted root access for specified users  
Description :  
Sudo (superuser do) allows a system administrator to give certain users (or groups of users) the ability to run some (or all) commands as root while logging all commands and arguments. Sudo operates on a per-command basis. It is not a replacement for the shell. Features include: the ability to restrict what commands a user may run on a per-host basis, copious logging of each command (providing a clear audit trail of who did what), a configurable timeout of the sudo command, and the ability to use the same configuration file (sudoers) on many different machines.  
Name : qemu-img  
Epoch : 10  
Version : 1.5.3  
Release : 86.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:45 PM EDT  
Group : Development/Tools  
Size : 2240628  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm  
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>

```

Summary      : QEMU command line tool for manipulating disk images
Description  :
This package provides a command line tool for manipulating disk images.
Name         : wget
Version      : 1.14
Release      : 10.el7_0.1
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:10:26 PM EDT
Group        : Applications/Internet
Size         : 2055418
License      : GPLv3+
Signature    : RSA/SHA256, Thu 30 Oct 2014 01:41:14 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : wget-1.14-10.el7_0.1.src.rpm
Build Date   : Thu 30 Oct 2014 01:35:17 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.gnu.org/software/wget/
Summary      : A utility for retrieving files using the HTTP or FTP
protocols
Description  :
GNU Wget is a file retrieval utility which can use either the HTTP or
FTP protocols. Wget features include the ability to work in the
background while you are logged out, recursive retrieval of
directories, file name wildcard matching, remote file timestamp
storage and comparison, use of Rest with FTP servers and Range with
HTTP servers to retrieve files over slow or unstable connections,
support for Proxy servers, and configurability.
Name         : libreoffice-calc
Epoch       : 1
Version      : 4.2.6.3
Release      : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:05:51 PM EDT
Group        : Applications/Productivity
Size         : 28210377
License      : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0
and Artistic and MPLv2.0
Signature    : RSA/SHA256, Sat 14 Mar 2015 04:07:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : libreoffice-4.2.6.3-5.el7.src.rpm
Build Date   : Tue 10 Mar 2015 11:43:03 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.libreoffice.org/
Summary      : LibreOffice Spreadsheet Application
Description  :
The LibreOffice Spreadsheet application.
Name         : xorg-x11-utils

```

Version : 7.5  
Release : 13.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:29 PM EDT  
Group : User Interface/X  
Size : 262604  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:55 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-utils-7.5-13.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:20:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 X client utilities  
Description :  
A collection of client utilities which can be used to query the X server  
for various information.

Name : perl-Archive-Tar  
Version : 1.92  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:32 PM EDT  
Group : Development/Libraries  
Size : 154195  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:14:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Archive-Tar-1.92-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:33:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Archive-Tar/>  
Summary : A module for Perl manipulation of .tar files  
Description :  
Archive::Tar provides an object oriented mechanism for handling tar  
files. It provides class methods for quick and easy files handling  
while also allowing for the creation of tar file objects for custom  
manipulation. If you have the IO::Zlib module installed, Archive::Tar  
will also support compressed or gzipped tar files.

Name : libmpcdec  
Version : 1.2.6  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:56 PM EDT  
Group : System Environment/Libraries  
Size : 60510  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:45 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libmpcdec-1.2.6-12.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:37:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.musepack.net/>  
Summary : Musepack audio decoding library  
Description :  
Musepack is an audio compression format with a strong emphasis on high quality.  
It's not lossless, but it is designed for transparency, so that you won't be able to hear differences between the original wave file and the much smaller MPC file.  
It is based on the MPEG-1 Layer-2 / MP2 algorithms, but has rapidly developed and vastly improved and is now at an advanced stage in which it contains heavily optimized and patentless code.

Name : gtk2  
Version : 2.24.22  
Release : 5.el7\_0.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:33 PM EDT  
Group : System Environment/Libraries  
Size : 13460530  
License : LGPLv2+  
Signature : RSA/SHA256, Mon 25 Aug 2014 08:08:33 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gtk2-2.24.22-5.el7\_0.1.src.rpm  
Build Date : Mon 25 Aug 2014 07:37:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : The GIMP ToolKit (GTK+), a library for creating GUIs for X  
Description :  
GTK+ is a multi-platform toolkit for creating graphical user interfaces. Offering a complete set of widgets, GTK+ is suitable for projects ranging from small one-off tools to complete application suites.

Name : libgcc  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:55:32 PM EDT  
Group : System Environment/Libraries  
Size : 179272  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:24 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : GCC version 4.8 shared support library  
Description :  
This package contains GCC shared support library which is needed  
e.g. for exception handling support.  
Name : libgee06  
Version : 0.6.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:22 PM EDT  
Group : System Environment/Libraries  
Size : 436236  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:47:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgee06-0.6.8-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:45:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Libgee>  
Summary : GObject collection library  
Description :  
libgee is a collection library providing GObject-based interfaces and  
classes for commonly used data structures.

libgee provides the following interfaces:

- \* Iterable
  - \* Collection
    - \* List
    - \* Set
    - \* MultiSet
    - \* Queue
    - \* Deque
- \* Iterator
- \* Map
- \* MultiMap

The ArrayList, HashSet, HashMap, HashMultiSet, HashMultiMap, LinkedList, PriorityQueue, TreeSet, TreeMap, TreeMultiSet, and TreeMultiMap classes provide a reasonable sample implementation of those interfaces. In addition, a set of abstract classes are provided to ease the implementation of new collections.

Around that, the API provide means to retrieve read-only views, efficient sort algorithms, simple, bi-directional or index-based

mutable iterators depending on the collection type.

libgee is written in Vala and can be used like any GObject-based C library.

Name : centos-logos  
Version : 70.0.6  
Release : 1.el7.centos  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:59:40 PM EDT  
Group : System Environment/Base  
Size : 22578880  
License : Copyright © 2014 The CentOS Project. All rights reserved.  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:54 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : centos-logos-70.0.6-1.el7.centos.src.rpm  
Build Date : Wed 02 Jul 2014 10:15:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.centos.org>  
Summary : CentOS-related icons and pictures  
Description :  
The redhat-logos package (the "Package") contains files created by the CentOS Project to replace the Red Hat "Shadow Man" logo and RPM logo. The Red Hat "Shadow Man" logo, RPM, and the RPM logo are trademarks or registered trademarks of Red Hat, Inc.

The Package and CentOS logos (the "Marks") can only be used as outlined in the included COPYING file. Please see that file for information on copying and redistribution of the CentOS Marks.

Name : dejavu-fonts-common  
Version : 2.33  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:32 PM EDT  
Group : User Interface/X  
Size : 130455  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:50 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Common files for the DejaVu font set  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10. Its purpose is to provide a wider range of characters, while maintaining the



original style, using an open collaborative development process.

This package consists of files used by other DejaVu packages.

Name : libvirt-gconfig  
Version : 0.1.7  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:26 PM EDT  
Group : Development/Libraries  
Size : 361805  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:11 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-glib-0.1.7-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:15:43 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : libvirt object APIs for processing object configuration  
Description :

This package provides APIs for processing the object configuration data

Name : binutils  
Version : 2.23.52.0.1  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:43 PM EDT  
Group : Development/Tools  
Size : 21225502  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : binutils-2.23.52.0.1-30.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:27:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/binutils>  
Summary : A GNU collection of binary utilities  
Description :

Binutils is a collection of binary utilities, including ar (for creating, modifying and extracting from archives), as (a family of GNU assemblers), gprof (for displaying call graph profile data), ld (the GNU linker), nm (for listing symbols from object files), objcopy (for copying and translating object files), objdump (for displaying information from object files), ranlib (for generating an index for the contents of an archive), readelf (for displaying detailed information about binary files), size (for listing the section sizes of an object or archive file), strings (for listing printable strings from files), strip (for discarding symbols), and addr2line (for converting addresses to file and line).

Name : hyperv-daemons-license  
Version : 0  
Release : 0.25.20141008git.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:34 PM EDT  
Group : Applications/System  
Size : 18693  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:02:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>  
Summary : License of the HyperV daemons suite  
Description :  
Contains license of the HyperV daemons suite.

Name : libnl3-cli  
Version : 3.2.21  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:28 PM EDT  
Group : Development/Libraries  
Size : 292358  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnl3-3.2.21-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:33:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.infradead.org/~tgr/libnl/>  
Summary : Command line interface utils for libnl3  
Description :  
This package contains various libnl3 utils and additional libraries on which they depend

Name : librados2  
Epoch : 1  
Version : 0.80.7  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:50 PM EDT  
Group : System Environment/Libraries  
Size : 5990344  
License : LGPL-2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ceph-common-0.80.7-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:27:13 PM EST

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ceph.com/>  
Summary : RADOS distributed object store client library  
Description :  
RADOS is a reliable, autonomic distributed object storage cluster developed as part of the Ceph distributed storage system. This is a shared library allowing applications to access the distributed object store using a simple file-like interface.

Name : basesystem  
Version : 10.0  
Release : 7.el7.centos  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:35 PM EDT  
Group : System Environment/Base  
Size : 0  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:46:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : basesystem-10.0-7.el7.centos.src.rpm  
Build Date : Fri 27 Jun 2014 06:37:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : The skeleton package which defines a simple CentOS Linux system  
Description :  
Basesystem defines the components of a basic CentOS Linux system (for example, the package installation order to use during bootstrapping). Basesystem should be in every installation of a system, and it should never be removed.

Name : pinentry  
Version : 0.8.1  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:29 PM EDT  
Group : Applications/System  
Size : 159524  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:12 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pinentry-0.8.1-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:40:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/aegypten/>  
Summary : Collection of simple PIN or passphrase entry dialogs  
Description :  
Pinentry is a collection of simple PIN or passphrase entry dialogs which

utilize the Assuan protocol as described by the aegypten project; see <http://www.gnupg.org/aegypten/> for details.  
This package contains the curses (text) based version of the PIN entry dialog.

Name : libselinux-python  
Version : 2.2.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:52 PM EDT  
Group : Development/Libraries  
Size : 734514  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libselinux-2.2.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:13:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/git/selinux.git>  
Summary : SELinux python bindings for libselinux  
Description :  
The libselinux-python package contains the python bindings for developing SELinux applications.

Name : libreport-filesystem  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:55:36 PM EDT  
Group : Applications/File  
Size : 0  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Filesystem layout for libreport  
Description :

Filesystem layout for libreport  
Name : libcdio  
Version : 0.92  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:31 PM EDT  
Group : System Environment/Libraries  
Size : 596737  
License : GPLv3+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:38 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcdio-0.92-1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:42:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libcdio/>  
Summary : CD-ROM input and control library  
Description :  
This library provides an interface for CD-ROM access. It can be used  
by applications that need OS- and device-independent access to CD-ROM  
devices.  
Name : hicolor-icon-theme  
Version : 0.12  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:59:55 PM EDT  
Group : User Interface/Desktops  
Size : 45788  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hicolor-icon-theme-0.12-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:16:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://icon-theme.freedesktop.org/wiki/HicolorTheme>  
Summary : Basic requirement for icon themes  
Description :  
Contains the basic directories and files needed for icon theme support.  
Name : mailcap  
Version : 2.1.41  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:39 PM EDT  
Group : System Environment/Base  
Size : 63360  
License : Public Domain and MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:37:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mailcap-2.1.41-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:57:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/mailcap.git>  
Summary : Helper application and MIME type associations for file  
types  
Description :

The mailcap file is used by the metamail program. Metamail reads the mailcap file to determine how it should display non-text or multimedia material. Basically, mailcap associates a particular type of file with a particular program that a mail agent or other program can call in order to handle the file. Mailcap should be installed to allow certain programs to be able to handle non-text files.

Also included in this package is the mime.types file which contains a list of MIME types and their filename "extension" associations, used by several applications e.g. to determine MIME types for filenames.

Name : libxklavier  
Version : 5.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:33 PM EDT  
Group : Development/Libraries  
Size : 155203  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libxklavier-5.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:18:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/LibXklavier>  
Summary : High-level API for X Keyboard Extension  
Description :  
libxklavier is a library providing a high-level API for the X Keyboard Extension (XKB). This library is intended to support XFree86 and other commercial X servers. It is useful for creating XKB-related software (layout indicators etc).

Name : libreport-plugin-mantisbt  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:00 PM EDT  
Group : System Environment/Libraries  
Size : 68191  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's mantisbt plugin  
Description :  
Plugin to report bugs into the mantisbt.  
Name : kernel-headers

```

Version      : 3.10.0
Release      : 229.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:55:45 PM EDT
Group        : Development/System
Size         : 3275345
License      : GPLv2
Signature    : RSA/SHA256, Sat 14 Mar 2015 03:58:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : kernel-3.10.0-229.el7.src.rpm
Build Date   : Fri 06 Mar 2015 07:20:57 AM EST
Build Host   : kbuilder.dev.centos.org
Relocations  : (not relocatable)
URL          : http://www.kernel.org/
Summary      : Header files for the Linux kernel for use by glibc
Description  :
Kernel-headers includes the C header files that specify the interface
between the Linux kernel and userspace libraries and programs. The
header files define structures and constants that are needed for
building most standard programs and are also needed for rebuilding the
glibc package.
Name         : liberation-mono-fonts
Epoch       : 1
Version      : 1.07.2
Release      : 14.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:57:34 PM EDT
Group        : User Interface/X
Size         : 457602
License      : Liberation
Signature    : RSA/SHA256, Thu 03 Jul 2014 10:44:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : liberation-fonts-1.07.2-14.el7.src.rpm
Build Date   : Mon 09 Jun 2014 05:51:01 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://fedorahosted.org/liberation-fonts/
Summary      : Monospace fonts to replace commonly used Microsoft Courier
New
Description  :

```

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

This is Monospace TrueType fonts that replaced commonly used Microsoft Courier \

```

New.
Name       : xdg-utils
Version    : 1.1.0
Release    : 0.16.20120809git.el7

```

```

Architecture: noarch
Install Date: Fri 26 Aug 2016 01:00:03 PM EDT
Group       : System Environment/Base
Size        : 276971
License     : MIT
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:45:53 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : xdg-utils-1.1.0-0.16.20120809git.el7.src.rpm
Build Date  : Tue 10 Jun 2014 12:58:38 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://portland.freedesktop.org/
Summary     : Basic desktop integration functions
Description :
The xdg-utils package is a set of simple scripts that provide basic
desktop integration functions for any Free Desktop, such as Linux.
They are intended to provide a set of defacto standards.
This means that:
* Third party software developers can rely on these xdg-utils
  for all of their simple integration needs.
* Developers of desktop environments can make sure that their
  environments are well supported
* Distribution vendors can provide custom versions of these utilities

```

The following scripts are provided at this time:

```

* xdg-desktop-icon      Install icons to the desktop
* xdg-desktop-menu      Install desktop menu items
* xdg-email             Send mail using the user's preferred e-mail
composer
* xdg-icon-resource     Install icon resources
* xdg-mime              Query information about file type handling and
                        install descriptions for new file types
* xdg-open             Open a file or URL in the user's preferred
application
* xdg-screensaver       Control the screensaver
* xdg-settings          Get various settings from the desktop environment

```

```

Name       : nhn-nanum-fonts-common
Version    : 3.020
Release    : 9.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:55:46 PM EDT
Group      : User Interface/X
Size       : 15175
License    : OFL
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:57:18 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : nhn-nanum-fonts-3.020-9.el7.src.rpm
Build Date : Tue 10 Jun 2014 04:48:21 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS

```



URL : <http://hangeul.naver.com/share.nhn>  
Summary : Common files of nhn-nanum-fonts  
Description :

Nanum fonts are collection of commonly-used Myeongjo and Gothic Korean font families, designed by Sandoll Communication and Fontrix. The publisher is NHN Corporation.

This package consists of files used by other nhn-nanum-fonts packages.

Name : boost-date-time  
Version : 1.53.0  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:37 PM EDT  
Group : System Environment/Libraries  
Size : 139666  
License : Boost and MIT and Python  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:40:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : boost-1.53.0-23.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:28:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.boost.org>  
Summary : Run-Time component of boost date-time library  
Description :

Run-Time support for Boost Date Time, set of date-time libraries based on generic programming concepts.

Name : libtirpc  
Version : 0.2.4  
Release : 0.5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:06 PM EDT  
Group : System Environment/Libraries  
Size : 178935  
License : SISSL and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libtirpc-0.2.4-0.5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:45:48 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://nfsv4.bullopensource.org/>  
Summary : Transport Independent RPC Library  
Description :

This package contains SunLib's implementation of transport-independent RPC (TI-RPC) documentation. This library forms a piece of the base of Open Network Computing (ONC), and is derived directly from the Solaris 2.3 source.

TI-RPC is an enhanced version of TS-RPC that requires the UNIX System V Transport Layer Interface (TLI) or an equivalent X/Open Transport Interface

(XTI). TI-RPC is on-the-wire compatible with the TS-RPC, which is supported

by almost 70 vendors on all major operating systems. TS-RPC source code (RPCSRC 4.0) remains available from several internet sites.

Name : quota-nls  
Epoch : 1  
Version : 4.01  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:48 PM EDT  
Group : System Environment/Base  
Size : 315960  
License : BSD and LGPLv2+ and GPLv2 and GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : quota-4.01-11.el7.src.rpm  
Build Date : Wed 11 Jun 2014 12:21:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/linuxquota/>  
Summary : Gettext catalogs for disk quota tools  
Description :  
Disk quota tools messages translated into different natural languages.

Name : harfbuzz  
Version : 0.9.20  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:38 PM EDT  
Group : Unspecified  
Size : 370259  
License : MIT  
Signature : RSA/SHA256, Wed 26 Nov 2014 06:41:36 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : harfbuzz-0.9.20-4.el7.src.rpm  
Build Date : Wed 26 Nov 2014 06:13:44 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/wiki/Software/HarfBuzz>  
Summary : Text shaping library  
Description :

HarfBuzz is an implementation of the OpenType Layout engine.

Name : libcacard  
Epoch : 10  
Version : 1.5.3  
Release : 86.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:00:07 PM EDT  
Group : Development/Libraries  
Size : 156520  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:59:46 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm  
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : Common Access Card (CAC) Emulation  
Description :  
Common Access Card (CAC) emulation library.  
Name : kbd-misc  
Version : 1.15.5  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:50 PM EDT  
Group : System Environment/Base  
Size : 2307951  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:41 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : kbd-1.15.5-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:13:52 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>  
Summary : Data for kbd package  
Description :  
The kbd-misc package contains data for kbd package - console fonts,  
keymaps etc. Please note that kbd-misc is not helpful without kbd.  
Name : mtdev  
Version : 1.1.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:39 PM EDT  
Group : System Environment/Libraries  
Size : 25789  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mtdev-1.1.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:13:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://bitmath.org/code/mtdev/>

```

Summary      : Multitouch Protocol Translation Library
Description  :
mtdev is a stand-alone library which transforms all variants of kernel MT
events to the slotted type B protocol. The events put into mtdev may be
from
any MT device, specifically type A without contact tracking, type A with
contact tracking, or type B with contact tracking.
Name         : libao
Version      : 1.1.0
Release      : 8.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:00:09 PM EDT
Group        : System Environment/Libraries
Size         : 201977
License      : GPLv2+
Signature    : RSA/SHA256, Thu 03 Jul 2014 10:35:27 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : libao-1.1.0-8.el7.src.rpm
Build Date   : Mon 09 Jun 2014 06:05:45 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://xiph.org/ao/
Summary      : Cross Platform Audio Output Library
Description  :
Libao is a cross platform audio output library. It currently supports
ESD, OSS, Solaris, and IRIX.
Name         : mesa-filesystem
Version      : 10.2.7
Release      : 5.20140910.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:55:54 PM EDT
Group        : User Interface/X Hardware Support
Size         : 29175
License      : MIT
Signature    : RSA/SHA256, Sat 14 Mar 2015 04:16:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : mesa-10.2.7-5.20140910.el7.src.rpm
Build Date   : Fri 06 Mar 2015 01:24:20 AM EST
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.mesa3d.org
Summary      : Mesa driver filesystem
Description  :
Mesa driver filesystem
Name         : ethtool
Epoch       : 2
Version      : 3.15
Release      : 2.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:41 PM EDT

```

Group : Applications/System  
Size : 313775  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:39 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ethtool-3.15-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:31:58 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.kernel.org/pub/software/network/ethtool/>  
Summary : Settings tool for Ethernet NICs  
Description :  
This utility allows querying and changing settings such as speed, port, auto-negotiation, PCI locations and checksum offload on many network devices, especially of Ethernet devices.  
Name : python-augeas  
Version : 0.4.1  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:11 PM EDT  
Group : Development/Languages  
Size : 63821  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:05 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-augeas-0.4.1-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:15:53 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://augeas.net/>  
Summary : Python bindings to augeas  
Description :  
python-augeas is a set of Python bindings around augeas.  
Name : ncurses-base  
Version : 5.9  
Release : 13.20130511.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:56 PM EDT  
Group : System Environment/Base  
Size : 223432  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ncurses-5.9-13.20130511.el7.src.rpm  
Build Date : Tue 10 Jun 2014 11:12:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://invisible-island.net/ncurses/ncurses.html>

Summary : Descriptions of common terminals  
Description :  
This package contains descriptions of common terminals. Other terminal descriptions are included in the ncurses-term package.  
Name : hyphen-en  
Version : 2.8.6  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:42 PM EDT  
Group : Applications/Text  
Size : 106063  
License : GPLv2 or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:01:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyphen-2.8.6-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 07:56:05 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hunspell.sf.net>  
Summary : English hyphenation rules  
Description :  
English hyphenation rules.  
Name : langtable-python  
Version : 0.0.13  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:12 PM EDT  
Group : Development/Tools  
Size : 110204  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:33:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : langtable-0.0.13-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:16:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mike-fabian/langtable>  
Summary : Python module to query the langtable-data  
Description :  
This package contains a Python module to query the data from langtable-data.  
Name : libstdc++  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:06 PM EDT  
Group : System Environment/Libraries  
Size : 1077046  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD

Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:27 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : gcc-4.8.3-9.el7.src.rpm

Build Date : Thu 05 Mar 2015 02:59:34 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://gcc.gnu.org>

Summary : GNU Standard C++ Library

Description :

The libstdc++ package contains a rewritten standard compliant GCC  
Standard

C++ Library.

Name : wavpack

Version : 4.60.1

Release : 9.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:57:44 PM EDT

Group : Applications/Multimedia

Size : 303108

License : BSD

Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:32 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : wavpack-4.60.1-9.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:15:39 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.wavpack.com/>

Summary : A completely open audiocodec

Description :

WavPack is a completely open audio compression format providing lossless,  
high-quality lossy, and a unique hybrid compression mode. Although the  
technology is loosely based on previous versions of WavPack, the new  
version 4 format has been designed from the ground up to offer  
unparalleled

performance and functionality.

Name : libnfsidmap

Version : 0.25

Release : 11.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:00:15 PM EDT

Group : System Environment/Libraries

Size : 104568

License : BSD

Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:44 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libnfsidmap-0.25-11.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:31:38 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.citi.umich.edu/projects/nfsv4/linux/>  
Summary : NFSv4 User and Group ID Mapping Library  
Description :  
Library that handles mapping between names and ids for NFSv4.  
Name : pcre  
Version : 8.32  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:08 PM EDT  
Group : System Environment/Libraries  
Size : 1463148  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:27:20 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pcre-8.32-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:55:53 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pcre.org/>  
Summary : Perl-compatible regular expression library  
Description :  
Perl-compatible regular expression library.  
PCRE has its own native API, but a set of "wrapper" functions that are based on the POSIX API are also supplied in the library libpcreposix. Note that this just provides a POSIX calling interface to PCRE: the regular expressions themselves still follow Perl syntax and semantics. The header file for the POSIX-style functions is called pcreposix.h.  
Name : mythes-en  
Version : 3.0  
Release : 13.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:46 PM EDT  
Group : Applications/Text  
Size : 21696377  
License : MIT and Public Domain and (GPL+ or Artistic)  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:52:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mythes-en-3.0-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:24:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.danielnaber.de/wn2ooo/>  
Summary : English thesaurus  
Description :  
English thesaurus.  
Name : mailx  
Version : 12.5



Release : 12.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:17 PM EDT  
Group : Applications/Internet  
Size : 477130  
License : BSD with advertising and MPLv1.1  
Signature : RSA/SHA256, Tue 16 Dec 2014 03:42:47 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mailx-12.5-12.el7\_0.src.rpm  
Build Date : Tue 16 Dec 2014 03:40:51 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://heirloom.sourceforge.net/mailx.html>  
Summary : Enhanced implementation of the mailx command  
Description :  
Mailx is an enhanced mail command, which provides the functionality  
of the POSIX mailx command, as well as SysV mail and Berkeley Mail  
(from which it is derived).

Additionally to the POSIX features, mailx can work with Maildir/ e-mail  
storage format (as well as mailboxes), supports IMAP, POP3 and SMTP  
protocols (including over SSL) to operate with remote hosts, handles mime  
types and different charsets. There are a lot of other useful features,  
see mailx(1).

And as its ancient analogues, mailx can be used as a mail script  
language,  
both for sending and receiving mail.

Besides the "mailx" command, this package provides "mail" and "Mail"  
(which should be compatible with its predecessors from the mailx-8.x  
source),  
as well as "nail" (the initial name of this project).

Name : libxml2  
Version : 2.9.1  
Release : 5.el7\_0.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:10 PM EDT  
Group : Development/Libraries  
Size : 1705926  
License : MIT  
Signature : RSA/SHA256, Tue 21 Oct 2014 01:16:21 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libxml2-2.9.1-5.el7\_0.1.src.rpm  
Build Date : Tue 21 Oct 2014 12:27:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlsoft.org/>  
Summary : Library providing XML and HTML support  
Description :

This library allows to manipulate XML files. It includes support to read, modify and write XML and HTML files. There is DTDs support this includes parsing and validation even with complex DTDs, either at parse time or later once the document has been modified. The output can be a simple SAX stream or and in-memory DOM like representations. In this case one can use the built-in XPath and XPointer implementation to select sub nodes or ranges. A flexible Input/Output mechanism is available, with existing HTTP and FTP modules and combined to an URI library.

Name : libXaw  
Version : 1.0.11  
Release : 6.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:48 PM EDT  
Group : System Environment/Libraries  
Size : 491713  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXaw-1.0.11-6.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:09:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Athena Widget Set  
Description :  
Xaw is a widget set based on the X Toolkit Intrinsics (Xt) Library.

Name : fipscheck  
Version : 1.4.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:18 PM EDT  
Group : System Environment/Libraries  
Size : 38815  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fipscheck-1.4.1-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:33:57 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/fipscheck/>  
Summary : A library for integrity verification of FIPS validated modules  
Description :  
FIPSCheck is a library for integrity verification of FIPS validated modules. The package also provides helper binaries for creation and verification of the HMAC-SHA256 checksum files.

Name : libcom\_err  
Version : 1.42.9

Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:11 PM EDT  
Group : Development/Libraries  
Size : 60409  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:09:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Common error description library  
Description :  
This is the common error description library, part of e2fsprogs.

libcom\_err is an attempt to present a common error-handling mechanism.

Name : pulseaudio-utils  
Version : 3.0  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:49 PM EDT  
Group : Unspecified  
Size : 165728  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:24 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pulseaudio-3.0-30.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : PulseAudio sound server utilities  
Description :  
This package contains command line utilities for the PulseAudio sound server.

Name : cyrus-sasl-gssapi  
Version : 2.1.26  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:21 PM EDT  
Group : System Environment/Libraries  
Size : 36904  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : GSSAPI authentication support for Cyrus SASL  
Description :  
The cyrus-sasl-gssapi package contains the Cyrus SASL plugins which support GSSAPI authentication. GSSAPI is commonly used for Kerberos authentication.  
Name : popt  
Version : 1.13  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:12 PM EDT  
Group : System Environment/Libraries  
Size : 88516  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : popt-1.13-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:03:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm5.org/>  
Summary : C library for parsing command line parameters  
Description :  
Popt is a C library for parsing command line parameters. Popt was heavily influenced by the getopt() and getopt\_long() functions, but it improves on them by allowing more powerful argument expansion. Popt can parse arbitrary argv[] style arrays and automatically set variables based on command line arguments. Popt allows command line arguments to be aliased via configuration files and includes utility functions for parsing arbitrary strings into argv[] arrays using shell-like rules.  
Name : perl-HTTP-Tiny  
Version : 0.033  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:50 PM EDT  
Group : Development/Libraries  
Size : 97210  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:08 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Tiny-0.033-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:53:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Tiny/>  
Summary : Small, simple, correct HTTP/1.1 client

Description :

This is a very simple HTTP/1.1 client, designed for doing simple GET requests without the overhead of a large framework like LWP::UserAgent.

It is more correct and more complete than HTTP::Lite. It supports proxies (currently only non-authenticating ones) and redirection. It also correctly

resumes after EINTR.

Name : icedax

Version : 1.1.11

Release : 22.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:00:22 PM EDT

Group : Applications/Multimedia

Size : 288157

License : GPLv2

Signature : RSA/SHA256, Thu 03 Jul 2014 10:05:27 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : cdrkit-1.1.11-22.el7.src.rpm

Build Date : Mon 09 Jun 2014 07:32:01 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://cdrkit.org/>

Summary : A utility for sampling/copying .wav files from digital audio CDs

Description :

Icedax is a sampling utility for CD-ROM drives that are capable of providing a CD's audio data in digital form to your host. Audio data read from the CD can be saved as .wav or .sun format sound files. Recording formats include stereo/mono, 8/12/16 bits and different rates. Icedax can also be used as a CD player.

Name : libpng

Epoch : 2

Version : 1.5.13

Release : 5.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:56:13 PM EDT

Group : System Environment/Libraries

Size : 616053

License : zlib

Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:22 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libpng-1.5.13-5.el7.src.rpm

Build Date : Tue 10 Jun 2014 12:44:58 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.libpng.org/pub/png/>

Summary : A library of functions for manipulating PNG image format files

Description :

The libpng package contains a library of functions for creating and manipulating PNG (Portable Network Graphics) image format files. PNG is a bit-mapped graphics format similar to the GIF format. PNG was created to replace the GIF format, since GIF uses a patented data compression algorithm.

Libpng should be installed if you need to manipulate PNG format image files.

Name : perl-Text-ParseWords  
Version : 3.29  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:51 PM EDT  
Group : Development/Libraries  
Size : 16431  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Text-ParseWords-3.29-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:14:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Text-ParseWords/>  
Summary : Parse text into an array of tokens or array of arrays  
Description :  
The nested\_quotewords() and quotewords() functions accept a delimiter (which can be a regular expression) and a list of lines and then breaks those lines up into a list of words ignoring delimiters that appear inside quotes. quotewords() returns all of the tokens in a single long list, while nested\_quotewords() returns a list of token lists corresponding to the elements of @lines. parse\_line() does tokenizing on a single string. The quotewords() functions simply call &parse\_line(), so if you're only splitting one line you can call parse\_line() directly and save a function call.

Name : dvd+rw-tools  
Version : 7.1  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:24 PM EDT  
Group : Applications/Multimedia  
Size : 395279  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:10:38 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dvd+rw-tools-7.1-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:55:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://fy.chalmers.se/~appro/linux/DVD+RW/>  
Summary : Toolchain to master DVD+RW/+R media  
Description :  
Collection of tools to master DVD+RW/+R media. For further  
information see <http://fy.chalmers.se/~appro/linux/DVD+RW/>.  
Name : libusbx  
Version : 1.0.15  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:15 PM EDT  
Group : System Environment/Libraries  
Size : 112776  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libusbx-1.0.15-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:31:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/apps/mediawiki/libusbx/>  
Summary : Library for accessing USB devices  
Description :  
This package provides a way for applications to access USB devices.

Libusbx is a fork of the original libusb, which is a fully API and ABI  
compatible drop in for the libusb-1.0.9 release. The libusbx fork was  
started by most of the libusb-1.0 developers, after the original libusb  
project did not produce a new release for over 18 months.

Note that this library is not compatible with the original libusb-0.1  
series,  
if you need libusb-0.1 compatibility install the libusb package.

Name : perl-Scalar-List-Utils  
Version : 1.27  
Release : 248.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:53 PM EDT  
Group : Development/Libraries  
Size : 67994  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Scalar-List-Utils-1.27-248.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:57:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Scalar-List-Utils/>  
Summary : A selection of general-utility scalar and list subroutines  
Description :

This package contains a selection of subroutines that people have expressed would be nice to have in the perl core, but the usage would not really be high enough to warrant the use of a keyword, and the size so small such that being individual extensions would be wasteful.

Name : python-slip  
Version : 0.4.0  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:27 PM EDT  
Group : System Environment/Libraries  
Size : 61353  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:55 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-slip-0.4.0-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:57:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/python-slip>  
Summary : Miscellaneous convenience, extension and workaround code for Python  
Description :  
The Simple Library for Python packages contain miscellaneous code for convenience, extension and workaround purposes.

This package provides the "slip" and the "slip.util" modules.

Name : sqlite  
Version : 3.7.17  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:16 PM EDT  
Group : Applications/Databases  
Size : 814199  
License : Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:04:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sqlite-3.7.17-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:01:28 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sqlite.org/>  
Summary : Library that implements an embeddable SQL database engine  
Description :  
SQLite is a C library that implements an SQL database engine. A large subset of SQL92 is supported. A complete database is stored in a single disk file. The API is designed for convenience and ease of use. Applications that link against SQLite can enjoy the power and flexibility of an SQL database without the administrative hassles of supporting a separate database server. Version 2 and version 3 binaries



are named to permit each to be installed on a single host

Name : perl-PathTools  
Version : 3.40  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:54 PM EDT  
Group : Development/Libraries  
Size : 174131  
License : (GPL+ or Artistic) and BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-PathTools-3.40-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:11:16 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/PathTools/>  
Summary : PathTools Perl module (Cwd, File::Spec)  
Description :  
This is the combined distribution for the File::Spec and Cwd modules.

Name : xdg-user-dirs  
Version : 0.15  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:29 PM EDT  
Group : User Interface/Desktops  
Size : 166900  
License : GPLv2+ and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:45:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xdg-user-dirs-0.15-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:53:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://freedesktop.org/wiki/Software/xdg-user-dirs>  
Summary : Handles user special directories  
Description :  
Contains xdg-user-dirs-update that updates folders in a users homedirectory based on the defaults configured by the administrator.

Name : json-c  
Version : 0.11  
Release : 4.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:17 PM EDT  
Group : Development/Libraries  
Size : 65593  
License : MIT  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:25:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : json-c-0.11-4.el7\_0.src.rpm  
Build Date : Tue 24 Jun 2014 08:18:58 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/json-c/json-c/wiki>  
Summary : A JSON implementation in C  
Description :  
JSON-C implements a reference counting object model that allows you to easily construct JSON objects in C, output them as JSON formatted strings and parse JSON formatted strings back into the C representation of JSON objects.

Name : perl-Socket  
Version : 2.010  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:55 PM EDT  
Group : Development/Libraries  
Size : 114497  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:11 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Socket-2.010-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:21:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Socket/>  
Summary : Networking constants and support functions  
Description :  
This module provides a variety of constants, structure manipulators and other functions related to socket-based networking. The values and functions provided are useful when used in conjunction with Perl core functions such as `socket()`, `setsockopt()` and `bind()`. It also provides several other support functions, mostly for dealing with conversions of network addresses between human-readable and native binary forms, and for hostname resolver operations.

Name : python-cups  
Version : 1.9.63  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:30 PM EDT  
Group : Development/Languages  
Size : 241326  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:32 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-cups-1.9.63-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:14:06 PM EDT  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://cyberelk.net/tim/software/pycups/
Summary     : Python bindings for CUPS
Description :
This package provides Python bindings for the CUPS API,
known as pycups. It was written for use with
system-config-printer, but can be put to other uses as well.
Name        : libtalloc
Version     : 2.1.1
Release     : 1.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:19 PM EDT
Group       : System Environment/Daemons
Size        : 61392
License     : LGPLv3+
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:13:59 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libtalloc-2.1.1-1.el7.src.rpm
Build Date  : Thu 05 Mar 2015 10:42:10 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://talloc.samba.org/
Summary     : The talloc library
Description :
A library that implements a hierarchical allocator with destructors.
Name        : perl-File-Temp
Version     : 0.23.01
Release     : 3.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:57:56 PM EDT
Group       : Development/Libraries
Size        : 158781
License     : GPL+ or Artistic
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:18:15 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : perl-File-Temp-0.23.01-3.el7.src.rpm
Build Date  : Tue 10 Jun 2014 03:03:09 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/File-Temp/
Summary     : Return name and handle of a temporary file safely
Description :
File::Temp can be used to create and open temporary files in a safe way.
There is both a function interface and an object-oriented interface. The
File::Temp constructor or the tempfile() function can be used to return
the
name and the open file handle of a temporary file. The tempdir() function
can be used to create a temporary directory.

```

Name : libnl3  
Version : 3.2.21  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:20 PM EDT  
Group : Development/Libraries  
Size : 592080  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:05:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnl3-3.2.21-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:33:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.infradead.org/~tgr/libnl/>  
Summary : Convenience library for kernel netlink sockets  
Description :  
This package contains a convenience library to simplify using the Linux kernel's netlink sockets interface for network manipulation

Name : perl-Pod-Simple  
Epoch : 1  
Version : 3.28  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:57 PM EDT  
Group : Development/Libraries  
Size : 538320  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Simple-3.28-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:00:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Simple/>  
Summary : Framework for parsing POD documentation  
Description :  
Pod::Simple is a Perl library for parsing text in the Pod ("plain old documentation") markup language that is typically used for writing documentation for Perl and for Perl modules.

Name : python-coverage  
Version : 3.6  
Release : 0.5.b3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:34 PM EDT  
Group : System Environment/Libraries  
Size : 582023  
License : BSD and (MIT or GPLv2)

Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-coverage-3.6-0.5.b3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:09:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://nedbatchelder.com/code/modules/coverage.html>  
Summary : Code coverage testing module for Python  
Description :  
Coverage.py is a Python module that measures code coverage during Python  
execution. It uses the code analysis tools and tracing hooks provided in  
the  
Python standard library to determine which lines are executable, and  
which  
have been executed.

Name : augeas-libs  
Version : 1.1.0  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:21 PM EDT  
Group : System Environment/Libraries  
Size : 1018468  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:37:02 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : augeas-1.1.0-17.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:01:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://augeas.net/>  
Summary : Libraries for augeas  
Description :  
The libraries for augeas.

Name : perl-XML-NamespaceSupport  
Version : 1.11  
Release : 10.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:01 PM EDT  
Group : Development/Libraries  
Size : 28981  
License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:23 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : perl-XML-NamespaceSupport-1.11-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:40:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-NamespaceSupport/>

Summary : A simple generic namespace support class  
Description :  
This module offers a simple to process namespaced XML names (unames) from within any application that may need them. It also helps maintain a prefix to namespace URI map, and provides a number of basic checks.

Name : python-kmod  
Version : 0.9  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:36 PM EDT  
Group : Development/Libraries  
Size : 179890  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-kmod-0.9-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:38:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/agrover/python-kmod/>  
Summary : Python module to work with kernel modules  
Description :

Python module to allow listing, loading, and unloading Linux kernel modules, using libkmod.

Name : gawk  
Version : 4.0.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:25 PM EDT  
Group : Applications/Text  
Size : 2435850  
License : GPLv3+ and GPL and LGPLv3+ and LGPL and BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:58 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gawk-4.0.2-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:17:51 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/gawk/gawk.html>  
Summary : The GNU version of the awk text processing utility  
Description :

The gawk package contains the GNU version of awk, a text processing utility. Awk interprets a special-purpose programming language to do quick and easy text pattern matching and reformatting jobs.

Install the gawk package if you need a text processing utility. Gawk is considered to be a standard Linux tool for processing text.

Name : perl-XML-SAX-Base  
Version : 1.08

Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:02 PM EDT  
Group : Development/Libraries  
Size : 180558  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-SAX-Base-1.08-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:22:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-SAX-Base/>  
Summary : Base class SAX drivers and filters  
Description :  
This module has a very simple task - to be a base class for Perl SAX  
drivers  
and filters. It's default behaviour is to pass the input directly to the  
output unchanged. It can be useful to use this module as a base class so  
you don't have to, for example, implement the characters() callback.

Name : python-kitchen  
Version : 1.1.1  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:37 PM EDT  
Group : Development/Languages  
Size : 1465161  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-kitchen-1.1.1-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:57:23 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://pypi.python.org/pypi/kitchen/>  
Summary : Small, useful pieces of code to make python coding easier  
Description :  
kitchen includes functions to make gettext easier to use, handling  
unicode  
text easier (conversion with bytes, outputting xml, and calculating how  
many  
columns a string takes), and compatibility modules for writing code that  
uses  
python-2.7 modules but needs to run on python-2.3

Name : libacl  
Version : 2.2.51  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:26 PM EDT  
Group : System Environment/Libraries

Size : 37056  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:35:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : acl-2.2.51-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:43:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://acl.bestbits.at/>  
Summary : Dynamic library for access control list support  
Description :  
This package contains the libacl.so dynamic library which contains  
the POSIX 1003.1e draft standard 17 functions for manipulating access  
control lists.

Name : perl-Image-Base  
Version : 1.07  
Release : 23.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:03 PM EDT  
Group : Development/Libraries  
Size : 19301  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:10 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Image-Base-1.07-23.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:05:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Image-Base/>  
Summary : Base class for loading, manipulating and saving images in  
Perl  
Description :  
Base class for loading, manipulating and saving images in Perl.

Name : python-pwquality  
Version : 1.2.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:39 PM EDT  
Group : Development/Libraries  
Size : 20792  
License : BSD or GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:16 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libpwquality-1.2.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:44:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libpwquality.fedorahosted.org/>



```

Summary      : Python bindings for the libpwquality library
Description  :
This is pwquality Python module that provides Python bindings
for the libpwquality library. These bindings can be used
for easy password quality checking and generation of random
pronounceable passwords from Python applications.
Name         : pixman
Version      : 0.32.4
Release      : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:27 PM EDT
Group        : System Environment/Libraries
Size         : 715352
License      : MIT
Signature    : RSA/SHA256, Fri 04 Jul 2014 12:28:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : pixman-0.32.4-3.el7.src.rpm
Build Date   : Mon 09 Jun 2014 10:49:35 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://cgit.freedesktop.org/pixman/
Summary      : Pixel manipulation library
Description  :
Pixman is a pixel manipulation library for X and cairo.
Name         : perl-IO-HTML
Version      : 1.00
Release      : 2.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:05 PM EDT
Group        : Development/Libraries
Size         : 43639
License      : GPL+ or Artistic
Signature    : RSA/SHA256, Fri 04 Jul 2014 12:19:25 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : perl-IO-HTML-1.00-2.el7.src.rpm
Build Date   : Mon 09 Jun 2014 03:01:04 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://search.cpan.org/dist/IO-HTML/
Summary      : Open an HTML file with automatic character set detection
Description  :
IO::HTML provides an easy way to open a file containing HTML while
automatically determining its encoding. It uses the HTML5 encoding
sniffing
algorithm specified in section 8.2.2.1 of the draft standard.
Name         : python-urwid
Version      : 1.1.1
Release      : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:00:40 PM EDT

```

Group : Development/Libraries  
Size : 2798406  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:42:47 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : python-urwid-1.1.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:54:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://excess.org/urwid/>  
Summary : Console user interface library  
Description :  
Urwid is a Python library for making text console applications. It has  
many features including fluid interface resizing, support for UTF-8 and  
CJK encodings, standard and custom text layout modes, simple markup for  
setting text attributes, and a powerful, dynamic list box that handles a  
mix of widget types. It is flexible, modular, and leaves the developer  
in  
control.  
Name : libcollection  
Version : 0.6.2  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:28 PM EDT  
Group : Development/Libraries  
Size : 92046  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.4.0-24.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:54:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : Collection data-type for C  
Description :  
A data-type to collect data in a hierarchical structure for easy  
iteration  
and serialization  
Name : perl-TermReadKey  
Version : 2.30  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:12 PM EDT  
Group : Development/Libraries  
Size : 59999  
License : (Copyright only) and (Artistic or GPL+)  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:54 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-TermReadKey-2.30-20.el7.src.rpm

Build Date : Tue 10 Jun 2014 03:29:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/~jstowe/TermReadKey/>  
Summary : A perl module for simple terminal control  
Description :  
Term::ReadKey is a compiled perl module dedicated to providing simple control over terminal driver modes (cbreak, raw, cooked, etc.) support for non-blocking reads, if the architecture allows, and some generalized handy functions for working with terminals. One of the main goals is to have the functions as portable as possible, so you can just plug in "use Term::ReadKey" on any architecture and have a good likelihood of it working.

Name : pyparsing  
Version : 1.5.6  
Release : 9.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:42 PM EDT  
Group : Development/Libraries  
Size : 375948  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:37:27 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pyparsing-1.5.6-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:15:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pyparsing.wikispaces.com/>  
Summary : An object-oriented approach to text processing  
Description :  
pyparsing is a module that can be used to easily and directly configure syntax definitions for any number of text parsing applications.

Name : glib2  
Version : 2.40.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:30 PM EDT  
Group : System Environment/Libraries  
Size : 10575208  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glib2-2.40.0-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:46:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>

Summary : A library of handy utility functions  
Description :  
GLib is the low-level core library that forms the basis for projects such as GTK+ and GNOME. It provides data structure handling for C, portability wrappers, and interfaces for such runtime functionality as an event loop, threads, dynamic loading, and an object system.

Name : perl-WWW-RobotRules  
Version : 6.02  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:13 PM EDT  
Group : Development/Libraries  
Size : 26778  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:05 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-WWW-RobotRules-6.02-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:08:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/WWW-RobotRules/>  
Summary : Database of robots.txt-derived permissions  
Description :  
This module parses /robots.txt files as specified in "A Standard for Robot Exclusion", at <<http://www.robotstxt.org/wc/norobots.html>>. Webmasters can use the /robots.txt file to forbid conforming robots from accessing parts of their web site.

Name : XRXTPM  
Version : 1.0.0.22  
Release : 1  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:30:20 PM EDT  
Group : Applications/Xerox  
Size : 172196  
License : Copyright 1996-2010 Xerox Corporation  
Signature : (none)  
Source RPM : XRXTPM-1.0.0.22-1.src.rpm  
Build Date : Thu 04 Jun 2015 03:13:15 PM EDT  
Build Host : chicory  
Relocations : (not relocatable)  
Packager : sdonnell  
Vendor : Xerox Corporation  
Summary : Xerox Print Engine Tools Perl Modules  
Description :  
Xerox Print Engine Tools Perl Modules for Development and Debugging

Name : javapackages-tools  
Version : 3.4.1  
Release : 6.el7\_0  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:43 PM EDT

Group : Unspecified  
Size : 159099  
License : BSD  
Signature : RSA/SHA256, Thu 14 Aug 2014 06:33:43 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : javapackages-tools-3.4.1-6.el7\_0.src.rpm  
Build Date : Thu 14 Aug 2014 06:18:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/javapackages/>  
Summary : Macros and scripts for Java packaging support  
Description :  
This package provides macros and scripts to support Java packaging.  
Name : gobject-introspection  
Version : 1.36.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:32 PM EDT  
Group : Development/Libraries  
Size : 779961  
License : GPLv2+, LGPLv2+, MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:41:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gobject-introspection-1.36.0-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:45:05 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GObjectIntrospection>  
Summary : Introspection system for GObject-based libraries  
Description :  
GObject Introspection can scan C header and source files in order to generate introspection "typelib" files. It also provides an API to examine typelib files, useful for creating language bindings among other things.  
Name : perl-Package-Constants  
Epoch : 1  
Version : 0.02  
Release : 285.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:16 PM EDT  
Group : Development/Libraries  
Size : 4759  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-285.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : List all constants declared in a package  
Description :  
Package::Constants lists all the constants defined in a certain package.  
This  
can be useful for, among others, setting up an autogenerated  
@EXPORT/@EXPORT\_OK  
for a Constants.pm file.

Name : tomcat-servlet-3.0-api  
Epoch : 0  
Version : 7.0.54  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:52 PM EDT  
Group : Development/Libraries  
Size : 257628  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:55 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tomcat-7.0.54-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:54:31 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Apache Tomcat Servlet API implementation classes  
Description :  
Apache Tomcat Servlet API implementation classes.

Name : p11-kit  
Version : 0.20.7  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:33 PM EDT  
Group : Unspecified  
Size : 335334  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : p11-kit-0.20.7-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:47:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://p11-glue.freedesktop.org/p11-kit.html>  
Summary : Library for loading and sharing PKCS#11 modules  
Description :  
p11-kit provides a way to load and enumerate PKCS#11 modules, as well  
as a standard configuration setup for installing PKCS#11 modules in  
such a way that they're discoverable.

Name : perl-IO-Compress

Version : 2.061  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:17 PM EDT  
Group : Development/Libraries  
Size : 814173  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:23 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-IO-Compress-2.061-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:54:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-Compress/>  
Summary : Read and write compressed data  
Description :  
This distribution provides a Perl interface to allow reading and writing  
of  
compressed data created with the zlib and bzip2 libraries.

IO-Compress supports reading and writing of bzip2, RFC 1950, RFC 1951,  
RFC 1952 (i.e. gzip) and zip files/buffers.

The following modules used to be distributed separately, but are now  
included with the IO-Compress distribution:

- \* Compress-Zlib
- \* IO-Compress-Zlib
- \* IO-Compress-Bzip2
- \* IO-Compress-Base

Name : ecj  
Epoch : 1  
Version : 4.2.1  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:54 PM EDT  
Group : Development/Languages  
Size : 1516670  
License : EPL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:11:36 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ecj-4.2.1-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:09:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.eclipse.org>  
Summary : Eclipse Compiler for Java  
Description :  
ECJ is the Java bytecode compiler of the Eclipse Platform. It is also  
known as  
the JDT Core batch compiler.

```

Name       : libxslt
Version    : 1.1.28
Release    : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:35 PM EDT
Group      : Development/Libraries
Size       : 497582
License    : MIT
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:32:21 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libxslt-1.1.28-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:12:35 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://xmlsoft.org/XSLT/
Summary    : Library providing the Gnome XSLT engine
Description :
This C library allows to transform XML files into other XML files
(or HTML, text, ...) using the standard XSLT stylesheet transformation
mechanism. To use it you need to have a version of libxml2 >= 2.6.27
installed. The xsltproc command is a command line interface to the XSLT
engine
Name       : perl-HTTP-Negotiate
Version    : 6.01
Release    : 5.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:20 PM EDT
Group      : Development/Libraries
Size       : 29259
License    : GPL+ or Artistic
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:19:06 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : perl-HTTP-Negotiate-6.01-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 02:57:44 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://search.cpan.org/dist/HTTP-Negotiate/
Summary    : Choose a variant to serve
Description :
This module provides a complete implementation of the HTTP content
negotiation algorithm specified in draft-ietf-http-v11-spec-00.ps chapter
12. Content negotiation allows for the selection of a preferred content
representation based upon attributes of the negotiable variants and the
value of the various Accept* header fields in the request.
Name       : authconfig
Version    : 6.2.8
Release    : 9.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:00:55 PM EDT
Group      : System Environment/Base

```



Size : 2215055  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:37:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : authconfig-6.2.8-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:01:30 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/authconfig>  
Summary : Command line tool for setting up authentication from network services  
Description :  
Authconfig is a command line utility which can configure a workstation to use shadow (more secure) passwords. Authconfig can also configure a system to be a client for certain networked user information and authentication schemes.  
Name : libdhash  
Version : 0.4.3  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:37 PM EDT  
Group : Development/Libraries  
Size : 58334  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:39 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.4.0-24.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:54:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : Dynamic hash table  
Description :  
A hash table which will dynamically resize to achieve optimal storage & access time properties  
Name : perl-Test-Harness  
Version : 3.28  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:21 PM EDT  
Group : Development/Libraries  
Size : 607209  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:24:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Test-Harness-3.28-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:22:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Test-Harness/>  
Summary : Run Perl standard test scripts with statistics  
Description :  
This package allows tests to be run and results automatically aggregated and output to STDOUT.

Although, for historical reasons, the Test-Harness distribution takes its name

from this module it now exists only to provide TAP::Harness with an interface

that is somewhat backwards compatible with Test::Harness 2.xx. If you're writing new code consider using TAP::Harness directly instead.

Name : ghostscript-fonts  
Version : 5.50  
Release : 32.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:58 PM EDT  
Group : Applications/Publishing  
Size : 636425  
License : GPLv2+ and Hershey and MIT and OFL and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:58 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : ghostscript-fonts-5.50-32.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:31:49 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/ghostscript/>  
Summary : Fonts for the Ghostscript PostScript interpreter  
Description :  
Ghostscript-fonts contains a set of fonts that Ghostscript, a PostScript interpreter, uses to render text. These fonts are in addition to the fonts shared by Ghostscript and the X Window System.

Name : which  
Version : 2.20  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:38 PM EDT  
Group : Applications/System  
Size : 76962  
License : GPLv3  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:43:07 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : which-2.20-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:25:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xs4all.nl/~carlo17/which/>

Summary : Displays where a particular program in your path is located  
Description :

The which command shows the full pathname of a specified program, if the specified program is in your PATH.

Name : perl-CGI

Version : 3.63

Release : 4.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 12:58:22 PM EDT

Group : Development/Libraries

Size : 716590

License : (GPL+ or Artistic) and Artistic 2.0

Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:15 AM EDT, Key ID

24c6a8a7f4a80eb5

Source RPM : perl-CGI-3.63-4.el7.src.rpm

Build Date : Mon 09 Jun 2014 03:31:20 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://search.cpan.org/dist/CGI>

Summary : Handle Common Gateway Interface requests and responses

Description :

CGI.pm is a stable, complete and mature solution for processing and preparing

HTTP requests and responses. Major features including processing form submissions, file uploads, reading and writing cookies, query string generation and manipulation, and processing and preparing HTTP headers. Some

HTML generation utilities are included as well.

CGI.pm performs very well in in a vanilla CGI.pm environment and also comes

with built-in support for mod\_perl and mod\_perl2 as well as FastCGI.

Name : grubby

Version : 8.28

Release : 11.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:01:01 PM EDT

Group : System Environment/Base

Size : 118683

License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:15 AM EDT, Key ID

24c6a8a7f4a80eb5

Source RPM : grubby-8.28-11.el7.src.rpm

Build Date : Thu 05 Mar 2015 07:30:41 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://git.fedorahosted.org/git/grubby.git>

Summary : Command line tool for updating bootloader configs

Description :

grubby is a command line tool for updating and displaying information about the configuration files for the grub, lilo, elilo (ia64), yaboot (powerpc) and zipl (s390) boot loaders. It is primarily designed to be used from scripts which install new kernels and need to find information about the current boot environment.

Name : libXau  
Version : 1.0.8  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:39 PM EDT  
Group : System Environment/Libraries  
Size : 55529  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXau-1.0.8-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:56:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Sample Authorization Protocol for X  
Description :  
This is a very simple mechanism for providing individual access to an X Window System display. It uses existing core protocol and library hooks for specifying authorization data in the connection setup block to restrict use of the display to only those clients that show that they know a server-specific key called a "magic cookie".

Name : perl-HTML-Parser  
Version : 3.71  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:23 PM EDT  
Group : Development/Libraries  
Size : 229197  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTML-Parser-3.71-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:35:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTML-Parser/>  
Summary : Perl module for parsing HTML

Description :

The HTML-Parser module for perl to parse and extract information from HTML documents, including the HTML::Entities, HTML::HeadParser, HTML::LinkExtor, HTML::PullParser, and HTML::TokeParser modules.

Name : sound-theme-freedesktop  
Version : 0.8  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:04 PM EDT  
Group : User Interface/Desktops  
Size : 471310  
License : GPLv2+ and LGPLv2+ and CC-BY-SA and CC-BY  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sound-theme-freedesktop-0.8-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:45:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Specifications/sound-theme-spec>  
Summary : freedesktop.org sound theme

Description :

The default freedesktop.org sound theme following the XDG theming specification. (<http://0pointer.de/public/sound-theme-spec.html>).

Name : libXi  
Version : 1.7.2  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:41 PM EDT  
Group : System Environment/Libraries  
Size : 69995  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:39 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXi-1.7.2-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:54:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXi runtime library

Description :

X.Org X11 libXi runtime library

Name : libvisio  
Version : 0.0.31  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:25 PM EDT  
Group : System Environment/Libraries  
Size : 846811  
License : GPLv2+ or LGPLv2+ or MPLv1.1

Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:49 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvisio-0.0.31-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:39:24 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/libvisio>  
Summary : A library providing ability to interpret and import visio  
diagrams

Description :  
Libvisio is library providing ability to interpret and import visio  
diagrams into various applications. You can find it being used in  
libreoffice.

Name : liboauth  
Version : 0.9.7  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:06 PM EDT  
Group : System Environment/Libraries  
Size : 41903  
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:10 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : liboauth-0.9.7-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:24:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://liboauth.sourceforge.net/>  
Summary : OAuth library functions

Description :  
liboauth is a collection of POSIX-c functions implementing the OAuth  
Core RFC 5849 standard. liboauth provides functions to escape and  
encode parameters according to OAuth specification and offers  
high-level functionality to sign requests or verify OAuth signatures  
as well as perform HTTP requests.

Name : libXdamage  
Version : 1.1.4  
Release : 4.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:42 PM EDT  
Group : System Environment/Libraries  
Size : 29688  
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:47 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libXdamage-1.1.4-4.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:38:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Damage extension library  
Description :  
X.Org X11 libXdamage runtime library.  
Name : device-mapper-persistent-data  
Version : 0.4.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:28 PM EDT  
Group : System Environment/Base  
Size : 1228779  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:45 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : device-mapper-persistent-data-0.4.1-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:53:10 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/jthornber/thin-provisioning-tools>  
Summary : Device-mapper Persistent Data Tools  
Description :  
thin-provisioning-tools contains check,dump,restore,repair,rmap and metadata\_size tools to manage device-mapper thin provisioning target metadata devices; cache check,dump,metadata\_size,restore and repair tools to manage device-mapper cache metadata devices are included and era check, dump, restore and invalidate to manage snapshot eras  
Name : perl-IO-Socket-SSL  
Version : 1.94  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:07 PM EDT  
Group : Development/Libraries  
Size : 218525  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:31 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-IO-Socket-SSL-1.94-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:42:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/IO-Socket-SSL/>  
Summary : Perl library for transparent SSL  
Description :  
This module is a true drop-in replacement for IO::Socket::INET that uses SSL to encrypt data before it is transferred to a remote server or client. IO::Socket::SSL supports all the extra features that one needs to write a full-featured SSL client or server application: multiple SSL contexts, cipher selection, certificate verification, and

SSL version selection. As an extra bonus, it works perfectly with mod\_perl.

Name : libXt  
Version : 1.1.4  
Release : 6.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:42 PM EDT  
Group : System Environment/Libraries  
Size : 430137  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXt-1.1.4-6.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:57:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXt runtime library  
Description :  
X.Org X11 libXt runtime library  
Name : hunspell-en-GB  
Version : 0.20121024  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:31 PM EDT  
Group : Applications/Text  
Size : 556243  
License : LGPLv2+ and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:56:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hunspell-en-0.20121024-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:45:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wordlist.sourceforge.net/>  
Summary : UK English hunspell dictionaries  
Description :  
UK English hunspell dictionaries  
Name : perl-XML-LibXML  
Epoch : 1  
Version : 2.0018  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:09 PM EDT  
Group : Development/Libraries  
Size : 966722  
License : (GPL+ or Artistic) and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-XML-LibXML-2.0018-5.el7.src.rpm



Build Date : Mon 09 Jun 2014 06:30:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-LibXML/>  
Summary : Perl interface to the libxml2 library  
Description :  
This module implements a Perl interface to the GNOME libxml2 library which provides interfaces for parsing and manipulating XML files. This module allows Perl programmers to make use of the highly capable validating XML parser and the high performance DOM implementation.

Name : glibmm24  
Version : 2.36.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:43 PM EDT  
Group : System Environment/Libraries  
Size : 2057878  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:35:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glibmm24-2.36.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:57:17 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for the GLib library  
Description :  
glibmm is the official C++ interface for the popular cross-platform library GLib. It provides non-UI API that is not available in standard C++ and makes it possible for gtkmm to wrap GObject-based APIs.

Name : libXp  
Version : 1.0.2  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:32 PM EDT  
Group : System Environment/Libraries  
Size : 58727  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:36 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXp-1.0.2-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:49:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXp runtime library  
Description :  
X.Org X11 libXp runtime library

Name : mariadb-libs  
Epoch : 1  
Version : 5.5.41  
Release : 2.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:11 PM EDT  
Group : Applications/Databases  
Size : 4620735  
License : GPLv2 with exceptions and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 05 Feb 2015 11:28:24 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mariadb-5.5.41-2.el7\_0.src.rpm  
Build Date : Thu 05 Feb 2015 11:12:40 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://mariadb.org>  
Summary : The shared libraries required for MariaDB/MySQL clients  
Description :  
The mariadb-libs package provides the essential shared libraries for any  
MariaDB/MySQL client program or interface. You will need to install this  
package to use any other MariaDB package or any clients that need to  
connect  
to a MariaDB/MySQL server. MariaDB is a community developed branch of  
MySQL.

Name : hunspell-en-US  
Version : 0.20121024  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:56:45 PM EDT  
Group : Applications/Text  
Size : 549311  
License : LGPLv2+ and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:56:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hunspell-en-0.20121024-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:45:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wordlist.sourceforge.net/>  
Summary : US English hunspell dictionaries  
Description :

US English hunspell dictionaries  
Name : gstreamer-tools  
Version : 0.10.36  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:33 PM EDT  
Group : Applications/Multimedia  
Size : 96000  
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer-0.10.36-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:26:08 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : common tools and files for GStreamer streaming media  
framework  
Description :  
GStreamer is a streaming media framework, based on graphs of filters  
which  
operate on media data. Applications using this library can do anything  
from real-time sound processing to playing videos, and just about  
anything  
else media-related. Its plugin-based architecture means that new data  
types or processing capabilities can be added simply by installing new  
plugins.

This package contains wrapper scripts for the command-line tools that  
work  
with different major/minor versions of GStreamer.

Name : ldns  
Version : 1.6.16  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:15 PM EDT  
Group : System Environment/Libraries  
Size : 1379593  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:34:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ldns-1.6.16-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:25:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nlnetlabs.nl/ldns/>  
Summary : Low-level DNS(SEC) library with API  
Description :  
ldns is a library with the aim to simplify DNS programming in C. All  
low-level DNS/DNSSEC operations are supported. We also define a higher  
level API which allows a programmer to (for instance) create or sign  
packets.  
Name : libasyncons  
Version : 0.8  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:46 PM EDT  
Group : System Environment/Libraries  
Size : 56746

License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libasyncns-0.8-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:28:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://0pointer.de/lennart/projects/libasyncns/>  
Summary : Asynchronous Name Service Library  
Description :  
A small and lightweight library that implements easy to use asynchronous  
wrappers around the libc NSS functions getaddrinfo(), res\_query() and  
related.

Name : libqmi  
Version : 1.6.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:34 PM EDT  
Group : Development/Libraries  
Size : 1597090  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libqmi-1.6.0-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:36:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/libqmi>  
Summary : Support library to use the Qualcomm MSM Interface (QMI)  
protocol  
Description :  
This package contains the libraries that make it easier to use QMI  
functionality  
from applications that use glib.

Name : nmap-ncat  
Epoch : 2  
Version : 6.40  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:17 PM EDT  
Group : Applications/System  
Size : 419730  
License : GPLv2 and LGPLv2+ and GPLv2+ and BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:57:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nmap-6.40-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:51:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://nmap.org/>  
Summary : Nmap's Netcat replacement  
Description :  
Ncat is a feature packed networking utility which will read and write data across a network from the command line. It uses both TCP and UDP for communication and is designed to be a reliable back-end tool to instantly provide network connectivity to other applications and users. Ncat will not only work with IPv4 and IPv6 but provides the user with a virtually limitless number of potential uses.

Name : elfutils-libs  
Version : 0.160  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:48 PM EDT  
Group : Development/Tools  
Size : 686887  
License : GPLv2+ or LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : elfutils-0.160-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:32:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/elfutils/>  
Summary : Libraries to handle compiled objects  
Description :  
The elfutils-libs package contains libraries which implement DWARF, ELF, and machine-specific ELF handling. These libraries are used by the programs in the elfutils package. The elfutils-devel package enables building other programs using these libraries.

Name : libquvi-scripts  
Version : 0.4.10  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:36 PM EDT  
Group : Applications/Internet  
Size : 293349  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:08:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libquvi-scripts-0.4.10-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:47:01 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://quvi.sourceforge.net/>  
Summary : Embedded lua scripts that libquvi uses for parsing the media details

Description :

libquvi-scripts contains the embedded lua scripts that libquvi uses for parsing the media details. Some additional utility scripts are also included.

Name : jbigkit-libs  
Version : 2.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:19 PM EDT  
Group : Development/Libraries  
Size : 105882  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:13:43 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : jbigkit-2.0-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:31:25 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cl.cam.ac.uk/~mgk25/jbigkit/>  
Summary : JBIG1 lossless image compression library  
Description :

JBIG-KIT provides a portable library of compression and decompression functions with a documented interface that you can include very easily into your image or document processing software. In addition, JBIG-KIT provides ready-to-use compression and decompression programs with a simple command line interface (similar to the converters found in netpbm).

JBIG-KIT implements the specification:

ISO/IEC 11544:1993 and ITU-T Recommendation T.82(1993):

Information technology – Coded representation of picture and audio information – Progressive bi-level image compression

which is commonly referred to as the "JBIG1 standard"

Name : findutils  
Epoch : 1  
Version : 4.5.11  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:49 PM EDT  
Group : Applications/File  
Size : 1855621  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : findutils-4.5.11-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:42:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/findutils/>

Summary : The GNU versions of find utilities (find and xargs)  
Description :  
The findutils package contains programs which will help you locate files on your system. The find utility searches through a hierarchy of directories looking for files which match a certain set of criteria (such as a file name pattern). The xargs utility builds and executes command lines from standard input arguments (usually lists of file names generated by the find command).

You should install findutils because it includes tools that are very useful for finding things on your system.

Name : libcdr  
Version : 0.0.14  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:38 PM EDT  
Group : System Environment/Libraries  
Size : 1087525  
License : GPLv2+ or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcdr-0.0.14-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:28:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/libcdr>  
Summary : A library providing ability to interpret and import Corel Draw drawings

Description :  
Libcdr is library providing ability to interpret and import Corel Draw drawings into various applications. You can find it being used in libreoffice.

Name : ghostscript  
Version : 9.07  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:23 PM EDT  
Group : Applications/Publishing  
Size : 17341116  
License : AGPLv3+ and Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:45 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ghostscript-9.07-18.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:56:21 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ghostscript.com/>  
Summary : A PostScript interpreter and renderer  
Description :  
Ghostscript is a set of software that provides a PostScript

interpreter, a set of C procedures (the Ghostscript library, which implements the graphics capabilities in the PostScript language) and an interpreter for Portable Document Format (PDF) files. Ghostscript translates PostScript code into many common, bitmapped formats, like those understood by your printer or screen. Ghostscript is normally used to display PostScript files and to print PostScript files to non-PostScript printers.

If you need to display PostScript files or print them to non-PostScript printers, you should install ghostscript. If you install ghostscript, you also need to install the ghostscript-fonts package.

```
Name       : libpcap
Epoch     : 14
Version    : 1.5.3
Release    : 3.el7_0.1
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:50 PM EDT
Group      : Development/Libraries
Size       : 324774
License    : BSD with advertising
Signature  : RSA/SHA256, Mon 08 Dec 2014 08:15:51 AM EST, Key ID
24c6a8a7f4a80eb5
Source RPM : libpcap-1.5.3-3.el7_0.1.src.rpm
Build Date : Mon 08 Dec 2014 08:04:07 AM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.tcpdump.org
Summary     : A system-independent interface for user-level packet
capture
Description :
Libpcap provides a portable framework for low-level network
monitoring. Libpcap can provide network statistics collection,
security monitoring and network debugging. Since almost every system
vendor provides a different interface for packet capture, the libpcap
authors created this system-independent API to ease in porting and to
alleviate the need for several system-dependent packet capture modules
in each application.
```

Install libpcap if you need to do low-level network traffic monitoring on your network.

```
Name       : libabw
Version    : 0.0.2
Release    : 1.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:58:40 PM EDT
Group      : System Environment/Libraries
Size       : 294742
License    : MPLv2.0
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:59:08 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : libabw-0.0.2-1.el7.src.rpm
```



Build Date : Thu 05 Mar 2015 10:14:01 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.documentfoundation.org/DLP/Libraries/libabw>  
Summary : A library for import of AbiWord files  
Description :  
libabw is a library for import of AbiWord files.  
Name : libfprint  
Version : 0.5.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:27 PM EDT  
Group : System Environment/Libraries  
Size : 412604  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libfprint-0.5.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:12:38 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/fprint/libfprint>  
Summary : Toolkit for fingerprint scanner  
Description :  
libfprint offers support for consumer fingerprint reader devices.  
Name : xorg-x11-xkb-utils  
Version : 7.7  
Release : 9.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:52 PM EDT  
Group : User Interface/X  
Size : 208340  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:51:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-xkb-utils-7.7-9.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:01:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 xkb utilities  
Description :  
X.Org X11 xkb core utilities  
Name : dwz  
Version : 0.11  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:42 PM EDT

Group : Development/Tools  
Size : 225103  
License : GPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:10:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dwz-0.11-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:25:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : DWARF optimization and duplicate removal tool  
Description :  
The dwz package contains a program that attempts to optimize DWARF  
debugging information contained in ELF shared libraries and ELF  
executables  
for size, by replacing DWARF information representation with equivalent  
smaller representation where possible and by reducing the amount of  
duplication using techniques from DWARF standard appendix E - creating  
DW\_TAG\_partial\_unit compilation units (CUs) for duplicated information  
and using DW\_TAG\_imported\_unit to import it into each CU that needs it.  
Name : hardlink  
Epoch : 1  
Version : 1.0  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:28 PM EDT  
Group : System Environment/Base  
Size : 16545  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:53:40 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hardlink-1.0-19.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:26:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pkgs.fedoraproject.org/gitweb/?p=hardlink.git>  
Summary : Create a tree of hardlinks  
Description :  
hardlink is used to create a tree of hard links.  
It's used by kernel installation to dramatically reduce the  
amount of disk space used by each kernel package installed.  
Name : ModemManager-glib  
Version : 1.1.0  
Release : 6.git20130913.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:53 PM EDT  
Group : Development/Libraries  
Size : 909316  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:48:30 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : ModemManager-1.1.0-6.git20130913.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:45:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Libraries for adding ModemManager support to applications that use glib.

Description :  
This package contains the libraries that make it easier to use some ModemManager functionality from applications that use glib.

Name : exiv2-libs  
Version : 0.23  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:44 PM EDT  
Group : System Environment/Libraries  
Size : 3365564  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:15:57 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : exiv2-0.23-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:49:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.exiv2.org/>  
Summary : Exif and Iptc metadata manipulation library

Description :  
A C++ library to access image metadata, supporting full read and write access to the Exif and Iptc metadata, Exif MakerNote support, extract and delete methods for Exif thumbnails, classes to access Ifd and so on.

Name : libthai  
Version : 0.1.14  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:30 PM EDT  
Group : System Environment/Libraries  
Size : 704340  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:57 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libthai-0.1.14-9.el7.src.rpm  
Build Date : Tue 17 Jun 2014 01:08:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.thai.net>  
Summary : Thai language support routines

Description :

LibThai is a set of Thai language support routines aimed to ease developers' tasks to incorporate Thai language support in their applications.

It includes important Thai-specific functions e.g. word breaking, input and output methods as well as basic character and string supports.

Name : libgomp  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:55 PM EDT  
Group : System Environment/Libraries  
Size : 150174  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : GCC OpenMP v3.0 shared support library

Description :

This package contains GCC shared support library which is needed for OpenMP v3.0 support.

Name : libss  
Version : 1.42.9  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:46 PM EDT  
Group : Development/Libraries  
Size : 73001  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:12:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : e2fsprogs-1.42.9-7.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:09:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://e2fsprogs.sourceforge.net/>  
Summary : Command line interface parsing library

Description :

This is libss, a command line interface parsing library, part of e2fsprogs.

This package includes a tool that parses a command table to generate a simple command-line interface parser, the include files needed to compile and use it.

It was originally inspired by the Multics SubSystem library.

Name : sssd-client  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:33 PM EDT  
Group : Applications/System  
Size : 205489  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : SSSD Client libraries for NSS and PAM  
Description :  
Provides the libraries needed by the PAM and NSS stacks to connect to the SSSD service.

Name : libdaemon  
Version : 0.14  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:56 PM EDT  
Group : System Environment/Libraries  
Size : 62045  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:41:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdaemon-0.14-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:26:48 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://0pointer.de/lennart/projects/libdaemon/>  
Summary : Library for writing UNIX daemons  
Description :  
libdaemon is a lightweight C library which eases the writing of UNIX daemons.

It consists of the following parts:

- \* A wrapper around fork() which does the correct daemonization procedure of a process
- \* A wrapper around syslog() for simpler and compatible log output to Syslog or STDERR
- \* An API for writing PID files
- \* An API for serializing UNIX signals into a pipe for usage with select() or poll()
- \* An API for running subprocesses with STDOUT and STDERR redirected

to syslog.

Name : ml7n-lib  
Version : 1.6.4  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:48 PM EDT  
Group : System Environment/Libraries  
Size : 425835  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ml7n-lib-1.6.4-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:24:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nongnu.org/ml7n/>  
Summary : Multilingual text library  
Description :  
ml7n-lib is a multilingual text library used primarily to allow the input of many languages with the input table maps from ml7n-db.

The package provides the core and input method backend libraries.

Name : netcf-libs  
Version : 0.2.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:34 PM EDT  
Group : System Environment/Libraries  
Size : 204931  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : netcf-0.2.6-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:35 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/netcf/>  
Summary : Libraries for netcf  
Description :  
The libraries for netcf.

Name : boost-thread  
Version : 1.53.0  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:58 PM EDT  
Group : System Environment/Libraries  
Size : 95642  
License : Boost and MIT and Python  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:41:38 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : boost-1.53.0-23.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:28:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.boost.org>  
Summary : Run-Time component of boost thread library  
Description :

Run-Time component Boost.Thread library, which provides classes and functions for managing multiple threads of execution, and for synchronizing data between the threads or providing separate copies of data specific to individual threads.

Name : lsof  
Version : 4.87  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:50 PM EDT  
Group : Development/Debuggers  
Size : 948819  
License : zlib and Sendmail and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:34 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : lsof-4.87-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:10:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.freebsd.org/~abe/>  
Summary : A utility which lists open files on a Linux/UNIX system  
Description :

Lsof stands for LiSt Open Files, and it does just that: it lists information about files that are open by the processes running on a UNIX system.

Name : qrencode-libs  
Version : 3.4.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:36 PM EDT  
Group : Unspecified  
Size : 126732  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:44:21 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : qrencode-3.4.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:45:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://megau1.net/fukuchi/works/qrencode/index.en.html>  
Summary : QR Code encoding library - Shared libraries

Description :

The gencode-libs package contains the shared libraries and header files for applications that use gencode.

Name : libgnome-keyring  
Version : 3.8.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:59 PM EDT  
Group : System Environment/Libraries  
Size : 303457  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:48:34 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgnome-keyring-3.8.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:58:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeKeyring>  
Summary : Framework for managing passwords and other secrets  
Description :

gnome-keyring is a program that keep password and other secrets for users. The library libgnome-keyring is used by applications to integrate with the gnome-keyring system.

Name : libreoffice-opensymbol-fonts  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:54 PM EDT  
Group : User Interface/X  
Size : 639034  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : LibreOffice dingbats font  
Description :

A dingbats font, OpenSymbol, suitable for use by LibreOffice for bullets and mathematical symbols.

Name : systemd  
Version : 208  
Release : 20.el7



Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:38 PM EDT  
Group : Unspecified  
Size : 11805842  
License : LGPLv2+ and MIT and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:37 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemd-208-20.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:48:58 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : A System and Service Manager  
Description :  
systemd is a system and service manager for Linux, compatible with SysV and LSB init scripts. systemd provides aggressive parallelization capabilities, uses socket and D-Bus activation for starting services, offers on-demand starting of daemons, keeps track of processes using Linux cgroups, supports snapshotting and restoring of the system state, maintains mount and automount points and implements an elaborate transactional dependency-based service control logic. It can work as a drop-in replacement for sysvinit.

Name : libetonyek  
Version : 0.0.4  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:00 PM EDT  
Group : System Environment/Libraries  
Size : 932052  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libetonyek-0.0.4-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:19:19 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wiki.documentfoundation.org/DLP/Libraries/libetonyek>  
Summary : A library for import of Apple Keynote presentations  
Description :  
libetonyek is library providing ability to interpret and import Apple Keynote presentations into various applications. Only version 5 is supported at the moment, although versions 2-4 should work.

Name : abattis-cantarell-fonts  
Version : 0.0.12  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:56 PM EDT  
Group : User Interface/X  
Size : 157274  
License : OFL

Signature : RSA/SHA256, Thu 03 Jul 2014 08:32:29 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abattis-cantarell-fonts-0.0.12-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:29:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://abattis.org/cantarell/>  
Summary : Cantarell, a Humanist sans-serif font family  
Description :  
Cantarell is a set of fonts designed by Dave Crossland.  
It is a sans-serif humanist typeface family.  
Name : polkit-pkla-compat  
Version : 0.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:41 PM EDT  
Group : Unspecified  
Size : 82409  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : polkit-pkla-compat-0.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:08:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/polkit-pkla-compat/>  
Summary : Rules for polkit to add compatibility with pklocalauthority  
Description :  
A polkit JavaScript rule and associated helpers that mostly provide  
compatibility with the .pkla file format supported in polkit <= 0.105 for  
users  
of later polkit releases.  
Name : groff-base  
Version : 1.22.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:02 PM EDT  
Group : Applications/Publishing  
Size : 3453946  
License : GPLv3+ and GFDL and BSD and MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:45:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : groff-1.22.2-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:17:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/groff/>

Summary : Parts of the groff formatting system required to display manual pages  
Description :  
The groff-base package contains only necessary parts of groff formatting system which are required to display manual pages, and the groff's default display device (PostScript).

Name : google-crosextra-carlito-fonts  
Version : 1.103  
Release : 0.2.20130920.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:59 PM EDT  
Group : User Interface/X  
Size : 2771783  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:42:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : google-crosextra-carlito-fonts-1.103-0.2.20130920.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:12:24 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/chromium/issues/detail?id=280557>  
Summary : Sans-serif font metric-compatible with Calibri font  
Description :  
Carlito is metric-compatible with Calibri font. Carlito comes in regular, bold, italic, and bold italic. The family covers Latin-Greek-Cyrillic (not a complete set, though) with about 2,000 glyphs. It has the same character coverage as Calibri. This font is sans-serif typeface family based on Lato.

Name : abrt-python  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:44 PM EDT  
Group : System Environment/Libraries  
Size : 57761  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : ABRT Python API  
Description :  
High-level API for querying, creating and manipulating problems handled by ABRT in Python.

Name : unzip  
Version : 6.0  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:04 PM EDT  
Group : Applications/Archiving  
Size : 361402  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : unzip-6.0-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:31:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.info-zip.org/UnZip.html>  
Summary : A utility for unpacking zip files  
Description :  
The unzip utility is used to list, test, or extract files from a zip archive. Zip archives are commonly found on MS-DOS systems. The zip utility, included in the zip package, creates zip archives. Zip and unzip are both compatible with archives created by PKWARE(R)'s PKZIP for MS-DOS, but the programs' options and default behaviors do differ in some respects.

Install the unzip package if you need to list, test or extract files from a zip archive.

Name : webrtc-audio-processing  
Version : 0.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:01 PM EDT  
Group : Unspecified  
Size : 272820  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : webrtc-audio-processing-0.1-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:07:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/pulseaudio/webrtc-audio-processing/>  
Summary : Library for echo cancellation  
Description :  
webrtc-audio-processing is a library derived from Google WebRTC project that provides echo cancellation functionality. This library is used by for example PulseAudio to provide echo cancellation.  
Name : PackageKit-glib

Version : 0.8.9  
Release : 11.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:46 PM EDT  
Group : Development/Libraries  
Size : 489720  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm  
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : GLib libraries for accessing PackageKit  
Description :  
GLib libraries for accessing PackageKit.  
Name : libunistring  
Version : 0.9.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:05 PM EDT  
Group : System Environment/Libraries  
Size : 1145761  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libunistring-0.9.3-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:52:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/libunistring/>  
Summary : GNU Unicode string library  
Description :  
This portable C library implements Unicode string types in three  
flavours:  
(UTF-8, UTF-16, UTF-32), together with functions for character processing  
(names, classifications, properties) and functions for string processing  
(iteration, formatted output, width, word breaks, line breaks,  
normalization,  
case folding and regular expressions).  
Name : compat-glibc-headers  
Epoch : 1  
Version : 2.12  
Release : 4.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:03 PM EDT  
Group : Development/Libraries  
Size : 2144315  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : compat-glibc-2.12-4.el7.centos.src.rpm  
Build Date : Fri 27 Jun 2014 06:58:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/glibc/>  
Summary : Header files for development using standard C libraries.  
Description :  
The compat-glibc-headers package contains the header files from  
CentOS Linux 6

Name : dconf  
Version : 0.16.0  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:49 PM EDT  
Group : System Environment/Base  
Size : 526670  
License : LGPLv2+ and GPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:35 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : dconf-0.16.0-6.el7.src.rpm  
Build Date : Tue 17 Jun 2014 12:56:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/dconf>  
Summary : A configuration system  
Description :  
dconf is a low-level configuration system. Its main purpose is to provide  
a  
backend to the GSettings API in GLib.

Name : taglib  
Version : 1.8  
Release : 7.20130218git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:07 PM EDT  
Group : Unspecified  
Size : 1031425  
License : LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:09:59 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : taglib-1.8-7.20130218git.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:48:11 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://taglib.github.com/>  
Summary : Audio Meta-Data Library  
Description :

TagLib is a library for reading and editing the meta-data of several popular audio formats. Currently it supports both ID3v1 and ID3v2 for MP3 files, Ogg Vorbis comments and ID3 tags and Vorbis comments in FLAC, MPC, Speex, WavPack, TrueAudio files, as well as APE Tags.

Name : libini\_config  
Version : 1.1.0  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:06 PM EDT  
Group : Development/Libraries  
Size : 117414  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ding-libs-0.4.0-24.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:54:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : INI file parser for C  
Description :  
Library to process config files in INI format into a libcollection data structure

Name : mesa-libGL  
Version : 10.2.7  
Release : 5.20140910.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:52 PM EDT  
Group : System Environment/Libraries  
Size : 477085  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:17:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:24:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa libGL runtime libraries and DRI drivers

Description :  
Mesa libGL runtime library.

Name : js  
Epoch : 1  
Version : 1.8.5  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:08 PM EDT  
Group : Development/Languages  
Size : 7241848  
License : GPLv2+ or LGPLv2+ or MPLv1.1

Signature : RSA/SHA256, Thu 03 Jul 2014 10:16:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : js-1.8.5-17.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:43:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/js/>  
Summary : JavaScript interpreter and libraries  
Description :  
JavaScript is the Netscape-developed object scripting language used in  
millions  
of web pages and server applications worldwide. Netscape's JavaScript is  
a  
superset of the ECMA-262 Edition 3 (ECMAScript) standard scripting  
language,  
with only mild differences from the published standard.

Name : libsemanage  
Version : 2.1.10  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:07 PM EDT  
Group : System Environment/Libraries  
Size : 223241  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:38 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libsemanage-2.1.10-16.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:50:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/git/selinux.git>  
Summary : SELinux binary policy manipulation library  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number  
of utilities with enhanced security functionality designed to add  
mandatory access controls to Linux. The Security-enhanced Linux  
kernel contains new architectural components originally developed to  
improve the security of the Flask operating system. These  
architectural components provide general support for the enforcement  
of many kinds of mandatory access control policies, including those  
based on the concepts of Type Enforcement®, Role-based Access  
Control, and Multi-level Security.

libsemanage provides an API for the manipulation of SELinux binary  
policies.  
It is used by checkpolicy (the policy compiler) and similar tools, as  
well  
as by programs like load\_policy that need to perform specific  
transformations  
on binary policies such as customizing policy boolean settings.



Name : abrt-addon-kerneloops  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:54 PM EDT  
Group : System Environment/Libraries  
Size : 37979  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:14 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's kerneloops addon  
Description :  
This package contains plugin for collecting kernel crash information from system log.

Name : libsndfile  
Version : 1.0.25  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:10 PM EDT  
Group : System Environment/Libraries  
Size : 413441  
License : LGPLv2+ and GPLv2+ and BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:18:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libsndfile-1.0.25-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:09:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mega-nerd.com/libsndfile/>  
Summary : Library for reading and writing sound files  
Description :

libsndfile is a C library for reading and writing sound files such as AIFF, AU, WAV, and others through one standard interface. It can currently read/write 8, 16, 24 and 32-bit PCM files as well as 32 and 64-bit floating point WAV files and a number of compressed formats. It compiles and runs on \*nix, MacOS, and Win32.

Name : libcurl  
Version : 7.29.0  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:10 PM EDT  
Group : Development/Libraries  
Size : 422680  
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 10:40:57 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : curl-7.29.0-19.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:19:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://curl.haxx.se/>  
Summary : A library for getting files from web servers  
Description :  
libcurl is a free and easy-to-use client-side URL transfer library,  
supporting  
FTP, FTPS, HTTP, HTTPS, SCP, SFTP, TFTP, TELNET, DICT, LDAP, LDAPS, FILE,  
IMAP,  
SMTP, POP3 and RTSP. libcurl supports SSL certificates, HTTP POST, HTTP  
PUT,  
FTP uploading, HTTP form based upload, proxies, cookies, user+password  
authentication (Basic, Digest, NTLM, Negotiate, Kerberos4), file transfer  
resume, http proxy tunneling and more.  
Name : accountsservice  
Version : 0.6.35  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:56 PM EDT  
Group : System Environment/Daemons  
Size : 306674  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : accountsservice-0.6.35-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:18:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<http://www.fedoraproject.org/wiki/Features/UserAccountDialog>  
Summary : D-Bus interfaces for querying and manipulating user account  
information  
Description :  
The accountsservice project provides a set of D-Bus interfaces for  
querying and manipulating user account information and an implementation  
of these interfaces, based on the useradd, usermod and userdel commands.  
Name : dmidecode  
Epoch : 1  
Version : 2.12  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:11 PM EDT  
Group : System Environment/Base  
Size : 202834  
License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dmidecode-2.12-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:54:45 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nongnu.org/dmidecode/>  
Summary : Tool to analyse BIOS DMI data  
Description :  
dmidecode reports information about x86 & ia64 hardware as described in  
the  
system BIOS according to the SMBIOS/DMI standard. This information  
typically includes system manufacturer, model name, serial number,  
BIOS version, asset tag as well as a lot of other details of varying  
level of interest and reliability depending on the manufacturer.

This will often include usage status for the CPU sockets, expansion  
slots (e.g. AGP, PCI, ISA) and memory module slots, and the list of  
I/O ports (e.g. serial, parallel, USB).

Name : cracklib-dicts  
Version : 2.9.0  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:12 PM EDT  
Group : System Environment/Libraries  
Size : 9389116  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:17 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cracklib-2.9.0-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:42:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/cracklib/>  
Summary : The standard CrackLib dictionaries  
Description :  
The cracklib-dicts package includes the CrackLib dictionaries.  
CrackLib will need to use the dictionary appropriate to your system,  
which is normally put in /usr/share/dict/words. Cracklib-dicts also  
contains the utilities necessary for the creation of new dictionaries.

If you are installing CrackLib, you should also install cracklib-dicts.

Name : crontabs  
Version : 1.11  
Release : 6.20121102git.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:58 PM EDT  
Group : System Environment/Base  
Size : 3700  
License : Public Domain and GPLv2

Signature : RSA/SHA256, Thu 03 Jul 2014 09:02:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : crontabs-1.11-6.20121102git.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:14:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/crontabs>  
Summary : Root crontab files used to schedule the execution of  
programs  
Description :  
This package is used by Fedora mainly for executing files by cron.

The crontabs package contains root crontab files and directories.  
You will need to install cron daemon to run the jobs from the crontabs.  
The cron daemon such as cronie or fcron checks the crontab files to  
see when particular commands are scheduled to be executed. If commands  
are scheduled, it executes them.

Crontabs handles a basic system function, so it should be installed on  
your system.

Name : libverto  
Version : 0.2.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:13 PM EDT  
Group : Unspecified  
Size : 23060  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:48 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libverto-0.2.5-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:44:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/libverto/>  
Summary : Main loop abstraction library  
Description :  
libverto provides a way for libraries to expose asynchronous interfaces  
without having to choose a particular event loop, offloading this  
decision to the end application which consumes the library.

If you are packaging an application, not library, based on libverto,  
you should depend either on a specific implementation module or you  
can depend on the virtual provides 'libverto-module-base'. This will  
ensure that you have at least one module installed that provides io,  
timeout and signal functionality. Currently glib is the only module  
that does not provide these three because it lacks signal. However,  
glib will support signal in the future.

Name : libmount  
Version : 2.23.2

Release : 21.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:14 PM EDT  
Group : Development/Libraries  
Size : 261109  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:59 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : util-linux-2.23.2-21.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:59:03 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://en.wikipedia.org/wiki/Util-linux>  
Summary : Device mounting library  
Description :  
This is the device mounting library, part of util-linux.  
Name : iscsi-initiator-utils-iscsiuio  
Version : 6.2.0.873  
Release : 29.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:19 PM EDT  
Group : System Environment/Daemons  
Size : 163152  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iscsi-initiator-utils-6.2.0.873-29.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:09:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.open-iscsi.org>  
Summary : Userspace configuration daemon required for some iSCSI  
hardware  
Description :  
The iscsiuiio configuration daemon provides network configuration help  
for some iSCSI offload hardware.  
Name : cdparanoia-libs  
Version : 10.2  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:14 PM EDT  
Group : Applications/Multimedia  
Size : 152360  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:20 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cdparanoia-10.2-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:14:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/paranoia/index.html>  
Summary : Libraries for libcdda\_paranoia (Paranoia III)  
Description :  
The cdparanoia-libs package contains the dynamic libraries needed for applications which read CD Digital Audio disks.

Name : coreutils  
Version : 8.22  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:17 PM EDT  
Group : System Environment/Base  
Size : 14567245  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:27 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : coreutils-8.22-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:08:24 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/coreutils/>  
Summary : A set of basic GNU tools commonly used in shell scripts  
Description :  
These are the GNU core utilities. This package is the combination of the old GNU fileutils, sh-utils, and textutils packages.

Name : dhclient  
Epoch : 12  
Version : 4.2.5  
Release : 36.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:21 PM EDT  
Group : System Environment/Base  
Size : 481907  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm  
Build Date : Thu 05 Mar 2015 05:43:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Provides the ISC DHCP client daemon and dhclient-script  
Description :  
DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhclient package provides the ISC DHCP client daemon.

```
Name       : gettext-libs
Version    : 0.18.2.1
Release    : 4.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:16 PM EDT
Group      : System Environment/Libraries
Size       : 1313568
License    : LGPLv2+ and GPLv3+
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:29:29 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gettext-0.18.2.1-4.el7.src.rpm
Build Date : Tue 10 Jun 2014 01:01:55 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/gettext/
Summary    : Libraries for gettext
Description :
This package contains libraries used internationalization support.
Name       : libblkid
Version    : 2.23.2
Release    : 21.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:59:20 PM EDT
Group      : Development/Libraries
Size       : 248933
License    : LGPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:59:39 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : util-linux-2.23.2-21.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:59:03 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://en.wikipedia.org/wiki/Util-linux
Summary    : Block device ID library
Description :
This is block device identification library, part of util-linux.
Name       : gvnc
Version    : 0.5.2
Release    : 7.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:02:23 PM EDT
Group      : Development/Libraries
Size       : 243524
License    : LGPLv2+
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:53:06 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : gtk-vnc-0.5.2-7.el7.src.rpm
```

Build Date : Tue 10 Jun 2014 01:31:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/gtk-vnc>  
Summary : A GObject for VNC connections  
Description :  
gvnc is a GObject for managing a VNC connection. It provides all the infrastructure required to build a VNC client without having to deal with the raw protocol itself.

Name : libdvdnav  
Version : 4.2.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:17 PM EDT  
Group : System Environment/Libraries  
Size : 200449  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:43:36 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdvdnav-4.2.0-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:58:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A library for reading DVD video discs based on Ogle code  
Description :  
libdvdnav provides a simple library for reading DVD video discs. The code is based on Ogle and used in, among others, the Xine dvdnav plug-in.

Name : nss-sysinit  
Version : 3.16.2.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:23 PM EDT  
Group : System Environment/Base  
Size : 13971  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-3.16.2.3-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:48:15 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : System NSS Initialization  
Description :  
Default Operating System module that manages applications loading NSS globally on the system. This module loads the system defined PKCS #11 modules for NSS and chains with other NSS modules to load



any system or user configured modules.

Name : plymouth  
Version : 0.8.9  
Release : 0.13.20140113.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:24 PM EDT  
Group : System Environment/Base  
Size : 232700  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>  
Summary : Graphical Boot Animation and Logger  
Description :  
Plymouth provides an attractive graphical boot animation in place of the text messages that normally get shown. Text messages are instead redirected to a log file for viewing after boot.

Name : ca-certificates  
Version : 2014.1.98  
Release : 72.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:18 PM EDT  
Group : System Environment/Base  
Size : 1029066  
License : Public Domain  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:10 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ca-certificates-2014.1.98-72.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:13:19 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/>  
Summary : The Mozilla CA root certificate bundle  
Description :  
This package contains the set of CA certificates chosen by the Mozilla Foundation for use with the Internet PKI.

Name : cups-libs  
Epoch : 1  
Version : 1.6.3  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:30 PM EDT  
Group : System Environment/Libraries  
Size : 734015  
License : LGPLv2 and zlib

Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:52 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cups-1.6.3-17.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:52:05 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cups.org/>  
Summary : CUPS printing system - libraries  
Description :  
CUPS printing system provides a portable printing layer for  
UNIX® operating systems. It has been developed by Apple Inc.  
to promote a standard printing solution for all UNIX vendors and users.  
CUPS provides the System V and Berkeley command-line interfaces.  
The cups-libs package provides libraries used by applications to use CUPS  
natively, without needing the lp/lpr commands.

Name : mesa-libgbm  
Version : 10.2.7  
Release : 5.20140910.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:26 PM EDT  
Group : System Environment/Libraries  
Size : 53989  
License : MIT

Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:54 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : mesa-10.2.7-5.20140910.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:24:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : Mesa gbm library

Description :  
Mesa gbm runtime library.

Name : libXpm  
Version : 3.5.10  
Release : 5.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:20 PM EDT  
Group : System Environment/Libraries  
Size : 108671  
License : MIT

Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:44 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libXpm-3.5.10-5.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:01:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>

Summary : X.Org X11 libXpm runtime library  
Description :  
X.Org X11 libXpm runtime library  
Name : alsa-lib  
Version : 1.0.28  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:32 PM EDT  
Group : System Environment/Libraries  
Size : 1223898  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : alsa-lib-1.0.28-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:58:39 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.alsa-project.org/>  
Summary : The Advanced Linux Sound Architecture (ALSA) library  
Description :  
The Advanced Linux Sound Architecture (ALSA) provides audio and MIDI  
functionality to the Linux operating system.

This package includes the ALSA runtime libraries to simplify application  
programming and provide higher level functionality as well as support for  
the older OSS API, providing binary compatibility for most OSS programs.

Name : cairo-gobject  
Version : 1.12.14  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:29 PM EDT  
Group : System Environment/Libraries  
Size : 35712  
License : LGPLv2 or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cairo-1.12.14-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:38:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cairographics.org>  
Summary : GObject bindings for cairo  
Description :  
Cairo is a 2D graphics library designed to provide high-quality display  
and print output.

This package contains functionality to make cairo graphics library  
integrate well with the GObject object system used by GNOME.

Name : dmraid  
Version : 1.0.0.rc16

Release : 25.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:58 PM EDT  
Group : System Environment/Base  
Size : 348784  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dmraid-1.0.0.rc16-25.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:55:41 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/heinzm/sw/dmraid>  
Summary : dmraid (Device-mapper RAID tool and library)  
Description :  
DMRAID supports RAID device discovery, RAID set activation, creation,  
removal, rebuild and display of properties for ATARAID/DDF1 metadata on  
Linux >= 2.4 using device-mapper.

Name : perl-Pod-Parser  
Version : 1.61  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:35 PM EDT  
Group : Development/Libraries  
Size : 277564  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Parser-1.61-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:04:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Parser/>  
Summary : Basic perl modules for handling Plain Old Documentation  
(POD)  
Description :  
This software distribution contains the packages for using Perl5 POD  
(Plain  
Old Documentation). See the "perlpod" and "perlsyn" manual pages from  
your  
Perl5 distribution for more information about POD.

Name : gjs  
Version : 1.36.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:36 PM EDT  
Group : System Environment/Libraries  
Size : 516674  
License : MIT and (MPLv1.1 or GPLv2+ or LGPLv2+)

Signature : RSA/SHA256, Thu 03 Jul 2014 09:33:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gjs-1.36.1-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:50:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Gjs/>  
Summary : Javascript Bindings for GNOME  
Description :  
Gjs allows using GNOME libraries from Javascript. It's based on the  
Spidermonkey Javascript engine from Mozilla and the GObject introspection  
framework.  
Name : pth  
Version : 2.0.7  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:02 PM EDT  
Group : System Environment/Libraries  
Size : 267851  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:34:57 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pth-2.0.7-22.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:31:45 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/pth/>  
Summary : The GNU Portable Threads library  
Description :  
Pth is a very portable POSIX/ANSI-C based library for Unix platforms  
which provides non-preemptive priority-based scheduling for multiple  
threads of execution ("multithreading") inside server applications.  
All threads run in the same address space of the server application,  
but each thread has it's own individual program-counter, run-time  
stack, signal mask and errno variable.  
Name : iprutils  
Version : 2.4.3  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:38 PM EDT  
Group : System Environment/Base  
Size : 870831  
License : CPL  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iprutils-2.4.3-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:06:12 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://sourceforge.net/projects/iprdd/>  
Summary : Utilities for the IBM Power Linux RAID adapters  
Description :  
Provides a suite of utilities to manage and configure SCSI devices supported by the ipr SCSI storage device driver.  
Name : system-config-printer-libs  
Version : 1.4.1  
Release : 19.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:02:39 PM EDT  
Group : System Environment/Base  
Size : 4840407  
License : GPLv2+  
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:48 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm  
Build Date : Mon 03 Nov 2014 08:49:36 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/software/system-config-printer/>  
Summary : Libraries and shared code for printer administration tool  
Description :  
The common code used by both the graphical and non-graphical parts of the configuration tool.  
Name : setroubleshoot-plugins  
Version : 3.0.59  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:08 PM EDT  
Group : Applications/System  
Size : 5391263  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:06 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : setroubleshoot-plugins-3.0.59-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:23:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/setroubleshoot>  
Summary : Analysis plugins for use with setroubleshoot  
Description :  
This package provides a set of analysis plugins for use with setroubleshoot. Each plugin has the capacity to analyze SELinux AVC data and system data to provide user friendly reports describing how to interpret SELinux AVC denials.  
Name : flex  
Version : 2.5.37  
Release : 3.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:10:42 PM EDT  
Group : Development/Tools  
Size : 761428  
License : BSD and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:21:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : flex-2.5.37-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:04:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://flex.sourceforge.net/>  
Summary : A tool for creating scanners (text pattern recognizers)  
Description :  
The flex program generates scanners. Scanners are programs which can recognize lexical patterns in text. Flex takes pairs of regular expressions and C code as input and generates a C source file as output. The output file is compiled and linked with a library to produce an executable. The executable searches through its input for occurrences of the regular expressions. When a match is found, it executes the corresponding C code. Flex was designed to work with both Yacc and Bison, and is used by many programs as part of their build process.

You should install flex if you are going to use your system for application development.

Name : pygtk2  
Version : 2.24.0  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:41 PM EDT  
Group : Development/Languages  
Size : 4087343  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:36:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pygtk2-2.24.0-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:46:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.pygtk.org/>  
Summary : Python bindings for GTK+  
Description :  
PyGTK is an extension module for Python that gives you access to the GTK+ widget set. Just about anything you can write in C with GTK+ you can write in Python with PyGTK (within reason), but with all the benefits of using a high-level scripting language.

Name : yum-plugin-fastestmirror  
Version : 1.1.31

Release : 29.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:11 PM EDT  
Group : System Environment/Base  
Size : 53903  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : yum-utils-1.1.31-29.el7.src.rpm  
Build Date : Mon 09 Mar 2015 04:51:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://yum.baseurl.org/download/yum-utils/>  
Summary : Yum plugin which chooses fastest repository from a mirrorlist  
Description :  
This plugin sorts each repository's mirrorlist by connection speed prior to downloading packages.  
Name : mtr  
Epoch : 2  
Version : 0.85  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:45 PM EDT  
Group : Applications/Internet  
Size : 130820  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mtr-0.85-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:43:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.BitWizard.nl/mtr>  
Summary : A network diagnostic tool  
Description :  
Mtr is a network diagnostic tool that combines ping and traceroute into one program. Mtr provides two interfaces: an ncurses interface, useful for using Mtr from a telnet session; and a GTK+ interface for X (provided in the mtr-gtk package).  
Name : libosinfo  
Version : 0.2.11  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:46 PM EDT  
Group : Development/Libraries  
Size : 1069093  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:06:26 AM EDT, Key ID 24c6a8a7f4a80eb5



Source RPM : libosinfo-0.2.11-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:35:10 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libosinfo.org/>  
Summary : A library for managing OS information for virtualization  
Description :  
libosinfo is a library that allows virtualization provisioning tools to determine the optimal device settings for a hypervisor/operating system combination.

Name : yum-utils  
Version : 1.1.31  
Release : 29.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:14 PM EDT  
Group : Development/Tools  
Size : 331968  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:42:17 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : yum-utils-1.1.31-29.el7.src.rpm  
Build Date : Mon 09 Mar 2015 04:51:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://yum.baseurl.org/download/yum-utils/>  
Summary : Utilities based around the yum package manager  
Description :  
yum-utils is a collection of utilities and examples for the yum package manager. It includes utilities by different authors that make yum easier and more powerful to use. These tools include: debuginfo-install, find-repos-of-install, needs-restarting, package-cleanup, repoclosure, repodiff, repo-graph, repomanage, repoquery, repo-rss, reposync, repotrack, show-installed, show-changed-rco, verifytree, yumdownloader, yum-builddep, yum-complete-transaction, yum-config-manager, yum-debug-dump, yum-debug-restore and yum-groups-manager.

Name : m17n-contrib  
Version : 1.1.14  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:50 PM EDT  
Group : System Environment/Libraries  
Size : 1160122  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:31 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : m17n-contrib-1.1.14-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:23:42 AM EDT  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.nongnu.org/ml7n
Summary     : Contributed multilingualization datafiles for ml7n-lib
Description :
This package contains contributed multilingualization (ml7n) datafiles
for the ml7n-lib project.
Name        : NetworkManager-libnm
Epoch      : 1
Version     : 1.0.0
Release     : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:02:49 PM EDT
Group       : Development/Libraries
Size        : 1475996
License     : GPLv2+
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:19:50 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date  : Thu 05 Mar 2015 11:19:16 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.gnome.org/projects/NetworkManager/
Summary     : Libraries for adding NetworkManager support to applications
(new API).
Description :
This package contains the libraries that make it easier to use some
NetworkManager
functionality from applications.  This is the new NetworkManager API.
See also
NetworkManager-glib.
Name        : NetworkManager-team
Epoch      : 1
Version     : 1.0.0
Release     : 14.git20150121.b4ea599c.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:06:18 PM EDT
Group       : System Environment/Base
Size        : 32736
License     : GPLv2+
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:19:56 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm
Build Date  : Thu 05 Mar 2015 11:19:16 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.gnome.org/projects/NetworkManager/
Summary     : Team device plugin for NetworkManager
Description :

```

This package contains NetworkManager support for team devices.

Name : pax  
Version : 3.4  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:54 PM EDT  
Group : Applications/Archiving  
Size : 140149  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:56 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pax-3.4-19.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:29:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.suse.com/pub/people/kukuk/pax/>  
Summary : POSIX File System Archiver  
Description :  
The 'pax' utility is the POSIX standard archive tool. It supports the two most common forms of standard Unix archive (backup) files - CPIO and TAR.

Name : libcanberra-gtk3  
Version : 0.30  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:52 PM EDT  
Group : System Environment/Libraries  
Size : 56351  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcanberra-0.30-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>  
Summary : Gtk+ 3.x Bindings for libcanberra

Description :  
Gtk+ 3.x bindings for libcanberra  
Name : kbd-legacy  
Version : 1.15.5  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:22 PM EDT  
Group : System Environment/Base  
Size : 503608  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:39 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kbd-1.15.5-11.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:13:52 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.altlinux.org/pub/people/legion/kbd>  
Summary : Legacy data for kbd package  
Description :  
The kbd-legacy package contains original keymaps for kbd package.  
Please note that kbd-legacy is not helpful without kbd.

Name : time  
Version : 1.7  
Release : 45.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:58 PM EDT  
Group : Applications/System  
Size : 47926  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:47 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : time-1.7-45.el7.src.rpm  
Build Date : Thu 12 Jun 2014 09:29:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/time/>  
Summary : A GNU utility for monitoring a program's use of system  
resources  
Description :  
The GNU time utility runs another program, collects information about  
the resources used by that program while it is running, and displays  
the results.

Name : clutter-gst2  
Version : 2.0.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:54 PM EDT  
Group : Unspecified  
Size : 182234  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:38 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : clutter-gst2-2.0.4-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:57:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org>  
Summary : GStreamer integration for Clutter  
Description :  
Clutter is an open source software library for creating fast, visually  
rich and animated graphical user interfaces.

Clutter GStreamer enables the use of GStreamer with Clutter.

Name : tracker  
Version : 0.16.2  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:25 PM EDT  
Group : Applications/System  
Size : 4614774  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tracker-0.16.2-11.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:01:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/tracker/>  
Summary : Desktop-neutral search tool and indexer  
Description :  
Tracker is a powerful desktop-neutral first class object database, tag/metadata database, search tool and indexer.

It consists of a common object database that allows entities to have an almost infinite number of properties, metadata (both embedded/harvested as well as user definable), a comprehensive database of keywords/tags and links to other entities.

It provides additional features for file based objects including context linking and audit trails for a file object.

It has the ability to index, store, harvest metadata. retrieve and search all types of files and other first class objects

Name : lohit-gujarati-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:02 PM EDT  
Group : User Interface/X  
Size : 77133  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-gujarati-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:57:29 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Gujarati font  
Description :

This package provides a free Gujarati truetype/opentype font.

Name : gnome-bluetooth-libs  
Epoch : 1  
Version : 3.8.2.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:56 PM EDT  
Group : System Environment/Libraries  
Size : 2196823  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:14 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-bluetooth-3.8.2.1-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:25:58 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeBluetooth>  
Summary : GTK+ Bluetooth device selection widgets  
Description :

This package contains libraries needed for applications that want to display a Bluetooth device selection widget.

Name : PackageKit  
Version : 0.8.9  
Release : 11.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:30 PM EDT  
Group : Unspecified  
Size : 3021892  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm  
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Package management service  
Description :

PackageKit is a D-Bus abstraction layer that allows the session user to manage packages in a secure way using a cross-distro, cross-architecture API.

Name : khmeros-base-fonts  
Version : 5.0  
Release : 17.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:08 PM EDT  
Group : User Interface/X  
Size : 732951  
License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 10:31:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : khmeros-fonts-5.0-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:27:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>  
Summary : Base KhmerOS font  
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

Base KhmerOS fonts.

Name : libgnomekbd  
Version : 3.6.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:00 PM EDT  
Group : System Environment/Libraries  
Size : 616987  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:48:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgnomekbd-3.6.0-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:06:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gswitchit.sourceforge.net>  
Summary : A keyboard configuration library  
Description :

The libgnomekbd package contains a GNOME library which manages keyboard configuration and offers various widgets related to keyboard configuration.

Name : adwaita-cursor-theme  
Version : 3.8.4  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:35 PM EDT  
Group : User Interface/Desktops  
Size : 1813408  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:47 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm

Build Date : Tue 10 Jun 2014 07:05:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.gnome.org/browse/gnome-themes-standard>  
Summary : Adwaita cursor theme  
Description :  
The adwaita-cursor-theme package contains a modern set of cursors originally designed for the GNOME desktop.  
Name : thai-scalable-waree-fonts  
Version : 0.5.0  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:13 PM EDT  
Group : User Interface/X  
Size : 368592  
License : GPLv2+ and Bitstream Vera  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:33:24 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : thai-scalable-fonts-0.5.0-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:03:19 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.thai.net/projects/thaifonts-scalable>  
Summary : Thai Waree fonts  
Description :

fonts-tlwg provides a collection of free scalable Thai fonts.

This package provides the Waree family of Thai fonts.

Name : gnome-abrt  
Version : 0.3.4  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:02 PM EDT  
Group : User Interface/Desktops  
Size : 744377  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-abrt-0.3.4-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:44:26 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : A utility for viewing problems that have occurred with the system  
Description :



A GNOME application allows users to browse through detected problems and provides them with convenient way for managing these problems.

Name : cheese-libs  
Epoch : 2  
Version : 3.8.2  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:40 PM EDT  
Group : System Environment/Libraries  
Size : 4474992  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cheese-3.8.2-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:53:25 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/cheese/>  
Summary : Webcam display and capture widgets  
Description :

This package contains libraries needed for applications that want to display a webcam in their interface.

Name : lklug-fonts  
Version : 0.6  
Release : 10.20090803cvs.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:19 PM EDT  
Group : User Interface/X  
Size : 329427  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:58 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lklug-fonts-0.6-10.20090803cvs.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:03:38 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sinhala.sourceforge.net/>  
Summary : Fonts for Sinhala language  
Description :

The lklug-fonts package contains fonts for the display of Sinhala. The original font for TeX/LaTeX is developed by Yannis Haralambous and are in GPL. OTF tables are added by Anuradha Ratnaweera and Harshani Devadithya.

Name : rsync  
Version : 3.0.9  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:04 PM EDT  
Group : Applications/Internet  
Size : 749750

License : GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:51:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rsync-3.0.9-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:47:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://rsync.samba.org/>  
Summary : A program for synchronizing files over a network  
Description :  
Rsync uses a reliable algorithm to bring remote and host files into sync very quickly. Rsync is fast because it just sends the differences in the files over the network instead of sending the complete files. Rsync is often used as a very powerful mirroring process or just as a more capable replacement for the rcp command. A technical report which describes the rsync algorithm is included in this package.

Name : kernel  
Version : 3.10.0  
Release : 229.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:58 PM EDT  
Group : System Environment/Kernel  
Size : 137460216  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-229.el7.src.rpm  
Build Date : Fri 06 Mar 2015 07:20:57 AM EST  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
URL : <http://www.kernel.org/>  
Summary : The Linux kernel  
Description :  
The kernel package contains the Linux kernel (vmlinuz), the core of any Linux operating system. The kernel handles the basic functions of the operating system: memory allocation, process allocation, device input and output, etc.

Name : lohita-kannada-fonts  
Version : 2.5.3  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:24 PM EDT  
Group : User Interface/X  
Size : 214685  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:08 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohita-kannada-fonts-2.5.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:08:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

```

Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : https://fedorahosted.org/lohit/
Summary       : Free Kannada font
Description   :
This package provides a free Kannada truetype/opentype font.
Name          : gnome-bluetooth
Epoch        : 1
Version       : 3.8.2.1
Release       : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:07:06 PM EDT
Group         : Applications/Communications
Size          : 202876
License       : GPLv2+
Signature     : RSA/SHA256, Thu 03 Jul 2014 09:36:09 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : gnome-bluetooth-3.8.2.1-3.el7.src.rpm
Build Date   : Tue 10 Jun 2014 01:25:58 AM EDT
Build Host    : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://live.gnome.org/GnomeBluetooth
Summary       : Bluetooth graphical utilities
Description   :
The gnome-bluetooth package contains graphical utilities to setup,
monitor and use Bluetooth devices.
Name          : cjkuni-uming-fonts
Version       : 0.2.20080216.1
Release       : 53.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:11:34 PM EDT
Group         : User Interface/X
Size          : 21094325
License       : Arphic
Signature     : RSA/SHA256, Thu 03 Jul 2014 08:58:04 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : cjkuni-uming-fonts-0.2.20080216.1-53.el7.src.rpm
Build Date   : Mon 09 Jun 2014 07:42:30 PM EDT
Build Host    : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://www.freedesktop.org/wiki/Software/CJKUnifonts
Summary       : Chinese Unicode TrueType font in Ming face
Description   :

```

CJK Unifonts are Unicode TrueType fonts derived from original fonts made available by Arphic Technology under "Arphic Public License" and extended by the CJK Unifonts project.

CJK Unifonts in Ming face.

```

Name       : sane-backends-libs
Version    : 1.0.24
Release    : 9.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:03:11 PM EDT
Group      : System Environment/Libraries
Size       : 183096
License    : GPLv2+ and GPLv2+ with exceptions and Public Domain
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:54:38 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : sane-backends-1.0.24-9.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.sane-project.org
Summary     : SANE libraries
Description :
This package contains the SANE libraries which are needed by applications
that
want to access scanners.
Name       : fcoe-utils
Version    : 1.0.29
Release    : 9.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:07:08 PM EDT
Group      : Applications/System
Size       : 291417
License    : GPLv2
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:47:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : fcoe-utils-1.0.29-9.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:23:21 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.open-fcoe.org
Summary     : Fibre Channel over Ethernet utilities
Description :
Fibre Channel over Ethernet utilities
fcoeadm - command line tool for configuring FCoE interfaces
fcoemon - service to configure DCB Ethernet QOS filters, works with
lldpad
Name       : smc-meera-fonts
Version    : 6.0
Release    : 7.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:11:41 PM EDT
Group      : Unspecified
Size       : 349365
License    : GPLv2+ with exceptions

```

Signature : RSA/SHA256, Fri 04 Jul 2014 01:01:52 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : smc-fonts-6.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:40:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://savannah.nongnu.org/projects/smc>  
Summary : Open Type Fonts for Malayalam script  
Description :  
The Meera font package contains fonts for the display of  
traditional Malayalam Scripts.  
Name : ppp  
Version : 2.4.5  
Release : 33.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:14 PM EDT  
Group : System Environment/Daemons  
Size : 872624  
License : BSD and LGPLv2+ and GPLv2+ and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:34:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ppp-2.4.5-33.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:27:03 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.samba.org/ppp>  
Summary : The Point-to-Point Protocol daemon  
Description :  
The ppp package contains the PPP (Point-to-Point Protocol) daemon and  
documentation for PPP support. The PPP protocol provides a method for  
transmitting datagrams over serial point-to-point links. PPP is  
usually used to dial in to an ISP (Internet Service Provider) or other  
organization over a modem and phone line.  
Name : sgabios-bin  
Epoch : 1  
Version : 0.20110622svn  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:07:10 PM EDT  
Group : Applications/Emulators  
Size : 4096  
License : ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sgabios-0.20110622svn-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:33:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://code.google.com/p/sgabios/>  
Summary : Sgabios for x86  
Description :  
SGABIOS is designed to be inserted into a BIOS as an option rom to provide over a serial port the display and input capabilities normally handled by a VGA adapter and a keyboard, and additionally provide hooks for logging displayed characters for later collection after an operating system boots.

Name : lohit-marathi-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:48 PM EDT  
Group : User Interface/X  
Size : 85042  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-marathi-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:46:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Marathi font  
Description :  
This package provides a free Marathi truetype/opentype font.

Name : ebttables  
Version : 2.0.10  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:16 PM EDT  
Group : System Environment/Base  
Size : 350432  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:11:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ebttables-2.0.10-13.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:13:53 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ebtables.sourceforge.net/>  
Summary : Ethernet Bridge frame table administration tool  
Description :  
Ethernet bridge tables is a firewalling tool to transparently filter network traffic passing a bridge. The filtering possibilities are limited to link layer filtering and some basic filtering on higher network layers.

This tool is the userspace control for the bridge and ebtables kernel components.

The ebtables tool can be used together with the other Linux filtering tools,

like iptables. There are no known incompatibility issues.

```
Name       : libnm-gtk
Version    : 1.0.0
Release    : 2.git20150122.76569a46.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:07:13 PM EDT
Group      : Development/Libraries
Size       : 220767
License    : GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:06:03 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : network-manager-applet-1.0.0-
2.git20150122.76569a46.el7.src.rpm
Build Date : Fri 06 Mar 2015 01:19:35 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnome.org/projects/NetworkManager/
Summary    : Private libraries for NetworkManager GUI support
Description :
This package contains private libraries to be used only by nm-applet,
nm-connection editor, and the GNOME Control Center.
Name       : traceroute
Epoch     : 3
Version    : 2.0.19
Release    : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:11:53 PM EDT
Group      : Applications/Internet
Size       : 93578
License    : GPLv2+
Signature  : RSA/SHA256, Fri 04 Jul 2014 01:36:20 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : traceroute-2.0.19-5.el7.src.rpm
Build Date : Tue 10 Jun 2014 05:18:54 AM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://traceroute.sourceforge.net
Summary    : Traces the route taken by packets over an IPv4/IPv6 network
Description :
The traceroute utility displays the route used by IP packets on their
way to a specified network (or Internet) host. Traceroute displays
the IP number and host name (if possible) of the machines along the
route taken by the packets. Traceroute is used as a network debugging
tool. If you're having network connectivity problems, traceroute will
show you where the trouble is coming from along the route.
```

Install traceroute if you need a tool for diagnosing network connectivity problems.

Name : gnome-settings-daemon  
Version : 3.8.6.1  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:18 PM EDT  
Group : System Environment/Daemons  
Size : 6526950  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:23 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-settings-daemon-3.8.6.1-12.el7.src.rpm  
Build Date : Tue 10 Mar 2015 05:54:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/gnome-settings-daemon>  
Summary : The daemon sharing settings from GNOME to GTK+/KDE applications

Description :  
A daemon to share settings from GNOME to other applications. It also handles global keybindings, as well as a number of desktop-wide settings.

Name : sil-padauk-fonts  
Version : 2.8  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:57 PM EDT  
Group : User Interface/X  
Size : 763225  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:00:06 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sil-padauk-fonts-2.8-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:07:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://scripts.sil.org/Padauk>  
Summary : A font for Burmese and the Myanmar script  
Description :

Padauk is a Myanmar font covering all currently used characters in the Myanmar block. The font aims to cover all minority language needs. At the moment, these do not extend to stylistic variation needs. The font is a smart font using a Graphite description.

Name : evince  
Version : 3.8.3  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:24 PM EDT



Group : Applications/Publishing  
Size : 14931310  
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:14:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : evince-3.8.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:58:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/evince/>  
Summary : Document viewer  
Description :  
Evince is simple multi-page document viewer. It can display and print Portable Document Format (PDF), PostScript (PS) and Encapsulated PostScript (EPS) files. When supported by the document format, evince allows searching for text, copying text to the clipboard, hypertext navigation, table-of-contents bookmarks and editing of forms.

Support for other document formats such as DVI can be added by installing additional backends.

Name : pulseaudio-gdm-hooks  
Version : 3.0  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:22 PM EDT  
Group : Unspecified  
Size : 354  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:05 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pulseaudio-3.0-30.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : PulseAudio GDM integration  
Description :  
This package contains GDM integration hooks for the PulseAudio sound server.

Name : compat-db47  
Version : 4.7.25  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:04 PM EDT  
Group : System Environment/Libraries  
Size : 3502143  
License : BSD

Signature : RSA/SHA256, Thu 11 Sep 2014 02:01:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : compat-db-4.7.25-28.el7.src.rpm  
Build Date : Thu 11 Sep 2014 01:42:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : The Berkeley DB database 4.7.25 compatibility library  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that  
provides  
embedded database support for both traditional and client/server  
applications.  
This package contains Berkeley DB library version 4.7.25 used for  
compatibility.  
Name : keybinder3  
Version : 0.3.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:28 PM EDT  
Group : Development/Libraries  
Size : 24055  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : keybinder3-0.3.0-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:59:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/engla/keybinder/tree/keybinder-3.0>  
Summary : A library for registering global keyboard shortcuts  
Description :  
Keybinder is a library for registering global keyboard shortcuts.  
Keybinder works with GTK-based applications using the X Window System.

The library contains:

- A C library, libkeybinder
- GObject-Introspection bindings

Name : ibus  
Version : 1.5.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:24 PM EDT  
Group : System Environment/Libraries  
Size : 1316311  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:03:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ibus-1.5.3-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:14:56 PM EDT

```

Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://code.google.com/p/ibus/
Summary      : Intelligent Input Bus for Linux OS
Description  :
IBus means Intelligent Input Bus. It is an input framework for Linux OS.
Name         : compat-libgfortran-41
Version      : 4.1.2
Release      : 44.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:12:08 PM EDT
Group        : System Environment/Libraries
Size         : 959528
License      : GPLv2+ with exceptions
Signature    : RSA/SHA256, Thu 03 Jul 2014 09:00:46 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : compat-libgfortran-41-4.1.2-44.el7.src.rpm
Build Date   : Mon 09 Jun 2014 07:20:36 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://gcc.gnu.org
Summary      : Compatibility Fortran 95 runtime library version 4.1.2
Description  :
This package includes a Fortran 95 runtime library for compatibility
with GCC 4.1.x-RH compiled Fortran applications.
Name         : glade-libs
Version      : 3.15.0
Release      : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:03:30 PM EDT
Group        : Unspecified
Size         : 1514529
License      : GPLv2+ and LGPLv2+
Signature    : RSA/SHA256, Thu 03 Jul 2014 09:33:36 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : glade-3.15.0-5.el7.src.rpm
Build Date   : Tue 10 Jun 2014 05:45:16 AM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://glade.gnome.org/
Summary      : Widget library for Glade UI designer
Description  :
The glade-libs package consists of the widgets that compose the Glade GUI
as
a separate library to ease the integration of Glade into other
applications.
Name         : brasero-libs
Version      : 3.8.0

```

Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:29 PM EDT  
Group : System Environment/Libraries  
Size : 965660  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:37 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : brasero-3.8.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:21:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/brasero/>  
Summary : Libraries for brasero  
Description :  
The brasero-libs package contains the runtime shared libraries for  
brasero.

Name : byacc  
Version : 1.9.20130304  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:09 PM EDT  
Group : Development/Tools  
Size : 135161  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:54:37 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : byacc-1.9.20130304-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:46:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://invisible-island.net/byacc/byacc.html>  
Summary : Berkeley Yacc, a parser generator  
Description :  
This package provides a parser generator utility that reads a grammar  
specification from a file and generates an LR(1) parser for it. The  
parsers consist of a set of LALR(1) parsing tables and a driver  
routine written in the C programming language. It has a public domain  
license which includes the generated C.

If you are going to do development on your system, you will want to  
install  
this package.

Name : caribou-gtk2-module  
Version : 0.4.11  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:32 PM EDT  
Group : Unspecified  
Size : 37064

License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:56:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : caribou-0.4.11-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:50:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Caribou>  
Summary : Gtk2 module for caribou  
Description :  
This package contains caribou module for gtk2 applications.  
Name : brasero  
Version : 3.8.0  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:35 PM EDT  
Group : Applications/Multimedia  
Size : 10589277  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : brasero-3.8.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:21:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/brasero/>  
Summary : Gnome CD/DVD burning application  
Description :  
Simple and easy to use CD/DVD burning application for the Gnome  
desktop.  
Name : libsysfs  
Version : 2.1.0  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:11 PM EDT  
Group : System Environment/Libraries  
Size : 149365  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:20:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sysfsutils-2.1.0-16.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:06:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/linux-diag/>  
Summary : Shared library for interfacing with sysfs  
Description :

Library used in handling linux kernel sysfs mounts and their various files.

Name : gtkmm24  
Version : 2.24.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:34 PM EDT  
Group : System Environment/Libraries  
Size : 5090749  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:49:53 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gtkmm24-2.24.2-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:52:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtkmm.org/>  
Summary : C++ interface for GTK2 (a GUI library for X)  
Description :  
gtkmm provides a C++ interface to the GTK+ GUI library. gtkmm2 wraps GTK+ 2.

Highlights include typesafe callbacks, widgets extensible via inheritance and a comprehensive set of widget classes that can be freely combined to quickly create complex user interfaces.

Name : gnome-shell-extension-places-menu  
Version : 3.8.4  
Release : 12.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:07:38 PM EDT  
Group : User Interface/Desktops  
Size : 22215  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:53:59 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeShell/Extensions>  
Summary : Places status menu for GNOME Shell  
Description :

This GNOME Shell extension add a system status menu for quickly navigating places in the system.

Name : iwl2000-firmware  
Version : 18.168.6.1  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:21 PM EDT  
Group : System Environment/Kernel

Size : 777801  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:43 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 2000 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl2000 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.  
Name : java-1.7.0-openjdk-headless  
Epoch : 1  
Version : 1.7.0.75  
Release : 2.5.4.2.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:38 PM EDT  
Group : Development/Languages  
Size : 94724625  
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C  
Signature : RSA/SHA256, Wed 21 Jan 2015 01:18:20 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : java-1.7.0-openjdk-1.7.0.75-2.5.4.2.el7\_0.src.rpm  
Build Date : Wed 21 Jan 2015 01:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://openjdk.java.net/>  
Summary : The OpenJDK runtime environment without audio and video support  
Description :  
The OpenJDK runtime environment without audio and video  
Name : abrt-gui  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:40 PM EDT  
Group : User Interface/Desktops  
Size : 245762  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:34 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm

Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's gui  
Description :  
GTK+ wizard for convenient bug reporting.  
Name : rootfiles  
Version : 8.1  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:24 PM EDT  
Group : System Environment/Base  
Size : 599  
License : Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:50:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rootfiles-8.1-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:11:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : The basic required files for the root user's directory  
Description :  
The rootfiles package contains basic required files that are placed  
in the root user's account. These files are basically the same  
as those in /etc/skel, which are placed in regular  
users' home directories.  
Name : xml-commons-apis  
Version : 1.4.01  
Release : 16.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:41 PM EDT  
Group : Unspecified  
Size : 337446  
License : ASL 2.0 and W3C and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xml-commons-apis-1.4.01-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:26:03 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xml.apache.org/commons/>  
Summary : APIs for DOM, SAX, and JAXP  
Description :  
xml-commons-apis is designed to organize and have common packaging for  
the various externally-defined standard interfaces for XML. This  
includes the DOM, SAX, and JAXP.  
Name : gnome-packagekit



Version : 3.8.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:43 PM EDT  
Group : Applications/System  
Size : 12202719  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:50 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-packagekit-3.8.2-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:52:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Session applications to manage packages  
Description :  
gnome-packagekit provides session applications for the PackageKit API.  
There are several utilities designed for installing, updating and  
removing packages on your system.  
Name : iwl4965-firmware  
Version : 228.61.2.24  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:29 PM EDT  
Group : System Environment/Kernel  
Size : 269897  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 4965 A/G/N network  
adaptors  
Description :  
This package contains the firmware required by the iwl4965 driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.  
Name : xalan-j2  
Epoch : 0  
Version : 2.7.1  
Release : 23.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:44 PM EDT  
Group : Development/Libraries  
Size : 2134737  
License : ASL 2.0 and W3C

Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xalan-j2-2.7.1-23.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:15:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xalan.apache.org/>  
Summary : Java XSLT processor  
Description :  
Xalan is an XSLT processor for transforming XML documents into HTML,  
text, or other XML document types. It implements the W3C Recommendations  
for XSL Transformations (XSLT) and the XML Path Language (XPath). It can  
be used from the command line, in an applet or a servlet, or as a module  
in other program.

Name : initial-setup-gui  
Version : 0.3.9.23  
Release : 1.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:47 PM EDT  
Group : System Environment/Base  
Size : 34480  
License : GPLv2+  
Signature : RSA/SHA256, Fri 27 Mar 2015 05:53:43 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : initial-setup-0.3.9.23-1.el7.centos.2.src.rpm  
Build Date : Fri 27 Mar 2015 05:51:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/InitialSetup>  
Summary : Graphical user interface for the initial-setup utility  
Description :  
The initial-setup-gui package contains a graphical user interface for the  
initial-setup utility.

Name : iwl3945-firmware  
Version : 15.32.2.9  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:30 PM EDT  
Group : System Environment/Kernel  
Size : 232025  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:48 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 3945 A/B/G network  
adaptors  
Description :  
This package contains the firmware required by the iwl3945 driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.

Name : avalon-logkit  
Epoch : 0  
Version : 2.1  
Release : 14.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:46 PM EDT  
Group : Development/Libraries  
Size : 98056  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:45:52 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avalon-logkit-2.1-14.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:34:53 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avalon.apache.org/logkit/>  
Summary : Java logging toolkit  
Description :  
LogKit is a logging toolkit designed for secure performance orientated  
logging in applications. To get started using LogKit, it is recommended  
that you read the whitepaper and browse the API docs.

Name : gnome-tweak-tool  
Version : 3.8.1  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:07:53 PM EDT  
Group : Unspecified  
Size : 524425  
License : GPLv3  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:14 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-tweak-tool-3.8.1-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeTweakTool>  
Summary : A tool to customize advanced GNOME 3 options  
Description :  
GNOME Tweak Tool is an application for changing the advanced settings  
of GNOME 3.

Features:

- \* Install and switch gnome-shell themes
- \* Switch gtk/icon/cursor themes
- \* Switch window manager themes
- \* Change:
  - \* The user-interface and titlebar fonts
  - \* Icons in menus and buttons
  - \* Behavior on laptop lid close
  - \* Shell font size
  - \* File manager desktop icons
  - \* Titlebar click action
  - \* Shell clock to show date
  - \* Font hinting and antialiasing

```

Name       : iwl6050-firmware
Version    : 41.28.5.1
Release    : 36.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:12:31 PM EDT
Group      : System Environment/Kernel
Size       : 1015397
License    : Redistributable, no modification permitted
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:57:00 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm
Build Date : Thu 05 Mar 2015 10:47:23 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        :
https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/
Summary    : Firmware for Intel(R) Wireless WiFi Link 6050 Series
Adapters
Description :
This package contains the firmware required by the iwlagn driver
for Linux. Usage of the firmware is subject to the terms and conditions
contained inside the provided LICENSE file. Please read it carefully.
Name       : geronimo-jta
Version    : 1.1.1
Release    : 17.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:03:48 PM EDT
Group      : Development/Libraries
Size       : 28373
License    : ASL 2.0
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:29:03 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : geronimo-jta-1.1.1-17.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:18:12 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://geronimo.apache.org/
Summary    : J2EE JTA v1.1 API

```

Description :

Java Transaction API (JTA) specifies standard Java interfaces between a transaction manager and the parties involved in a distributed transaction system: the resource manager, the application server, and the transactional applications.

Name : ibus-sayura  
Version : 1.3.2  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:59 PM EDT  
Group : System Environment/Libraries  
Size : 37169  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ibus-sayura-1.3.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:29:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/ibus-sayura>  
Summary : The Sinhala engine for IBus input platform  
Description :

The Sayura engine for IBus platform. It provides Sinhala input method.

Name : nss-softokn-freebl  
Version : 3.16.2.3  
Release : 9.el7  
Architecture: i686  
Install Date: Fri 26 Aug 2016 01:12:33 PM EDT  
Group : System Environment/Base  
Size : 427932  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:37 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : nss-softokn-3.16.2.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:23:05 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Freebl library for the Network Security Services  
Description :  
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softokn-freebl package if you need the freebl library.

Name : rhino  
Version : 1.7R4  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:50 PM EDT

Group : Development/Libraries  
Size : 1093647  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:44 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rhino-1.7R4-5.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:25:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/rhino/>  
Summary : JavaScript for Java  
Description :  
Rhino is an open-source implementation of JavaScript written entirely in Java. It is typically embedded into Java applications to provide scripting to end users.

Name : ibus-m17n  
Version : 1.3.4  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:00 PM EDT  
Group : System Environment/Libraries  
Size : 159233  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:04:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ibus-m17n-1.3.4-13.el7.src.rpm  
Build Date : Wed 11 Jun 2014 05:55:09 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/ibus/>  
Summary : The M17N engine for IBus platform  
Description :  
M17N engine for IBus input platform. It allows input of many languages using the input table maps from m17n-db.

Name : libX11  
Version : 1.6.0  
Release : 2.1.el7  
Architecture: i686  
Install Date: Fri 26 Aug 2016 01:12:36 PM EDT  
Group : System Environment/Libraries  
Size : 1308180  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libX11-1.6.0-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 10:28:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Core X11 protocol client library  
Description :  
Core X11 protocol client library.  
Name : plymouth-theme-charge  
Version : 0.8.9  
Release : 0.13.20140113.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:52 PM EDT  
Group : System Environment/Base  
Size : 3685  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>  
Summary : Plymouth "Charge" plugin  
Description :  
This package contains the "charge" boot splash theme for Plymouth. It is the default theme for CentOS Linux.  
Name : vino  
Version : 3.8.1  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:03 PM EDT  
Group : User Interface/Desktops  
Size : 2101528  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:29 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : vino-3.8.1-10.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:53:06 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : A remote desktop system for GNOME  
Description :  
Vino is a VNC server for GNOME. It allows remote users to connect to a running GNOME session using VNC.  
Name : gnome-boxes  
Version : 3.8.3  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:07 PM EDT  
Group : Applications/Emulators  
Size : 4299813

License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:00 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-boxes-3.8.3-11.el7.src.rpm  
Build Date : Tue 10 Mar 2015 06:11:20 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/Boxes>  
Summary : A simple GNOME 3 application to access remote or virtual  
systems

Description :

gnome-boxes lets you easily create, setup, access, and use:

- \* remote machines
- \* remote virtual machines
- \* local virtual machines
- \* When technology permits, set up access for applications on  
local virtual machines

Name : xorg-x11-drv-ati  
Version : 7.4.0  
Release : 1.20140918git56c7fb8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:56 PM EDT  
Group : User Interface/X Hardware Support  
Size : 454699  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:49 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-ati-7.4.0-1.20140918git56c7fb8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:23:22 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 ati video driver

Description :

X.Org X11 ati video driver.

Name : firefox  
Version : 31.4.0  
Release : 1.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:29 PM EDT  
Group : Applications/Internet  
Size : 122119209  
License : MPLv1.1 or GPLv2+ or LGPLv2+  
Signature : RSA/SHA256, Wed 14 Jan 2015 01:40:33 PM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : firefox-31.4.0-1.el7.centos.src.rpm  
Build Date : Wed 14 Jan 2015 11:53:04 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>



Vendor : CentOS  
URL : <http://www.mozilla.org/projects/firefox/>  
Summary : Mozilla Firefox Web browser  
Description :  
Mozilla Firefox is an open-source web browser, designed for standards compliance, performance and portability.  
Name : libibverbs  
Version : 1.1.8  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:58 PM EDT  
Group : System Environment/Libraries  
Size : 123595  
License : GPLv2 or BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libibverbs-1.1.8-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:26:24 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.openfabrics.org/>  
Summary : A library for direct userspace use of RDMA (InfiniBand/iWARP) hardware  
Description :  
libibverbs is a library that allows userspace processes to use RDMA "verbs" as described in the InfiniBand Architecture Specification and the RDMA Protocol Verbs Specification. This includes direct hardware access from userspace to InfiniBand/iWARP adapters (kernel bypass) for fast path operations.

For this library to be useful, a device-specific plug-in module should also be installed.

Name : gnome-font-viewer  
Version : 3.8.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:35 PM EDT  
Group : Applications/System  
Size : 303359  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-font-viewer-3.8.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:01:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/gnome-3/>  
Summary : Utility for previewing fonts for GNOME  
Description :  
Use gnome-font-viewer, the Font Viewer, to preview fonts and display

information about a specified font. You can use the Font Viewer to display the name, style, type, size, version and copyright of the font.

Name : abrt-addon-vmcore  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:00 PM EDT  
Group : System Environment/Libraries  
Size : 41589  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:21 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's vmcore addon  
Description :  
This package contains plugin for collecting kernel crash information from vmcore files.

Name : yum-langpacks  
Version : 0.4.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:08:40 PM EDT  
Group : Development/Tools  
Size : 65576  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:53:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : yum-langpacks-0.4.2-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:36:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/yum-langpacks/>  
Summary : Langpacks plugin for yum  
Description :  
Yum-langpacks is a plugin for YUM that looks for langpacks for your native language for packages you install.

Name : gnutls-utils  
Version : 3.3.8  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:02 PM EDT  
Group : Applications/System  
Size : 894764  
License : GPLv3+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:52:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnutls-3.3.8-12.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:33:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnutls.org/>  
Summary : Command line tools for TLS protocol  
Description :  
GnuTLS is a secure communications library implementing the SSL, TLS and  
DTLS  
protocols and technologies around them. It provides a simple C language  
application programming interface (API) to access the secure  
communications  
protocols as well as APIs to parse and write X.509, PKCS #12, OpenPGP and  
other required structures.  
This package contains command line TLS client and server and certificate  
manipulation tools.  
Name : gstreamer-plugins-bad-free  
Version : 0.10.23  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:44 PM EDT  
Group : Applications/Multimedia  
Size : 4708848  
License : LGPLv2+ and LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer-plugins-bad-free-0.10.23-20.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:02:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework "bad" plug-ins  
Description :  
GStreamer is a streaming media framework, based on graphs of elements  
which  
operate on media data.

This package contains plug-ins that aren't tested  
well enough, or the code is not of good enough quality.

Name : NetworkManager  
Epoch : 1  
Version : 1.0.0  
Release : 14.git20150121.b4ea599c.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:05 PM EDT  
Group : System Environment/Base  
Size : 9268589  
License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:19:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Network connection manager and user applications  
Description :  
NetworkManager is a system service that manages network interfaces and connections based on user or automatic configuration. It supports Ethernet, Bridge, Bond, VLAN, Team, InfiniBand, Wi-Fi, mobile broadband (WWAN), PPPoE and other devices, and supports a variety of different VPN services.

Name : gvfs-mtp  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:46 PM EDT  
Group : System Environment/Libraries  
Size : 259720  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : MTP support for gvfs  
Description :  
This package provides support for reading and writing files on MTP based devices (Media Transfer Protocol) to applications using gvfs.

Name : gstreamer1-plugins-good  
Version : 1.0.7  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:12 PM EDT  
Group : Unspecified  
Size : 7343643  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer1-plugins-good-1.0.7-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:32:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>

Summary : GStreamer plugins with good code and licensing  
Description :  
GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plugins.

GStreamer Good Plugins is a collection of well-supported plugins of good quality and under the LGPL license.

Name : targetcli  
Version : 2.1.fb37  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:08:50 PM EDT  
Group : System Environment/Libraries  
Size : 190697  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : targetcli-2.1.fb37-3.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:49:11 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/targetcli-fb/>  
Summary : An administration shell for storage targets  
Description :  
An administration shell for configuring iSCSI, FCoE, and other SCSI targets, using the TCM/LIO kernel target subsystem. FCoE users will also need to install and use fcoe-utils.  
Name : geoclue  
Version : 0.12.99  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:14 PM EDT  
Group : System Environment/Libraries  
Size : 342249  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:28:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : geoclue-0.12.99-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:25:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://geoclue.freedesktop.org/>  
Summary : A modular geoinformation service  
Description :

Geoclue is a modular geoinformation service built on top of the D-Bus messaging system. The goal of the Geoclue project is to make creating location-aware applications as simple as possible.

Name : gvfs-goa  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:52 PM EDT  
Group : System Environment/Libraries  
Size : 101851  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:48 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : GOA support for gvfs  
Description :  
This package provides seamless integration with gnome-online-accounts file services.

Name : numad  
Version : 0.5  
Release : 14.20140620git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:21 PM EDT  
Group : System Environment/Daemons  
Size : 57563  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:21:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : numad-0.5-14.20140620git.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:21:38 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=numad.git>  
Summary : NUMA user daemon  
Description :  
Numad, a daemon for NUMA (Non-Uniform Memory Architecture) systems, that monitors NUMA characteristics and manages placement of processes and memory to minimize memory latency and thus provide optimum performance.

Name : cgdcbxd  
Version : 1.0.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:53 PM EDT  
Group : System Environment/Base  
Size : 48566

License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:57:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cgdcbxd-1.0.2-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:07:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/jrfastab/cgdcbxd>  
Summary : DCB network priority management daemon  
Description :  
This is a daemon to manage the priority of network traffic in dcb enabled environments. By using the information exchanged over the dcbx protocol on a LAN, this package will enforce network priority on running applications on your host using the net\_prio cgroup

Name : libvirt-daemon  
Version : 1.2.8  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:24 PM EDT  
Group : Development/Libraries  
Size : 1593342  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:00 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Server side daemon and supporting files for libvirt library  
Description :  
Server side daemon required to manage the virtualization capabilities of recent versions of Linux. Requires a hypervisor specific sub-RPM for specific drivers.

Name : NetworkManager-bluetooth  
Epoch : 1  
Version : 1.0.0  
Release : 14.git20150121.b4ea599c.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:55 PM EDT  
Group : System Environment/Base  
Size : 88072  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:19:16 PM EST  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Bluetooth device plugin for NetworkManager  
Description :  
This package contains NetworkManager support for Bluetooth devices.  
Name : libvirt-daemon-driver-nodedev  
Version : 1.2.8  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:26 PM EDT  
Group : Development/Libraries  
Size : 107144  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:11 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Nodedev driver plugin for the libvirtd daemon  
Description :  
The nodedev driver plugin for the libvirtd daemon, providing an implementation of the node device APIs using the udev capabilities.  
Name : gvfs-fuse  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:57 PM EDT  
Group : System Environment/Libraries  
Size : 38637  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : FUSE support for gvfs  
Description :  
This package provides support for applications not using gio to access the gvfs filesystems.  
Name : libstoragemgmt-python  
Version : 1.1.0  
Release : 2.el7  
Architecture: noarch



Install Date: Fri 26 Aug 2016 01:04:27 PM EDT  
Group : System Environment/Libraries  
Size : 537643  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:51 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libstoragemgmt-1.1.0-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:48:36 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libstoragemgmt/>  
Summary : Python client libraries and plug-in support for  
libstoragemgmt  
Description :  
The libstoragemgmt-python package contains python client libraries as  
well as python framework support and open source plug-ins written in  
python.  
Name : gvfs-gphoto2  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:59 PM EDT  
Group : System Environment/Libraries  
Size : 276488  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:50 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : gphoto2 support for gvfs  
Description :  
This package provides support for reading and writing files on  
PTP based cameras (Picture Transfer Protocol) and MTP based  
media players (Media Transfer Protocol) to applications using gvfs.  
Name : policycoreutils-python  
Version : 2.2.5  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:30 PM EDT  
Group : System Environment/Base  
Size : 1211005  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:46 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : policycoreutils-2.2.5-15.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:04:15 AM EST  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.selinuxproject.org
Summary     : SELinux policy core python utilities
Description :
The policycoreutils-python package contains the management tools use to
manage
an SELinux environment.
Name        : xorg-x11-drv-wacom
Version     : 0.23.0
Release     : 6.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:04:32 PM EDT
Group       : User Interface/X Hardware Support
Size        : 865617
License     : GPLv2+
Signature   : RSA/SHA256, Fri 04 Jul 2014 01:49:17 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : xorg-x11-drv-wacom-0.23.0-6.el7.src.rpm
Build Date  : Mon 09 Jun 2014 06:04:46 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.x.org
Summary     : Xorg X11 wacom input driver
Description :
X.Org X11 wacom input driver for Wacom tablets.
Name        : tomcat
Epoch      : 0
Version     : 7.0.54
Release     : 1.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:09:06 PM EDT
Group       : System Environment/Daemons
Size        : 305914
License     : ASL 2.0
Signature   : RSA/SHA256, Sat 14 Mar 2015 04:38:38 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : tomcat-7.0.54-1.el7.src.rpm
Build Date  : Fri 06 Mar 2015 12:54:31 AM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://tomcat.apache.org/
Summary     : Apache Servlet/JSP Engine, RI for Servlet 3.0/JSP 2.2 API
Description :
Tomcat is the servlet container that is used in the official Reference
Implementation for the Java Servlet and JavaServer Pages technologies.
The Java Servlet and JavaServer Pages specifications are developed by
Sun under the Java Community Process.

```

Tomcat is developed in an open and participatory environment and released under the Apache Software License version 2.0. Tomcat is intended to be a collaboration of the best-of-breed developers from around the world.

Name : xorg-x11-drv-synaptics  
Version : 1.7.1  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:33 PM EDT  
Group : User Interface/X Hardware Support  
Size : 129636  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-synaptics-1.7.1-13.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:05:28 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 Synaptics touchpad input driver  
Description :  
This is the Synaptics touchpad driver for the X.Org X server. The following touchpad models are supported:  
\* Synaptics  
\* appletouch (Post February 2005 and October 2005 Apple Aluminium Powerbooks)  
\* Elantech (EeePC)  
\* bcm5974 (Macbook Air (Jan 2008), Macbook Pro Penryn (Feb 2008), iPhone (2007), iPod Touch (2008))

Note that support for appletouch, elantech and bcm5974 requires the respective kernel module.

A touchpad by default operates in compatibility mode by emulating a standard mouse. However, by using a dedicated driver, more advanced features of the touchpad become available.

#### Features:

- \* Movement with adjustable, non-linear acceleration and speed.
- \* Button events through short touching of the touchpad ("tapping").
- \* Double-Button events through double short touching of the touchpad.
- \* Dragging through short touching and holding down the finger on the touchpad.
- \* Middle and right button events on the upper and lower corner of the touchpad.
- \* Vertical scrolling (button four and five events) through moving the finger on the right side of the touchpad.

- \* The up/down button sends button four/five events.
- \* Horizontal scrolling (button six and seven events) through moving the finger on the lower side of the touchpad.
- \* The multi-buttons send button four/five events, and six/seven events for horizontal scrolling.
- \* Adjustable finger detection.  
Multifinger taps: two finger for middle button and three finger for right button events. (Needs hardware support. Not all models implement this feature.)
- \* Run-time configuration using shared memory. This means you can change parameter settings without restarting the X server.

```
Name       : grub2
Epoch     : 1
Version    : 2.02
Release    : 0.16.el7.centos
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:09:12 PM EDT
Group      : System Environment/Base
Size       : 7394172
License    : GPLv3+
Signature  : RSA/SHA256, Thu 26 Mar 2015 06:55:46 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : grub2-2.02-0.16.el7.centos.src.rpm
Build Date : Thu 26 Mar 2015 04:28:33 AM EDT
Build Host : kbuilder.dev.centos.org
Relocations : (not relocatable)
URL        : http://www.gnu.org/software/grub/
Summary    : Bootloader with support for Linux, Multiboot and more
Description :
The GRand Unified Bootloader (GRUB) is a highly configurable and
customizable
bootloader with modular architecture. It support rich variety of kernel
formats,
file systems, computer architectures and hardware devices. This
subpackage
provides support for PC BIOS systems.
```

```
Name       : xorg-x11-drv-vmmouse
Version    : 13.0.0
Release    : 10.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:04:34 PM EDT
Group      : User Interface/X Hardware Support
Size       : 29598
License    : MIT
Signature  : RSA/SHA256, Fri 04 Jul 2014 01:49:11 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : xorg-x11-drv-vmmouse-13.0.0-10.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:28:24 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 vmmouse input driver  
Description :  
X.Org X11 vmmouse input driver.  
Name : libreoffice-pyuno  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:02 PM EDT  
Group : Development/Libraries  
Size : 1996136  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and  
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0  
and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : Python support for LibreOffice  
Description :  
Python bindings for the LibreOffice UNO component model. Allows scripts  
both  
external to LibreOffice and within the internal LibreOffice scripting  
framework  
to be written in python.  
Name : baobab  
Version : 3.8.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:18 PM EDT  
Group : Applications/System  
Size : 1398956  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:46:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : baobab-3.8.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:01:14 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/Baobab>  
Summary : A graphical directory tree analyzer  
Description :  
Baobab is able to scan either specific directories or the whole  
filesystem, in

order to give the user a graphical tree representation including each directory size or percentage in the branch. It also auto-detects in real-time

any change made to your home folder as far as any mounted/unmounted device.

Name : libreoffice-impress  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:05 PM EDT  
Group : Applications/Productivity  
Size : 5100272  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and (MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0 and Artistic and MPLv2.0

Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:16 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : LibreOffice Presentation Application

Description :  
The LibreOffice Presentation Application.

Name : gnome-calculator  
Version : 3.8.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:22 PM EDT  
Group : Applications/System  
Size : 4150117  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:24 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-calculator-3.8.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:54:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Gcalctool>  
Summary : A desktop calculator

Description :  
gnome-calculator is a powerful graphical calculator with financial, logical and scientific modes. It uses a multiple precision package to do its arithmetic to give a high degree of accuracy.

Name : xorg-x11-drv-vmware  
Version : 13.0.2  
Release : 1.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:05:08 PM EDT  
Group : User Interface/X Hardware Support  
Size : 163890  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:41:04 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-vmware-13.0.2-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:30:07 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 vmware video driver  
Description :  
X.Org X11 vmware video driver.  
Name : system-config-printer-udev  
Version : 1.4.1  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:25 PM EDT  
Group : System Environment/Base  
Size : 45689  
License : GPLv2+  
Signature : RSA/SHA256, Mon 03 Nov 2014 09:07:50 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : system-config-printer-1.4.1-19.el7.src.rpm  
Build Date : Mon 03 Nov 2014 08:49:36 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/software/system-config-printer/>  
Summary : Rules for udev for automatic configuration of USB printers  
Description :  
The udev rules and helper programs for automatically configuring USB  
printers.  
Name : sssd-proxy  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:09 PM EDT  
Group : Applications/System  
Size : 133011  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:56 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>

Summary : The proxy back end of the SSSD  
Description :  
Provides the proxy back end which can be used to wrap an existing NSS  
and/or  
PAM modules to leverage SSSD caching.

Name : avahi  
Version : 0.6.31  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:27 PM EDT  
Group : Unspecified  
Size : 1025675  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:07 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:03:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Local network service discovery  
Description :  
Avahi is a system which facilitates service discovery on  
a local network -- this means that you can plug your laptop or  
computer into a network and instantly be able to view other people who  
you can chat with, find printers to print to or find files being  
shared. This kind of technology is already found in MacOS X (branded  
'Rendezvous', 'Bonjour' and sometimes 'ZeroConf') and is very  
convenient.

Name : abrt-addon-ccpp  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:11 PM EDT  
Group : System Environment/Libraries  
Size : 335117  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : abrt's C/C++ addon  
Description :  
This package contains hook for C/C++ crashed programs and abrt's C/C++  
analyzer plugin.

Name : pciutils  
Version : 3.2.1



Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:30 PM EDT  
Group : Applications/System  
Size : 193227  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:58 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pciutils-3.2.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:52:49 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>  
Summary : PCI bus related utilities  
Description :  
The pciutils package contains various utilities for inspecting and setting devices connected to the PCI bus. The utilities provided require kernel version 2.1.82 or newer (which support the /proc/bus/pci interface).  
Name : oddjob  
Version : 0.31.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:13 PM EDT  
Group : System Environment/Daemons  
Size : 153686  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:22:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : oddjob-0.31.5-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:33:03 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.fedorahosted.org/oddjob>  
Summary : A D-Bus service which runs odd jobs on behalf of client applications  
Description :  
oddjob is a D-Bus service which performs particular tasks for clients which connect to it and issue requests using the system-wide message bus.  
Name : psacct  
Version : 6.6.1  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:32 PM EDT  
Group : Applications/System  
Size : 203272  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:00 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : psacct-6.6.1-9.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:05:05 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/acct/>  
Summary : Utilities for monitoring process activities  
Description :  
The psacct package contains several utilities for monitoring process activities, including ac, lastcomm, accton and sa. The ac command displays statistics about how long users have been logged on. The lastcomm command displays information about previous executed commands. The accton command turns process accounting on or off. The sa command summarizes information about previously executed commands.

Name : libgdata  
Version : 0.13.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:15 PM EDT  
Group : System Environment/Libraries  
Size : 1564898  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:39 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libgdata-0.13.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:28:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/libgdata>  
Summary : Library for the GData protocol  
Description :  
libgdata is a GLib-based library for accessing online service APIs using the GData protocol --- most notably, Google's services. It provides APIs to access the common Google services, and has full asynchronous support.

Name : biosdevname  
Version : 0.6.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:38 PM EDT  
Group : System Environment/Base  
Size : 59151  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:48 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : biosdevname-0.6.1-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:06:20 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux.dell.com/files/biosdevname>  
Summary : Udev helper for naming devices per BIOS names  
Description :  
biosdevname in its simplest form takes a kernel device name as an argument, and returns the BIOS-given name it "should" be. This is necessary on systems where the BIOS name for a given device (e.g. the label on the chassis is "Gb1") doesn't map directly and obviously to the kernel name (e.g. eth0).  
Name : rtkit  
Version : 0.11  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:19 PM EDT  
Group : System Environment/Base  
Size : 136145  
License : GPLv3+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rtkit-0.11-10.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:27:17 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=rtkit.git>  
Summary : Realtime Policy and Watchdog Daemon  
Description :  
RealtimeKit is a D-Bus system service that changes the scheduling policy of user processes/threads to SCHED\_RR (i.e. realtime scheduling mode) on request. It is intended to be used as a secure mechanism to allow real-time scheduling to be used by normal user processes.  
Name : crda  
Version : 1.1.3\_2014.06.13  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:43 PM EDT  
Group : System Environment/Base  
Size : 46183  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : crda-1.1.3\_2014.06.13-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:49:30 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linuxwireless.org/en/developers/Regulatory/CRDA>  
Summary : Regulatory compliance daemon for 802.11 wireless networking  
Description :

CRDA acts as the udev helper for communication between the kernel and userspace for regulatory compliance. It relies on nl80211 for communication. CRDA is intended to be run only through udev communication from the kernel.

Name : net-tools  
Version : 2.0  
Release : 0.17.20131004git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:21 PM EDT  
Group : System Environment/Base  
Size : 938653  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:56:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : net-tools-2.0-0.17.20131004git.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:15:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/net-tools/>  
Summary : Basic networking tools  
Description :

The net-tools package contains basic networking tools, including ifconfig, netstat, route, and others. Most of them are obsolete. For replacement check iproute package.

Name : dhcp  
Epoch : 12  
Version : 4.2.5  
Release : 36.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:48 PM EDT  
Group : System Environment/Daemons  
Size : 1452446  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm  
Build Date : Thu 05 Mar 2015 05:43:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Dynamic host configuration protocol software  
Description :

DHCP (Dynamic Host Configuration Protocol) is a protocol which allows individual devices on an IP network to get their own network configuration information (IP address, subnetmask, broadcast address, etc.) from a DHCP server. The overall purpose of DHCP is to make it easier to administer a large network.

To use DHCP on your network, install a DHCP service (or relay agent), and on clients run a DHCP client daemon. The dhcp package provides

the ISC DHCP service and relay agent.

Name : usb\_modeswitch-data  
Version : 20130807  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:05:24 PM EDT  
Group : Applications/System  
Size : 109191  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:44 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : usb\_modeswitch-data-20130807-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:42:51 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : [http://www.draisberghof.de/usb\\_modeswitch/](http://www.draisberghof.de/usb_modeswitch/)  
Summary : USB Modeswitch gets mobile broadband cards in operational mode

Description :

USB Modeswitch brings up your datacard into operational mode. When plugged in they identify themselves as cdrom and present some non-Linux compatible installation files. This tool deactivates this cdrom-devices and enables the real communication device. It supports most devices built and sold by Huawei, T-Mobile, Vodafone, Option, ZTE, Novatel.

This package contains the data files needed for usb\_modeswitch to function.

Name : irqbalance  
Epoch : 2  
Version : 1.0.7  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:52 PM EDT  
Group : System Environment/Base  
Size : 66999  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:25 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : irqbalance-1.0.7-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:07:55 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/Irqbalance/irqbalance>  
Summary : IRQ balancing daemon

Description :

irqbalance is a daemon that evenly distributes IRQ load across multiple CPUs for enhanced performance.

Name : qemu-kvm-common

Epoch : 10  
Version : 1.5.3  
Release : 86.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:26 PM EDT  
Group : Development/Tools  
Size : 747119  
License : GPLv2+ and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : qemu-kvm-1.5.3-86.el7.src.rpm  
Build Date : Tue 10 Mar 2015 05:27:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.qemu.org/>  
Summary : QEMU common files needed by all QEMU targets  
Description :  
qemu-kvm is an open source virtualizer that provides hardware emulation for the KVM hypervisor.

This package provides documentation and auxiliary programs used with qemu-kvm.

Name : perl-Template-Toolkit  
Version : 2.24  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:58 PM EDT  
Group : Development/Libraries  
Size : 6473147  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Template-Toolkit-2.24-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:39:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.template-toolkit.org/>  
Summary : Template processing system  
Description :  
The Template Toolkit is a collection of modules which implement a fast, flexible, powerful and extensible template processing system. It was originally designed and remains primarily useful for generating dynamic web content, but it can be used equally well for processing any other kind of text based documents: HTML, XML, POD, PostScript, LaTeX, and so on.

Name : radvd  
Version : 1.9.2  
Release : 7.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:05:29 PM EDT  
Group : System Environment/Daemons  
Size : 161893  
License : BSD with advertising  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:46:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : radvd-1.9.2-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:43:58 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.litech.org/radvd/>  
Summary : A Router Advertisement daemon  
Description :  
radvd is the router advertisement daemon for IPv6. It listens to router solicitations and sends router advertisements as described in "Neighbor Discovery for IP Version 6 (IPv6)" (RFC 2461). With these advertisements hosts can automatically configure their addresses and some other parameters. They also can choose a default router based on these advertisements.

Install radvd if you are setting up IPv6 network and/or Mobile IPv6 services.

Name : gcc-gfortran  
Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:03 PM EDT  
Group : Development/Languages  
Size : 16376773  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:05 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : Fortran support  
Description :

The gcc-gfortran package provides support for compiling Fortran programs with the GNU Compiler Collection.

Name : hypervvssd  
Version : 0  
Release : 0.25.20141008git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:32 PM EDT  
Group : System Environment/Daemons  
Size : 11392  
License : GPLv2

Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:20 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:02:32 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.kernel.org>

Summary : HyperV VSS daemon

Description :

Hypervvssd is an implementation of HyperV VSS functionality for Linux. The daemon is used for host initiated guest snapshot on HyperV hypervisor. The daemon first registers with the kernel driver. After this is done it waits for instructions from Windows Host if to "freeze" or "thaw" the filesystem on the Linux Guest.

Name : libreport-plugin-mailx

Version : 2.1.11

Release : 21.el7.centos.0.4

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:10:08 PM EDT

Group : System Environment/Libraries

Size : 63437

License : GPLv2+

Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:23 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm

Build Date : Wed 25 Mar 2015 02:32:46 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://fedorahosted.org/abrt/>

Summary : libreport's mailx reporter plugin

Description :

The simple reporter plugin which sends a report via mailx to a specified email address.

Name : libmtp

Version : 1.1.6

Release : 3.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:05:36 PM EDT

Group : System Environment/Libraries

Size : 471343

License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 11:00:24 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libmtp-1.1.6-3.el7.src.rpm

Build Date : Mon 09 Jun 2014 11:46:03 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS



URL : <http://libmtp.sourceforge.net/>  
Summary : A software library for MTP media players  
Description :  
This package provides a software library for communicating with MTP (Media Transfer Protocol) media players, typically audio players, video players etc.  
Name : pinfo  
Version : 0.6.10  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:10 PM EDT  
Group : System Environment/Base  
Size : 304096  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:20 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pinfo-0.6.10-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:22:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pinfo.aliioth.debian.org>  
Summary : An info file viewer  
Description :  
Pinfo is an info file (or man page) viewer with a user interface similar to the Lynx Web browser's interface. Pinfo supports searching using regular expressions, and is based on the ncurses library.

Name : device-mapper-multipath  
Version : 0.4.9  
Release : 77.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:39 PM EDT  
Group : System Environment/Base  
Size : 179390  
License : GPL+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : device-mapper-multipath-0.4.9-77.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:51:48 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://christophe.varoqui.free.fr/>  
Summary : Tools to manage multipath devices using device-mapper  
Description :  
device-mapper-multipath provides tools to manage multipath devices by instructing the device-mapper multipath kernel module what to do.  
The tools are :  
\* multipath - Scan the system for multipath devices and assemble them.  
\* multipathd - Detects when paths fail and execs multipath to update things.

Name : gcc-c++

Version : 4.8.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:17 PM EDT  
Group : Development/Languages  
Size : 17251157  
License : GPLv3+ and GPLv3+ with exceptions and GPLv2+ with exceptions and LGPLv2+ and BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:49:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gcc-4.8.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 02:59:34 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gcc.gnu.org>  
Summary : C++ support for GCC  
Description :

This package adds C++ support to the GNU Compiler Collection. It includes support for most of the current C++ specification, including templates and exception handling.

Name : glusterfs-libs  
Version : 3.6.0.29  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:43 PM EDT  
Group : Applications/File  
Size : 915240  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.6.0.29-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:47:02 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : GlusterFS common libraries  
Description :

GlusterFS is a clustered file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package provides the base GlusterFS libraries

Name : compat-openldap  
Epoch : 1  
Version : 2.3.43  
Release : 5.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:23 PM EDT  
Group : System Environment/Libraries  
Size : 613501  
License : OpenLDAP  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:04 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-openldap-2.3.43-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:27:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openldap.org/>  
Summary : OpenLDAP compatibility shared libraries  
Description :  
OpenLDAP is an open source suite of LDAP (Lightweight Directory Access Protocol) applications and development tools. The compat-openldap package includes older versions of the OpenLDAP shared libraries which may be required by some applications.

Name : libvirt-daemon-driver-storage  
Version : 1.2.8  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:46 PM EDT  
Group : Development/Libraries  
Size : 519944  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Storage driver plugin for the libvirtd daemon  
Description :  
The storage driver plugin for the libvirtd daemon, providing an implementation of the storage APIs using LVM, iSCSI, parted and more.

Name : tcsh  
Version : 6.18.01  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:26 PM EDT  
Group : System Environment/Shells  
Size : 677498  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:09 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tcsh-6.18.01-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:10:35 PM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tcsh.org/>  
Summary : An enhanced version of csh, the C shell  
Description :  
Tcsh is an enhanced but completely compatible version of csh, the C shell. Tcsh is a command language interpreter which can be used both as an interactive login shell and as a shell script command processor. Tcsh includes a command line editor, programmable word completion, spelling correction, a history mechanism, job control and a C language like syntax.

Name : libiptcdata  
Version : 1.0.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:52 PM EDT  
Group : Development/Libraries  
Size : 163421  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:54:47 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libiptcdata-1.0.4-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:22:54 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libiptcdata.sourceforge.net/>  
Summary : IPTC tag library  
Description :  
libiptcdata is a library for parsing, editing, and saving IPTC data stored inside images. IPTC is a standard for encoding metadata such as captions, titles, locations, etc. in the headers of an image file. libiptcdata also includes a command-line utility for modifying the metadata.

Name : libproxy-mozjs  
Version : 0.4.11  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:28 PM EDT  
Group : System Environment/Libraries  
Size : 24584  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:06:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libproxy-0.4.11-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:31:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/libproxy/>

Summary : Plugin for libproxy and mozjs  
Description :  
The libproxy-mozjs package contains the libproxy plugin for mozjs.  
Name : perl-Expect  
Version : 1.21  
Release : 1  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:31 PM EDT  
Group : Applications/CPAN  
Size : 168772  
License : Artistic  
Signature : DSA/SHA1, Wed 07 Jan 2015 08:53:06 PM EST, Key ID  
60a3e9acc6565bc9  
Source RPM : perl-Expect-1.21-1.src.rpm  
Build Date : Mon 03 Mar 2008 02:22:29 PM EST  
Build Host : mn.cluster8  
Relocations : /usr  
Packager : Arix International <cpan2rpm@arix.com>  
Vendor : rgiersig@cpan.org  
URL : http://www.cpan.org  
Summary : Expect - Perl module  
Description :  
None.  
Name : sgpio  
Version : 1.2.0.10  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:57 PM EDT  
Group : System Environment/Base  
Size : 19045  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sgpio-1.2.0.10-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:13:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <http://bugs.centos.org>  
Vendor : CentOS  
URL : http://sources.redhat.com/lvm2/wiki/DMRAID\_Eventing  
Summary : SGPIO captive backplane tool  
Description :  
Intel SGPIO enclosure management utility  
Name : pygobject3-base  
Version : 3.8.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:35 PM EDT  
Group : Development/Languages  
Size : 1146194  
License : LGPLv2+ and MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pygobject3-3.8.2-6.el7.src.rpm

Build Date : Fri 06 Mar 2015 12:08:12 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/PyGObject>  
Summary : Python 2 bindings for GObject Introspection base package  
Description :  
This package provides the non-cairo specific bits of the GObject  
Introspection  
library.  
Name : patchutils  
Version : 0.3.3  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:36 PM EDT  
Group : Applications/System  
Size : 260135  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:54 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : patchutils-0.3.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:45:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cyberelk.net/tim/patchutils/>  
Summary : A collection of programs for manipulating patch files  
Description :  
This is a collection of programs that can manipulate patch files in  
a variety of ways, such as interpolating between two pre-patches,  
combining two incremental patches, fixing line numbers in hand-edited  
patches, and simply listing the files modified by a patch.  
Name : liberation-fonts-common  
Epoch : 1  
Version : 1.07.2  
Release : 14.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:32 PM EDT  
Group : User Interface/X  
Size : 75627  
License : Liberation  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:45 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : liberation-fonts-1.07.2-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:51:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/liberation-fonts/>  
Summary : Shared common files of Liberation font families  
Description :

The Liberation Fonts are intended to be replacements for the three most commonly used fonts on Microsoft systems: Times New Roman, Arial, and Courier New.

Shared common files of Liberation font families.

Name : cairomm  
Version : 1.10.0  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:37 PM EDT  
Group : System Environment/Libraries  
Size : 190574  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:30 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cairomm-1.10.0-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:54:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cairographics.org>  
Summary : C++ API for the cairo graphics library  
Description :  
Cairomm is the C++ API for the cairo graphics library. It offers all the power of cairo with an interface familiar to C++ developers, including use of the Standard Template Library where it makes sense.

Name : keyutils  
Version : 1.5.8  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:27 PM EDT  
Group : System Environment/Base  
Size : 99436  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:30:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : keyutils-1.5.8-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:17:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/~dhowells/keyutils/>  
Summary : Linux Key Management Utilities  
Description :  
Utilities to control the kernel key management facility and to provide a mechanism by which the kernel call back to user space to get a key instantiated.

Name : rpm-python

Version : 4.11.1  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:07 PM EDT  
Group : Development/Libraries  
Size : 143474  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.1-25.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:27:41 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm.org/>  
Summary : Python bindings for apps which will manipulate RPM packages  
Description :  
The rpm-python package contains a module that permits applications written in the Python programming language to use the interface supplied by RPM Package Manager libraries.

This package should be installed if you want to develop Python programs that will manipulate RPM packages and databases.

Name : procps-ng  
Version : 3.3.10  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:49 PM EDT  
Group : Applications/System  
Size : 758622  
License : GPL+ and GPLv2 and GPLv2+ and GPLv3+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:53 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : procps-ng-3.3.10-3.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:05:42 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://sourceforge.net/projects/procps-ng/>  
Summary : System and process monitoring utilities  
Description :  
The procps package contains a set of system utilities that provide system information. Procps includes ps, free, skill, pkill, pgrep, snice, tload, top, uptime, vmstat, w, watch and pwdx. The ps command displays a snapshot of running processes. The top command provides a repetitive update of the statuses of running processes. The free command displays the amounts of free and used memory on your system. The skill command sends a terminate command (or another specified signal) to a specified set of processes. The snice command is used to change the scheduling priority of specified processes. The tload command prints a graph of the current system load average to a specified tty. The uptime command displays the



current time, how long the system has been running, how many users are logged on, and system load averages for the past one, five, and fifteen minutes. The `w` command displays a list of the users who are currently logged on and what they are running. The `watch` program watches a running program. The `vmstat` command displays virtual memory statistics about processes, memory, paging, block I/O, traps, and CPU activity. The `pwdx` command reports the current working directory of a process or processes.

```
Name       : bison
Version    : 2.7
Release    : 4.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:10:43 PM EDT
Group      : Development/Tools
Size       : 1734154
License    : GPLv3+
Signature  : RSA/SHA256, Thu 03 Jul 2014 08:48:35 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : bison-2.7-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 09:58:57 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/bison/
Summary    : A GNU general-purpose parser generator
Description :
Bison is a general purpose parser generator that converts a grammar
description for an LALR(1) context-free grammar into a C program to
parse that grammar. Bison can be used to develop a wide range of
language parsers, from ones used in simple desk calculators to complex
programming languages. Bison is upwardly compatible with Yacc, so any
correctly written Yacc grammar should work with Bison without any
changes. If you know Yacc, you shouldn't have any trouble using
Bison. You do need to be very proficient in C programming to be able
to use Bison. Bison is only needed on systems that are used for
development.
```

If your system will be used for C development, you should install Bison.

```
Name       : filesystem
Version    : 3.2
Release    : 18.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:55:35 PM EDT
Group      : System Environment/Base
Size       : 0
License    : Public Domain
Signature  : RSA/SHA256, Thu 03 Jul 2014 09:20:34 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : filesystem-3.2-18.el7.src.rpm
Build Date : Mon 09 Jun 2014 08:12:28 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
```

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/filesystem>  
Summary : The basic directory layout for a Linux system  
Description :  
The filesystem package is one of the basic packages that is installed on a Linux system. Filesystem contains the basic directory layout for a Linux operating system, including the correct permissions for the directories.

Name : poppler-glib  
Version : 0.22.5  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:42 PM EDT  
Group : Development/Libraries  
Size : 324288  
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : poppler-0.22.5-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:01:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : Glib wrapper for poppler  
Description :  
Glib wrapper for poppler.

Name : jasper-libs  
Version : 1.900.1  
Release : 26.el7\_0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:29 PM EDT  
Group : System Environment/Libraries  
Size : 350610  
License : JasPer  
Signature : RSA/SHA256, Fri 23 Jan 2015 10:44:54 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : jasper-1.900.1-26.el7\_0.3.src.rpm  
Build Date : Fri 23 Jan 2015 10:42:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.ece.uvic.ca/~frodo/jasper/>  
Summary : Runtime libraries for jasper  
Description :  
Runtime libraries for jasper.

Name : python-meh-gui  
Version : 0.25.2  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:13 PM EDT

Group : System Environment/Libraries  
Size : 24610  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-meh-0.25.2-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:13:34 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=python-meh.git>  
Summary : Graphical user interface for the python-meh library  
Description :  
The python-meh-gui package provides a GUI for the python-meh library.

Name : policycoreutils  
Version : 2.2.5  
Release : 15.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:55 PM EDT  
Group : System Environment/Base  
Size : 4896574  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : policycoreutils-2.2.5-15.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:04:15 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.selinuxproject.org>  
Summary : SELinux policy core utilities  
Description :  
Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

policycoreutils contains the policy core utilities that are required for basic operation of a SELinux system. These utilities include load\_policy to load policies, setfiles to label filesystems, newrole to switch roles.

Name : cyrus-sasl-plain  
Version : 2.1.26  
Release : 17.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:50 PM EDT  
Group : System Environment/Libraries

Size : 39968  
License : BSD with advertising  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:05:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : cyrus-sasl-2.1.26-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:15:13 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://asg.web.cmu.edu/sasl/sasl-library.html>  
Summary : PLAIN and LOGIN authentication support for Cyrus SASL  
Description :  
The cyrus-sasl-plain package contains the Cyrus SASL plugins which support PLAIN and LOGIN authentication schemes.

Name : poppler-data  
Version : 0.4.6  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:38 PM EDT  
Group : Development/Libraries  
Size : 12013394  
License : BSD and GPLv2 and GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : poppler-data-0.4.6-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:57:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : Encoding files  
Description :  
This package consists of encoding files for poppler. When installed, the encoding files enables poppler to correctly render CJK and Cyrillic properly.

Name : libgusb  
Version : 0.1.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:49 PM EDT  
Group : Unspecified  
Size : 87060  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:50:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgusb-0.1.6-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:27:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <https://gitorious.org/gusb/>  
Summary : GLib wrapper around libusb1  
Description :  
GUsb is a GObject wrapper for libusb1 that makes it easy to do asynchronous control, bulk and interrupt transfers with proper cancellation and integration into a mainloop.

Name : clucene-core  
Version : 2.3.3.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:33 PM EDT  
Group : Development/System  
Size : 1889958  
License : LGPLv2+ or ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:15 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : clucene-2.3.3.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:18:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sourceforge.net/projects/clucene>  
Summary : Core clucene module  
Description :  
CLucene is a C++ port of the popular Apache Lucene search engine (<http://lucene.apache.org/java>).  
CLucene aims to be a high-speed alternative to Java Lucene, its API is very similar to that of the Java version. CLucene has recently been brought up to date with Lucene 2.3.2. It contains most of the same functionality as the Java version.

Name : seabios-bin  
Version : 1.7.5  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:22 PM EDT  
Group : Applications/Emulators  
Size : 393216  
License : LGPLv3  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:14 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : seabios-1.7.5-8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:30:32 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.coreboot.org/SeaBIOS>  
Summary : Seabios for x86  
Description :  
SeaBIOS is an open-source legacy BIOS implementation which can be used as a coreboot payload. It implements the standard BIOS calling interfaces

that a typical x86 proprietary BIOS implements.

Name : dhcp-libs  
Epoch : 12  
Version : 4.2.5  
Release : 36.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:02 PM EDT  
Group : System Environment/Base  
Size : 149056  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:58 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dhcp-4.2.5-36.el7.centos.src.rpm  
Build Date : Thu 05 Mar 2015 05:43:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://isc.org/products/DHCP/>  
Summary : Shared libraries used by ISC dhcp client and server  
Description :  
This package contains shared libraries used by ISC dhcp client and server

Name : ed  
Version : 1.9  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:59 PM EDT  
Group : Applications/Text  
Size : 119985  
License : GPLv3+, GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:11:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ed-1.9-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:54:13 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/ed/>  
Summary : The GNU line editor  
Description :  
Ed is a line-oriented text editor, used to create, display, and modify text files (both interactively and via shell scripts). For most purposes, ed has been replaced in normal usage by full-screen editors (emacs and vi, for example).

Ed was the original UNIX editor, and may be used by some programs. In general, however, you probably don't need to install it and you probably won't use it.

Name : telepathy-filesystem  
Version : 0.0.2  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:46 PM EDT

Group : System Environment/Base  
Size : 0  
License : Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:11:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : telepathy-filesystem-0.0.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:16:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Telepathy filesystem layout  
Description :  
This package provides some directories which are required by other packages which comprise the Telepathy release.

Name : evince-libs  
Version : 3.8.3  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:55 PM EDT  
Group : System Environment/Libraries  
Size : 947215  
License : GPLv2+ and GPLv3+ and LGPLv2+ and MIT and Afmparse  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:14:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : evince-3.8.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:58:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/evince/>  
Summary : Libraries for the evince document viewer  
Description :  
This package contains shared libraries needed for evince

Name : soundtouch  
Version : 1.4.0  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:37 PM EDT  
Group : System Environment/Libraries  
Size : 141628  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:02:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : soundtouch-1.4.0-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:16:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.surina.net/soundtouch/>  
Summary : Audio Processing library for changing Tempo, Pitch and Playback Rates

Description :

SoundTouch is a LGPL-licensed open-source audio processing library for changing the Tempo, Pitch and Playback Rates of audio streams or files. The SoundTouch library is suited for application developers writing sound processing tools that require tempo/pitch control functionality, or just for playing around with the sound effects.

The SoundTouch library source kit includes an example utility SoundStretch which allows processing .wav audio files from a command-line interface.

Name : comps-extras  
Epoch : 1  
Version : 7  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:30 PM EDT  
Group : Applications/System  
Size : 72535  
License : GPL+ and LGPLv2+ and CC-BY-SA  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:01:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : comps-extras-7-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:16:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/git/?p=comps-extras.git;a=summary>  
Summary : Images for package groups  
Description :

This package contains images for the components included in this distribution.

Name : plymouth-graphics-libs  
Version : 0.8.9  
Release : 0.13.20140113.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:06 PM EDT  
Group : Development/Libraries  
Size : 40952  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:29:11 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : plymouth-0.8.9-0.13.20140113.el7.centos.src.rpm  
Build Date : Mon 09 Mar 2015 03:44:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/Plymouth>  
Summary : Plymouth graphics libraries  
Description :

This package contains the libply-splash-graphics library used by graphical Plymouth splashes.



Name : lohit-devanagari-fonts  
Version : 2.5.3  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:09 PM EDT  
Group : User Interface/X  
Size : 90128  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:04 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohit-devanagari-fonts-2.5.3-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:36:39 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Devanagari Script Font  
Description :  
This package provides a free Devanagari Script TrueType/OpenType font.

Name : anaconda-user-help  
Version : 19.31.123  
Release : 1.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:55:49 PM EDT  
Group : Applications/System  
Size : 589900  
License : GPLv2+  
Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm  
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Content for the Anaconda built-in help system  
Description :  
This package hold the content for the Anaconda built-in help system.

Name : gtk-vnc2  
Version : 0.5.2  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:01 PM EDT  
Group : Applications/Internet  
Size : 80218  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:50:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtk-vnc-0.5.2-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:31:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/gtk-vnc>  
Summary : A GTK3 widget for VNC clients  
Description :  
gtk-vnc is a VNC viewer widget for GTK3. It is built using coroutines allowing it to be completely asynchronous while remaining single threaded.  
Name : libvisual  
Version : 0.4.0  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:40 PM EDT  
Group : Applications/Multimedia  
Size : 419592  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvisual-0.4.0-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:37:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvisual.sf.net>  
Summary : Abstraction library for audio visualisation plugins  
Description :  
Libvisual is an abstraction library that comes between applications and audio visualisation plugins.

Often when it comes to audio visualisation plugins or programs that create visuals they do depend on a player or something else, basically there is no general framework that enable application developers to easy access cool audio visualisation plugins. Libvisual wants to change this by providing an interface towards plugins and applications, through this easy to use interface applications can easily access plugins and since the drawing is done by the application it also enables the developer to draw the visual anywhere he wants.

Name : gnome-session  
Version : 3.8.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:39 PM EDT  
Group : User Interface/Desktops  
Size : 1898331  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:39:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-session-3.8.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:12:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : GNOME session manager  
Description :  
gnome-session manages a GNOME desktop or GDM login session. It starts up the other core GNOME components and handles logout and saving the session.

Name : python-ethtool  
Version : 0.8  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:10 PM EDT  
Group : System Environment/Libraries  
Size : 76161  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-ethtool-0.8-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:41:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.fedorahosted.org/cgit/python-ethtool.git>  
Summary : Ethernet settings python bindings  
Description :  
Python bindings for the ethtool kernel interface, that allows querying and changing of Ethernet card settings, such as speed, port, auto-negotiation, and PCI locations.

Name : pnm2ppa  
Epoch : 1  
Version : 1.04  
Release : 28.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:11:21 PM EDT  
Group : Applications/Publishing  
Size : 895626  
License : GPLv2+ and GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:31:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pnm2ppa-1.04-28.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:07:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/pnm2ppa>  
Summary : Drivers for printing to HP PPA printers  
Description :  
Pnm2ppa is a color driver for HP PPA host-based printers such as the HP710C, 712C, 720C, 722C, 820Cse, 820Cxi, 1000Cse, and 1000Cxi.

Pnm2ppa accepts Ghostscript output in PPM format and sends it to the printer in PPA format.

Install pnm2ppa if you need to print to a PPA printer.

Name : yelp-xsl  
Version : 3.8.1  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:55 PM EDT  
Group : Applications/System  
Size : 1516506  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:47 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : yelp-xsl-3.8.1-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:12:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/yelp-xsl>  
Summary : XSL stylesheets for the yelp help browser  
Description :  
This package contains XSL stylesheets that are used by the yelp help browser.

Name : perl-Git  
Version : 1.8.3.1  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:05 PM EDT  
Group : Development/Libraries  
Size : 58567  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:18:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : git-1.8.3.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:40:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git-scm.com/>  
Summary : Perl interface to Git  
Description :  
Perl interface to Git.

Name : sysvinit-tools  
Version : 2.88  
Release : 14.dsfe.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:43 PM EDT  
Group : System Environment/Base  
Size : 109118  
License : GPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 01:09:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sysvinit-2.88-14.dsfc.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://savannah.nongnu.org/projects/sysvinit/>  
Summary : Tools used for process and utmp management.  
Description :  
The sysvinit-tools package contains various tools used for process  
management.  
Name : pulseaudio-module-bluetooth  
Version : 3.0  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:05 PM EDT  
Group : Unspecified  
Size : 184896  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:18 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pulseaudio-3.0-30.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : Bluetooth support for the PulseAudio sound server  
Description :  
Contains Bluetooth audio (A2DP/HSP/HFP) support for the PulseAudio sound  
server.

Also contains a module that can be used to automatically turn down the  
volume if

a bluetooth mobile phone leaves the proximity or turn it up again if it  
enters the

proximity again

Name : xfsprogs  
Version : 3.2.1  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:15 PM EDT  
Group : System Environment/Base  
Size : 3870882  
License : GPL+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xfsprogs-3.2.1-6.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:03:45 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.sgi.com/projects/xfs/>  
Summary : Utilities for managing the XFS filesystem  
Description :  
A set of commands to use the XFS filesystem, including mkfs.xfs.

XFS is a high performance journaling filesystem which originated on the SGI IRIX platform. It is completely multi-threaded, can support large files and large filesystems, extended attributes, variable block sizes, is extent based, and makes extensive use of Btrees (directories, extents, free space) to aid both performance and scalability.

Refer to the documentation at <http://oss.sgi.com/projects/xfs/> for complete details. This implementation is on-disk compatible with the IRIX version of XFS.

Name : lohit-tamil-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:37 PM EDT  
Group : User Interface/X  
Size : 79141  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-tamil-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:37:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Tamil font  
Description :  
This package provides a free Tamil truetype/opentype font.

Name : xz-libs  
Version : 5.1.2  
Release : 9alpha.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:07 PM EDT  
Group : System Environment/Libraries  
Size : 235727  
License : LGPLv2+  
Signature : RSA/SHA256, Wed 01 Oct 2014 08:35:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xz-5.1.2-9alpha.el7.src.rpm  
Build Date : Tue 30 Sep 2014 01:51:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tukaani.org/xz/>

Summary : Libraries for decoding LZMA compression  
Description :  
Libraries for decoding files compressed with LZMA or XZ utils.  
Name : sane-backends  
Version : 1.0.24  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:11 PM EDT  
Group : System Environment/Libraries  
Size : 2032215  
License : GPLv2+ and GPLv2+ with exceptions and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sane-backends-1.0.24-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sane-project.org>  
Summary : Scanner access software  
Description :  
Scanner Access Now Easy (SANE) is a universal scanner interface. The SANE application programming interface (API) provides standardized access to any raster image scanner hardware (flatbed scanner, hand-held scanner, video and still cameras, frame-grabbers, etc.).  
Name : clucene-contribs-lib  
Version : 2.3.3.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:47 PM EDT  
Group : Development/System  
Size : 405464  
License : LGPLv2+ or ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : clucene-2.3.3.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:18:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sourceforge.net/projects/clucene>  
Summary : Language specific text analyzers for clucene  
Description :  
Language specific text analyzers for clucene.  
Name : initial-setup  
Version : 0.3.9.23  
Release : 1.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:10 PM EDT  
Group : System Environment/Base  
Size : 174516  
License : GPLv2+

Signature : RSA/SHA256, Fri 27 Mar 2015 05:53:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : initial-setup-0.3.9.23-1.el7.centos.2.src.rpm  
Build Date : Fri 27 Mar 2015 05:51:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/InitialSetup>  
Summary : Initial system configuration utility  
Description :  
The initial-setup utility runs after installation. It guides the user through  
a series of steps that allows for easier configuration of the machine.  
Name : fipscheck-lib  
Version : 1.4.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:18 PM EDT  
Group : System Environment/Libraries  
Size : 11450  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:50 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fipscheck-1.4.1-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:33:57 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/fipscheck/>  
Summary : Library files for fipscheck  
Description :  
This package contains the FIPSCheck library.  
Name : lohith-malayalam-fonts  
Version : 2.5.3  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:49 PM EDT  
Group : User Interface/X  
Size : 86092  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:10 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lohith-malayalam-fonts-2.5.3-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:33:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohith/>  
Summary : Free Malayalam font  
Description :  
This package provides a free Malayalam truetype/opentype font.



Name : info  
Version : 5.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:11 PM EDT  
Group : System Environment/Base  
Size : 494499  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:07:00 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : texinfo-5.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:22:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/texinfo/>  
Summary : A stand-alone TTY-based reader for GNU texinfo documentation  
Description :  
The GNU project uses the texinfo file format for much of its documentation. The info package provides a standalone TTY-based browser program for viewing texinfo files.

Name : firewalld  
Version : 0.3.9  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:17 PM EDT  
Group : System Environment/Base  
Size : 2404285  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : firewalld-0.3.9-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:35:57 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/firewalld>  
Summary : A firewall daemon with D-BUS interface providing a dynamic firewall  
Description :  
firewalld is a firewall service daemon that provides a dynamic customizable firewall with a D-BUS interface.

Name : iw  
Version : 3.10  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:50 PM EDT  
Group : System Environment/Base  
Size : 137033  
License : ISC

Signature : RSA/SHA256, Thu 07 Aug 2014 09:30:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iw-3.10-6.el7.src.rpm  
Build Date : Thu 07 Aug 2014 09:20:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.linuxwireless.org/en/users/Documentation/iw>  
Summary : A nl80211 based wireless configuration tool  
Description :  
iw is a new nl80211 based CLI configuration utility for wireless devices.  
Currently you can only use this utility to configure devices which  
use a mac80211 driver as these are the new drivers being written -  
only because most new wireless devices being sold are now SoftMAC.

Name : libnotify  
Version : 0.7.5  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:16 PM EDT  
Group : System Environment/Libraries  
Size : 86817  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:02:56 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libnotify-0.7.5-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:25:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Desktop notification library  
Description :  
libnotify is a library for sending desktop notifications to a  
notification  
daemon, as defined in the freedesktop.org Desktop Notifications spec.  
These  
notifications can be used to inform the user about an event or display  
some  
form of information without getting in the user's way.

Name : vorbis-tools  
Epoch : 1  
Version : 1.4.0  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:22 PM EDT  
Group : Applications/Multimedia  
Size : 794577  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:42:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vorbis-tools-1.4.0-12.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:20:46 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/>  
Summary : The Vorbis General Audio Compression Codec tools  
Description :  
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free, general-purpose compressed audio format for audio and music at fixed and variable bitrates from 16 to 128 kbps/channel.

The vorbis package contains an encoder, a decoder, a playback tool, and a comment editor.

Name : gnu-free-sans-fonts  
Version : 20120503  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:59 PM EDT  
Group : User Interface/X  
Size : 3086187  
License : GPLv3+ with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:59 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnu-free-fonts-20120503-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/freefont/>  
Summary : GNU FreeFont Sans-Serif Font  
Description :

Gnu FreeFont is a free family of scalable outline fonts, suitable for general use on computers and for desktop publishing. It is Unicode-encoded for compatibility with all modern operating systems.

Besides a full set of characters for writing systems based on the Latin alphabet, FreeFont contains large selection of characters from other writing systems some of which are hard to find elsewhere.

FreeFont also contains a large set of symbol characters, both technical and decorative. We are especially pleased with the Mathematical Operators range, with which most of the glyphs used in LaTeX can be displayed.

This package contains the GNU FreeFont sans-serif font.

Name : audit-libs  
Version : 2.4.1  
Release : 5.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:56:13 PM EDT  
Group : Development/Libraries  
Size : 210402  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:36:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : audit-2.4.1-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:59:11 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.redhat.com/sgrubb/audit/>  
Summary : Dynamic library for libaudit  
Description :  
The audit-libs package contains the dynamic libraries needed for  
applications to use the audit framework.  
Name : libcanberra-gtk2  
Version : 0.30  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:26 PM EDT  
Group : System Environment/Libraries  
Size : 43896  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:12 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcanberra-0.30-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:25:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.0pointer.de/?p=libcanberra.git;a=summary>  
Summary : Gtk+ 2.x Bindings for libcanberra  
Description :  
Gtk+ 2.x bindings for libcanberra  
Name : perl-Encode  
Version : 2.51  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:52 PM EDT  
Group : Development/Libraries  
Size : 10176350  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:22 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Encode-2.51-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:49:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Encode/>

```

Summary      : Character encodings in Perl
Description  :
The Encode module provides the interface between Perl strings and the
rest
of the system. Perl strings are sequences of characters.
Name         : ibus-gtk3
Version      : 1.5.3
Release      : 11.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:07:23 PM EDT
Group        : System Environment/Libraries
Size         : 33216
License      : LGPLv2+
Signature    : RSA/SHA256, Thu 03 Jul 2014 10:03:45 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : ibus-1.5.3-11.el7.src.rpm
Build Date   : Mon 09 Jun 2014 06:14:56 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://code.google.com/p/ibus/
Summary      : IBus im module for gtk3
Description  :
This package contains ibus im module for gtk3
Name         : perl-Tk
Version      : 804.030
Release      : 6.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:00:26 PM EDT
Group        : Development/Libraries
Size         : 6704158
License      : (GPL+ or Artistic) and SWL
Signature    : RSA/SHA256, Fri 04 Jul 2014 12:25:41 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : perl-Tk-804.030-6.el7.src.rpm
Build Date   : Tue 10 Jun 2014 01:16:27 AM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://search.cpan.org/dist/Tk/
Summary      : Perl Graphical User Interface ToolKit
Description  :
This a re-port of a perl interface to Tk8.4.
C code is derived from Tcl/Tk8.4.5.
It also includes all the C code parts of Tix8.1.4 from SourceForge.
The perl code corresponding to Tix's Tcl code is not fully implemented.

Perl API is essentially the same as Tk800 series Tk800.025 but has not
been verified as compliant. There ARE differences see pod/804delta.pod.
Name         : rdate
Version      : 1.4
Release      : 25.el7

```

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:08 PM EDT  
Group : Applications/System  
Size : 29251  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rdate-1.4-25.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:26:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://people.redhat.com/sopwith/>  
Summary : Tool for getting the date/time from a remote machine  
Description :  
The rdate utility retrieves the date and time from another machine on  
your network, using the protocol described in RFC 868. If you run  
rdate as root, it will set your machine's local time to the time of  
the machine that you queried.  
Name : readline  
Version : 6.2  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:16 PM EDT  
Group : System Environment/Libraries  
Size : 460408  
License : GPLv3+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : readline-6.2-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:52:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cnswww.cns.cwru.edu/php/chet/readline/rltop.html>  
Summary : A library for editing typed command lines  
Description :  
The Readline library provides a set of functions that allow users to  
edit command lines. Both Emacs and vi editing modes are available. The  
Readline library includes additional functions for maintaining a list  
of previously-entered command lines for recalling or editing those  
lines, and for performing csh-like history expansion on previous  
commands.  
Name : anaconda-widgets  
Version : 19.31.123  
Release : 1.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:30 PM EDT  
Group : System Environment/Libraries  
Size : 689270  
License : GPLv2+

Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:37 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm  
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : A set of custom GTK+ widgets for use with anaconda  
Description :  
This package contains a set of custom GTK+ widgets used by the anaconda  
installer.

Name : perl-libs  
Epoch : 4  
Version : 5.16.3  
Release : 285.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:54 PM EDT  
Group : Development/Languages  
Size : 1643224  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:14 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : perl-5.16.3-285.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : The libraries for the perl runtime  
Description :

The libraries for the perl runtime

Name : anaconda-gui  
Version : 19.31.123  
Release : 1.el7.centos.2  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:33 PM EDT  
Group : Applications/System  
Size : 1196368  
License : GPLv2+

Signature : RSA/SHA256, Thu 26 Mar 2015 06:55:26 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : anaconda-19.31.123-1.el7.centos.2.src.rpm  
Build Date : Thu 26 Mar 2015 06:43:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Graphical user interface for the Anaconda installer  
Description :

This package contains graphical user interface for the Anaconda installer.

Name : libreport-anaconda  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:29 PM EDT  
Group : Applications/File  
Size : 23085  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:34:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Default configuration for reporting anaconda bugs  
Description :  
Default configuration for reporting Anaconda problems or uploading the gathered data over ftp/scp...

Name : gnome-getting-started-docs  
Version : 3.8.3.0.2  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:16 PM EDT  
Group : Documentation  
Size : 59459681  
License : CC-BY-SA  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:20 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-getting-started-docs-3.8.3.0.2-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:29:24 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://help.gnome.org/>  
Summary : Help a new user get started in GNOME  
Description :  
This package contains a 'Getting Started' guide that can be viewed with yelp. It is normally used together with gnome-initial-setup.

Name : libtdb  
Version : 1.3.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:18 PM EDT  
Group : System Environment/Daemons  
Size : 87296  
License : LGPLv3+



Signature : RSA/SHA256, Sat 14 Mar 2015 04:14:14 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtdb-1.3.0-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:43:55 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tdb.samba.org/>  
Summary : The tdb library  
Description :  
A library that implements a trivial database.  
Name : adwaita-gtk2-theme  
Version : 3.8.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:34 PM EDT  
Group : User Interface/Desktops  
Size : 207387  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:33:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gnome-themes-standard-3.8.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:07:30 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.gnome.org/browse/gnome-themes-standard>  
Summary : Adwaita gtk2 theme  
Description :  
The adwaita-gtk2-theme package contains a gtk2 theme for presenting  
widgets  
with a GNOME look and feel.  
Name : perl-Time-Local  
Version : 1.2300  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:56 PM EDT  
Group : Development/Libraries  
Size : 44062  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:36 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Time-Local-1.2300-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:31:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Time-Local/>  
Summary : Efficiently compute time from local and GMT time  
Description :

This module provides functions that are the inverse of built-in perl functions localtime() and gmtime(). They accept a date as a six-element array, and return the corresponding time(2) value in seconds since the system epoch (Midnight, January 1, 1970 GMT on Unix, for example). This value can be positive or negative, though POSIX only requires support for positive values,

so dates before the system's epoch may not work on all operating systems.

Name : gnome-settings-daemon-updates  
Version : 3.8.6.1  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:40 PM EDT  
Group : Development/Libraries  
Size : 67131  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-settings-daemon-3.8.6.1-12.el7.src.rpm  
Build Date : Tue 10 Mar 2015 05:54:47 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://download.gnome.org/sources/gnome-settings-daemon>  
Summary : updates plugin for gnome-settings-daemon  
Description :  
The gnome-settings-daemon-updates package contains the updates plugin for gnome-settings-daemon

Name : python-setuptools  
Version : 0.9.8  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:33 PM EDT  
Group : Applications/System  
Size : 2039798  
License : Python or ZPLv2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-setuptools-0.9.8-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:36:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/setuptools>  
Summary : Easily build and distribute Python packages  
Description :  
Setuptools is a collection of enhancements to the Python distutils that allow you to more easily build and distribute Python packages, especially ones that have dependencies on other packages.

This package contains the runtime components of setuptools, necessary to execute the software that requires pkg\_resources.py.

This package contains the distribute fork of setuptools.

Name : man-pages-overrides  
Version : 7.1.3  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:24 PM EDT  
Group : Documentation  
Size : 767161  
License : GPL+ and GPLv2+ and BSD and MIT and Copyright only and IEEE  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : man-pages-overrides-7.1.3-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:51:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Complementary and updated manual pages  
Description :  
A collection of manual ("man") pages to complement other packages or update those contained therein. Always have the latest version of this package installed.

Name : libogg  
Epoch : 2  
Version : 1.3.0  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:21 PM EDT  
Group : System Environment/Libraries  
Size : 35628  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:03:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libogg-1.3.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:27:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/>  
Summary : The Ogg bitstream file format library  
Description :  
Libogg is a library for manipulating Ogg bitstream file formats. Libogg supports both making Ogg bitstreams and getting packets from Ogg bitstreams.

Name : apache-commons-collections  
Version : 3.2.1  
Release : 21.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:42 PM EDT

Group : Development/Libraries  
Size : 608010  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:37:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : apache-commons-collections-3.2.1-21.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:41:38 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/collections/>  
Summary : Provides new interfaces, implementations and utilities for  
Java Collections  
Description :

The introduction of the Collections API by Sun in JDK 1.2 has been a boon to quick and effective Java programming. Ready access to powerful data structures has accelerated development by reducing the need for custom container classes around each core object. Most Java2 APIs are significantly easier to use because of the Collections API. However, there are certain holes left unfilled by Sun's implementations, and the Jakarta-Commons Collections Component strives to fulfill them. Among the features of this package are:

- special-purpose implementations of Lists and Maps for fast access
- adapter classes from Java1-style containers (arrays, enumerations) to Java2-style collections.
- methods to test or create typical set-theory properties of collections such as union, intersection, and closure.

Name : perl-XML-Parser  
Version : 2.41  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:01 PM EDT  
Group : Development/Libraries  
Size : 642973  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:26:25 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-XML-Parser-2.41-10.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:50:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/XML-Parser/>  
Summary : Perl module for parsing XML documents  
Description :

This module provides ways to parse XML documents. It is built on top of XML::Parser::Expat, which is a lower level interface to James Clark's expat library. Each call to one of the parsing methods creates a new instance of XML::Parser::Expat which is then used to parse the document. Expat options may be provided when the XML::Parser object is created. These options are then passed on to the Expat object on each parse call. They can also be given as extra arguments to the parse

methods, in which case they override options given at XML::Parser creation time.

Name : brasero-nautilus  
Version : 3.8.0  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:46 PM EDT  
Group : User Interface/Desktops  
Size : 47810  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:53:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : brasero-3.8.0-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:21:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/brasero/>  
Summary : Nautilus extension for brasero  
Description :  
The brasero-nautilus package contains the brasero nautilus extension.

Name : python-chardet  
Version : 2.0.1  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:37 PM EDT  
Group : Development/Languages  
Size : 1141130  
License : LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:22 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-chardet-2.0.1-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:38:35 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://chardet.feedparser.org>  
Summary : Character encoding auto-detection in Python  
Description :  
Character encoding auto-detection in Python. As smart as your browser. Open source.

Name : iwl3160-firmware  
Version : 22.0.7.0  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:30 PM EDT  
Group : System Environment/Kernel  
Size : 2086485  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Dual Band Wireless-AC 3160 Series  
Adapters  
Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl3160 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.  
Name : libcap  
Version : 2.22  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:26 PM EDT  
Group : System Environment/Libraries  
Size : 111389  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:38:19 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libcap-2.22-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:05:45 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://ftp.kernel.org/pub/linux/libs/security/linux-privs/kernel-2.6/>  
Summary : Library for getting and setting POSIX.1e capabilities  
Description :  
libcap is a library for getting and setting POSIX.1e (formerly POSIX 6) draft 15 capabilities.  
Name : apache-commons-logging  
Version : 1.1.2  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:46 PM EDT  
Group : Development/Libraries  
Size : 185120  
License : ASL 2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:38:26 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : apache-commons-logging-1.1.2-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:49:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://commons.apache.org/logging>  
Summary : Apache Commons Logging

Description :

The commons-logging package provides a simple, component oriented interface (`org.apache.commons.logging.Log`) together with wrappers for logging systems. The user can choose at runtime which system they want to use. In addition, a small number of basic implementations are provided to allow users to use the package standalone. commons-logging was heavily influenced by Avalon's Logkit and Log4J. The commons-logging abstraction is meant to minimize the differences between the two, and to allow a developer to not tie himself to a particular logging implementation.

Name : perl-Image-Xpm  
Version : 1.09  
Release : 21.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:03 PM EDT  
Group : Development/Libraries  
Size : 36317  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Image-Xpm-1.09-21.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:51:47 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Image-Xpm/>  
Summary : Load, create, manipulate and save xpm image files in Perl  
Description :

This class module provides basic load, manipulate and save functionality for the xpm file format. It inherits from `Image::Base` which provides additional manipulation functionality.

Name : ibus-chewing  
Version : 1.4.4  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:56 PM EDT  
Group : System Environment/Libraries  
Size : 216560  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ibus-chewing-1.4.4-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:05:12 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/ibus/>  
Summary : The Chewing engine for IBus input platform  
Description :

IBus-chewing is an IBus front-end of Chewing, an intelligent Chinese input method for Zhuyin (BoPoMoFo) users. It supports various Zhuyin keyboard layout, such as standard (DaChen), IBM, Gin-Yeah, Eten, Eten 26, Hsu, Dvorak, Dvorak-Hsu, and DaChen26.

Chewing also support toned Hanyu pinyin input.

```
Name       : pytz
Version    : 2012d
Release    : 5.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:00:40 PM EDT
Group      : Development/Languages
Size       : 142446
License    : MIT
Signature  : RSA/SHA256, Fri 04 Jul 2014 12:43:03 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : pytz-2012d-5.el7.src.rpm
Build Date : Mon 09 Jun 2014 06:50:16 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://pytz.sourceforge.net/
Summary    : World Timezone Definitions for Python
Description :
pytz brings the Olson tz database into Python. This library allows
accurate
and cross platform timezone calculations using Python 2.3 or higher. It
also solves the issue of ambiguous times at the end of daylight savings,
which you can read more about in the Python Library Reference
(datetime.tzinfo).
```

Almost all (over 540) of the Olson timezones are supported.

```
Name       : glibc
Version    : 2.17
Release    : 78.el7
Architecture: i686
Install Date: Fri 26 Aug 2016 01:12:35 PM EDT
Group      : System Environment/Libraries
Size       : 15028133
License    : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 03:50:12 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : glibc-2.17-78.el7.src.rpm
Build Date : Thu 05 Mar 2015 04:14:42 PM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.gnu.org/software/glibc/
Summary    : The GNU libc libraries
Description :
The glibc package contains standard libraries which are used by
```



multiple programs on the system. In order to save disk space and memory, as well as to make upgrading easier, common system code is kept in one place and shared between programs. This particular package contains the most important sets of shared libraries: the standard C library and the standard math library. Without these two libraries, a Linux system will not function.

Name : libref\_array  
Version : 0.1.4  
Release : 24.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:28 PM EDT  
Group : Development/Libraries  
Size : 54118  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:39 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : ding-libs-0.4.0-24.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:54:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sssd/>  
Summary : A refcounted array for C  
Description :

A dynamically-growing, reference-counted array

Name : pinentry-gtk  
Version : 0.8.1  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:51 PM EDT  
Group : Applications/System  
Size : 110728  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:28:14 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : pinentry-0.8.1-14.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:40:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/aegypten/>  
Summary : Passphrase/PIN entry dialog based on GTK+  
Description :

Pinentry is a collection of simple PIN or passphrase entry dialogs which utilize the Assuan protocol as described by the aegypten project; see <http://www.gnupg.org/aegypten/> for details.

This package contains the GTK GUI based version of the PIN entry dialog.

Name : perl-Business-ISBN-Data  
Version : 20120719.001  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:12 PM EDT

Group : Development/Libraries  
Size : 165294  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:15:07 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Business-ISBN-Data-20120719.001-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:25:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Business-ISBN-Data/>  
Summary : The data pack for Business::ISBN  
Description :  
This is a data pack for Business::ISBN. You can update the ISBN data without changing the version of Business::ISBN. Most of the interesting stuff is in Business::ISBN.  
Name : gnome-clocks  
Version : 3.8.2  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:02 PM EDT  
Group : Unspecified  
Size : 694521  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:36:29 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-clocks-3.8.2-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:22:09 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://live.gnome.org/GnomeClocks>  
Summary : Clock application designed for GNOME 3  
Description :  
Clock application designed for GNOME 3  
Name : python-javapackages  
Version : 3.4.1  
Release : 6.el7\_0  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:43 PM EDT  
Group : Unspecified  
Size : 66505  
License : BSD  
Signature : RSA/SHA256, Thu 14 Aug 2014 06:35:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : javapackages-tools-3.4.1-6.el7\_0.src.rpm  
Build Date : Thu 14 Aug 2014 06:18:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/javapackages/>

```

Summary      : Module for handling various files for Java packaging
Description  :
Module for handling, querying and manipulating of various files for Java
packaging in Linux distributions
Name         : XRXTOOLS
Version      : 1.0.0.22
Release      : 1
Architecture: noarch
Install Date: Fri 26 Aug 2016 01:30:20 PM EDT
Group        : Applications/Xerox
Size         : 335919
License      : Copyright 1996-2010 Xerox Corporation
Signature    : (none)
Source RPM   : XRXTOOLS-1.0.0.22-1.src.rpm
Build Date   : Thu 04 Jun 2015 03:13:32 PM EDT
Build Host   : chicory
Relocations  : (not relocatable)
Packager     : sdonnell
Vendor       : Xerox Corporation
Summary      : Xerox Print Engine Tools
Description  :
Xerox Print Engine Tools for Development and Debugging
Name         : dbus-glib
Version      : 0.100
Release      : 7.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:31 PM EDT
Group        : System Environment/Libraries
Size         : 301237
License      : AFL and GPLv2+
Signature    : RSA/SHA256, Thu 03 Jul 2014 09:06:03 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : dbus-glib-0.100-7.el7.src.rpm
Build Date   : Tue 10 Jun 2014 12:06:04 AM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.freedesktop.org/software/dbus/
Summary      : GLib bindings for D-Bus
Description  :

```

D-Bus add-on library to integrate the standard D-Bus library with the GLib thread abstraction and main loop.

```

Name         : perl-Digest
Version      : 1.17
Release      : 245.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:17 PM EDT
Group        : Development/Libraries
Size         : 28661
License      : GPL+ or Artistic
Signature    : RSA/SHA256, Fri 04 Jul 2014 12:17:08 AM EDT, Key ID
24c6a8a7f4a80eb5

```

Source RPM : perl-Digest-1.17-245.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:13:52 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Digest/>  
Summary : Modules that calculate message digests  
Description :  
The Digest:: modules calculate digests, also called "fingerprints" or "hashes", of some data, called a message. The digest is (usually) some small/fixed size string. The actual size of the digest depend of the algorithm used. The message is simply a sequence of arbitrary bytes or bits.

Name : pulseaudio-module-x11  
Version : 3.0  
Release : 30.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:12 PM EDT  
Group : Unspecified  
Size : 69412  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:21 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : pulseaudio-3.0-30.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:08:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/PulseAudio>  
Summary : X11 support for the PulseAudio sound server  
Description :  
X11 bell and security modules for the PulseAudio sound server.

Name : tomcat-el-2.2-api  
Epoch : 0  
Version : 7.0.54  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:53 PM EDT  
Group : Development/Libraries  
Size : 115552  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:43 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : tomcat-7.0.54-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:54:31 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Expression Language v2.2 API  
Description :

Expression Language 2.2.

Name : orc  
Version : 0.4.17  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:34 PM EDT  
Group : System Environment/Libraries  
Size : 601006  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:08:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : orc-0.4.17-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:20:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cgkit.freedesktop.org/gstreamer/orc/>  
Summary : The Oil Run-time Compiler  
Description :  
Orc is a library and set of tools for compiling and executing very simple programs that operate on arrays of data. The "language" is a generic assembly language that represents many of the features available in SIMD architectures, including saturated addition and subtraction, and many arithmetic operations.

Name : librdmacm  
Version : 1.0.19.1  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:59 PM EDT  
Group : System Environment/Libraries  
Size : 141875  
License : GPLv2 or BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:07:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : librdmacm-1.0.19.1-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:36:06 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openfabrics.org/>  
Summary : Userspace RDMA Connection Manager  
Description :  
librdmacm provides a userspace RDMA Communication Management API.

Name : perl-IO-Zlib  
Epoch : 1  
Version : 1.10  
Release : 285.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:20 PM EDT  
Group : Development/Libraries  
Size : 19723  
License : GPL+ or Artistic

Signature : RSA/SHA256, Sat 14 Mar 2015 04:28:08 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-5.16.3-285.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:10:00 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.perl.org/>  
Summary : Perl IO:: style interface to Compress::Zlib  
Description :  
This modules provides an IO:: style interface to the Compress::Zlib  
package.  
The main advantage is that you can use an IO::Zlib object in much the  
same way  
as an IO::File object so you can have common code that doesn't know which  
sort  
of file it is using.

Name : vim-enhanced  
Epoch : 2  
Version : 7.4.160  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:39 PM EDT  
Group : Applications/Editors  
Size : 2292114  
License : Vim  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:41:13 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : vim-7.4.160-1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:56:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.vim.org/>  
Summary : A version of the VIM editor which includes recent  
enhancements  
Description :

VIM (VISual editor iMproved) is an updated and improved version of the  
vi editor. Vi was the first real screen-based editor for UNIX, and is  
still very popular. VIM improves on vi by adding new features:  
multiple windows, multi-level undo, block highlighting and more. The  
vim-enhanced package contains a version of VIM with extra, recently  
introduced features like Python and Perl interpreters.

Install the vim-enhanced package if you'd like to use a version of the  
VIM editor which includes recently added enhancements like  
interpreters for the Python and Perl scripting languages. You'll also  
need to install the vim-common package.

Name : urw-fonts  
Version : 2.4  
Release : 16.el7  
Architecture: noarch

Install Date: Fri 26 Aug 2016 01:00:57 PM EDT  
Group : User Interface/X  
Size : 4389400  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:38:39 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : urw-fonts-2.4-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:22:42 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://svn.ghostscript.com/ghostscript/tags/urw-fonts-1.0.7pre44/>  
Summary : Free versions of the 35 standard PostScript fonts.  
Description :  
Free, good quality versions of the 35 standard PostScript(TM) fonts,  
donated under the GPL by URW++ Design and Development GmbH.

Install the urw-fonts package if you need free versions of standard PostScript fonts.

Name : avahi-glib  
Version : 0.6.31  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:38 PM EDT  
Group : Unspecified  
Size : 15664  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:38:29 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-14.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:03:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Glib libraries for avahi  
Description :  
Libraries for easy use of avahi from glib applications.  
Name : glib-networking  
Version : 2.40.0  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:02 PM EDT  
Group : Development/Libraries  
Size : 417100  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glib-networking-2.40.0-1.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:55:54 PM EST  
Build Host : worker1.bsys.centos.org

```

Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.gnome.org
Summary     : Networking support for GLib
Description :
This package contains modules that extend the networking support in
GIO. In particular, it contains libproxy- and GSettings-based
GProxyResolver implementations and a gnutls-based GTlsConnection
implementation.
Name        : perl-XML-RegExp
Version     : 0.04
Release     : 2.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:22 PM EDT
Group       : Development/Libraries
Size        : 9605
License     : GPL+ or Artistic
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:26:27 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : perl-XML-RegExp-0.04-2.el7.src.rpm
Build Date  : Tue 10 Jun 2014 12:38:35 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/XML-RegExp/
Summary     : Regular expressions for XML tokens
Description :
This package contains an utility module containing regular expressions
for the following XML tokens: BaseChar, Ideographic, Letter, Digit,
Extender, CombiningChar, NameChar, EntityRef, CharRef, Reference,
Name, NmToken, and AttValue.
Name        : glusterfs-fuse
Version     : 3.6.0.29
Release     : 2.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:08:46 PM EDT
Group       : Applications/File
Size        : 250832
License     : GPLv2 or LGPLv3+
Signature   : RSA/SHA256, Sat 14 Mar 2015 03:50:44 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : glusterfs-3.6.0.29-2.el7.src.rpm
Build Date  : Thu 05 Mar 2015 06:47:02 PM EST
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.gluster.org/docs/index.php/GlusterFS
Summary     : Fuse client
Description :
GlusterFS is a clustered file-system capable of scaling to several
petabytes. It aggregates various storage bricks over Infiniband RDMA

```



or TCP/IP interconnect into one large parallel network file system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package provides support to FUSE based clients.

Name : systemtap-runtime  
Version : 2.6  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:04 PM EDT  
Group : Development/System  
Size : 807738  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemtap-2.6-8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:01:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceware.org/systemtap/>  
Summary : Programmable system-wide instrumentation system - runtime  
Description :

SystemTap runtime contains the components needed to execute a systemtap script that was already compiled into a module using a local or remote systemtap-devel installation.

Name : libXext  
Version : 1.3.2  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:41 PM EDT  
Group : System Environment/Libraries  
Size : 87110  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXext-1.3.2-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:57:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXext runtime library  
Description :

X.Org X11 libXext runtime library

Name : libgovirt  
Version : 0.3.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:13 PM EDT

Group : Development/Libraries  
Size : 140357  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:02:12 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgovirt-0.3.1-3.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:10:09 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://people.freedesktop.org/~teuf/govirt/>  
Summary : A GObject library for interacting with oVirt REST API  
Description :  
libgovirt is a library that allows applications to use oVirt REST API to list VMs managed by an oVirt instance, and to get the connection parameters needed to make a SPICE/VNC connection to them.

Name : telepathy-logger  
Version : 0.8.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:26 PM EDT  
Group : Applications/Communications  
Size : 273056  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:12:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : telepathy-logger-0.8.0-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:40:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://telepathy.freedesktop.org/wiki/Logger>  
Summary : Telepathy framework logging daemon  
Description :  
telepathy-logger is a headless Observer client that logs information received by the Telepathy framework. It features pluggable backends to log different sorts of messages, in different formats.

Name : fprintd-pam  
Version : 0.5.0  
Release : 4.0.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:51 PM EDT  
Group : System Environment/Base  
Size : 25623  
License : GPLv2+  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:22:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : fprintd-0.5.0-4.0.el7\_0.src.rpm  
Build Date : Tue 24 Jun 2014 07:15:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

```

Vendor      : CentOS
URL         : http://www.freedesktop.org/wiki/Software/fprint/fprintd
Summary     : PAM module for fingerprint authentication
Description :
PAM module that uses the fprintd D-Bus service for fingerprint
authentication.
Name        : perl-Net-SSLeay
Version     : 1.55
Release     : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:01:07 PM EDT
Group       : Development/Libraries
Size        : 1013431
License     : OpenSSL
Signature   : RSA/SHA256, Fri 04 Jul 2014 12:21:23 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : perl-Net-SSLeay-1.55-3.el7.src.rpm
Build Date  : Mon 09 Jun 2014 10:33:15 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://search.cpan.org/dist/Net-SSLeay/
Summary     : Perl extension for using OpenSSL
Description :
This module offers some high level convenience functions for accessing
web pages on SSL servers (for symmetry, same API is offered for
accessing http servers, too), a sslcat() function for writing your own
clients, and finally access to the SSL API of SSLeay/OpenSSL package
so you can write servers or clients for more complicated applications.
Name        : libXinerama
Version     : 1.1.3
Release     : 2.1.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:42 PM EDT
Group       : System Environment/Libraries
Size        : 14967
License     : MIT
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:30:47 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libXinerama-1.1.3-2.1.el7.src.rpm
Build Date  : Tue 10 Jun 2014 02:25:20 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.x.org
Summary     : X.Org X11 libXinerama runtime library
Description :
X.Org X11 libXinerama runtime library
Name        : xinetd
Epoch      : 2
Version     : 2.3.15
Release     : 12.el7

```

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:22 PM EDT  
Group : System Environment/Daemons  
Size : 266816  
License : xinetd  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:46:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xinetd-2.3.15-12.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:55:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xinetd.org>  
Summary : A secure replacement for inetd  
Description :  
Xinetd is a secure replacement for inetd, the Internet services  
daemon. Xinetd provides access control for all services based on the  
address of the remote host and/or on time of access and can prevent  
denial-of-access attacks. Xinetd provides extensive logging, has no  
limit on the number of server arguments, and lets you bind specific  
services to specific IP addresses on your host machine. Each service  
has its own specific configuration file for Xinetd; the files are  
located in the /etc/xinetd.d directory.  
Name : hunspell-en  
Version : 0.20121024  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:31 PM EDT  
Group : Applications/Text  
Size : 551130  
License : LGPLv2+ and LGPLv2 and BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:56:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hunspell-en-0.20121024-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:45:57 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wordlist.sourceforge.net/>  
Summary : English hunspell dictionaries  
Description :  
English (US, UK, etc.) hunspell dictionaries  
Name : sushi  
Version : 3.8.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:55 PM EDT  
Group : User Interface/Desktops  
Size : 314846  
License : GPLv2+ with exceptions  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:07:32 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : sushi-3.8.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:10:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/ThreePointOne/Features/FilePreviewing>  
Summary : A quick previewer for Nautilus  
Description :  
This is sushi, a quick previewer for Nautilus, the GNOME desktop  
file manager.  
Name : net-snmp-libs  
Epoch : 1  
Version : 5.7.2  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:11 PM EDT  
Group : Development/Libraries  
Size : 3067392  
License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : net-snmp-5.7.2-20.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:30:33 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://net-snmp.sourceforge.net/>  
Summary : The NET-SNMP runtime client libraries  
Description :  
The net-snmp-libs package contains the runtime client libraries for  
shared  
binaries and applications.  
Name : hunspell  
Version : 1.3.2  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:45 PM EDT  
Group : System Environment/Libraries  
Size : 582944  
License : LGPLv2+ or GPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:55:49 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hunspell-1.3.2-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:36:55 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hunspell.sourceforge.net/>  
Summary : A spell checker and morphological analyzer library  
Description :

Hunspell is a spell checker and morphological analyzer library and program designed for languages with rich morphology and complex word compounding or character encoding. Hunspell interfaces: Ispell-like terminal interface using

Curses library, Ispell pipe interface, OpenOffice.org UNO module.

Name : libvirt-glib

Version : 0.1.7

Release : 3.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:04:26 PM EDT

Group : Development/Libraries

Size : 155163

License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 11:25:19 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libvirt-glib-0.1.7-3.el7.src.rpm

Build Date : Tue 10 Jun 2014 03:15:43 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://libvirt.org/>

Summary : libvirt glib integration for events

Description :

This package provides integration between libvirt and the glib event loop.

Name : gstreamer

Version : 0.10.36

Release : 7.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:58:33 PM EDT

Group : Applications/Multimedia

Size : 3480677

License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:08 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gstreamer-0.10.36-7.el7.src.rpm

Build Date : Mon 09 Jun 2014 07:26:08 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://gstreamer.freedesktop.org/>

Summary : GStreamer streaming media framework runtime

Description :

GStreamer is a streaming media framework, based on graphs of filters which

operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything

else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new

plugins.

Name : gvfs-archive  
Version : 1.16.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:59 PM EDT  
Group : System Environment/Libraries  
Size : 154400  
License : GPLv3 and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:42 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gvfs-1.16.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:33:25 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gtk.org>  
Summary : Archiving support for gvfs  
Description :  
This package provides support for accessing files inside Zip and Tar archives,  
as well as ISO images, to applications using gvfs.

Name : bind-utils  
Epoch : 32  
Version : 9.9.4  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:17 PM EDT  
Group : Applications/System  
Size : 444749  
License : ISC  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:38 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bind-9.9.4-18.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:10:04 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.isc.org/products/BIND/>  
Summary : Utilities for querying DNS name servers  
Description :  
Bind-utils contains a collection of utilities for querying DNS (Domain Name System) name servers to find out information about Internet hosts. These tools will provide you with the IP addresses for given host names, as well as other information about registered domains and network addresses.

You should install bind-utils if you need to get information from DNS name servers.

Name : libtheora  
Epoch : 1

Version : 1.1.1  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:47 PM EDT  
Group : System Environment/Libraries  
Size : 473210  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:21:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libtheora-1.1.1-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:24:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.theora.org>  
Summary : Theora Video Compression Codec  
Description :  
Theora is Xiph.Org's first publicly released video codec, intended  
for use within the Ogg's project's Ogg multimedia streaming system.  
Theora is derived directly from On2's VP3 codec; Currently the two are  
nearly identical, varying only in encapsulating decoder tables in the  
bitstream headers, but Theora will make use of this extra freedom  
in the future to improve over what is possible with VP3.  
Name : libcgroup-tools  
Version : 0.41  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:31 PM EDT  
Group : System Environment/Base  
Size : 262753  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:03 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcgroup-0.41-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:13:26 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libcgroup.sourceforge.net/>  
Summary : Command-line utility programs, services and daemons for  
libcgroup  
Description :  
This package contains command-line programs, services and a daemon for  
manipulating control groups using the libcgroup library.  
Name : libisofs  
Version : 1.2.8  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:36 PM EDT  
Group : System Environment/Libraries  
Size : 388330  
License : GPLv2+ and LGPLv2+



Signature : RSA/SHA256, Thu 03 Jul 2014 10:55:07 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libisofs-1.2.8-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:25:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libburnia-project.org/>  
Summary : Library to create ISO 9660 disk images  
Description :  
Libisofs is a library to create an ISO-9660 filesystem and supports  
extensions like RockRidge or Joliet. It is also a full featured  
ISO-9660 editor, allowing you to modify an ISO image or multisession  
disc, including file addition or removal, change of file names and  
attributes etc. It supports the extension AAIP which allows to store  
ACLs and xattr in ISO-9660 filesystems as well. As it is linked with  
zlib, it supports zisofs compression, too.  
Name : icedtea-web  
Version : 1.5.2  
Release : 0.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:05 PM EDT  
Group : Applications/Internet  
Size : 1881471  
License : LGPLv2+ and GPLv2 with exceptions  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : icedtea-web-1.5.2-0.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:14:48 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://icedtea.classpath.org/wiki/IcedTea-Web>  
Summary : Additional Java components for OpenJDK - Java browser plug-  
in and Web Start implementation  
Description :  
The IcedTea-Web project provides a Java web browser plugin, an  
implementation  
of Java Web Start (originally based on the Netx project) and a settings  
tool to  
manage deployment settings for the aforementioned plugin and Web Start  
implementations.  
Name : poppler  
Version : 0.22.5  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:21 PM EDT  
Group : Development/Libraries  
Size : 2575965  
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:32:23 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : poppler-0.22.5-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:01:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : PDF rendering library  
Description :  
Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

Name : numactl-libs  
Version : 2.0.9  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:50 PM EDT  
Group : System Environment/Libraries  
Size : 50712  
License : LGPLv2 and GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:21:00 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : numactl-2.0.9-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:21:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://oss.sgi.com/www/projects/libnuma/download>  
Summary : libnuma libraries  
Description :  
numactl-libs provides libnuma, a library to do allocations with NUMA policy in applications.

Name : xorg-x11-drv-modesetting  
Version : 0.8.0  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:33 PM EDT  
Group : User Interface/X Hardware Support  
Size : 54501  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:42 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : xorg-x11-drv-modesetting-0.8.0-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:47:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 modesetting video driver  
Description :  
X.Org X11 modesetting video driver - basic modesetting fallback driver.

Name : libwps  
Version : 0.2.9

Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:40 PM EDT  
Group : System Environment/Libraries  
Size : 816419  
License : LGPLv2+ or MPLv2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libwps-0.2.9-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:05:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libwps.sourceforge.net/>  
Summary : Library for reading and converting Microsoft Works word  
processor documents  
Description :  
Library that handles Microsoft Works documents.  
Name : sane-backends-drivers-scanners  
Version : 1.0.24  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:14 PM EDT  
Group : System Environment/Libraries  
Size : 9196264  
License : GPLv2+ and GPLv2+ with exceptions and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:54:33 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sane-backends-1.0.24-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:16:16 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.sane-project.org>  
Summary : SANE backend drivers for scanners  
Description :  
This package contains backend drivers to access scanner hardware through  
SANE.  
Name : lm\_sensors-libs  
Version : 3.3.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:28 PM EDT  
Group : System Environment/Libraries  
Size : 61552  
License : LGPLv2+ and GPLv3+ and GPLv2+ and Verbatim and Public  
domain  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:01 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lm\_sensors-3.3.4-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:48:12 PM EST  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.lm-sensors.org/>  
Summary : Lm\_sensors core libraries  
Description :  
Core libraries for lm\_sensors applications  
Name : libcroco  
Version : 0.6.8  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:53 PM EDT  
Group : System Environment/Libraries  
Size : 320283  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:40:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libcroco-0.6.8-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:19:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : A CSS2 parsing library  
Description :  
CSS2 parsing and manipulation library for GNOME  
Name : libreoffice-graphicfilter  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:03 PM EDT  
Group : Applications/Productivity  
Size : 1378056  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and  
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0  
and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:08:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : LibreOffice Extra Graphic filters  
Description :  
The graphicfilter module for LibreOffice provides graphic filters, e.g.  
svg and  
flash filters.  
Name : setools-libs  
Version : 3.3.7  
Release : 46.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:45 PM EDT  
Group : System Environment/Libraries  
Size : 1529036  
License : LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:58:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : setools-3.3.7-46.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:03:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/projects/setools>  
Summary : Policy analysis support libraries for SELinux  
Description :  
SETools is a collection of graphical tools, command-line tools, and libraries designed to facilitate SELinux policy analysis.

This package includes the following run-time libraries:

libapol	policy analysis library
libpoldiff	semantic policy difference library
libqpol	library that abstracts policy internals
libseaudit	parse and filter SELinux audit messages in log files
libsefs	SELinux file contexts library

Name : gnome-system-log  
Epoch : 1  
Version : 3.8.1  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:21 PM EDT  
Group : Applications/System  
Size : 1812159  
License : GPLv2+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:01 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-system-log-3.8.1-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:18:31 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : A log file viewer for GNOME  
Description :  
gnome-system-log lets you view various log files on your system.

Name : libsss\_nss\_idmap  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:32 PM EDT  
Group : Development/Libraries  
Size : 63070

License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:12 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : Library for SID based lookups  
Description :  
Utility library for SID based lookups  
Name : redhat-menus  
Version : 12.0.2  
Release : 7.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:56:56 PM EDT  
Group : User Interface/Desktops  
Size : 634375  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:48:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : redhat-menus-12.0.2-7.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:45:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.redhat.com>  
Summary : Configuration and data files for the desktop menus  
Description :  
This package contains the XML files that describe the menu layout for  
GNOME and KDE, and the .desktop files that define the names and icons  
of "subdirectories" in the menus.  
Name : libhbalinux  
Version : 1.0.16  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:08 PM EDT  
Group : System Environment/Libraries  
Size : 75130  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:03:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libhbalinux-1.0.16-4.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:12:23 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.open-fcoe.org>  
Summary : FC-HBAAPI implementation using scsi\_transport\_fc interfaces  
Description :

SNIA HBAAPI vendor library built on top of the scsi\_transport\_fc interfaces.

Name : liblangtag  
Version : 0.5.4  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:49 PM EDT  
Group : Unspecified  
Size : 1665045  
License : (LGPLv3+ or MPLv2.0) and UCD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:04:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : liblangtag-0.5.4-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:27:57 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tagoh.bitbucket.org/liblangtag/>  
Summary : An interface library to access tags for identifying languages  
Description :  
liblangtag is an interface library to access tags for identifying languages.

Features:

\* several subtag registry database supports:

- language
- extlang
- script
- region
- variant
- extension
- grandfathered
- redundant

\* handling of the language tags

- parser
- matching
- canonicalizing

Name : dracut-config-rescue  
Version : 033  
Release : 240.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:26 PM EDT  
Group : System Environment/Base  
Size : 4067  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dracut-033-240.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:58:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <https://dracut.wiki.kernel.org/>  
Summary : dracut configuration to turn on rescue image generation  
Description :  
This package provides the configuration to turn on the rescue initramfs generation with dracut.

Name : libwebp  
Version : 0.3.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:36 PM EDT  
Group : Development/Libraries  
Size : 379861  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:27:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwebp-0.3.0-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:56:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://webmproject.org/>  
Summary : Library and tools for the WebP graphics format  
Description :  
WebP is an image format that does lossy compression of digital photographic images. WebP consists of a codec based on VP8, and a container based on RIFF. Webmasters, web developers and browser developers can use WebP to compress, archive and distribute digital images more efficiently.

Name : file  
Version : 5.11  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:58 PM EDT  
Group : Applications/File  
Size : 67352  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:12 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : file-5.11-21.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:06:51 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.darwinsys.com/file/>  
Summary : A utility for determining file types  
Description :  
The file command is used to identify a particular file according to the type of data contained by the file. File can identify many different file types, including ELF binaries, system libraries, RPM packages, and different graphics formats.

Name : abrt-cli



Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:11 PM EDT  
Group : Applications/System  
Size : 0  
License : GPLv2+  
Signature : RSA/SHA256, Tue 24 Mar 2015 12:07:24 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : abrt-2.1.11-19.el7.centos.0.3.src.rpm  
Build Date : Mon 23 Mar 2015 11:56:44 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Virtual package to make easy default installation on non-  
graphical environments  
Description :  
Virtual package to install all necessary packages for usage from command  
line  
environment.  
Name : dejavu-sans-fonts  
Version : 2.33  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:55 PM EDT  
Group : User Interface/X  
Size : 5395167  
License : Bitstream Vera and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:07:01 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dejavu-fonts-2.33-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:34:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dejavu-fonts.org/>  
Summary : Variable-width sans-serif font faces  
Description :

The DejaVu font set is based on the "Bitstream Vera" fonts, release 1.10.  
Its  
purpose is to provide a wider range of characters, while maintaining the  
original style, using an open collaborative development process.

This package consists of the DejaVu sans-serif variable-width font faces,  
in  
their unabridged version.

Name : PackageKit-command-not-found  
Version : 0.8.9  
Release : 11.el7.centos  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:09:31 PM EDT  
Group : Development/Libraries  
Size : 40052  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:10:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : PackageKit-0.8.9-11.el7.centos.src.rpm  
Build Date : Fri 20 Jun 2014 06:29:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.packagekit.org>  
Summary : Ask the user to install command line programs automatically  
Description :  
A simple helper that offers to install new packages on the command line  
using PackageKit.  
Name : polkit  
Version : 0.112  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:41 PM EDT  
Group : System Environment/Libraries  
Size : 483346  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:31:58 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : polkit-0.112-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:03:32 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/polkit>  
Summary : An authorization framework  
Description :  
polkit is a toolkit for defining and handling authorizations. It is  
used for allowing unprivileged processes to speak to privileged  
processes.  
Name : nss-softokn  
Version : 3.16.2.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:02 PM EDT  
Group : System Environment/Libraries  
Size : 1097414  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:32 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nss-softokn-3.16.2.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:26:29 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services Softoken Module  
Description :  
Network Security Services Softoken Cryptographic Module  
Name : evolution-data-server  
Version : 3.8.5  
Release : 34.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:16 PM EDT  
Group : System Environment/Libraries  
Size : 13860049  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:46:51 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : evolution-data-server-3.8.5-34.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:45:46 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/evolution/>  
Summary : Backend data server for Evolution  
Description :  
The evolution-data-server package provides a unified backend for programs that work with contacts, tasks, and calendar information.

It was originally developed for Evolution (hence the name), but is now used by other packages.

Name : gpm-libs  
Version : 1.20.7  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:59 PM EDT  
Group : System Environment/Libraries  
Size : 27736  
License : GPLv2 and GPLv2+ with exceptions and GPLv3+ and Verbatim and Copyright only  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:28 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gpm-1.20.7-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:13:25 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nico.schottelius.org/software/gpm/>  
Summary : Dynamic library for for the gpm  
Description :  
This package contains the libgpm.so dynamic library which contains the gpm system calls and library functions.  
Name : tuned

Version : 2.4.1  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:09:42 PM EDT  
Group : Unspecified  
Size : 453412  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : tuned-2.4.1-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:56:01 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/tuned/>  
Summary : A dynamic adaptive system tuning daemon  
Description :  
The tuned package contains a daemon that tunes system settings  
dynamically.  
It does so by monitoring the usage of several system components  
periodically.  
Based on that information components will then be put into lower or  
higher  
power saving modes to adapt to the current usage. Currently only ethernet  
network and ATA harddisk devices are implemented.

Name : NetworkManager-glib  
Epoch : 1  
Version : 1.0.0  
Release : 14.git20150121.b4ea599c.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:46 PM EDT  
Group : Development/Libraries  
Size : 980992  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:42 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:19:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : Libraries for adding NetworkManager support to applications  
(old API).  
Description :  
This package contains the libraries that make it easier to use some  
NetworkManager  
functionality from applications that use glib. This is the older  
NetworkManager API.  
See also NetworkManager-libnm.

Name : m4  
Version : 1.4.16

Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:05 PM EDT  
Group : Applications/Text  
Size : 525715  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:36:58 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : m4-1.4.16-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:24:19 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/m4/>  
Summary : The GNU macro processor  
Description :  
A GNU implementation of the traditional UNIX macro processor. M4 is  
useful for writing text files which can be logically parsed, and is used  
by many programs as part of their build process. M4 has built-in  
functions for including files, running shell commands, doing arithmetic,  
etc. The autoconf program needs m4 for generating configure scripts, but  
not for running configure scripts.

Install m4 if you need a macro processor.

Name : open-vm-tools  
Version : 9.4.0  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:22 PM EDT  
Group : Applications/System  
Size : 1394269  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:25:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : open-vm-tools-9.4.0-6.el7.src.rpm  
Build Date : Thu 12 Mar 2015 11:06:36 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://open-vm-tools.sourceforge.net/>  
Summary : Open Virtual Machine Tools for virtual machines hosted on  
VMware  
Description :  
The open-vm-tools project is an open source implementation of VMware  
Tools. It  
is a suite of open source virtualization utilities and drivers to improve  
the  
functionality, user experience and administration of VMware virtual  
machines.  
This package contains only the core user-space programs and libraries of  
open-vm-tools.  
Name : compat-glibc

Epoch : 1  
Version : 2.12  
Release : 4.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:04 PM EDT  
Group : Development/Libraries  
Size : 7063202  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:00:31 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : compat-glibc-2.12-4.el7.centos.src.rpm  
Build Date : Fri 27 Jun 2014 06:58:28 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/glibc/>  
Summary : Compatibility C library  
Description :  
This package contains stub shared libraries and static libraries from CentOS Linux 6.

To compile and link against these compatibility libraries, use  
gcc -fgnu89-inline \

-I /usr/lib/x86\_64-redhat-linux6E/include \  
-B /usr/lib/x86\_64-redhat-linux6E/lib64/

Name : ksh  
Version : 20120801  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:52 PM EDT  
Group : System Environment/Shells  
Size : 3277235  
License : EPL  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ksh-20120801-22.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:42:30 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kornshell.com/>  
Summary : The Original ATT Korn Shell  
Description :  
KSH-93 is the most recent version of the KornShell by David Korn of AT&T Bell Laboratories.  
KornShell is a shell programming language, which is upward compatible with "sh" (the Bourne Shell).

Name : libdrm  
Version : 2.4.56  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:51 PM EDT

Group : System Environment/Libraries  
Size : 294971  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:00:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libdrm-2.4.56-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:16:56 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://dri.sourceforge.net>  
Summary : Direct Rendering Manager runtime library  
Description :  
Direct Rendering Manager runtime library  
Name : libedit  
Version : 3.0  
Release : 12.20121213cv5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:07 PM EDT  
Group : System Environment/Libraries  
Size : 244257  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:44:30 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libedit-3.0-12.20121213cv5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:33:10 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.thrysoee.dk/editline/>  
Summary : The NetBSD Editline library  
Description :  
Libedit is an autotool- and libtoolized port of the NetBSD Editline  
library.  
It provides generic line editing, history, and tokenization functions,  
similar  
to those found in GNU Readline.  
Name : hplip-common  
Version : 3.13.7  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:27 PM EDT  
Group : System Environment/Libraries  
Size : 997410  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:54:47 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : hplip-3.13.7-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:41:36 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

```

Vendor      : CentOS
URL         : http://hplip.sourceforge.net/
Summary     : Files needed by the HPLIP printer and scanner drivers
Description :
Files needed by the HPLIP printer and scanner drivers.
Name        : libssh2
Version     : 1.4.3
Release     : 8.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:59:08 PM EDT
Group       : System Environment/Libraries
Size        : 341766
License     : BSD
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:18:52 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libssh2-1.4.3-8.el7.src.rpm
Build Date  : Tue 17 Jun 2014 01:05:33 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.libssh2.org/
Summary     : A library implementing the SSH2 protocol
Description :
libssh2 is a library implementing the SSH2 protocol as defined by
Internet Drafts: SECSH-TRANS(22), SECSH-USERAUTH(25),
SECSH-CONNECTION(23), SECSH-ARCH(20), SECSH-FILEXFER(06)*,
SECSH-DHGEX(04), and SECSH-NUMBERS(10).
Name        : libsamplerate
Version     : 0.1.8
Release     : 6.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:11 PM EDT
Group       : System Environment/Libraries
Size        : 1653101
License     : GPLv2+
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:15:50 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : libsamplerate-0.1.8-6.el7.src.rpm
Build Date  : Tue 10 Jun 2014 01:59:27 AM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : http://www.mega-nerd.com/SRC/
Summary     : Sample rate conversion library for audio data
Description :
Secret Rabbit Code is a sample rate converter for audio. It is capable
of arbitrary and time varying conversions. It can downsample by a
factor of 12 and upsample by the same factor. The ratio of input and
output sample rates can be a real number. The conversion ratio can
also vary with time for speeding up and slowing down effects.
Name        : fxload
Version     : 2002_04_11

```



Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:33 PM EDT  
Group : System Environment/Kernel  
Size : 42589  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:25:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fxload-2002\_04\_11-16.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:45:39 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://linux-hotplug.sourceforge.net/>  
Summary : A helper program to download firmware into FX and FX2 EZ-USB devices  
Description :  
This program is conveniently able to download firmware into FX and FX2 EZ-USB devices, as well as the original AnchorChips EZ-USB. It is intended to be invoked by udev scripts when the unprogrammed device appears on the bus.  
Name : rpm-libs  
Version : 4.11.1  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:13 PM EDT  
Group : Development/Libraries  
Size : 607096  
License : GPLv2+ and LGPLv2+ with exceptions  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:17 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.1-25.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:27:41 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.rpm.org/>  
Summary : Libraries for manipulating RPM packages  
Description :  
This package contains the RPM shared libraries.  
Name : xfsdump  
Version : 3.1.4  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:10 PM EDT  
Group : System Environment/Base  
Size : 969087  
License : GPL+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:40:04 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xfsdump-3.1.4-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:02:43 AM EST

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.sgi.com/projects/xfs/>  
Summary : Administrative utilities for the XFS filesystem  
Description :  
The xfsdump package contains xfsdump, xfsrestore and a number of other utilities for administering XFS filesystems.

xfsdump examines files in a filesystem, determines which need to be backed up, and copies those files to a specified disk, tape or other storage medium. It uses XFS-specific directives for optimizing the dump of an XFS filesystem, and also knows how to backup XFS extended attributes. Backups created with xfsdump are "endian safe" and can thus be transferred between Linux machines of different architectures and also between IRIX machines.

xfsrestore performs the inverse function of xfsdump; it can restore a full backup of a filesystem. Subsequent incremental backups can then be layered on top of the full backup. Single files and directory subtrees may be restored from full or partial backups.

Name : unbound-libs  
Version : 1.4.20  
Release : 19.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:00 PM EDT  
Group : Applications/System  
Size : 788168  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : unbound-1.4.20-19.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:12:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.nlnetlabs.nl/unbound/>  
Summary : Libraries used by the unbound server and client applications  
Description :  
Contains libraries used by the unbound server and client applications  
Name : libXdmcp  
Version : 1.1.1  
Release : 6.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:14 PM EDT  
Group : System Environment/Libraries  
Size : 62972  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:29:54 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXdmcp-1.1.1-6.1.el7.src.rpm

Build Date : Tue 10 Jun 2014 01:03:49 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Display Manager Control Protocol library  
Description :  
X Display Manager Control Protocol library.  
Name : libestr  
Version : 0.1.9  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:40 PM EDT  
Group : Unspecified  
Size : 44322  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:14 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libestr-0.1.9-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:27:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libestr.adiscon.com/>  
Summary : String handling essentials library  
Description :  
This package compiles the string handling essentials library  
used by the Rsyslog daemon.  
Name : shadow-utils  
Epoch : 2  
Version : 4.1.5.1  
Release : 18.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:18 PM EDT  
Group : System Environment/Base  
Size : 3513792  
License : BSD and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : shadow-utils-4.1.5.1-18.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:32:36 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pkg-shadow.alioth.debian.org/>  
Summary : Utilities for managing accounts and shadow password files  
Description :  
The shadow-utils package includes the necessary programs for  
converting UNIX password files to the shadow password format, plus  
programs for managing user and group accounts. The pwconv command  
converts passwords to the shadow password format. The pwunconv command

unconverts shadow passwords and generates a passwd file (a standard UNIX password file). The pwck command checks the integrity of password and shadow files. The lastlog command prints out the last login times for all users. The useradd, userdel, and usermod commands are used for managing user accounts. The groupadd, groupdel, and groupmod commands are used for managing group accounts.

Name : xorg-x11-fonts-misc  
Version : 7.5  
Release : 9.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:21 PM EDT  
Group : User Interface/X  
Size : 7179431  
License : MIT and Lucida and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:06 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : misc bitmap fonts for the X Window System  
Description :  
This package contains misc bitmap Chinese, Japanese, Korean, Indic, and Arabic fonts for use with X Window System.

Name : neon  
Version : 0.30.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:23 PM EDT  
Group : System Environment/Libraries  
Size : 567772  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:54:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : neon-0.30.0-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:43:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.webdav.org/neon/>  
Summary : An HTTP and WebDAV client library  
Description :  
neon is an HTTP and WebDAV client library, with a C interface; providing a high-level interface to HTTP and WebDAV methods along with a low-level interface for HTTP request handling. neon supports persistent connections, proxy servers, basic, digest and Kerberos authentication, and has complete SSL support.

Name : libavc1394  
Version : 0.5.3

Release : 14.el7  
 Architecture: x86\_64  
 Install Date: Fri 26 Aug 2016 12:57:17 PM EDT  
 Group : System Environment/Libraries  
 Size : 120428  
 License : GPLv2+ and LGPLv2+  
 Signature : RSA/SHA256, Thu 03 Jul 2014 10:36:40 PM EDT, Key ID 24c6a8a7f4a80eb5  
 Source RPM : libavc1394-0.5.3-14.el7.src.rpm  
 Build Date : Mon 09 Jun 2014 09:52:34 PM EDT  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL : <http://sourceforge.net/projects/libavc1394/>  
 Summary : Audio/Video Control library for IEEE-1394 devices  
 Description :  
 The libavc1394 library allows utilities to control IEEE-1394 devices using the AV/C specification. Audio/Video Control allows applications to control devices like the tape on a VCR or camcorder.

Name : libvirt-daemon-driver-qemu  
 Version : 1.2.8  
 Release : 16.el7  
 Architecture: x86\_64  
 Install Date: Fri 26 Aug 2016 01:05:47 PM EDT  
 Group : Development/Libraries  
 Size : 1201300  
 License : LGPLv2+  
 Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:14 AM EDT, Key ID 24c6a8a7f4a80eb5  
 Source RPM : libvirt-1.2.8-16.el7.src.rpm  
 Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
 Build Host : worker1.bsys.centos.org  
 Relocations : (not relocatable)  
 Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
 Vendor : CentOS  
 URL : <http://libvirt.org/>  
 Summary : Qemu driver plugin for the libvirtd daemon  
 Description :  
 The qemu driver plugin for the libvirtd daemon, providing an implementation of the hypervisor driver APIs using QEMU

Name : fontconfig  
 Version : 2.10.95  
 Release : 7.el7  
 Architecture: x86\_64  
 Install Date: Fri 26 Aug 2016 12:59:24 PM EDT  
 Group : System Environment/Libraries  
 Size : 571847  
 License : MIT and Public Domain and UCD  
 Signature : RSA/SHA256, Thu 03 Jul 2014 09:22:32 PM EDT, Key ID 24c6a8a7f4a80eb5  
 Source RPM : fontconfig-2.10.95-7.el7.src.rpm  
 Build Date : Tue 10 Jun 2014 02:32:10 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fontconfig.org>  
Summary : Font configuration and customization library  
Description :  
Fontconfig is designed to locate fonts within the system and select them according to requirements specified by applications.

Name : ledmon  
Version : 0.79  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:28 PM EDT  
Group : Applications/System  
Size : 142730  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:34:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : ledmon-0.79-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:28:34 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/ledmon/>  
Summary : Enclosure LED Utilities  
Description :  
The ledmon and ledctl are user space applications design to control LED associated with each slot in an enclosure or a drive bay. There are two types of system: 2-LED system (Activity LED, Status LED) and 3-LED system (Activity LED, Locate LED, Fail LED). User must have root privileges to use this application.

Name : device-mapper-event  
Epoch : 7  
Version : 1.02.93  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:26 PM EDT  
Group : System Environment/Base  
Size : 37681  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:26 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.115-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:51:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper event daemon  
Description :

This package contains the dmeventd daemon for monitoring the state of device-mapper devices.

Name : xorg-x11-server-utils  
Version : 7.7  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:20 PM EDT  
Group : User Interface/X  
Size : 418939  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:34 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-server-utils-7.7-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:20:06 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 X server utilities  
Description :

A collection of utilities used to tweak and query the runtime configuration of the X server.

Name : libburn  
Version : 1.2.8  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:55 PM EDT  
Group : System Environment/Libraries  
Size : 336722  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:37:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libburn-1.2.8-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:20:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libburnia-project.org/>  
Summary : Library for reading, mastering and writing optical discs  
Description :

Libburn is an open-source library for reading, mastering and writing optical discs. For now this means only CD-R and CD-RW.

The project comprises of several more or less interdependent parts which together strive to be a usable foundation for application development. These are libraries, language bindings, and middleware binaries which emulate classical (and valuable) Linux tools.

Name : dbus-python  
Version : 1.1.1  
Release : 9.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:32 PM EDT  
Group : Unspecified  
Size : 848122  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:06:25 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dbus-python-1.1.1-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:12:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/dbus-python>  
Summary : D-Bus Python Bindings  
Description :  
D-Bus python bindings for use with python programs.  
Name : enscript  
Version : 1.6.6  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:34 PM EDT  
Group : Applications/Publishing  
Size : 1862941  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:13:42 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : enscript-1.6.6-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:10:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/enscript>  
Summary : A plain ASCII to PostScript converter  
Description :  
GNU enscript is a free replacement for Adobe's Enscript  
program. Enscript converts ASCII files to PostScript(TM) and spools  
generated PostScript output to the specified printer or saves it to a  
file. Enscript can be extended to handle different output media and  
includes many options for customizing printouts  
Name : cogl  
Version : 1.14.0  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:34 PM EDT  
Group : Development/Libraries  
Size : 1265659  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:42:35 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cogl-1.14.0-6.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:47:36 PM EST  
Build Host : worker1.bsys.centos.org



Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org/>  
Summary : A library for using 3D graphics hardware to draw pretty pictures  
Description :  
Cogl is a small open source library for using 3D graphics hardware to draw pretty pictures. The API departs from the flat state machine style of OpenGL and is designed to make it easy to write orthogonal components that can render without stepping on each others toes.

As well aiming for a nice API, we think having a single library as opposed to an API specification like OpenGL has a few advantages too; like being able to paper over the inconsistencies/bugs of different OpenGL implementations in a centralized place, not to mention the myriad of OpenGL extensions. It also means we are in a better position to provide utility APIs that help software developers since they only need to be implemented once and there is no risk of inconsistency between implementations.

Having other backends, besides OpenGL, such as drm, Gallium or D3D are options we are interested in for the future.

Name : python-pyblock  
Version : 0.53  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:00 PM EDT  
Group : System Environment/Libraries  
Size : 211441  
License : GPLv2 or GPLv3  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:25 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-pyblock-0.53-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:51:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/Anaconda>  
Summary : Python modules for dealing with block devices  
Description :  
The pyblock contains Python modules for dealing with block devices.  
Name : libpinyin  
Version : 0.9.93  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:25 PM EDT  
Group : Unspecified  
Size : 437316  
License : GPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 11:05:35 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libpinyin-0.9.93-4.el7.src.rpm

Build Date : Mon 09 Jun 2014 09:47:31 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://github.com/libpinyin/libpinyin>

Summary : Library to deal with pinyin

Description :

The libpinyin project aims to provide the algorithms core  
for intelligent sentence-based Chinese pinyin input methods.

Name : libreport-web

Version : 2.1.11

Release : 21.el7.centos.0.4

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:59:41 PM EDT

Group : System Environment/Libraries

Size : 45312

License : GPLv2+

Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:52 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm

Build Date : Wed 25 Mar 2015 02:32:46 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://fedorahosted.org/abrt/>

Summary : Library providing network API for libreport

Description :

Library providing network API for libreport

Name : tzdata

Version : 2015a

Release : 1.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 12:55:33 PM EDT

Group : System Environment/Base

Size : 1776629

License : Public Domain

Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:24 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : tzdata-2015a-1.el7.src.rpm

Build Date : Fri 06 Mar 2015 12:56:55 AM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://www.iana.org/time-zones>

Summary : Timezone data

Description :

This package contains data files with rules for various timezones around  
the world.

Name : xorg-x11-fonts-ISO8859-1-100dpi  
Version : 7.5  
Release : 9.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:40 PM EDT  
Group : User Interface/X  
Size : 1070824  
License : MIT and Lucida and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:35 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-fonts-7.5-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:59:37 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : A set of 100dpi ISO-8859-1 fonts for X.  
Description :

Contains a set of 100dpi fonts for ISO-8859-1.

Name : pycairo  
Version : 1.8.10  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:40 PM EDT  
Group : Development/Languages  
Size : 335193  
License : MPLv1.1 or LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:35:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pycairo-1.8.10-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:21:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cairographics.org/pycairo>  
Summary : Python bindings for the cairo library  
Description :

Python bindings for the cairo library.

Name : gpgme  
Version : 1.3.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:10 PM EDT  
Group : Applications/System  
Size : 547534  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:44:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gpgme-1.3.2-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:03:04 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

```

Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://www.gnupg.org/related\_software/gpgme/
Summary       : GnuPG Made Easy - high level crypto API
Description   :
GnuPG Made Easy (GPGME) is a library designed to make access to GnuPG
easier for applications. It provides a high-level crypto API for
encryption, decryption, signing, signature verification and key
management.
Name          : libassuan
Version       : 2.1.0
Release       : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:57:28 PM EDT
Group         : System Environment/Libraries
Size          : 155391
License       : LGPLv2+ and GPLv3+
Signature     : RSA/SHA256, Thu 03 Jul 2014 10:35:59 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : libassuan-2.1.0-3.el7.src.rpm
Build Date    : Mon 09 Jun 2014 03:14:00 PM EDT
Build Host    : worker1.bsys.centos.org
Relocations   : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://www.gnupg.org/
Summary       : GnuPG IPC library
Description   :
This is the IPC library used by GnuPG 2, GPGME and a few other
packages.
Name          : gettext
Version       : 0.18.2.1
Release       : 4.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:59:51 PM EDT
Group         : Development/Tools
Size          : 4267498
License       : GPLv3+ and LGPLv2+
Signature     : RSA/SHA256, Thu 03 Jul 2014 09:29:17 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM    : gettext-0.18.2.1-4.el7.src.rpm
Build Date    : Tue 10 Jun 2014 01:01:55 AM EDT
Build Host    : worker1.bsys.centos.org
Relocations   : (not relocatable)
Packager      : CentOS BuildSystem <http://bugs.centos.org>
Vendor        : CentOS
URL           : http://www.gnu.org/software/gettext/
Summary       : GNU libraries and utilities for producing multi-lingual
messages
Description   :
The GNU gettext package provides a set of tools and documentation for
producing multi-lingual messages in programs. Tools include a set of
conventions about how programs should be written to support message
catalogs, a directory and file naming organization for the message

```

catalogs, a runtime library which supports the retrieval of translated messages, and stand-alone programs for handling the translatable and the already translated strings. Gettext provides an easy to use library and tools for creating, using, and modifying natural language catalogs and is a powerful and simple method for internationalizing programs.

Name : langtable  
Version : 0.0.13  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:36 PM EDT  
Group : Development/Tools  
Size : 103216  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:33:33 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : langtable-0.0.13-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:16:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/mike-fabian/langtable>  
Summary : Guessing reasonable defaults for locale, keyboard layout, territory, and language.

Description :  
langtable is used to guess reasonable defaults for locale, keyboard layout, territory, and language, if part of that information is already known. For example, guess the territory and the keyboard layout if the language is known or guess the language and keyboard layout if the territory is already known.

Name : bash-completion  
Epoch : 1  
Version : 2.1  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:48 PM EDT  
Group : Unspecified  
Size : 264934  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:47:01 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : bash-completion-2.1-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:05:27 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://bash-completion.alioth.debian.org/>  
Summary : Programmable completion for Bash  
Description :  
bash-completion is a collection of shell functions that take advantage

of the programmable completion feature of bash.

Name : dnsmasq  
Version : 2.66  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:47 PM EDT  
Group : System Environment/Daemons  
Size : 475528  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : dnsmasq-2.66-12.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:30:42 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.thekelleys.org.uk/dnsmasq/>  
Summary : A lightweight DHCP/caching DNS server

Description :

Dnsmasq is lightweight, easy to configure DNS forwarder and DHCP server. It is designed to provide DNS and, optionally, DHCP, to a small network. It can serve the names of local machines which are not in the global DNS. The DHCP server integrates with the DNS server and allows machines with DHCP-allocated addresses to appear in the DNS with names configured either in each host or in a central configuration file. Dnsmasq supports static and dynamic DHCP leases and BOOTP for network booting of diskless machines.

Name : jansson  
Version : 2.4  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:06:16 PM EDT  
Group : System Environment/Libraries  
Size : 62727  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:11:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : jansson-2.4-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:57:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.digip.org/jansson/>  
Summary : C library for encoding, decoding and manipulating JSON data

Description :

Small library for parsing and writing JSON documents.

Name : xml-common  
Version : 0.6.3  
Release : 39.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:57:31 PM EDT  
Group : Applications/Text

Size : 46969  
License : GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:46:52 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sgml-common-0.6.3-39.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:31:38 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.w3.org/2003/entities/>  
Summary : Common XML catalog and DTD files  
Description :  
The xml-common is a subpackage of sgml-common which contains a collection XML catalogs that are useful for processing XML, but that don't need to be included in main package.

Name : gnome-icon-theme-symbolic  
Version : 3.8.2.2  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:00 PM EDT  
Group : User Interface/Desktops  
Size : 1815237  
License : CC-BY-SA  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:38:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-icon-theme-symbolic-3.8.2.2-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:50:36 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
Summary : Symbolic GNOME icons  
Description :  
This package contains symbolic icons for use by the GNOME desktop.

Name : gnome-user-docs  
Version : 3.8.2  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:44 PM EDT  
Group : Documentation  
Size : 29411354  
License : CC-BY-SA  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:40:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-user-docs-3.8.2-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:24:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://help.gnome.org/>  
Summary : GNOME User Documentation  
Description :

This package contains end-user documentation for the GNOME desktop environment.

Name : indent  
Version : 2.2.11  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:56 PM EDT  
Group : Applications/Text  
Size : 359131  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:42 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : indent-2.2.11-13.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:51:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://indent.isidore-it.eu/beautify.html>  
Summary : A GNU program for formatting C code  
Description :  
Indent is a GNU program for beautifying C code, so that it is easier to read. Indent can also convert from one C writing style to a different one. Indent understands correct C syntax and tries to handle incorrect C syntax.

Install the indent package if you are developing applications in C and you want a program to format your code.

Name : clutter-gtk  
Version : 1.4.4  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:53 PM EDT  
Group : Development/Languages  
Size : 96488  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:58:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : clutter-gtk-1.4.4-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:36:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.clutter-project.org>  
Summary : A basic GTK clutter widget  
Description :  
clutter-gtk is a library which allows the embedding of a Clutter canvas (or "stage") into a GTK+ application, as well as embedding GTK+ widgets inside the stage.

Name : pm-utils  
Version : 1.4.1  
Release : 27.el7  
Architecture: x86\_64



Install Date: Fri 26 Aug 2016 01:06:23 PM EDT  
Group : System Environment/Base  
Size : 372827  
License : GPLv2  
Signature : RSA/SHA256, Tue 16 Sep 2014 08:17:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : pm-utils-1.4.1-27.el7.src.rpm  
Build Date : Tue 16 Sep 2014 02:20:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pm-utils.freedesktop.org>  
Summary : Power management utilities and scripts  
Description :  
The pm-utils package contains utilities and scripts useful for tasks  
related  
to power management.

Name : mythes  
Version : 1.2.3  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:35 PM EDT  
Group : System Environment/Libraries  
Size : 19475  
License : BSD and MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:52:21 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mythes-1.2.3-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:05:34 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hunspell.sourceforge.net/>  
Summary : A thesaurus library  
Description :  
MyThes is a simple thesaurus that uses a structured text data file and an  
index file with binary search to look up words and phrases and return  
information on part of speech, meanings, and synonyms.

Name : genisoimage  
Version : 1.1.11  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:05 PM EDT  
Group : Applications/System  
Size : 1072676  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:28:22 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cdrkit-1.1.11-22.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:32:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrkit.org/>  
Summary : Creates an image of an ISO9660 file-system  
Description :  
The genisoimage program is used as a pre-mastering program; i.e., it generates the ISO9660 file-system. Genisoimage takes a snapshot of a given directory tree and generates a binary image of the tree which will correspond to an ISO9660 file-system when written to a block device. Genisoimage is used for writing CD-ROMs, and includes support for creating boot-able El Torito CD-ROMs.

Install the genisoimage package if you need a program for writing CD-ROMs.

Name : khmeros-fonts-common  
Version : 5.0  
Release : 17.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:55:46 PM EDT  
Group : User Interface/X  
Size : 826  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:31:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : khmeros-fonts-5.0-17.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:27:40 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.khmeros.info/drupal/?q=en/download/fonts>  
Summary : Common files of khmeros-fonts  
Description :

The Khmer OS fonts include Khmer and Latin alphabets, and they have equivalent sizes for Khmer and English alphabets, so that when texts mix both it is not necessary to have different point sizes for the text in each language.

They were created by Danh Hong of the Cambodian Open Institute.

This package consists of files used by other khmeros-fonts packages.

Name : open-sans-fonts  
Version : 1.10  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:05 PM EDT  
Group : Unspecified  
Size : 2185729  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:01 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : open-sans-fonts-1.10-1.el7.src.rpm

Build Date : Wed 11 Mar 2015 11:10:05 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.google.com/fonts/specimen/Open+Sans>  
Summary : Open Sans is a humanist sans-serif typeface designed by Steve Matteson  
Description :  
Open Sans is a humanist sans serif typeface designed by Steve Matteson,  
Type  
Director of Ascender Corp. This version contains the complete 897  
character  
set, which includes the standard ISO Latin 1, Latin CE, Greek and  
Cyrillic  
character sets. Open Sans was designed with an upright stress, open forms  
and  
a neutral, yet friendly appearance. It was optimized for print, web, and  
mobile  
interfaces, and has excellent legibility characteristics in its letter  
forms.  
Name : colord  
Version : 1.0.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:59 PM EDT  
Group : Unspecified  
Size : 1455966  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:59:28 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : colord-1.0.4-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:08:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/colord/>  
Summary : Color daemon  
Description :  
colord is a low level system activated daemon that maps color devices  
to color profiles in the system context.  
Name : libkkc-common  
Version : 0.3.1  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:34 PM EDT  
Group : System Environment/Libraries  
Size : 373650  
License : GPLv3+  
Signature : RSA/SHA256, Mon 15 Dec 2014 07:58:05 AM EST, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libkkc-0.3.1-5.el7.src.rpm  
Build Date : Mon 15 Dec 2014 07:48:52 AM EST

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://bitbucket.org/libkkc>  
Summary : Common data files for libkkc  
Description :  
The libkkc-common package contains the arch-independent data that libkkc uses at run time.

Name : libmnl  
Version : 1.0.3  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:39 PM EDT  
Group : System Environment/Libraries  
Size : 51847  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libmnl-1.0.3-7.el7.src.rpm  
Build Date : Tue 17 Jun 2014 11:49:02 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://netfilter.org/projects/libmnl>  
Summary : A minimalistic Netlink library  
Description :  
libmnl is a minimalistic user-space library oriented to Netlink developers.  
There are a lot of common tasks in parsing, validating, constructing of both the Netlink header and TLVs that are repetitive and easy to get wrong. This library aims to provide simple helpers that allows you to re-use code and to avoid re-inventing the wheel.

Name : libreport-plugin-bugzilla  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:08 PM EDT  
Group : System Environment/Libraries  
Size : 150607  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:13 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : libreport's bugzilla plugin

Description :

Plugin to report bugs into the bugzilla.

Name : libkkc-data

Version : 0.3.1

Release : 5.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:55:54 PM EDT

Group : System Environment/Libraries

Size : 31346547

License : GPLv3+

Signature : RSA/SHA256, Mon 15 Dec 2014 07:58:08 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : libkkc-0.3.1-5.el7.src.rpm

Build Date : Mon 15 Dec 2014 07:48:52 AM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <https://bitbucket.org/libkkc>

Summary : Data files for libkkc

Description :

The libkkc-data package contains the language model data that libkkc uses at run time.

Name : stix-fonts

Version : 1.1.0

Release : 5.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 01:11:16 PM EDT

Group : User Interface/X

Size : 1892532

License : OFL

Signature : RSA/SHA256, Fri 04 Jul 2014 01:05:45 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : stix-fonts-1.1.0-5.el7.src.rpm

Build Date : Tue 10 Jun 2014 02:27:25 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://www.stixfonts.org/>

Summary : Scientific and engineering fonts

Description :

The mission of the Scientific and Technical Information Exchange (STIX) font

creation project is the preparation of a comprehensive set of fonts that serve

the scientific and engineering community in the process from manuscript creation through final publication, both in electronic and print formats.

This package includes base Unicode fonts containing most glyphs for standard

use in the usual four styles.

Name : gtksourceview3

Version : 3.8.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:03 PM EDT  
Group : System Environment/Libraries  
Size : 4471011  
License : LGPLv2+ and GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:50:24 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gtksourceview3-3.8.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:11:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gtksourceview.sourceforge.net/>  
Summary : A library for viewing source files  
Description :  
GtkSourceView is a text widget that extends the standard GTK+  
GtkTextView widget. It improves GtkTextView by implementing  
syntax highlighting and other features typical of a source code editor.

This package contains version 3 of GtkSourceView. The older version  
2 is contains in the gtksourceview2 package.

Name : seavgabios-bin  
Version : 1.7.5  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:06:43 PM EDT  
Group : Applications/Emulators  
Size : 184320  
License : LGPLv3  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:16 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : seabios-1.7.5-8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:30:32 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.coreboot.org/SeaBIOS>  
Summary : Seavgabios for x86  
Description :  
SeaVGABIOS is an open-source VGABIOS implementation.  
Name : newt  
Version : 0.52.15  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:42 PM EDT  
Group : System Environment/Libraries  
Size : 185196  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:56:55 PM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : newt-0.52.15-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:48:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/newt/>  
Summary : A library for text mode user interfaces  
Description :  
Newt is a programming library for color text mode, widget based user interfaces. Newt can be used to add stacked windows, entry widgets, checkboxes, radio buttons, labels, plain text fields, scrollbars, etc., to text mode user interfaces. This package also contains the shared library needed by programs built with newt, as well as a /usr/bin/dialog replacement called whiptail. Newt is based on the slang library.

Name : python-IPy  
Version : 0.75  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:11 PM EDT  
Group : System Environment/Libraries  
Size : 121946  
License : BSD  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:22 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : python-IPy-0.75-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:18:29 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://github.com/haypo/python-ipy>  
Summary : Python module for handling IPv4 and IPv6 Addresses and Networks  
Description :  
IPy is a Python module for handling IPv4 and IPv6 Addresses and Networks in a fashion similar to perl's Net::IP and friends. The IP class allows a comfortable parsing and handling for most notations in use for IPv4 and IPv6 Addresses and Networks.

Name : nss-softokn-freebl  
Version : 3.16.2.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:01 PM EDT  
Group : System Environment/Base  
Size : 524036  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:39 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : nss-softokn-3.16.2.3-9.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:26:29 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Freebl library for the Network Security Services  
Description :  
NSS Softoken Cryptographic Module Freebl Library

Install the nss-softoken-freebl package if you need the freebl library.

Name : sil-abyssinica-fonts  
Version : 1.200  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:29 PM EDT  
Group : Unspecified  
Size : 1171204  
License : OFL  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:59 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sil-abyssinica-fonts-1.200-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:48:25 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://scripts.sil.org/AbyssinicaSIL>  
Summary : SIL Abyssinica fonts  
Description :  
SIL Abyssinica is a Unicode typeface family containing glyphs for the Ethiopic script.

The Ethiopic script is used for writing many of the languages of Ethiopia and Eritrea. Abyssinica SIL supports all Ethiopic characters which are in Unicode including the Unicode 4.1 extensions. Some languages of Ethiopia are not yet able to be fully represented in Unicode and, where necessary, we have included non-Unicode characters in the Private Use Area (see Private-use (PUA) characters supported by Abyssinica SIL).

Abyssinica SIL is based on Ethiopic calligraphic traditions. This release is

a regular typeface, with no bold or italic version available or planned.

Name : lockdev  
Version : 1.0.4  
Release : 0.13.20111007git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:09 PM EDT  
Group : System Environment/Libraries  
Size : 54799  
License : LGPLv2



Signature : RSA/SHA256, Thu 03 Jul 2014 11:34:32 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lockdev-1.0.4-0.13.20111007git.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:36:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://alioth.debian.org/projects/lockdev/>  
Summary : A library for locking devices  
Description :  
Lockdev provides a reliable way to put an exclusive lock to devices  
using both FSSTND and SVr4 methods.

Name : libseccomp  
Version : 2.1.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:07 PM EDT  
Group : System Environment/Libraries  
Size : 120834  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:02 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libseccomp-2.1.1-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:21:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libseccomp.sourceforge.net>  
Summary : Enhanced seccomp library  
Description :  
The libseccomp library provides an easy to use interface to the Linux  
Kernel's  
syscall filtering mechanism, seccomp. The libseccomp API allows an  
application  
to specify which syscalls, and optionally which syscall arguments, the  
application is allowed to execute, all of which are enforced by the Linux  
Kernel.

Name : iptables  
Version : 1.4.21  
Release : 13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:45 PM EDT  
Group : System Environment/Base  
Size : 1541839  
License : GPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:08:31 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : iptables-1.4.21-13.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:02:48 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS  
URL : <http://www.netfilter.org/>  
Summary : Tools for managing Linux kernel packet filtering capabilities  
Description :  
The iptables utility controls the network packet filtering code in the Linux kernel. If you need to set up firewalls and/or IP masquerading, you should install this package.  
Name : logrotate  
Version : 3.8.6  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:16 PM EDT  
Group : System Environment/Base  
Size : 102451  
License : GPL+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:34:56 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : logrotate-3.8.6-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:58:02 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/logrotate/>  
Summary : Rotates, compresses, removes and mails system log files  
Description :  
The logrotate utility is designed to simplify the administration of log files on a system which generates a lot of log files. Logrotate allows for the automatic rotation compression, removal and mailing of log files. Logrotate can be set to handle a log file daily, weekly, monthly or when the log file gets to a certain size. Normally, logrotate runs as a daily cron job.

Install the logrotate package if you need a utility to deal with the log files on your system.

Name : libselinux  
Version : 2.2.2  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:08 PM EDT  
Group : System Environment/Libraries  
Size : 162746  
License : Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:18 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libselinux-2.2.2-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:13:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/git/selinux.git>  
Summary : SELinux library and simple utilities

Description :

Security-enhanced Linux is a feature of the Linux® kernel and a number of utilities with enhanced security functionality designed to add mandatory access controls to Linux. The Security-enhanced Linux kernel contains new architectural components originally developed to improve the security of the Flask operating system. These architectural components provide general support for the enforcement of many kinds of mandatory access control policies, including those based on the concepts of Type Enforcement®, Role-based Access Control, and Multi-level Security.

libselinux provides an API for SELinux applications to get and set process and file security contexts and to obtain security policy decisions. Required for any applications that use the SELinux API.

Name : lohit-telugu-fonts  
Version : 2.5.3  
Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:44 PM EDT  
Group : User Interface/X  
Size : 187557  
License : OFL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:35:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lohit-telugu-fonts-2.5.3-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:07:15 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/lohit/>  
Summary : Free Telugu font  
Description :

This package provides a free Telugu truetype/opentype font.

Name : libimobiledevice  
Version : 1.1.5  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:15 PM EDT  
Group : System Environment/Libraries  
Size : 392099  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:54:07 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libimobiledevice-1.1.5-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:11:46 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libimobiledevice.org/>  
Summary : Library for connecting to mobile devices  
Description :

libimobiledevice is a library for connecting to mobile devices including phones and music players

Name : libvirt-daemon-kvm  
Version : 1.2.8  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:12 PM EDT  
Group : Development/Libraries  
Size : 0  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:20 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Server side daemon & driver required to run KVM guests  
Description :  
Server side daemon and driver required to manage the virtualization capabilities of the KVM hypervisor

Name : libverto-tevent  
Version : 0.2.5  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:49 PM EDT  
Group : Unspecified  
Size : 11520  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:24:09 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libverto-0.2.5-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:44:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/libverto/>  
Summary : tevent module for libverto  
Description :  
Module for libverto which provides integration with tevent.

This package provides libverto-module-base since it supports io, timeout and signal.

Name : openssh-clients  
Version : 6.6.1p1  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:20 PM EDT  
Group : Applications/Internet  
Size : 2286160

License : BSD  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:24:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openssh-6.6.1p1-11.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:44:06 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.openssh.com/portable.html>  
Summary : An open source SSH client applications  
Description :  
OpenSSH is a free version of SSH (Secure SHell), a program for logging  
into and executing commands on a remote machine. This package includes  
the clients necessary to make encrypted connections to SSH servers.

Name : nss-util  
Version : 3.16.2.3  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:11 PM EDT  
Group : System Environment/Libraries  
Size : 182016  
License : MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:20:49 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nss-util-3.16.2.3-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:19:48 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mozilla.org/projects/security/pki/nss/>  
Summary : Network Security Services Utilities Library  
Description :  
Utilities for Network Security Services and the Softoken module

Name : ucs-miscfixed-fonts  
Version : 0.3  
Release : 11.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:11:54 PM EDT  
Group : User Interface/X  
Size : 7079547  
License : Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:37:30 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : ucs-miscfixed-fonts-0.3-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:30:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.cl.cam.ac.uk/~mgk25/ucs-fonts.html>  
Summary : Selected set of bitmap fonts  
Description :

The usc-fixed-fonts package provides bitmap fonts for locations such as terminals.

Name : gettext-devel  
Version : 0.18.2.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:22 PM EDT  
Group : Development/Tools  
Size : 1486930  
License : LGPLv2+ and GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:29:24 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gettext-0.18.2.1-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:01:55 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/gettext/>  
Summary : Development files for gettext  
Description :

This package contains all development related files necessary for developing or compiling applications/libraries that needs internationalization capability. You also need this package if you want to add gettext support for your project.

Name : gnome-shell  
Version : 3.8.4  
Release : 45.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:19 PM EDT  
Group : User Interface/Desktops  
Size : 5517092  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:30 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-shell-3.8.4-45.el7.src.rpm  
Build Date : Tue 10 Mar 2015 06:44:21 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/GnomeShell>  
Summary : Window management and application launching for GNOME  
Description :

GNOME Shell provides core user interface functions for the GNOME 3 desktop, like switching to windows and launching applications. GNOME Shell takes advantage of the capabilities of modern graphics hardware and introduces innovative user interface concepts to provide a visually attractive and easy to use experience.

Name : perl-Pod-Perldoc  
Version : 3.20  
Release : 4.el7  
Architecture: noarch

Install Date: Fri 26 Aug 2016 12:57:51 PM EDT  
Group : Development/Libraries  
Size : 166910  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:22:38 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Pod-Perldoc-3.20-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:17:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Pod-Perldoc/>  
Summary : Look up Perl documentation in Pod format  
Description :  
perldoc looks up a piece of documentation in .pod format that is embedded  
in the perl installation tree or in a perl script, and displays it via  
"groff -man | \$PAGER". This is primarily used for the documentation for  
the perl library modules.  
Name : rasqal  
Version : 0.9.30  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:23 PM EDT  
Group : System Environment/Libraries  
Size : 853085  
License : LGPLv2+ or ASL 2.0  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rasqal-0.9.30-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:36:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://librdf.org/rasqal/>  
Summary : RDF Query Library  
Description :  
Rasqal is a library providing full support for querying Resource  
Description Framework (RDF) including parsing query syntaxes,  
constructing  
the queries, executing them and returning result formats. It currently  
handles the RDF Data Query Language (RDQL) and SPARQL Query language.  
Name : grep  
Version : 2.20  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:14 PM EDT  
Group : Applications/Text  
Size : 1194688  
License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:03 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : grep-2.20-1.el7.src.rpm

Build Date : Thu 05 Mar 2015 07:18:03 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/grep/>  
Summary : Pattern matching utilities  
Description :  
The GNU versions of commonly used grep utilities. Grep searches through textual input for lines which contain a match to a specified pattern and then prints the matching lines. GNU's grep utilities include grep, egrep and fgrep.

GNU grep is needed by many scripts, so it shall be installed on every system.

Name : diffstat  
Version : 1.57  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:06 PM EDT  
Group : Development/Tools  
Size : 54065  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:08:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : diffstat-1.57-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:54:40 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://invisible-island.net/diffstat>  
Summary : A utility which provides statistics based on the output of diff  
Description :  
The diff command compares files line by line. Diffstat reads the output of the diff command and displays a histogram of the insertions, deletions and modifications in each file. Diffstat is commonly used to provide a summary of the changes in large, complex patch files.

Install diffstat if you need a program which provides a summary of the diff command's output.

Name : avahi-ui-gtk3  
Version : 0.6.31  
Release : 14.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:29 PM EDT  
Group : Unspecified  
Size : 54000  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:39:04 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : avahi-0.6.31-14.el7.src.rpm



Build Date : Thu 05 Mar 2015 05:03:54 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://avahi.org>  
Summary : Gtk user interface library for Avahi (Gtk+ 3 version)  
Description :  
This library contains a Gtk 3.x widget for browsing services.  
Name : nautilus-extensions  
Version : 3.8.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:25 PM EDT  
Group : Development/Libraries  
Size : 52688  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:18:46 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nautilus-3.8.2-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:10:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/nautilus/>  
Summary : Nautilus extensions library  
Description :  
This package provides the libraries used by nautilus extensions.  
Name : perl-threads-shared  
Version : 1.43  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:53 PM EDT  
Group : Development/Libraries  
Size : 73972  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:27 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-threads-shared-1.43-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:07:27 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/threads-shared/>  
Summary : Perl extension for sharing data structures between threads  
Description :  
By default, variables are private to each thread, and each newly created thread gets a private copy of each existing variable. This module allows you to share variables across different threads (and pseudo-forks on Win32). It is used together with the threads module.  
Name : python-dmidecode  
Version : 3.10.13

Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:28 PM EDT  
Group : System Environment/Libraries  
Size : 267006  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:38:49 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-dmidecode-3.10.13-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:21:41 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.autonomy.net.au/python-dmidecode/>  
Summary : Python module to access DMI data  
Description :  
python-dmidecode is a python extension module that uses the code-base of the 'dmidecode' utility, and presents the data as python data structures or as XML data using libxml2.

Name : libdb  
Version : 5.3.21  
Release : 17.el7\_0.1  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:17 PM EDT  
Group : System Environment/Libraries  
Size : 1853824  
License : BSD and LGPLv2 and Sleepycat  
Signature : RSA/SHA256, Wed 06 Aug 2014 02:32:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libdb-5.3.21-17.el7\_0.1.src.rpm  
Build Date : Wed 06 Aug 2014 02:11:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/database/berkeley-db/>  
Summary : The Berkeley DB database library for C  
Description :  
The Berkeley Database (Berkeley DB) is a programmatic toolkit that provides embedded database support for both traditional and client/server applications. The Berkeley DB includes B+tree, Extended Linear Hashing, Fixed and Variable-length record access methods, transactions, locking, logging, shared memory caching, and database recovery. The Berkeley DB supports C, C++, Java, and Perl APIs. It is used by many applications, including Python and Perl, so this should be installed on all systems.

Name : setserial  
Version : 2.17  
Release : 33.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:12:10 PM EDT  
Group : Applications/System  
Size : 31579

License : GPL+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:59:11 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : setserial-2.17-33.el7.src.rpm

Build Date : Mon 09 Jun 2014 06:58:44 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://setserial.sourceforge.net/>

Summary : A utility for configuring serial ports

Description :  
Setserial is a basic system utility for displaying or setting serial port information. Setserial can reveal and allow you to alter the I/O port and IRQ that a particular serial device is using, and more.

Name : caribou

Version : 0.4.11

Release : 3.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:03:33 PM EDT

Group : Unspecified

Size : 557733

License : LGPLv2+

Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:56 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : caribou-0.4.11-3.el7.src.rpm

Build Date : Tue 10 Jun 2014 03:50:15 AM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://live.gnome.org/Caribou>

Summary : A simplified in-place on-screen keyboard

Description :  
Caribou is a text entry application that currently manifests itself as a simplified in-place on-screen keyboard.

Name : gnome-shell-extension-launch-new-instance

Version : 3.8.4

Release : 12.el7

Architecture: noarch

Install Date: Fri 26 Aug 2016 01:07:37 PM EDT

Group : User Interface/Desktops

Size : 5360

License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 03:51:43 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : gnome-shell-extensions-3.8.4-12.el7.src.rpm

Build Date : Thu 05 Mar 2015 06:53:59 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://live.gnome.org/GnomeShell/Extensions>

Summary : Always launch a new application instance for GNOME Shell

Description :

This GNOME Shell extension modifies the behavior of clicking in the dash and app

launcher to always launch a new application instance.

Name : perl-Storable

Version : 2.45

Release : 3.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:57:55 PM EDT

Group : Development/Libraries

Size : 181031

License : GPL+ or Artistic

Signature : RSA/SHA256, Fri 04 Jul 2014 12:23:18 AM EDT, Key ID

24c6a8a7f4a80eb5

Source RPM : perl-Storable-2.45-3.el7.src.rpm

Build Date : Mon 09 Jun 2014 10:29:58 PM EDT

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://search.cpan.org/dist/Storable/>

Summary : Persistence for Perl data structures

Description :

The Storable package brings persistence to your Perl data structures containing scalar, array, hash or reference objects, i.e. anything that can be conveniently stored to disk and retrieved at a later time.

Name : pytalloc

Version : 2.1.1

Release : 1.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 01:00:31 PM EDT

Group : Development/Libraries

Size : 23088

License : LGPLv3+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:30:51 AM EDT, Key ID

24c6a8a7f4a80eb5

Source RPM : libtalloc-2.1.1-1.el7.src.rpm

Build Date : Thu 05 Mar 2015 10:42:10 PM EST

Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>

Vendor : CentOS

URL : <http://talloc.samba.org/>

Summary : Developer tools for the Talloc library

Description :

Pytalloc libraries for creating python bindings using talloc

Name : libgcrypt

Version : 1.5.3

Release : 12.el7

Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:56:19 PM EDT

Group : System Environment/Libraries

Size : 597151

License : LGPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:01:28 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libgcrypt-1.5.3-12.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:23:38 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnupg.org/>  
Summary : A general-purpose cryptography library  
Description :  
Libgcrypt is a general purpose crypto library based on the code used  
in GNU Privacy Guard. This is a development version.  
Name : iwl5150-firmware  
Version : 8.24.2.2  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:23 PM EDT  
Group : System Environment/Kernel  
Size : 419325  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:53 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 5150 A/G/N network  
adaptors  
Description :  
This package contains the firmware required by the iwl5150 driver  
for Linux. Usage of the firmware is subject to the terms and conditions  
contained inside the provided LICENSE file. Please read it carefully.  
Name : libreoffice-ure  
Epoch : 1  
Version : 4.2.6.3  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:40 PM EDT  
Group : Development/Libraries  
Size : 7703738  
License : (MPLv1.1 or LGPLv3+) and LGPLv3 and LGPLv2+ and BSD and  
(MPLv1.1 or GPLv2 or LGPLv2 or Netscape) and Public Domain and ASL 2.0  
and Artistic and MPLv2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:11:40 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreoffice-4.2.6.3-5.el7.src.rpm  
Build Date : Tue 10 Mar 2015 11:43:03 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.libreoffice.org/>  
Summary : UNO Runtime Environment  
Description :  
UNO is the component model of LibreOffice. UNO offers interoperability between programming languages, other components models and hardware architectures, either in process or over process boundaries, in the Intranet as well as in the Internet. UNO components may be implemented in and accessed from any programming language for which a UNO implementation (AKA language binding) and an appropriate bridge or adapter exists

Name : imsettings  
Version : 1.6.3  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:41 PM EDT  
Group : Applications/System  
Size : 953970  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:06:24 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : imsettings-1.6.3-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:52:18 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://tagoh.bitbucket.org/imsettings/>  
Summary : Delivery framework for general Input Method configuration  
Description :  
IMSettings is a framework that delivers Input Method settings and applies the changes so they take effect immediately without any need to restart applications or the desktop.

This package contains the core DBus services and some utilities.

Name : perl-Data-Dumper  
Version : 2.145  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:00 PM EDT  
Group : Development/Libraries  
Size : 99287  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:16:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Data-Dumper-2.145-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:36:56 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Data-Dumper/>  
Summary : Stringify perl data structures, suitable for printing and eval  
Description :  
Given a list of scalars or reference variables, writes out their contents in perl syntax. The references can also be objects. The content of each variable is output in a single Perl statement. Handles self-referential structures correctly.  
Name : python-six  
Version : 1.3.0  
Release : 4.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:35 PM EDT  
Group : Development/Languages  
Size : 51382  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:41:54 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-six-1.3.0-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:14:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://pypi.python.org/pypi/six/>  
Summary : Python 2 and 3 compatibility utilities  
Description :  
python-six provides simple utilities for wrapping over differences between Python 2 and Python 3.

This is the Python 2 build of the module.

Name : libicu  
Version : 50.1.2  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:24 PM EDT  
Group : System Environment/Libraries  
Size : 25221525  
License : MIT and UCD and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:53:10 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : icu-50.1.2-11.el7.src.rpm  
Build Date : Fri 30 May 2014 03:55:56 PM EDT  
Build Host : b18.bsys.dev.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.icu-project.org/>  
Summary : International Components for Unicode - libraries  
Description :  
The International Components for Unicode (ICU) libraries provide

robust and full-featured Unicode services on a wide variety of platforms. ICU supports the most current version of the Unicode standard, and they provide support for supplementary Unicode characters (needed for GB 18030 repertoire support).

As computing environments become more heterogeneous, software portability becomes more important. ICU lets you produce the same results across all the various platforms you support, without sacrificing performance. It offers great flexibility to extend and customize the supplied services.

Name : iwl5000-firmware  
Version : 8.83.5.1\_1  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:29 PM EDT  
Group : System Environment/Kernel  
Size : 1120869  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:52 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel® PRO/Wireless 5000 A/G/N network adaptors

Description :

This package contains the firmware required by the iwl5000 driver for Linux. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : javamail  
Version : 1.4.6  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:45 PM EDT  
Group : Unspecified  
Size : 1917258  
License : CDDL or GPLv2 with exceptions  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:13:17 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : javamail-1.4.6-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:41:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.oracle.com/technetwork/java/javamail>  
Summary : Java Mail API

Description :

The JavaMail API provides a platform-independent and protocol-independent framework to build mail and messaging applications.



Name : firstboot  
Version : 19.9  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:07:52 PM EDT  
Group : System Environment/Base  
Size : 291522  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:48:28 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : firstboot-19.9-8.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:37:18 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedoraproject.org/wiki/FirstBoot>  
Summary : Initial system configuration utility  
Description :  
The firstboot utility runs after installation. It guides the user through a series of steps that allows for easier configuration of the machine.

Name : perl-Thread-Queue  
Version : 3.02  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:03 PM EDT  
Group : Development/Libraries  
Size : 27642  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:25:23 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Thread-Queue-3.02-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:00:33 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Thread-Queue/>  
Summary : Thread-safe queues  
Description :  
This module provides thread-safe FIFO queues that can be accessed safely by any number of threads.

Name : libsemanage-python  
Version : 2.1.10  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:38 PM EDT  
Group : Development/Libraries  
Size : 333292  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:16:44 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : libsemanage-2.1.10-16.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:50:07 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/git/selinux.git>  
Summary : semanager python bindings for libsemanage  
Description :  
The libsemanage-python package contains the python bindings for  
developing  
SELinux management applications.  
Name : libvorbis  
Epoch : 1  
Version : 1.3.3  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:27 PM EDT  
Group : System Environment/Libraries  
Size : 3171606  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:26:26 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libvorbis-1.3.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:38:02 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.xiph.org/>  
Summary : The Vorbis General Audio Compression Codec  
Description :  
Ogg Vorbis is a fully open, non-proprietary, patent- and royalty-free,  
general-purpose compressed audio format for audio and music at fixed  
and variable bitrates.

The libvorbis package contains runtime libraries for use in programs  
that support Ogg Vorbis.

Name : iwl2030-firmware  
Version : 18.168.6.1  
Release : 36.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:12:32 PM EDT  
Group : System Environment/Kernel  
Size : 789317  
License : Redistributable, no modification permitted  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:56:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : linux-firmware-20140911-0.1.git365e80c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:47:23 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL :  
<https://git.kernel.org/cgit/linux/kernel/git/firmware/linux-firmware.git/>  
Summary : Firmware for Intel(R) Centrino Wireless-N 2030 Series  
Adapters

Description :  
This package contains the firmware required by the iwlagn driver for Linux to support the iwl2030 hardware. Usage of the firmware is subject to the terms and conditions contained inside the provided LICENSE file. Please read it carefully.

Name : tomcat-lib  
Epoch : 0  
Version : 7.0.54  
Release : 1.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:03:49 PM EDT  
Group : Development/Libraries  
Size : 4240903  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:38:53 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : tomcat-7.0.54-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:54:31 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://tomcat.apache.org/>  
Summary : Libraries needed to run the Tomcat Web container  
Description :

Libraries needed to run the Tomcat Web container.

Name : ibus-hangul  
Version : 1.4.2  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:00 PM EDT  
Group : System Environment/Libraries  
Size : 198133  
License : GPLv2+  
Signature : RSA/SHA256, Mon 01 Dec 2014 08:28:19 AM EST, Key ID 24c6a8a7f4a80eb5

Source RPM : ibus-hangul-1.4.2-10.el7.src.rpm  
Build Date : Mon 01 Dec 2014 08:12:27 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/ibus/>  
Summary : The Hangul engine for IBus input platform  
Description :

The Hangul engine for IBus platform. It provides Korean input method from libhangul.

Name : perl-Net-LibIDN  
Version : 0.12  
Release : 15.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:06 PM EDT  
Group : Development/Libraries  
Size : 52037  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:21:19 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-Net-LibIDN-0.12-15.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:32:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Net-LibIDN/>  
Summary : Perl bindings for GNU LibIDN  
Description :  
Provides perl bindings for GNU Libidn, a C library for handling Internationalized Domain Names according to IDNA (RFC 3490), in a way very much inspired by Turbo Fredriksson's PHP-IDN.  
Name : python-urlgrabber  
Version : 3.10  
Release : 6.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:41 PM EDT  
Group : Development/Libraries  
Size : 496639  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:31:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-urlgrabber-3.10-6.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:15:14 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://urlgrabber.baseurl.org/>  
Summary : A high-level cross-protocol url-grabber  
Description :  
A high-level cross-protocol url-grabber for python supporting HTTP, FTP and file locations. Features include keepalive, byte ranges, throttling, authentication, proxies and more.  
Name : libffi  
Version : 3.0.13  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:29 PM EDT  
Group : System Environment/Libraries  
Size : 47758  
License : MIT and Public Domain  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:45:52 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libffi-3.0.13-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 05:12:41 PM EDT  
Build Host : worker1.bsys.centos.org

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceware.org/libffi>  
Summary : A portable foreign function interface library  
Description :  
Compilers for high level languages generate code that follow certain conventions. These conventions are necessary, in part, for separate compilation to work. One such convention is the "calling convention". The calling convention is a set of assumptions made by the compiler about where function arguments will be found on entry to a function. A calling convention also specifies where the return value for a function is found.

Some programs may not know at the time of compilation what arguments are to be passed to a function. For instance, an interpreter may be told at run-time about the number and types of arguments used to call a given function. 'Libffi' can be used in such programs to provide a bridge from the interpreter program to compiled code.

The 'libffi' library provides a portable, high level programming interface to various calling conventions. This allows a programmer to call any function specified by a call interface description at run time.

FFI stands for Foreign Function Interface. A foreign function interface is the popular name for the interface that allows code written in one language to call code written in another language. The 'libffi' library really only provides the lowest, machine dependent layer of a fully featured foreign function interface. A layer must exist above 'libffi' that handles type conversions for values passed between the two languages.

Name : libXi  
Version : 1.7.2  
Release : 2.1.el7  
Architecture: i686  
Install Date: Fri 26 Aug 2016 01:12:38 PM EDT  
Group : System Environment/Libraries  
Size : 69159  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:37 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXi-1.7.2-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 10:36:21 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXi runtime library  
Description :  
X.Org X11 libXi runtime library  
Name : poppler-utils  
Version : 0.22.5  
Release : 6.el7

Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:52 PM EDT  
Group : Applications/Text  
Size : 421714  
License : (GPLv2 or GPLv3) and GPLv2+ and LGPLv2+ and MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : poppler-0.22.5-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:01:06 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://poppler.freedesktop.org/>  
Summary : Command line utilities for converting PDF files  
Description :  
Poppler, a PDF rendering library, is a fork of the xpdf PDF viewer developed by Derek Noonburg of Glyph and Cog, LLC.

This utils package installs a number of command line tools for converting PDF files to a number of other formats.

Name : gnome-disk-utility  
Version : 3.8.2  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:04 PM EDT  
Group : System Environment/Libraries  
Size : 5906598  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:37:06 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-disk-utility-3.8.2-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:47:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://git.gnome.org/browse/gnome-disk-utility>  
Summary : Disks  
Description :  
This package contains the Disks and Disk Image Mounter applications. Disks supports partitioning, file system creation, encryption, fstab/crypttab editing, ATA SMART and other features  
Name : perl-HTTP-Date  
Version : 6.02  
Release : 8.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:16 PM EDT  
Group : Development/Libraries  
Size : 20167  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:02 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Date-6.02-8.el7.src.rpm

Build Date : Mon 09 Jun 2014 09:20:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Date/>  
Summary : Date conversion routines  
Description :  
This module provides functions that deal the date formats used by the HTTP protocol (and then some more). Only the first two functions, time2str() and str2time(), are exported by default.

Name : java-1.8.0-openjdk-devel  
Epoch : 1  
Version : 1.8.0.31  
Release : 2.b13.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:00:50 PM EDT  
Group : Development/Tools  
Size : 40025843  
License : ASL 1.1 and ASL 2.0 and GPL+ and GPLv2 and GPLv2 with exceptions and LGPL+ and LGPLv2 and MPLv1.0 and MPLv1.1 and Public Domain and W3C  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:57:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : java-1.8.0-openjdk-1.8.0.31-2.b13.el7.src.rpm  
Build Date : Wed 11 Mar 2015 07:52:34 AM EDT  
Build Host : sclbuild  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://openjdk.java.net/>  
Summary : OpenJDK Development Environment  
Description :  
The OpenJDK development tools.

Name : gstreamer1  
Version : 1.0.7  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:32 PM EDT  
Group : Unspecified  
Size : 3252353  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:47:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gstreamer1-1.0.7-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:57:50 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer streaming media framework runtime

Description :

GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plugins.

Name : lvm2  
Epoch : 7  
Version : 2.02.115  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:03:57 PM EDT  
Group : System Environment/Base  
Size : 1892013  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:16:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.115-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:51:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Userland logical volume management tools  
Description :

LVM2 includes all of the support for handling read/write operations on physical volumes (hard disks, RAID-Systems, magneto optical, etc., multiple devices (MD), see mdadd(8) or even loop devices, see losetup(8)), creating volume groups (kind of virtual disks) from one or more physical volumes and creating one or more logical volumes (kind of logical partitions) in volume groups.

Name : gnome-session-xsession  
Version : 3.8.4  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:32 PM EDT  
Group : User Interface/Desktops  
Size : 14050  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:39:14 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gnome-session-3.8.4-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:12:26 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : Desktop file for gnome-session  
Description :



Desktop file to add GNOME to display manager session menu.

Name : perl-HTTP-Daemon  
Version : 6.01  
Release : 5.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:19 PM EDT  
Group : Development/Libraries  
Size : 40152  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:19:00 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-HTTP-Daemon-6.01-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:27:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/HTTP-Daemon/>  
Summary : Simple HTTP server class  
Description :  
Instances of the HTTP::Daemon class are HTTP/1.1 servers that listen on a socket for incoming requests. The HTTP::Daemon is a subclass of IO::Socket::INET, so you can perform socket operations directly on it too.

Name : python-iniparse  
Version : 0.4  
Release : 9.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:00:54 PM EDT  
Group : Development/Libraries  
Size : 115166  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:39:14 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : python-iniparse-0.4-9.el7.src.rpm  
Build Date : Mon 09 Jun 2014 06:04:54 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/iniparse/>  
Summary : Python Module for Accessing and Modifying Configuration Data in INI files

Description :  
iniparse is an INI parser for Python which is API compatible with the standard library's ConfigParser, preserves structure of INI files (order of sections & options, indentation, comments, and blank lines are preserved when data is updated), and is more convenient to use.

Name : file-libs  
Version : 5.11  
Release : 21.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:36 PM EDT

Group : Applications/File  
Size : 3101649  
License : BSD  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:20:23 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : file-5.11-21.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:06:51 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.darwinsys.com/file/>  
Summary : Libraries for applications using libmagic  
Description :

Libraries for applications using libmagic.

Name : libmusicbrainz5  
Version : 5.0.1  
Release : 9.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:01 PM EDT  
Group : System Environment/Libraries  
Size : 607838  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:00:51 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libmusicbrainz5-5.0.1-9.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:14:00 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.musicbrainz.org/>  
Summary : Library for accessing MusicBrainz servers  
Description :

The MusicBrainz client library allows applications to make metadata lookup to a MusicBrainz server, generate signatures from WAV data and create CD Index Disk ids from audio CD roms.

Name : rpm-sign  
Version : 4.11.1  
Release : 25.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:43 PM EDT  
Group : System Environment/Base  
Size : 17293  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:33:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : rpm-4.11.1-25.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:27:41 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS

URL : <http://www.rpm.org/>  
Summary : Package signing support  
Description :  
This package contains support for digitally signing RPM packages.  
Name : perl-perlindex  
Version : 1.605  
Release : 1  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 12:58:21 PM EDT  
Group : Applications/CPAN  
Size : 29214  
License : Artistic/GPL  
Signature : (none)  
Source RPM : perl-perlindex-1.605-1.src.rpm  
Build Date : Thu 15 Jul 2010 09:36:33 AM EDT  
Build Host : lorax  
Relocations : (not relocatable)  
Packager : Jason Messmer <Jason.Messmer@xerox.com>  
URL : <http://search.cpan.org/dist/perlindex/>  
Summary : Index and query perl manual pages  
Description :  
Index and query perl manual pages.  
Name : passwd  
Version : 0.79  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:00 PM EDT  
Group : System Environment/Base  
Size : 429874  
License : BSD or GPL+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:12:50 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : passwd-0.79-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:27:56 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/passwd>  
Summary : An utility for setting or changing passwords using PAM  
Description :  
This package contains a system utility (passwd) which sets or changes passwords, using PAM (Pluggable Authentication Modules) library.  
Name : xmlrpc-c  
Version : 1.32.5  
Release : 1905.svn2451.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:39 PM EDT  
Group : System Environment/Libraries  
Size : 330001  
License : BSD and MIT and GPL+ and Public Domain  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:47:21 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : xmlrpc-c-1.32.5-1905.svn2451.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:03:43 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://xmlrpc-c.sourceforge.net/>  
Summary : A lightweight RPC library based on XML and HTTP  
Description :  
XML-RPC is a quick-and-easy way to make procedure calls over the Internet. It converts the procedure call into XML document, sends it to a remote server using HTTP, and gets back the response as XML.

This library provides a modular implementation of XML-RPC for C.

Name : rest  
Version : 0.7.92  
Release : 1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:06 PM EDT  
Group : System Environment/Libraries  
Size : 179546  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:32:17 AM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : rest-0.7.92-1.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:22:15 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org>  
Summary : A library for access to RESTful web services  
Description :

This library was designed to make it easier to access web services that claim to be "RESTful". A RESTful service should have urls that represent remote objects, which methods can then be called on. The majority of services

don't actually adhere to this strict definition. Instead, their RESTful end

point usually has an API that is just simpler to use compared to other types

of APIs they may support (XML-RPC, for instance). It is this kind of API that

this library is attempting to support.

Name : libsane-hpaio  
Version : 3.13.7  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:47 PM EDT  
Group : System Environment/Daemons  
Size : 157334  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:15:58 PM EDT, Key ID 24c6a8a7f4a80eb5

Source RPM : hplip-3.13.7-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 05:41:36 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hplip.sourceforge.net/>  
Summary : SANE driver for scanners in HP's multi-function devices  
Description :  
SANE driver for scanners in HP's multi-function devices (from HPOJ).  
Name : fftw-libs-double  
Version : 3.3.3  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:24 PM EDT  
Group : Development/Libraries  
Size : 2487345  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:19:53 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fftw-3.3.3-8.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:55:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.fftw.org>  
Summary : FFTW library, double precision  
Description :  
This package contains the FFTW library compiled in double precision.  
Name : wodim  
Version : 1.1.11  
Release : 22.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:05 PM EDT  
Group : Applications/Archiving  
Size : 899865  
License : GPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:43:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cdrkit-1.1.11-22.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:32:01 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cdrkit.org/>  
Summary : A command line CD/DVD recording program  
Description :  
Wodim is an application for creating audio and data CDs. Wodim works with many different brands of CD recorders, fully supports multi-sessions and provides human-readable error messages.  
Name : libXrender  
Version : 0.9.8

Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:41 PM EDT  
Group : System Environment/Libraries  
Size : 42875  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:31:59 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libXrender-0.9.8-2.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:14:24 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXrender runtime library  
Description :  
X.Org X11 libXrender runtime library  
Name : yelp-libs  
Epoch : 1  
Version : 3.8.1  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:19 PM EDT  
Group : Development/Libraries  
Size : 261744  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:52:43 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : yelp-3.8.1-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:35:41 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Yelp>  
Summary : Libraries for yelp  
Description :  
This package contains libraries used by the yelp help browser.  
Name : xorg-x11-xauth  
Epoch : 1  
Version : 1.0.7  
Release : 6.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:30 PM EDT  
Group : User Interface/X  
Size : 47834  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:50:56 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : xorg-x11-xauth-1.0.7-6.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:08:02 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 X authority utilities  
Description :  
xauth is used to edit and display the authorization information used in connecting to an X server.  
Name : perl-libwww-perl  
Version : 6.05  
Release : 2.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:01:08 PM EDT  
Group : Development/Libraries  
Size : 498456  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:20:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : perl-libwww-perl-6.05-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:19:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/libwww-perl/>  
Summary : A Perl interface to the World-Wide Web  
Description :  
The libwww-perl collection is a set of Perl modules which provides a simple and consistent application programming interface to the World-Wide Web. The main focus of the library is to provide classes and functions that allow you to write WWW clients. The library also contain modules that are of more general use and even classes that help you implement simple HTTP servers.  
Name : libXv  
Version : 1.0.9  
Release : 2.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:43 PM EDT  
Group : System Environment/Libraries  
Size : 26375  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:32:48 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXv-1.0.9-2.1.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:02:04 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXv runtime library  
Description :

X.Org X11 libXv runtime library

Name : libvirt-daemon-driver-interface  
Version : 1.2.8  
Release : 16.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:25 PM EDT  
Group : Development/Libraries  
Size : 107440  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:15:05 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : libvirt-1.2.8-16.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:04:27 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libvirt.org/>  
Summary : Interface driver plugin for the libvirtd daemon  
Description :  
The interface driver plugin for the libvirtd daemon, providing  
an implementation of the network interface APIs using the  
netcf library

Name : NetworkManager-adsl  
Epoch : 1  
Version : 1.0.0  
Release : 14.git20150121.b4ea599c.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:08:56 PM EDT  
Group : System Environment/Base  
Size : 28480  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:28 AM EDT, Key ID  
24c6a8a7f4a80eb5

Source RPM : NetworkManager-1.0.0-14.git20150121.b4ea599c.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:19:16 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnome.org/projects/NetworkManager/>  
Summary : ADSL device plugin for NetworkManager  
Description :

This package contains NetworkManager support for ADSL devices.

Name : libXevie  
Version : 1.0.3  
Release : 7.1.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:32 PM EDT  
Group : System Environment/Libraries  
Size : 27168  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:30:01 PM EDT, Key ID  
24c6a8a7f4a80eb5



Source RPM : libXevie-1.0.3-7.1.el7.src.rpm  
Build Date : Mon 09 Jun 2014 02:45:52 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X Event Interceptor Library  
Description :  
X Event Interceptor Library.  
Name : systemtap-client  
Version : 2.6  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:13 PM EDT  
Group : Development/System  
Size : 11229642  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:53 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : systemtap-2.6-8.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:01:20 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceware.org/systemtap/>  
Summary : Programmable system-wide instrumentation system - client  
Description :  
This package contains/requires the components needed to develop  
systemtap scripts, and compile them using a local systemtap-devel  
or a remote systemtap-server installation, then run them using a  
local or remote systemtap-runtime. It includes script samples and  
documentation, and a copy of the tapset library for reference.  
Name : libsss\_idmap  
Version : 1.12.2  
Release : 58.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:46 PM EDT  
Group : Development/Libraries  
Size : 66566  
License : LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:13:05 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : FreeIPA Idmap library  
Description :  
Utility library to convert SIDs to Unix uids and gids

Name : libreswan  
Version : 3.12  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:29 PM EDT  
Group : System Environment/Daemons  
Size : 3499962  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:12:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreswan-3.12-5.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:39:37 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://www.libreswan.org/>  
Summary : IPsec implementation with IKEv1 and IKEv2 keying protocols  
Description :  
Libreswan is a free implementation of IPsec & IKE for Linux. IPsec is the Internet Protocol Security and uses strong cryptography to provide both authentication and encryption services. These services allow you to build secure tunnels through untrusted networks. Everything passing through the untrusted net is encrypted by the ipsec gateway machine and decrypted by the gateway at the other end of the tunnel. The resulting tunnel is a virtual private network or VPN.

This package contains the daemons and userland tools for setting up Libreswan. To build KLIPS, see the kmod-libreswan.spec file.

Libreswan also supports IKEv2 (RFC4309) and Secure Labeling

Libreswan is based on Openswan-2.6.38 which in turn is based on FreeS/WAN-2.04

Name : gstreamer-plugins-good  
Version : 0.10.31  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:00 PM EDT  
Group : Applications/Multimedia  
Size : 5258969  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:48:35 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gstreamer-plugins-good-0.10.31-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 04:03:20 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://gstreamer.freedesktop.org/>  
Summary : GStreamer plug-ins with good code and licensing  
Description :

GStreamer is a streaming media framework, based on graphs of filters which operate on media data. Applications using this library can do anything from real-time sound processing to playing videos, and just about anything else media-related. Its plugin-based architecture means that new data types or processing capabilities can be added simply by installing new plug-ins.

GStreamer Good Plug-ins is a collection of well-supported plug-ins of good quality and under the LGPL license.

Name : libgee  
Version : 0.10.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:35 PM EDT  
Group : System Environment/Libraries  
Size : 851432  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:46:57 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libgee-0.10.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:55:23 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Libgee>  
Summary : GObject collection library  
Description :  
libgee is a collection library providing GObject-based interfaces and classes for commonly used data structures.

- \* Traversable
  - o Iterable
    - + Collection
      - List
        - \* BidirList
      - Set
        - \* SortedSet
          - o BidirSortedSet
      - MultiSet
      - Queue
        - \* Deque
    - + Map
      - SortedMap
        - \* BidirSortedMap
  - o Iterator
    - + BidirIterator
      - BidirListIterator
    - + ListIterator
      - BidirListIterator
- \* MultiMap

The ArrayList, ArrauQueue, ConcurrentLinkedList, ConcurrentSet, HashSet, HashMap, HashMultiSet, HashMultiMap, LinkedList, PriorityQueue, TreeSet, TreeMap, TreeMultiSet, and TreeMultiMap classes provide a reasonable sample implementation of those interfaces. In addition, a set of abstract classes are provided to ease the implementation of new collections.

Around that, the API provide means to retrieve read-only views, efficient sort algorithms, simple, bi-directional or index-based mutable iterators depending on the collection type.

Libgee is written in Vala and can be used like any GObject-based C library. It's planned to provide bindings for further languages.

```
Name       : spice-server
Version    : 0.12.4
Release    : 9.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:01:18 PM EDT
Group      : System Environment/Libraries
Size       : 1233907
License    : LGPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:36:19 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : spice-0.12.4-9.el7.src.rpm
Build Date : Tue 10 Mar 2015 07:52:37 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://www.spice-space.org/
Summary    : Implements the server side of the SPICE protocol
Description :
The Simple Protocol for Independent Computing Environments (SPICE) is
a remote display system built for virtual environments which allows
you to view a computing 'desktop' environment not only on the machine
where it is running, but from anywhere on the Internet and from a wide
variety of machine architectures.
```

This package contains the run-time libraries for any application that wishes

to be a SPICE server.

```
Name       : libv4l
Version    : 0.9.5
Release    : 4.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:56:48 PM EDT
Group      : System Environment/Libraries
Size       : 573633
License    : LGPLv2+ and GPLv2
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:23:41 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : v4l-utils-0.9.5-4.el7.src.rpm
Build Date : Mon 09 Jun 2014 07:01:20 PM EDT
Build Host : worker1.bsys.centos.org
```

Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://hansdegoede.livejournal.com/3636.html>  
Summary : Collection of video4linux support libraries  
Description :  
libv4l is a collection of libraries which adds a thin abstraction layer on top of video4linux2 devices. The purpose of this (thin) layer is to make it easy for application writers to support a wide variety of devices without having to write separate code for different devices in the same class.  
libv4l consists of 3 different libraries: libv4lconvert, libv4l1 and libv4l2.

libv4lconvert offers functions to convert from any (known) pixel-format to V4l2\_PIX\_FMT\_BGR24 or V4l2\_PIX\_FMT\_YUV420.

libv4l1 offers the (deprecated) v4l1 API on top of v4l2 devices, independent of the drivers for those devices supporting v4l1 compatibility (which many v4l2 drivers do not).

libv4l2 offers the v4l2 API on top of v4l2 devices, while adding for the application transparent libv4lconvert conversion where necessary.

Name : xorg-x11-drv-void  
Version : 1.4.0  
Release : 23.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:32 PM EDT  
Group : User Interface/X Hardware Support  
Size : 15406  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:49:15 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-drv-void-1.4.0-23.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:03:15 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : Xorg X11 void input driver  
Description :  
X.Org X11 void input driver.  
Name : vinagre  
Version : 3.8.2  
Release : 12.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:08 PM EDT  
Group : Applications/System  
Size : 3173146  
License : GPLv2+

Signature : RSA/SHA256, Sat 14 Mar 2015 04:39:52 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : vinagre-3.8.2-12.el7.src.rpm  
Build Date : Fri 06 Mar 2015 01:00:34 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://projects.gnome.org/vinagre/>  
Summary : VNC client for GNOME  
Description :  
Vinagre is a VNC client for the GNOME desktop.

With Vinagre you can have several connections open simultaneously,  
bookmark  
your servers thanks to the Favorites support, store the passwords in the  
GNOME keyring, and browse the network to look for VNC servers.

Apart from the VNC protocol, vinagre supports Spice and RDP.

Name : libmspub  
Version : 0.0.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:38 PM EDT  
Group : System Environment/Libraries  
Size : 618792  
License : GPLv2+ or LGPLv2+ or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:00:05 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libmspub-0.0.6-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:24:07 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/libmspub>  
Summary : A library providing ability to interpret and import  
Microsoft Publisher files  
Description :  
Libmspub is library providing ability to interpret and import Microsoft  
Publisher content into various applications. You can find it being used  
in libreoffice.  
Name : libspectre  
Version : 0.2.7  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:26 PM EDT  
Group : System Environment/Libraries  
Size : 90404  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:18:21 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libspectre-0.2.7-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:05:50 PM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libspectre.freedesktop.org>  
Summary : A library for rendering PostScript(TM) documents  
Description :  
libspectre is a small library for rendering PostScript(TM) documents.  
It provides a convenient easy to use API for handling and rendering  
PostScript documents.  
Name : libmpc  
Version : 1.0.1  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:51 PM EDT  
Group : Development/Tools  
Size : 113833  
License : LGPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:59:41 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libmpc-1.0.1-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 03:44:58 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.multiprecision.org/>  
Summary : C library for multiple precision complex arithmetic  
Description :

MPC is a C library for the arithmetic of complex numbers with  
arbitrarily high precision and correct rounding of the result. It is  
built upon and follows the same principles as Mpfr.

Name : mesa-libGLU  
Version : 9.0.0  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:04:36 PM EDT  
Group : Unspecified  
Size : 524464  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:46:36 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : mesa-libGLU-9.0.0-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:20:11 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://mesa3d.org/>  
Summary : Mesa libGLU library  
Description :  
Mesa implementation of the standard GLU OpenGL utility API.  
Name : gnome-screenshot

```

Version      : 3.8.3
Release      : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:09:16 PM EDT
Group        : Applications/System
Size         : 671636
License      : GPLv2+
Signature    : RSA/SHA256, Thu 03 Jul 2014 09:39:07 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : gnome-screenshot-3.8.3-3.el7.src.rpm
Build Date   : Mon 09 Jun 2014 08:26:50 PM EDT
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.gnome.org
Summary      : A screenshot utility for GNOME
Description  :
gnome-screenshot lets you take pictures of your screen.
Name         : dyninst
Version      : 8.2.0
Release      : 2.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:58:43 PM EDT
Group        : Development/Libraries
Size         : 9013880
License      : LGPLv2+
Signature    : RSA/SHA256, Sat 14 Mar 2015 03:45:37 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM   : dyninst-8.2.0-2.el7.src.rpm
Build Date   : Thu 05 Mar 2015 06:10:41 PM EST
Build Host   : worker1.bsys.centos.org
Relocations  : (not relocatable)
Packager     : CentOS BuildSystem <http://bugs.centos.org>
Vendor       : CentOS
URL          : http://www.dyninst.org
Summary      : An API for Run-time Code Generation
Description  :

```

Dyninst is an Application Program Interface (API) to permit the insertion of

code into a running program. The API also permits changing or removing subroutine calls from the application program. Run-time code changes are useful to support a variety of applications including debugging, performance

monitoring, and to support composing applications out of existing packages.

The goal of this API is to provide a machine independent interface to permit the creation of tools and applications that use run-time code patching.

```

Name         : autogen-libopts
Version      : 5.18
Release      : 5.el7
Architecture: x86_64

```



Install Date: Fri 26 Aug 2016 01:01:29 PM EDT  
Group : System Environment/Libraries  
Size : 145381  
License : LGPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:44:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : autogen-5.18-5.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:19:30 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/autogen/>  
Summary : Automated option processing library based on autogen  
Description :  
Libopts is very powerful command line option parser consisting of a set of AutoGen templates and a run time library that nearly eliminates the hassle of parsing and documenting command line options.  
Name : libwpg  
Version : 0.2.2  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:54 PM EDT  
Group : System Environment/Libraries  
Size : 283545  
License : LGPLv2+ or MPLv2.0  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:28:02 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libwpg-0.2.2-4.el7.src.rpm  
Build Date : Tue 10 Jun 2014 03:02:59 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://libwpg.sourceforge.net/>  
Summary : Library for reading WordPerfect Graphics images  
Description :  
Libwpg project is a library and to work with graphics in WPG (WordPerfect Graphics) format. WPG is the format used among others in Corel software, such as WordPerfect and Presentations.  
Name : glx-utils  
Version : 8.1.0  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:07 PM EDT  
Group : Development/Libraries  
Size : 101230  
License : MIT  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:35:44 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mesa-demos-8.1.0-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 12:03:40 AM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.mesa3d.org>  
Summary : GLX utilities  
Description :  
The glx-utils package provides the glxinfo and glxgears utilities.

Name : mousetweaks  
Version : 3.8.0  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:24 PM EDT  
Group : User Interface/Desktops  
Size : 483374  
License : GPLv3 and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:49:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mousetweaks-3.8.0-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:58:12 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://live.gnome.org/Mousetweaks/Home>  
Summary : Mouse accessibility support for the GNOME desktop  
Description :  
The Mousetweaks package provides mouse accessibility enhancements for the GNOME desktop, such as performing various clicks without using any hardware button. The options can be accessed through the Accessibility tab of the Mouse Preferences of GNOME Control Center or through command-line.

Name : mtools  
Version : 4.0.18  
Release : 5.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:48 PM EDT  
Group : Applications/System  
Size : 332721  
License : GPLv3+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:51:23 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : mtools-4.0.18-5.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:54:12 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://mtools.linux.lu/>  
Summary : Programs for accessing MS-DOS disks without mounting the disks  
Description :  
Mtools is a collection of utilities for accessing MS-DOS files. Mtools allow you to read, write and move around MS-DOS filesystem

files (normally on MS-DOS floppy disks). Mtools supports Windows95 style long file names, OS/2 XDF disks, and 2m disks

Mtools should be installed if you need to use MS-DOS disks

Name : linuxconsoletools  
Version : 1.4.5  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:34 PM EDT  
Group : Applications/System  
Size : 155295  
License : GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:33:46 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : linuxconsoletools-1.4.5-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:40:50 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/linuxconsole/>  
Summary : Tools for connecting joysticks & legacy devices to the kernel's input subsystem  
Description :  
This package contains utilities for testing and configuring joysticks, connecting legacy devices to the kernel's input subsystem (providing support for serial mice, touchscreens etc.), and test the input event layer.

Name : libraw1394  
Version : 2.1.0  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:56:57 PM EDT  
Group : System Environment/Libraries  
Size : 145921  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:08:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libraw1394-2.1.0-2.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:15:44 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.dennedy.org/libraw1394/>  
Summary : Library providing low-level IEEE-1394 access  
Description :  
The libraw1394 library provides direct access to the IEEE-1394 bus. Support for both the obsolete ieee1394 interface and the new firewire intererface are included, with run-time detection of the active stack.

Name : abrt-tui  
Version : 2.1.11  
Release : 19.el7.centos.0.3  
Architecture: x86\_64

```

Install Date: Fri 26 Aug 2016 01:05:10 PM EDT
Group       : User Interface/Desktops
Size        : 24559
License     : GPLv2+
Signature   : RSA/SHA256, Tue 24 Mar 2015 12:07:51 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : abrt-2.1.11-19.el7.centos.0.3.src.rpm
Build Date  : Mon 23 Mar 2015 11:56:44 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://fedorahosted.org/abrt/
Summary     : abrt's command line interface
Description :
This package contains a simple command line client for processing abrt
reports
in command line environment.
Name        : mlocate
Version     : 0.26
Release     : 5.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:09:29 PM EDT
Group       : Applications/System
Size        : 387492
License     : GPLv2
Signature   : RSA/SHA256, Thu 03 Jul 2014 11:48:03 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM  : mlocate-0.26-5.el7.src.rpm
Build Date  : Mon 09 Jun 2014 05:42:50 PM EDT
Build Host  : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager    : CentOS BuildSystem <http://bugs.centos.org>
Vendor      : CentOS
URL         : https://fedorahosted.org/mlocate/
Summary     : An utility for finding files by name
Description :
mlocate is a locate/updatedb implementation. It keeps a database of
all existing files and allows you to lookup files by name.

```

The 'm' stands for "merging": updatedb reuses the existing database to avoid rereading most of the file system, which makes updatedb faster and does not

trash the system caches as much as traditional locate implementations.

```

Name        : wqy-zenhei-fonts
Version     : 0.9.46
Release     : 11.el7
Architecture: noarch
Install Date: Fri 26 Aug 2016 12:58:53 PM EDT
Group       : User Interface/X
Size        : 17156598
License     : GPLv2 with exceptions

```

Signature : RSA/SHA256, Fri 04 Jul 2014 01:44:09 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : wqy-zenhei-fonts-0.9.46-11.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:06:00 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://wenq.org/enindex.cgi>  
Summary : WenQuanYi Zen Hei CJK Font  
Description :

WenQuanYi Zen Hei is a Hei-Ti style (sans-serif type) Chinese outline font. It is designed for general purpose text formatting and on-screen display of Chinese characters and symbols from many other languages. The embolden strokes of the font glyphs produces enhanced screen contrast, making it easier to read recognize. The embedded bitmap glyphs further enhance on-screen performance, which can be enabled with the provided configuration files. WenQuanYi Zen Hei provides a rather complete coverage to Chinese Hanzi glyphs, including both simplified and traditional forms. The total glyph number in this font is over 35,000, including over 21,000 Chinese Hanzi. This font has full coverage to GBK(CP936) charset, CJK Unified Ideographs, as well as the code-points needed for zh\_cn, zh\_sg, zh\_tw, zh\_hk, zh\_mo, ja (Japanese) and ko (Korean) locales for fontconfig. Starting from version 0.8, this font package has contained two font families, i.e. the proportionally-spaced Zen Hei, and a mono-spaced face named "WenQuanYi Zen Hei Mono".

Name : device-mapper-libs  
Epoch : 7  
Version : 1.02.93  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:37 PM EDT  
Group : System Environment/Libraries  
Size : 300216  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:37 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.115-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:51:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper shared library  
Description :  
This package contains the device-mapper shared library, libdevmapper.  
Name : nettle  
Version : 2.7.1  
Release : 4.el7  
Architecture: x86\_64

Install Date: Fri 26 Aug 2016 12:56:59 PM EDT  
Group : Development/Libraries  
Size : 764914  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:19:20 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : nettle-2.7.1-4.el7.src.rpm  
Build Date : Thu 05 Mar 2015 11:10:21 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.lysator.liu.se/~nisse/nettle/>  
Summary : A low-level cryptographic library  
Description :  
Nettle is a cryptographic library that is designed to fit easily in more  
or less any context: In crypto toolkits for object-oriented languages  
(C++, Python, Pike, ...), in applications like LSH or GNUPG, or even in  
kernel space.  
Name : realmd  
Version : 0.14.6  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:14 PM EDT  
Group : Unspecified  
Size : 799187  
License : LGPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:47:45 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : realmd-0.14.6-6.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:37:53 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cgit.freedesktop.org/realmd/realmd/>  
Summary : Kerberos realm enrollment service  
Description :  
realmd is a DBus system service which manages discovery and enrollment in  
realms  
and domains like Active Directory or IPA. The control center uses realmd  
as the  
back end to 'join' a domain simply and automatically configure things  
correctly.  
Name : postfix  
Epoch : 2  
Version : 2.10.1  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:35 PM EDT  
Group : System Environment/Daemons  
Size : 12773475  
License : IBM and GPLv2+

Signature : RSA/SHA256, Fri 04 Jul 2014 12:33:15 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : postfix-2.10.1-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:39:36 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.postfix.org>  
Summary : Postfix Mail Transport Agent  
Description :  
Postfix is a Mail Transport Agent (MTA), supporting LDAP, SMTP AUTH  
(SASL),  
TLS  
Name : glibc-devel  
Version : 2.17  
Release : 78.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:58:58 PM EDT  
Group : Development/Libraries  
Size : 1064023  
License : LGPLv2+ and LGPLv2+ with exceptions and GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:23 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : glibc-2.17-78.el7.src.rpm  
Build Date : Thu 05 Mar 2015 04:50:19 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gnu.org/software/glibc/>  
Summary : Object files for development using standard C libraries.  
Description :  
The glibc-devel package contains the object files necessary  
for developing programs which use the standard C libraries (which are  
used by nearly all programs). If you are developing programs which  
will use the standard C libraries, your system needs to have these  
standard object files available in order to create the  
executables.

Install glibc-devel if you are going to develop programs which will  
use the standard C libraries.

Name : systemd-sysv  
Version : 208  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:42 PM EDT  
Group : Unspecified  
Size : 3979  
License : LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:49 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : systemd-208-20.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:48:58 AM EST

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : SysV tools for systemd  
Description :  
SysV compatibility tools for systemd  
Name : libusb  
Epoch : 1  
Version : 0.1.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:03 PM EDT  
Group : System Environment/Libraries  
Size : 23936  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:22:52 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libusb-0.1.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 02:34:22 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sourceforge.net/projects/libusb/>  
Summary : A library which allows userspace access to USB devices  
Description :  
This package provides a way for applications to access USB devices.  
Legacy libusb-0.1 is no longer supported by upstream, therefore content  
of this  
package was replaced by libusb-compat. It provides compatibility layer  
allowing  
applications written for libusb-0.1 to work with libusb-1.0.  
Name : fprintd  
Version : 0.5.0  
Release : 4.0.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:20 PM EDT  
Group : System Environment/Daemons  
Size : 310872  
License : GPLv2+  
Signature : RSA/SHA256, Sat 05 Jul 2014 11:22:21 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : fprintd-0.5.0-4.0.el7\_0.src.rpm  
Build Date : Tue 24 Jun 2014 07:15:32 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/fprint/fprintd>  
Summary : D-Bus service for Fingerprint reader access  
Description :  
D-Bus service to access fingerprint readers.



```

Name       : rng-tools
Version    : 5
Release    : 2.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:09:46 PM EDT
Group      : System Environment/Base
Size       : 69473
License    : GPLv2+
Signature  : RSA/SHA256, Sat 14 Mar 2015 04:32:58 AM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : rng-tools-5-2.el7.src.rpm
Build Date : Fri 06 Mar 2015 12:24:41 AM EST
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : http://sourceforge.net/projects/gkernel/
Summary    : Random number generator related utilities
Description :
Hardware random number generation tools.
Name       : marisa
Version    : 0.2.4
Release    : 3.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 12:59:02 PM EDT
Group      : Unspecified
Size       : 254006
License    : BSD or LGPL
Signature  : RSA/SHA256, Thu 03 Jul 2014 11:38:52 PM EDT, Key ID
24c6a8a7f4a80eb5
Source RPM : marisa-0.2.4-3.el7.src.rpm
Build Date : Mon 09 Jun 2014 10:19:18 PM EDT
Build Host : worker1.bsys.centos.org
Relocations : (not relocatable)
Packager   : CentOS BuildSystem <http://bugs.centos.org>
Vendor     : CentOS
URL        : https://code.google.com/p/marisa-trie/
Summary    : Static and spece-efficient trie data structure library
Description :
Matching Algorithm with Recursively Implemented StorAge (MARISA) is a
static and space-efficient trie data structure. And libmarisa is a C++
library to provide an implementation of MARISA. Also, the package of
libmarisa contains a set of command line tools for building and
operating a MARISA-based dictionary.

A MARISA-based dictionary supports not only lookup but also reverse
lookup, common prefix search and predictive search.
Name       : sssd-common
Version    : 1.12.2
Release    : 58.el7
Architecture: x86_64
Install Date: Fri 26 Aug 2016 01:01:48 PM EDT
Group      : Applications/System
Size       : 3021720

```

License : GPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:36:37 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : sssd-1.12.2-58.el7.src.rpm  
Build Date : Tue 10 Mar 2015 07:50:10 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/sss/>  
Summary : Common files for the SSSD  
Description :  
Common files for the SSSD. The common package includes all the files needed to run a particular back end, however, the back ends are packaged in separate subpackages such as sssd-ldap.

Name : libXfont  
Version : 1.4.7  
Release : 2.el7\_0  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:06 PM EDT  
Group : System Environment/Libraries  
Size : 315844  
License : MIT  
Signature : RSA/SHA256, Tue 18 Nov 2014 10:07:51 AM EST, Key ID 24c6a8a7f4a80eb5  
Source RPM : libXfont-1.4.7-2.el7\_0.src.rpm  
Build Date : Tue 18 Nov 2014 09:35:40 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 libXfont runtime library  
Description :  
X.Org X11 libXfont runtime library

Name : hypervkvpd  
Version : 0  
Release : 0.25.20141008git.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:25 PM EDT  
Group : System Environment/Daemons  
Size : 31390  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:18 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : hyperv-daemons-0-0.25.20141008git.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:02:32 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.kernel.org>

Summary : HyperV key value pair (KVP) daemon  
Description :  
Hypervkvpd is an implementation of HyperV key value pair (KVP) functionality for Linux. The daemon first registers with the kernel driver. After this is done it collects information requested by Windows Host about the Linux Guest. It also supports IP injection functionality on the Guest.

Name : httpd  
Version : 2.4.6  
Release : 31.el7.centos  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:09:55 PM EDT  
Group : System Environment/Daemons  
Size : 9810046  
License : ASL 2.0  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:55:03 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : httpd-2.4.6-31.el7.centos.src.rpm  
Build Date : Thu 12 Mar 2015 11:09:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://httpd.apache.org/>  
Summary : Apache HTTP Server  
Description :  
The Apache HTTP Server is a powerful, efficient, and extensible web server.

Name : kernel-tools-libs  
Version : 3.10.0  
Release : 229.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:07 PM EDT  
Group : Development/System  
Size : 18640  
License : GPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:58:16 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : kernel-3.10.0-229.el7.src.rpm  
Build Date : Fri 06 Mar 2015 07:20:57 AM EST  
Build Host : kbuilder.dev.centos.org  
Relocations : (not relocatable)  
URL : <http://www.kernel.org/>  
Summary : Libraries for the kernels-tools  
Description :  
This package contains the libraries built from the tools/ directory from the kernel source.

Name : device-mapper-event-libs  
Epoch : 7  
Version : 1.02.93  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:53 PM EDT  
Group : System Environment/Libraries

Size : 28000  
License : LGPLv2  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:44:33 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : lvm2-2.02.115-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 10:51:49 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://sources.redhat.com/lvm2>  
Summary : Device-mapper event daemon shared library  
Description :  
This package contains the device-mapper event daemon shared library, libdevmapper-event.

Name : libnl  
Version : 1.1.4  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:09 PM EDT  
Group : Development/Libraries  
Size : 373662  
License : LGPLv2  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:02:21 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libnl-1.1.4-3.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:58:17 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.infradead.org/~tgr/libnl/>  
Summary : Convenience library for kernel netlink sockets  
Description :  
This package contains a convenience library to simplify using the Linux kernel's netlink sockets interface for network manipulation

Name : gssproxy  
Version : 0.3.0  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:30 PM EDT  
Group : System Environment/Libraries  
Size : 197084  
License : MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:54:17 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : gssproxy-0.3.0-10.el7.src.rpm  
Build Date : Thu 05 Mar 2015 07:31:30 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://fedorahosted.org/gss-proxy>

Summary : GSSAPI Proxy  
Description :  
A proxy for GSSAPI credential handling  
Name : selinux-policy-targeted  
Version : 3.13.1  
Release : 23.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:05 PM EDT  
Group : System Environment/Base  
Size : 10550832  
License : GPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:35:31 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : selinux-policy-3.13.1-23.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:56:38 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://oss.tresys.com/repos/refpolicy/>  
Summary : SELinux targeted base policy  
Description :  
SELinux Reference policy targeted base module.  
Name : gzip  
Version : 1.5  
Release : 7.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:11 PM EDT  
Group : Applications/File  
Size : 249996  
License : GPLv3+ and GFDL  
Signature : RSA/SHA256, Thu 03 Jul 2014 09:53:29 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : gzip-1.5-7.el7.src.rpm  
Build Date : Tue 10 Jun 2014 04:59:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gzip.org/>  
Summary : The GNU data compression program  
Description :  
The gzip package contains the popular GNU gzip data compression  
program. Gzipped files have a .gz extension.

Gzip should be installed on your system, because it is a  
very commonly used data compression program.

Name : spice-glib  
Version : 0.22  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:01:57 PM EDT  
Group : Development/Libraries  
Size : 1241229

License : LGPLv2+  
Signature : RSA/SHA256, Fri 20 Mar 2015 07:11:34 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : spice-gtk-0.22-2.el7.src.rpm  
Build Date : Fri 20 Mar 2015 07:01:34 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://spice-space.org/page/Spice-Gtk>  
Summary : A GObject for communicating with Spice servers  
Description :  
spice-client-glib-2.0 is a SPICE client library for GLib2.  
Name : openjpeg-libs  
Version : 1.5.1  
Release : 10.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:12 PM EDT  
Group : Unspecified  
Size : 174213  
License : BSD  
Signature : RSA/SHA256, Thu 11 Sep 2014 07:17:26 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : openjpeg-1.5.1-10.el7.src.rpm  
Build Date : Thu 11 Sep 2014 06:52:33 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://code.google.com/p/openjpeg/>  
Summary : JPEG 2000 codec runtime library  
Description :  
The openjpeg-libs package contains runtime libraries for applications  
that use  
OpenJPEG.  
Name : cryptsetup-python  
Version : 1.6.6  
Release : 3.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:38 PM EDT  
Group : System Environment/Libraries  
Size : 58985  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:43:35 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cryptsetup-1.6.6-3.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:50:13 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cryptsetup.googlecode.com/>  
Summary : Python bindings for libcryptsetup  
Description :

This package provides Python bindings for libcryptsetup, a library for setting up disk encryption using dm-crypt kernel module.

Name : xorg-x11-apps  
Version : 7.7  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:11 PM EDT  
Group : User Interface/X  
Size : 787017  
License : MIT  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:48:13 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : xorg-x11-apps-7.7-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:10:18 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.x.org>  
Summary : X.Org X11 applications  
Description :

A collection of common X Window System applications.

Name : systemd-libs  
Version : 208  
Release : 20.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:15 PM EDT  
Group : Unspecified  
Size : 341656  
License : LGPLv2+ and MIT  
Signature : RSA/SHA256, Sat 14 Mar 2015 04:37:46 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : systemd-208-20.el7.src.rpm  
Build Date : Fri 06 Mar 2015 12:48:58 AM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/wiki/Software/systemd>  
Summary : systemd libraries  
Description :

Libraries for systemd and udev, as well as the systemd PAM module.

Name : iputils  
Version : 20121221  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:20 PM EDT  
Group : System Environment/Daemons  
Size : 368571  
License : BSD and GPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 10:08:45 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : iputils-20121221-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:41:11 PM EDT

Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.skbuff.net/iputils>  
Summary : Network monitoring tools including ping  
Description :  
The iputils package contains basic utilities for monitoring a network, including ping. The ping command sends a series of ICMP protocol ECHO\_REQUEST packets to a specified network host to discover whether the target machine is alive and receiving network traffic.

Name : pciutils-libs  
Version : 3.2.1  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:15 PM EDT  
Group : System Environment/Libraries  
Size : 72459  
License : GPLv2+  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:13:09 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : pciutils-3.2.1-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:52:49 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://atrey.karlin.mff.cuni.cz/~mj/pciutils.shtml>  
Summary : Linux PCI library  
Description :  
This package contains a library for inspecting and setting devices connected to the PCI bus.

Name : glusterfs  
Version : 3.6.0.29  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:05:45 PM EDT  
Group : System Environment/Base  
Size : 5182560  
License : GPLv2 or LGPLv3+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:50:36 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : glusterfs-3.6.0.29-2.el7.src.rpm  
Build Date : Thu 05 Mar 2015 06:47:02 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.gluster.org/docs/index.php/GlusterFS>  
Summary : Cluster File System  
Description :  
GlusterFS is a clustered file-system capable of scaling to several petabytes. It aggregates various storage bricks over Infiniband RDMA or TCP/IP interconnect into one large parallel network file



system. GlusterFS is one of the most sophisticated file systems in terms of features and extensibility. It borrows a powerful concept called Translators from GNU Hurd kernel. Much of the code in GlusterFS is in user space and easily manageable.

This package includes the glusterfs binary, the glusterfsd daemon and the gluster command line, libglusterfs and glusterfs translator modules common to both GlusterFS server and client framework.

Name : tcpdump  
Epoch : 14  
Version : 4.5.1  
Release : 2.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:10:25 PM EDT  
Group : Applications/Internet  
Size : 953418  
License : BSD with advertising  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:10:57 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : tcpdump-4.5.1-2.el7.src.rpm  
Build Date : Mon 09 Jun 2014 09:04:59 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.tcpdump.org>  
Summary : A network traffic monitoring tool  
Description :  
Tcpdump is a command-line tool for monitoring network traffic. Tcpdump can capture and display the packet headers on a particular network interface or on all interfaces. Tcpdump can display all of the packet headers, or just the ones that match particular criteria.

Install tcpdump if you need a program to monitor network traffic.

Name : libutempter  
Version : 1.1.6  
Release : 4.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:22 PM EDT  
Group : System Environment/Libraries  
Size : 49749  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:23:25 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libutempter-1.1.6-4.el7.src.rpm  
Build Date : Mon 09 Jun 2014 10:03:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <ftp://ftp.altlinux.org/pub/people/ldv/utempter>  
Summary : A privileged helper for utmp/wtmp updates  
Description :

This library provides interface for terminal emulators such as screen and xterm to record user sessions to utmp and wtmp files.

Name : dracut  
Version : 033  
Release : 240.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:24 PM EDT  
Group : System Environment/Base  
Size : 859747  
License : GPLv2+ and LGPLv2+  
Signature : RSA/SHA256, Sat 14 Mar 2015 03:45:20 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : dracut-033-240.el7.src.rpm  
Build Date : Thu 05 Mar 2015 05:58:43 PM EST  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://dracut.wiki.kernel.org/>  
Summary : Initramfs generator using udev  
Description :  
dracut contains tools to create a bootable initramfs for 2.6 Linux kernels.  
Unlike existing implementations, dracut does hard-code as little as possible into the initramfs. dracut contains various modules which are driven by the event-based udev. Having root on MD, DM, LVM2, LUKS is supported as well as NFS, iSCSI, NBD, FCoE with the dracut-network package.

Name : libshout  
Version : 2.2.2  
Release : 11.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:17 PM EDT  
Group : System Environment/Libraries  
Size : 101783  
License : LGPLv2+  
Signature : RSA/SHA256, Thu 03 Jul 2014 11:17:16 PM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : libshout-2.2.2-11.el7.src.rpm  
Build Date : Tue 10 Jun 2014 01:54:44 AM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.icecast.org/>  
Summary : Icecast source streaming library  
Description :

libshout is a library for communicating with and sending data to an icecast server. It handles the socket connection, the timing of the data, and prevents most bad data from getting to the icecast server.

Name : perl-Exception-Class  
Version : 1.37

Release : 3.el7  
Architecture: noarch  
Install Date: Fri 26 Aug 2016 01:10:29 PM EDT  
Group : Development/Libraries  
Size : 70869  
License : GPL+ or Artistic  
Signature : RSA/SHA256, Fri 04 Jul 2014 12:17:34 AM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : perl-Exception-Class-1.37-3.el7.src.rpm  
Build Date : Mon 09 Jun 2014 11:51:35 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://search.cpan.org/dist/Exception-Class/>  
Summary : Module that allows you to declare real exception classes in Perl  
Description :  
Exception::Class allows you to declare exception hierarchies in your modules in a "Java-esque" manner.  
Name : libreport-python  
Version : 2.1.11  
Release : 21.el7.centos.0.4  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:59:31 PM EDT  
Group : System Environment/Libraries  
Size : 96272  
License : GPLv2+  
Signature : RSA/SHA256, Wed 25 Mar 2015 02:35:39 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : libreport-2.1.11-21.el7.centos.0.4.src.rpm  
Build Date : Wed 25 Mar 2015 02:32:46 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <https://fedorahosted.org/abrt/>  
Summary : Python bindings for report-libs  
Description :  
Python bindings for report-libs.  
Name : cairo  
Version : 1.12.14  
Release : 6.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 01:02:28 PM EDT  
Group : System Environment/Libraries  
Size : 1777281  
License : LGPLv2 or MPLv1.1  
Signature : RSA/SHA256, Thu 03 Jul 2014 08:55:13 PM EDT, Key ID  
24c6a8a7f4a80eb5  
Source RPM : cairo-1.12.14-6.el7.src.rpm  
Build Date : Mon 09 Jun 2014 07:38:48 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)

Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://cairographics.org>  
Summary : A 2D graphics library  
Description :  
Cairo is a 2D graphics library designed to provide high-quality display and print output. Currently supported output targets include the X Window System, OpenGL (via glitz), in-memory image buffers, and image files (PDF, PostScript, and SVG).

Cairo is designed to produce consistent output on all output media while taking advantage of display hardware acceleration when available (e.g. through the X Render Extension or OpenGL).

Name : startup-notification  
Version : 0.12  
Release : 8.el7  
Architecture: x86\_64  
Install Date: Fri 26 Aug 2016 12:57:21 PM EDT  
Group : System Environment/Libraries  
Size : 92724  
License : LGPLv2  
Signature : RSA/SHA256, Fri 04 Jul 2014 01:05:30 AM EDT, Key ID 24c6a8a7f4a80eb5  
Source RPM : startup-notification-0.12-8.el7.src.rpm  
Build Date : Mon 09 Jun 2014 08:43:22 PM EDT  
Build Host : worker1.bsys.centos.org  
Relocations : (not relocatable)  
Packager : CentOS BuildSystem <<http://bugs.centos.org>>  
Vendor : CentOS  
URL : <http://www.freedesktop.org/software/startup-notification/>  
Summary : Library for tracking application startup  
Description :  
This package contains libstartup-notification which implements a startup notification protocol. Using this protocol a desktop environment can track the launch of an application and provide feedback such as a busy cursor, among other features.